



भारत सरकार  
Government of India



Issue Date: 30/08/2014

अवधेश कुमार प्रसाद  
Awdhesh Kumar Prasad  
जन्म तिथि/DOB: 12/07/1984  
पुरुष/ MALE  
Mobile No: 7877372793

3598 2858 7413  
VID : 9186 0520 7624 9780

मेरा आधार, मेरी पहचान

*Awdhesh*  
*25/05/25*

*7877372793*

*[Signature]*  
**Dr. D.G. HATALKAR**  
R.No. 61067 M.D. (Ob.Gy)

**Suburban Diagnostics (I) Pvt. Ltd.**  
1st Floor, Harbhajan, Above HDFC Bank,  
Opp. Nafa Petrol Pump, Kalina, CST Road,  
Santacruz (East),  
Tel. No. 022-61700000

Date: 25/03/2023

CID: 2848/Male

Name: Mr. Anuprasad Anandhesh  
Kumar

Sex / Age: /  
2308421955

**EYE CHECK UP**

Chief complaints: Nil

Systemic Diseases: Nil

Past history: Nil

Unaided Vision: -

Aided Vision:  $\left. \begin{matrix} R \\ U \\ B \end{matrix} \right\} \text{NLS}$   $\left. \begin{matrix} D.V \\ R \\ U \\ B \end{matrix} \right\} 6/6$

Refraction: -

(Right Eye)

(Left Eye)

	Sph	Cyl	Axis	Vn	Sph	Cyl	Axis	Vn
Distance	—————			6/6	—————			6/6
Near	—————			N5	—————			N5

Colour Vision:  Normal /  Abnormal

Remark: WMR

**Suburban Diagnostics (I) Pvt. Ltd.**  
1st Floor, Harbhajan, Above HDFC Bank,  
Opp. Nafa Petrol Pump, Kalina, CST Road,  
Santacruz (East),  
Tel. No. 022-61700000

*D.G. Hatakhar*  
**Dr. D.G. HATAKAR**  
R.No. 61067 M.D. (Ob.Gy)

# SUBURBAN DIAGNOSTICS - KALINA, SANTACRUZ EAST



Patient Name: PRASAD AWDHESH KUMAR  
Patient ID: 2308421955

Date and Time: 25th Mar 23 10:54 AM

Age **38** **8** **13**  
years months days

Gender **Male**


Heart Rate **96bpm**

### Patient Vitals


BP: 130/90 mmHg  
Weight: 91 kg  
Height: 166 cm  
Pulse: NA  
Spo2: NA  
Resp: NA  
Others: \_\_\_\_\_

### Measurements

QRSD: 90ms  
QT: 320ms  
QTc: 404ms  
PR: 148ms  
P-R-T: 59° 61° 21°



Copyright 2014-2023 Tricog Health, All Rights Reserved.



ECG Within Normal Limits: Sinus Rhythm, Non-specific ST/T Wave Changes. Please correlate clinically.

REPORTED BY

Dr Naveed Sheikh  
PGDCC  
2016/11/4694



CID : 2308421955  
 Name : MR.PRASAD AWDHESH KUMAR  
 Age / Gender : 38 Years / Male  
 Consulting Dr. : -  
 Reg. Location : Kalina, Santacruz East (Main Centre)

Use a QR Code Scanner  
 Application To Scan the Code  
 Collected : 25-Mar-2023 / 09:50  
 Reported : 25-Mar-2023 / 15:50

## AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE

### CBC (Complete Blood Count), Blood

<u>PARAMETER</u>	<u>RESULTS</u>	<u>BIOLOGICAL REF RANGE</u>	<u>METHOD</u>
<b><u>RBC PARAMETERS</u></b>			
Haemoglobin	15.7	13.0-17.0 g/dL	Spectrophotometric
RBC	5.14	4.5-5.5 mil/cmm	Elect. Impedance
PCV	46.9	40-50 %	Calculated
MCV	91.1	80-100 fl	Measured
MCH	30.5	27-32 pg	Calculated
MCHC	33.5	31.5-34.5 g/dL	Calculated
RDW	13.4	11.6-14.0 %	Calculated
<b><u>WBC PARAMETERS</u></b>			
WBC Total Count	8140	4000-10000 /cmm	Elect. Impedance
<b><u>WBC DIFFERENTIAL AND ABSOLUTE COUNTS</u></b>			
Lymphocytes	21.2	20-40 %	
Absolute Lymphocytes	1710	1000-3000 /cmm	Calculated
Monocytes	8.8	2-10 %	
Absolute Monocytes	710	200-1000 /cmm	Calculated
Neutrophils	66.2	40-80 %	
Absolute Neutrophils	5370	2000-7000 /cmm	Calculated
Eosinophils	3.4	1-6 %	
Absolute Eosinophils	270	20-500 /cmm	Calculated
Basophils	0.4	0.1-2 %	
Absolute Basophils	30	20-100 /cmm	Calculated
Immature Leukocytes	-		

WBC Differential Count by Absorbance & Impedance method/Microscopy.

### **PLATELET PARAMETERS**

Platelet Count	213000	150000-400000 /cmm	Elect. Impedance
MPV	12.1	6-11 fl	Measured
PDW	26.8	11-18 %	Calculated

### **RBC MORPHOLOGY**



CID : 2308421955  
 Name : MR.PRASAD AWDHESH KUMAR  
 Age / Gender : 38 Years / Male  
 Consulting Dr. : -  
 Reg. Location : Kalina, Santacruz East (Main Centre)

Collected : 25-Mar-2023 / 09:50  
 Reported : 25-Mar-2023 / 15:02

Use a QR Code Scanner  
 Application To Scan the Code

Hypochromia	-
Microcytosis	-
Macrocytosis	-
Anisocytosis	-
Poikilocytosis	-
Polychromasia	-
Target Cells	-
Basophilic Stippling	-
Normoblasts	-
Others	Normocytic, Normochromic
WBC MORPHOLOGY	-
PLATELET MORPHOLOGY	-
COMMENT	-

Specimen: EDTA Whole Blood

ESR, EDTA WB-ESR 14 2-15 mm at 1 hr. Sedimentation

\*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD CPL, Andheri West  
 \*\*\* End Of Report \*\*\*



MC-2111

*Anupa*

**Dr. ANUPA DIXIT**  
**M.D.(PATH)**  
**Consultant Pathologist & Lab Director**



Use a QR Code Scanner  
Application To Scan the Code

CID : 2308421955  
Name : MR.PRASAD AWDHESH KUMAR  
Age / Gender : 38 Years / Male  
Consulting Dr. : -  
Reg. Location : Kalina, Santacruz East (Main Centre)

Collected : 25-Mar-2023 / 09:50  
Reported : 25-Mar-2023 / 15:46

### AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE

<u>PARAMETER</u>	<u>RESULTS</u>	<u>BIOLOGICAL REF RANGE</u>	<u>METHOD</u>
GLUCOSE (SUGAR) FASTING, Fluoride Plasma	94.3	Non-Diabetic: < 100 mg/dl Impaired Fasting Glucose: 100-125 mg/dl Diabetic: >/= 126 mg/dl	Hexokinase
GLUCOSE (SUGAR) PP, Fluoride Plasma PP/R	116.8	Non-Diabetic: < 140 mg/dl Impaired Glucose Tolerance: 140-199 mg/dl Diabetic: >/= 200 mg/dl	Hexokinase
BILIRUBIN (TOTAL), Serum	0.71	0.1-1.2 mg/dl	Colorimetric
BILIRUBIN (DIRECT), Serum	0.25	0-0.3 mg/dl	Diazo
BILIRUBIN (INDIRECT), Serum	0.46	0.1-1.0 mg/dl	Calculated
TOTAL PROTEINS, Serum	6.9	6.4-8.3 g/dL	Biuret
ALBUMIN, Serum	4.6	3.5-5.2 g/dL	BCG
GLOBULIN, Serum	2.3	2.3-3.5 g/dL	Calculated
A/G RATIO, Serum	2	1 - 2	Calculated
SGOT (AST), Serum	16.2	5-40 U/L	NADH (w/o P-5-P)
SGPT (ALT), Serum	37.0	5-45 U/L	NADH (w/o P-5-P)
GAMMA GT, Serum	11.0	3-60 U/L	Enzymatic
ALKALINE PHOSPHATASE, Serum	78.3	40-130 U/L	Colorimetric
BLOOD UREA, Serum	30.8	12.8-42.8 mg/dl	Kinetic
BUN, Serum	14.4	6-20 mg/dl	Calculated
CREATININE, Serum	1.23	0.67-1.17 mg/dl	Enzymatic





CID : 2308421955  
 Name : MR.PRASAD AWDHESH KUMAR  
 Age / Gender : 38 Years / Male  
 Consulting Dr. : -  
 Reg. Location : Kalina, Santacruz East (Main Centre)

Collected : 25-Mar-2023 / 13:34  
 Reported : 25-Mar-2023 / 22:01

Use a QR Code Scanner  
 Application To Scan the Code

eGFR, Serum	70	>60 ml/min/1.73sqm	Calculated
-------------	----	--------------------	------------

Note: eGFR estimation is calculated using MDRD (Modification of diet in renal disease study group) equation

URIC ACID, Serum	7.1	3.5-7.2 mg/dl	Enzymatic
------------------	-----	---------------	-----------

Urine Sugar (Fasting)	Absent	Absent
-----------------------	--------	--------

Urine Ketones (Fasting)	Absent	Absent
-------------------------	--------	--------

Urine Sugar (PP)	Absent	Absent
------------------	--------	--------

Urine Ketones (PP)	Absent	Absent
--------------------	--------	--------

\*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD CPL, Andheri West  
 \*\*\* End Of Report \*\*\*



MC-2111



*Anupa*

**Dr. ANUPA DIXIT**  
**M.D.(PATH)**  
**Consultant Pathologist & Lab Director**



CID : 2308421955  
 Name : MR.PRASAD AWDHESH KUMAR  
 Age / Gender : 38 Years / Male  
 Consulting Dr. : -  
 Reg. Location : Kalina, Santacruz East (Main Centre)

Collected : 25-Mar-2023 / 09:50  
 Reported : 25-Mar-2023 / 15:53

Use a QR Code Scanner  
 Application To Scan the Code

**AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE**  
**GLYCOSYLATED HEMOGLOBIN (HbA1c)**

<u>PARAMETER</u>	<u>RESULTS</u>	<u>BIOLOGICAL REF RANGE</u>	<u>METHOD</u>
Glycosylated Hemoglobin (HbA1c), EDTA WB - CC	5.3	Non-Diabetic Level: < 5.7 % Prediabetic Level: 5.7-6.4 % Diabetic Level: >/= 6.5 %	HPLC
Estimated Average Glucose (eAG), EDTA WB - CC	105.4	mg/dl	Calculated

**Intended use:**

- In patients who are meeting treatment goals, HbA1c test should be performed at least 2 times a year
- In patients whose therapy has changed or who are not meeting glycemic goals, it should be performed quarterly
- For microvascular disease prevention, the HbA1C goal for non pregnant adults in general is Less than 7%.

**Clinical Significance:**

- HbA1c, Glycosylated hemoglobin or glycated hemoglobin, is hemoglobin with glucose molecule attached to it.
- The HbA1c test evaluates the average amount of glucose in the blood over the last 2 to 3 months by measuring the percentage of glycosylated hemoglobin in the blood.

**Test Interpretation:**

- The HbA1c test evaluates the average amount of glucose in the blood over the last 2 to 3 months by measuring the percentage of Glycosylated hemoglobin in the blood.
- HbA1c test may be used to screen for and diagnose diabetes or risk of developing diabetes.
- To monitor compliance and long term blood glucose level control in patients with diabetes.
- Index of diabetic control, predicting development and progression of diabetic micro vascular complications.

**Factors affecting HbA1c results:**

**Increased in:** High fetal hemoglobin, Chronic renal failure, Iron deficiency anemia, Splenectomy, Increased serum triglycerides, Alcohol ingestion, Lead/opiate poisoning and Salicylate treatment.

**Decreased in:** Shortened RBC lifespan (Hemolytic anemia, blood loss), following transfusions, pregnancy, ingestion of large amount of Vitamin E or Vitamin C and Hemoglobinopathies

**Reflex tests:** Blood glucose levels, CGM (Continuous Glucose monitoring)

**References:** ADA recommendations, AACC, Wallach's interpretation of diagnostic tests 10th edition.

\*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD CPL, Andheri West

\*\*\* End Of Report \*\*\*



MC-2111



*Anupa*

**Dr. ANUPA DIXIT**  
**M.D.(PATH)**  
**Consultant Pathologist & Lab Director**





CID : 2308421955  
 Name : MR.PRASAD AWDHESH KUMAR  
 Age / Gender : 38 Years / Male  
 Consulting Dr. : -  
 Reg. Location : Kalina, Santacruz East (Main Centre)

Use a QR Code Scanner  
 Application To Scan the Code  
 Collected : 25-Mar-2023 / 09:50  
 Reported : 25-Mar-2023 / 13:31

**AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE**  
**EXAMINATION OF FAECES**

<u>PARAMETER</u>	<u>RESULTS</u>	<u>BIOLOGICAL REF RANGE</u>
<b><u>PHYSICAL EXAMINATION</u></b>		
Colour	Brown	Brown
Form and Consistency	Semi Solid	Semi Solid
Mucus	<b>Present</b>	Absent
Blood	Absent	Absent
<b><u>CHEMICAL EXAMINATION</u></b>		
Reaction (pH)	Acidic (6.5)	-
Occult Blood	Absent	Absent
<b><u>MICROSCOPIC EXAMINATION</u></b>		
Protozoa	Absent	Absent
Flagellates	Absent	Absent
Ciliates	Absent	Absent
Parasites	Absent	Absent
Macrophages	Absent	Absent
Mucus Strands	<b>Flakes +++</b>	Absent
Fat Globules	Absent	Absent
RBC/hpf	<b>3-4*</b>	Absent

\* Clumps restricted to mucus flakes.

WBC/hpf	<b>180-190*</b>	Absent
---------	-----------------	--------

\* Large clumps restricted to mucus flakes.

Yeast Cells	Absent	Absent
Undigested Particles	Present +	-
Concentration Method (for ova)	No ova detected	Absent
Reducing Substances	-	Absent

\*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD SDRL, Vidyavihar Lab  
 \*\*\* End Of Report \*\*\*



*Dr. Vrushi Shroff*

**Dr.VRUSHALI SHROFF**  
**M.D.(PATH)**  
**Pathologist**



CID : 2308421955  
 Name : MR.PRASAD AWDHESH KUMAR  
 Age / Gender : 38 Years / Male  
 Consulting Dr. : -  
 Reg. Location : Kalina, Santacruz East (Main Centre)

Use a QR Code Scanner  
 Application To Scan the Code  
 Collected : 25-Mar-2023 / 09:50  
 Reported : 25-Mar-2023 / 12:54

**AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE**  
**URINE EXAMINATION REPORT**

<u>PARAMETER</u>	<u>RESULTS</u>	<u>BIOLOGICAL REF RANGE</u>	<u>METHOD</u>
<b><u>PHYSICAL EXAMINATION</u></b>			
Color	Pale yellow	Pale Yellow	-
Reaction (pH)	6.0	4.5 - 8.0	Chemical Indicator
Specific Gravity	1.005	1.001-1.030	Chemical Indicator
Transparency	Clear	Clear	-
Volume (ml)	20	-	-
<b><u>CHEMICAL EXAMINATION</u></b>			
Proteins	Absent	Absent	pH Indicator
Glucose	Absent	Absent	GOD-POD
Ketones	Absent	Absent	Legals Test
Blood	Absent	Absent	Peroxidase
Bilirubin	Absent	Absent	Diazonium Salt
Urobilinogen	Normal	Normal	Diazonium Salt
Nitrite	Absent	Absent	Griess Test
<b><u>MICROSCOPIC EXAMINATION</u></b>			
Leukocytes(Pus cells)/hpf	1-2	0-5/hpf	
Red Blood Cells / hpf	Absent	0-2/hpf	
Epithelial Cells / hpf	0-1		
Casts	Absent	Absent	
Crystals	Absent	Absent	
Amorphous debris	Absent	Absent	
Bacteria / hpf	2-3	Less than 20/hpf	
Others	-		

**Interpretation:** The concentration values of Chemical analytes corresponding to the grading given in the report are as follows:

- Protein:(1+ ~25 mg/dl, 2+ ~75 mg/dl, 3+ ~ 150 mg/dl, 4+ ~ 500 mg/dl)
- Glucose:(1+ ~ 50 mg/dl, 2+ ~100 mg/dl, 3+ ~300 mg/dl,4+ ~1000 mg/dl)
- Ketone:(1+ ~5 mg/dl, 2+ ~15 mg/dl, 3+ ~ 50 mg/dl, 4+ ~ 150 mg/dl)

**Reference:** Pack insert

\*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD SDRL, Vidyavihar Lab



*Dr. Vrushi Shroff*

**Dr.VRUSHALI SHROFF**  
**M.D.(PATH)**  
**Pathologist**

Authenticity Check



CID : 2308421955  
Name : MR.PRASAD AWDHESH KUMAR  
Age / Gender : 38 Years / Male  
Consulting Dr. : -  
Reg. Location : Kalina, Santacruz East (Main Centre)

Use a QR Code Scanner  
Application To Scan the Code

**Collected** :  
**Reported** :

---

\*\*\* End Of Report \*\*\*



CID : 2308421955  
 Name : MR.PRASAD AWDHESH KUMAR  
 Age / Gender : 38 Years / Male  
 Consulting Dr. : -  
 Reg. Location : Kalina, Santacruz East (Main Centre)

Collected : 25-Mar-2023 / 09:50  
 Reported : 25-Mar-2023 / 15:50

Use a QR Code Scanner  
 Application To Scan the Code

**AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE**  
**BLOOD GROUPING & Rh TYPING**

<u>PARAMETER</u>	<u>RESULTS</u>
ABO GROUP	O
Rh TYPING	POSITIVE

NOTE: Test performed by automated column agglutination technology (CAT) which is more sensitive than conventional methods.

Note: This sample is not tested for Bombay blood group.

Specimen: EDTA Whole Blood and/or serum

**Clinical significance:**

ABO system is most important of all blood group in transfusion medicine

**Limitations:**

- ABO blood group of new born is performed only by cell (forward) grouping because allo antibodies in cord blood are of maternal origin.
- Since A & B antigens are not fully developed at birth, both Anti-A & Anti-B antibodies appear after the first 4 to 6 months of life. As a result, weaker reactions may occur with red cells of newborns than of adults.
- Confirmation of newborn's blood group is indicated when A & B antigen expression and the isoagglutinins are fully developed at 2 to 4 years of age & remains constant throughout life.
- Cord blood is contaminated with Wharton's jelly that causes red cell aggregation leading to false positive result
- The Hh blood group also known as Oh or Bombay blood group is rare blood group type. The term Bombay is used to refer the phenotype that lacks normal expression of ABH antigens because of inheritance of hh genotype.

**Refernces:**

1. Denise M Harmening, Modern Blood Banking and Transfusion Practices- 6th Edition 2012. F.A. Davis company. Philadelphia
2. AABB technical manual

\*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD CPL, Andheri West

\*\*\* End Of Report \*\*\*



MC-2111



*Anupa*

**Dr. ANUPA DIXIT**  
**M.D.(PATH)**  
**Consultant Pathologist & Lab Director**



CID : 2308421955  
 Name : MR.PRASAD AWDHESH KUMAR  
 Age / Gender : 38 Years / Male  
 Consulting Dr. : -  
 Reg. Location : Kalina, Santacruz East (Main Centre)

Collected : 25-Mar-2023 / 09:50  
 Reported : 25-Mar-2023 / 15:46

Use a QR Code Scanner  
 Application To Scan the Code

**AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE**  
**LIPID PROFILE**

<u>PARAMETER</u>	<u>RESULTS</u>	<u>BIOLOGICAL REF RANGE</u>	<u>METHOD</u>
CHOLESTEROL, Serum	156.4	Desirable: <200 mg/dl Borderline High: 200-239mg/dl High: >=240 mg/dl	CHOD-POD
TRIGLYCERIDES, Serum	109.7	Normal: <150 mg/dl Borderline-high: 150 - 199 mg/dl High: 200 - 499 mg/dl Very high:>=500 mg/dl	GPO-POD
HDL CHOLESTEROL, Serum	44.7	Desirable: >60 mg/dl Borderline: 40 - 60 mg/dl Low (High risk): <40 mg/dl	Homogeneous enzymatic colorimetric assay
NON HDL CHOLESTEROL, Serum	111.7	Desirable: <130 mg/dl Borderline-high:130 - 159 mg/dl High:160 - 189 mg/dl Very high: >=190 mg/dl	Calculated
LDL CHOLESTEROL, Serum	90.0	Optimal: <100 mg/dl Near Optimal: 100 - 129 mg/dl Borderline High: 130 - 159 mg/dl High: 160 - 189 mg/dl Very High: >= 190 mg/dl	Calculated
VLDL CHOLESTEROL, Serum	21.7	< /= 30 mg/dl	Calculated
CHOL / HDL CHOL RATIO, Serum	3.5	0-4.5 Ratio	Calculated
LDL CHOL / HDL CHOL RATIO, Serum	2.0	0-3.5 Ratio	Calculated

\*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD CPL, Andheri West  
 \*\*\* End Of Report \*\*\*

*M Jain*

Dr.MILLU JAIN  
 M.D.(PATH)  
 Pathologist



MC-2111





**CID** : 2308421955  
**Name** : MR.PRASAD AWDHESH KUMAR  
**Age / Gender** : 38 Years / Male  
**Consulting Dr.** : -  
**Reg. Location** : Kalina, Santacruz East (Main Centre)

Use a QR Code Scanner  
Application To Scan the Code

**Collected** : 25-Mar-2023 / 09:50  
**Reported** : 25-Mar-2023 / 16:53

**AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE**  
**THYROID FUNCTION TESTS**

<u>PARAMETER</u>	<u>RESULTS</u>	<u>BIOLOGICAL REF RANGE</u>	<u>METHOD</u>
Free T3, Serum	4.1	3.5-6.5 pmol/L	ECLIA
Free T4, Serum	14.2	11.5-22.7 pmol/L	ECLIA
sensitiveTSH, Serum	1.89	0.35-5.5 microIU/ml	ECLIA





CID : 2308421955  
 Name : MR.PRASAD AWDHESH KUMAR  
 Age / Gender : 38 Years / Male  
 Consulting Dr. : -  
 Reg. Location : Kalina, Santacruz East (Main Centre)

Use a QR Code Scanner  
 Application To Scan the Code  
 Collected : 25-Mar-2023 / 09:50  
 Reported : 25-Mar-2023 / 16:53

**Interpretation:**

A thyroid panel is used to evaluate thyroid function and/or help diagnose various thyroid disorders.

**Clinical Significance:**

- 1)TSH Values between high abnormal upto15 microIU/ml should be correlated clinically or repeat the test with new sample as physiological factors can give falsely high TSH.
- 2)TSH values may be transiently altered because of non thyroidal illness like severe infections,liver disease, renal and heart severe burns, trauma and surgery etc.

TSH	FT4 / T4	FT3 / T3	Interpretation
High	Normal	Normal	Subclinical hypothyroidism, poor compliance with thyroxine, drugs like amiodarone, Recovery phase of non-thyroidal illness, TSH Resistance.
High	Low	Low	Hypothyroidism, Autoimmune thyroiditis, post radio iodine Rx, post thyroidectomy, Anti thyroid drugs, tyrosine kinase inhibitors & amiodarone, amyloid deposits in thyroid, thyroid tumors & congenital hypothyroidism.
Low	High	High	Hyperthyroidism, Graves disease, toxic multinodular goiter, toxic adenoma, excess iodine or thyroxine intake, pregnancy related (hyperemesis gravidarum, hydatiform mole)
Low	Normal	Normal	Subclinical Hyperthyroidism, recent Rx for Hyperthyroidism, drugs like steroids & dopamine), Non thyroidal illness.
Low	Low	Low	Central Hypothyroidism, Non Thyroidal Illness, Recent Rx for Hyperthyroidism.
High	High	High	Interfering anti TPO antibodies, Drug interference: Amiodarone, Heparin, Beta Blockers, steroids & anti epileptics.

**Diurnal Variation:** TSH follows a diurnal rhythm and is at maximum between 2 am and 4 am , and is at a minimum between 6 pm and 10 pm. The variation is on the order of 50 to 206%. Biological variation:19.7%(with in subject variation)

**Reflex Tests:**Anti thyroid Antibodies,USG Thyroid ,TSH receptor Antibody. Thyroglobulin, Calcitonin

**Limitations:**

1. Samples should not be taken from patients receiving therapy with high biotin doses (i.e. >5 mg/day) until atleast 8 hours following the last biotin administration.
2. Patient samples may contain heterophilic antibodies that could react in immunoassays to give falsely elevated or depressed results. this assay is designed to minimize interference from heterophilic antibodies.

**Reference:**

- 1.O.koulouri et al. / Best Practice and Research clinical Endocrinology and Metabolism 27(2013)
- 2.Interpretation of the thyroid function tests, Dayan et al. THE LANCET . Vol 357
- 3.Tietz ,Text Book of Clinical Chemistry and Molecular Biology -5th Edition
- 4.Biological Variation:From principles to Practice-Callum G Fraser (AACC Press)

\*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD CPL, Andheri West

\*\*\* End Of Report \*\*\*



MC-2111



*Anupa*

**Dr. ANUPA DIXIT**  
**M.D.(PATH)**  
**Consultant Pathologist & Lab Director**



CID : 2308421955  
 Name : MR.PRASAD AWDHESH KUMAR  
 Age / Gender : 38 Years / Male  
 Consulting Dr. : -  
 Reg. Location : Kalina, Santacruz East (Main Centre)

Use a QR Code Scanner  
 Application To Scan the Code  
 Collected : 25-Mar-2023 / 09:50  
 Reported : 25-Mar-2023 / 15:50

## AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE

### CBC (Complete Blood Count), Blood

<u>PARAMETER</u>	<u>RESULTS</u>	<u>BIOLOGICAL REF RANGE</u>	<u>METHOD</u>
<b><u>RBC PARAMETERS</u></b>			
Haemoglobin	15.7	13.0-17.0 g/dL	Spectrophotometric
RBC	5.14	4.5-5.5 mil/cmm	Elect. Impedance
PCV	46.9	40-50 %	Calculated
MCV	91.1	80-100 fl	Measured
MCH	30.5	27-32 pg	Calculated
MCHC	33.5	31.5-34.5 g/dL	Calculated
RDW	13.4	11.6-14.0 %	Calculated
<b><u>WBC PARAMETERS</u></b>			
WBC Total Count	8140	4000-10000 /cmm	Elect. Impedance
<b><u>WBC DIFFERENTIAL AND ABSOLUTE COUNTS</u></b>			
Lymphocytes	21.2	20-40 %	
Absolute Lymphocytes	1710	1000-3000 /cmm	Calculated
Monocytes	8.8	2-10 %	
Absolute Monocytes	710	200-1000 /cmm	Calculated
Neutrophils	66.2	40-80 %	
Absolute Neutrophils	5370	2000-7000 /cmm	Calculated
Eosinophils	3.4	1-6 %	
Absolute Eosinophils	270	20-500 /cmm	Calculated
Basophils	0.4	0.1-2 %	
Absolute Basophils	30	20-100 /cmm	Calculated
Immature Leukocytes	-		

WBC Differential Count by Absorbance & Impedance method/Microscopy.

### **PLATELET PARAMETERS**

Platelet Count	213000	150000-400000 /cmm	Elect. Impedance
MPV	12.1	6-11 fl	Measured
PDW	26.8	11-18 %	Calculated

### **RBC MORPHOLOGY**



CID : 2308421955  
 Name : MR.PRASAD AWDHESH KUMAR  
 Age / Gender : 38 Years / Male  
 Consulting Dr. : -  
 Reg. Location : Kalina, Santacruz East (Main Centre)

Collected : 25-Mar-2023 / 09:50  
 Reported : 25-Mar-2023 / 15:02

Use a QR Code Scanner  
 Application To Scan the Code

Hypochromia	-
Microcytosis	-
Macrocytosis	-
Anisocytosis	-
Poikilocytosis	-
Polychromasia	-
Target Cells	-
Basophilic Stippling	-
Normoblasts	-
Others	Normocytic, Normochromic
WBC MORPHOLOGY	-
PLATELET MORPHOLOGY	-
COMMENT	-

Specimen: EDTA Whole Blood

ESR, EDTA WB-ESR 14 2-15 mm at 1 hr. Sedimentation

\*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD CPL, Andheri West  
 \*\*\* End Of Report \*\*\*



MC-2111

*Anupa*  
 Dr. ANUPA DIXIT  
 M.D.(PATH)  
 Consultant Pathologist & Lab Director



CID : 2308421955  
 Name : MR.PRASAD AWDHESH KUMAR  
 Age / Gender : 38 Years / Male  
 Consulting Dr. : -  
 Reg. Location : Kalina, Santacruz East (Main Centre)

Use a QR Code Scanner  
 Application To Scan the Code  
 Collected : 25-Mar-2023 / 09:50  
 Reported : 25-Mar-2023 / 15:46

### AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE

<u>PARAMETER</u>	<u>RESULTS</u>	<u>BIOLOGICAL REF RANGE</u>	<u>METHOD</u>
GLUCOSE (SUGAR) FASTING, Fluoride Plasma	94.3	Non-Diabetic: < 100 mg/dl Impaired Fasting Glucose: 100-125 mg/dl Diabetic: >/= 126 mg/dl	Hexokinase
GLUCOSE (SUGAR) PP, Fluoride Plasma PP/R	116.8	Non-Diabetic: < 140 mg/dl Impaired Glucose Tolerance: 140-199 mg/dl Diabetic: >/= 200 mg/dl	Hexokinase
BILIRUBIN (TOTAL), Serum	0.71	0.1-1.2 mg/dl	Colorimetric
BILIRUBIN (DIRECT), Serum	0.25	0-0.3 mg/dl	Diazo
BILIRUBIN (INDIRECT), Serum	0.46	0.1-1.0 mg/dl	Calculated
TOTAL PROTEINS, Serum	6.9	6.4-8.3 g/dL	Biuret
ALBUMIN, Serum	4.6	3.5-5.2 g/dL	BCG
GLOBULIN, Serum	2.3	2.3-3.5 g/dL	Calculated
A/G RATIO, Serum	2	1 - 2	Calculated
SGOT (AST), Serum	16.2	5-40 U/L	NADH (w/o P-5-P)
SGPT (ALT), Serum	37.0	5-45 U/L	NADH (w/o P-5-P)
GAMMA GT, Serum	11.0	3-60 U/L	Enzymatic
ALKALINE PHOSPHATASE, Serum	78.3	40-130 U/L	Colorimetric
BLOOD UREA, Serum	30.8	12.8-42.8 mg/dl	Kinetic
BUN, Serum	14.4	6-20 mg/dl	Calculated
CREATININE, Serum	1.23	0.67-1.17 mg/dl	Enzymatic



CID : 2308421955  
 Name : MR.PRASAD AWDHESH KUMAR  
 Age / Gender : 38 Years / Male  
 Consulting Dr. : -  
 Reg. Location : Kalina, Santacruz East (Main Centre)

Collected : 25-Mar-2023 / 13:34  
 Reported : 25-Mar-2023 / 22:01

Use a QR Code Scanner  
 Application To Scan the Code

eGFR, Serum	70	>60 ml/min/1.73sqm	Calculated
-------------	----	--------------------	------------

Note: eGFR estimation is calculated using MDRD (Modification of diet in renal disease study group) equation

URIC ACID, Serum	7.1	3.5-7.2 mg/dl	Enzymatic
------------------	-----	---------------	-----------

Urine Sugar (Fasting)	Absent	Absent
-----------------------	--------	--------

Urine Ketones (Fasting)	Absent	Absent
-------------------------	--------	--------

Urine Sugar (PP)	Absent	Absent
------------------	--------	--------

Urine Ketones (PP)	Absent	Absent
--------------------	--------	--------

\*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD CPL, Andheri West  
 \*\*\* End Of Report \*\*\*



MC-2111



*Anupa*

**Dr. ANUPA DIXIT**  
**M.D.(PATH)**  
**Consultant Pathologist & Lab Director**



CID : 2308421955  
 Name : MR.PRASAD AWDHESH KUMAR  
 Age / Gender : 38 Years / Male  
 Consulting Dr. : -  
 Reg. Location : Kalina, Santacruz East (Main Centre)

Collected : 25-Mar-2023 / 09:50  
 Reported : 25-Mar-2023 / 15:53

Use a QR Code Scanner  
 Application To Scan the Code

**AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE**  
**GLYCOSYLATED HEMOGLOBIN (HbA1c)**

<u>PARAMETER</u>	<u>RESULTS</u>	<u>BIOLOGICAL REF RANGE</u>	<u>METHOD</u>
Glycosylated Hemoglobin (HbA1c), EDTA WB - CC	5.3	Non-Diabetic Level: < 5.7 % Prediabetic Level: 5.7-6.4 % Diabetic Level: >/= 6.5 %	HPLC
Estimated Average Glucose (eAG), EDTA WB - CC	105.4	mg/dl	Calculated

**Intended use:**

- In patients who are meeting treatment goals, HbA1c test should be performed at least 2 times a year
- In patients whose therapy has changed or who are not meeting glycemic goals, it should be performed quarterly
- For microvascular disease prevention, the HbA1C goal for non pregnant adults in general is Less than 7%.

**Clinical Significance:**

- HbA1c, Glycosylated hemoglobin or glycated hemoglobin, is hemoglobin with glucose molecule attached to it.
- The HbA1c test evaluates the average amount of glucose in the blood over the last 2 to 3 months by measuring the percentage of glycosylated hemoglobin in the blood.

**Test Interpretation:**

- The HbA1c test evaluates the average amount of glucose in the blood over the last 2 to 3 months by measuring the percentage of Glycosylated hemoglobin in the blood.
- HbA1c test may be used to screen for and diagnose diabetes or risk of developing diabetes.
- To monitor compliance and long term blood glucose level control in patients with diabetes.
- Index of diabetic control, predicting development and progression of diabetic micro vascular complications.

**Factors affecting HbA1c results:**

**Increased in:** High fetal hemoglobin, Chronic renal failure, Iron deficiency anemia, Splenectomy, Increased serum triglycerides, Alcohol ingestion, Lead/opiate poisoning and Salicylate treatment.

**Decreased in:** Shortened RBC lifespan (Hemolytic anemia, blood loss), following transfusions, pregnancy, ingestion of large amount of Vitamin E or Vitamin C and Hemoglobinopathies

**Reflex tests:** Blood glucose levels, CGM (Continuous Glucose monitoring)

**References:** ADA recommendations, AACC, Wallach's interpretation of diagnostic tests 10th edition.

\*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD CPL, Andheri West

\*\*\* End Of Report \*\*\*



MC-2111



*Anupa*

**Dr. ANUPA DIXIT**  
**M.D.(PATH)**  
**Consultant Pathologist & Lab Director**







CID : 2308421955  
 Name : MR.PRASAD AWDHESH KUMAR  
 Age / Gender : 38 Years / Male  
 Consulting Dr. : -  
 Reg. Location : Kalina, Santacruz East (Main Centre)

Use a QR Code Scanner  
 Application To Scan the Code  
 Collected : 25-Mar-2023 / 09:50  
 Reported : 25-Mar-2023 / 12:54

**AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE**  
**URINE EXAMINATION REPORT**

<u>PARAMETER</u>	<u>RESULTS</u>	<u>BIOLOGICAL REF RANGE</u>	<u>METHOD</u>
<b><u>PHYSICAL EXAMINATION</u></b>			
Color	Pale yellow	Pale Yellow	-
Reaction (pH)	6.0	4.5 - 8.0	Chemical Indicator
Specific Gravity	1.005	1.001-1.030	Chemical Indicator
Transparency	Clear	Clear	-
Volume (ml)	20	-	-
<b><u>CHEMICAL EXAMINATION</u></b>			
Proteins	Absent	Absent	pH Indicator
Glucose	Absent	Absent	GOD-POD
Ketones	Absent	Absent	Legals Test
Blood	Absent	Absent	Peroxidase
Bilirubin	Absent	Absent	Diazonium Salt
Urobilinogen	Normal	Normal	Diazonium Salt
Nitrite	Absent	Absent	Griess Test
<b><u>MICROSCOPIC EXAMINATION</u></b>			
Leukocytes(Pus cells)/hpf	1-2	0-5/hpf	
Red Blood Cells / hpf	Absent	0-2/hpf	
Epithelial Cells / hpf	0-1		
Casts	Absent	Absent	
Crystals	Absent	Absent	
Amorphous debris	Absent	Absent	
Bacteria / hpf	2-3	Less than 20/hpf	
Others	-		

**Interpretation:** The concentration values of Chemical analytes corresponding to the grading given in the report are as follows:

- Protein:(1+ ~25 mg/dl, 2+ ~75 mg/dl, 3+ ~ 150 mg/dl, 4+ ~ 500 mg/dl)
- Glucose:(1+ ~ 50 mg/dl, 2+ ~100 mg/dl, 3+ ~300 mg/dl,4+ ~1000 mg/dl)
- Ketone:(1+ ~5 mg/dl, 2+ ~15 mg/dl, 3+ ~ 50 mg/dl, 4+ ~ 150 mg/dl)

**Reference:** Pack insert

\*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD SDRL, Vidyavihar Lab



*Dr. Vrushi Shroff*

**Dr.VRUSHALI SHROFF**  
**M.D.(PATH)**  
**Pathologist**

Authenticity Check



CID : 2308421955  
Name : MR.PRASAD AWDHESH KUMAR  
Age / Gender : 38 Years / Male  
Consulting Dr. : -  
Reg. Location : Kalina, Santacruz East (Main Centre)

Use a QR Code Scanner  
Application To Scan the Code

**Collected** :  
**Reported** :

---

\*\*\* End Of Report \*\*\*



CID : 2308421955  
 Name : MR.PRASAD AWDHESH KUMAR  
 Age / Gender : 38 Years / Male  
 Consulting Dr. : -  
 Reg. Location : Kalina, Santacruz East (Main Centre)

Collected : 25-Mar-2023 / 09:50  
 Reported : 25-Mar-2023 / 15:50

Use a QR Code Scanner  
 Application To Scan the Code

**AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE**  
**BLOOD GROUPING & Rh TYPING**

<u>PARAMETER</u>	<u>RESULTS</u>
ABO GROUP	O
Rh TYPING	POSITIVE

NOTE: Test performed by automated column agglutination technology (CAT) which is more sensitive than conventional methods.

Note: This sample is not tested for Bombay blood group.

Specimen: EDTA Whole Blood and/or serum

**Clinical significance:**

ABO system is most important of all blood group in transfusion medicine

**Limitations:**

- ABO blood group of new born is performed only by cell (forward) grouping because allo antibodies in cord blood are of maternal origin.
- Since A & B antigens are not fully developed at birth, both Anti-A & Anti-B antibodies appear after the first 4 to 6 months of life. As a result, weaker reactions may occur with red cells of newborns than of adults.
- Confirmation of newborn's blood group is indicated when A & B antigen expression and the isoagglutinins are fully developed at 2 to 4 years of age & remains constant throughout life.
- Cord blood is contaminated with Wharton's jelly that causes red cell aggregation leading to false positive result
- The Hh blood group also known as Oh or Bombay blood group is rare blood group type. The term Bombay is used to refer the phenotype that lacks normal expression of ABH antigens because of inheritance of hh genotype.

**Refernces:**

1. Denise M Harmening, Modern Blood Banking and Transfusion Practices- 6th Edition 2012. F.A. Davis company. Philadelphia
2. AABB technical manual

\*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD CPL, Andheri West  
 \*\*\* End Of Report \*\*\*

*Anupa*

**Dr.ANUPA DIXIT**  
**M.D.(PATH)**  
**Consultant Pathologist & Lab Director**



MC-2111





CID : 2308421955  
 Name : MR.PRASAD AWDHESH KUMAR  
 Age / Gender : 38 Years / Male  
 Consulting Dr. : -  
 Reg. Location : Kalina, Santacruz East (Main Centre)

Collected : 25-Mar-2023 / 09:50  
 Reported : 25-Mar-2023 / 15:46

Use a QR Code Scanner  
 Application To Scan the Code

**AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE**  
**LIPID PROFILE**

<u>PARAMETER</u>	<u>RESULTS</u>	<u>BIOLOGICAL REF RANGE</u>	<u>METHOD</u>
CHOLESTEROL, Serum	156.4	Desirable: <200 mg/dl Borderline High: 200-239mg/dl High: >=240 mg/dl	CHOD-POD
TRIGLYCERIDES, Serum	109.7	Normal: <150 mg/dl Borderline-high: 150 - 199 mg/dl High: 200 - 499 mg/dl Very high:>=500 mg/dl	GPO-POD
HDL CHOLESTEROL, Serum	44.7	Desirable: >60 mg/dl Borderline: 40 - 60 mg/dl Low (High risk): <40 mg/dl	Homogeneous enzymatic colorimetric assay
NON HDL CHOLESTEROL, Serum	111.7	Desirable: <130 mg/dl Borderline-high:130 - 159 mg/dl High:160 - 189 mg/dl Very high: >=190 mg/dl	Calculated
LDL CHOLESTEROL, Serum	90.0	Optimal: <100 mg/dl Near Optimal: 100 - 129 mg/dl Borderline High: 130 - 159 mg/dl High: 160 - 189 mg/dl Very High: >= 190 mg/dl	Calculated
VLDL CHOLESTEROL, Serum	21.7	< /= 30 mg/dl	Calculated
CHOL / HDL CHOL RATIO, Serum	3.5	0-4.5 Ratio	Calculated
LDL CHOL / HDL CHOL RATIO, Serum	2.0	0-3.5 Ratio	Calculated

\*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD CPL, Andheri West  
 \*\*\* End Of Report \*\*\*

*M Jain*

Dr.MILLU JAIN  
 M.D.(PATH)  
 Pathologist



MC-2111





**CID** : 2308421955  
**Name** : MR.PRASAD AWDHESH KUMAR  
**Age / Gender** : 38 Years / Male  
**Consulting Dr.** : -  
**Reg. Location** : Kalina, Santacruz East (Main Centre)

Use a QR Code Scanner  
Application To Scan the Code

**Collected** : 25-Mar-2023 / 09:50  
**Reported** : 25-Mar-2023 / 16:53

**AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE**  
**THYROID FUNCTION TESTS**

<u>PARAMETER</u>	<u>RESULTS</u>	<u>BIOLOGICAL REF RANGE</u>	<u>METHOD</u>
Free T3, Serum	4.1	3.5-6.5 pmol/L	ECLIA
Free T4, Serum	14.2	11.5-22.7 pmol/L	ECLIA
sensitiveTSH, Serum	1.89	0.35-5.5 microIU/ml	ECLIA





CID : 2308421955  
 Name : MR.PRASAD AWDHESH KUMAR  
 Age / Gender : 38 Years / Male  
 Consulting Dr. : -  
 Reg. Location : Kalina, Santacruz East (Main Centre)

Collected : 25-Mar-2023 / 09:50  
 Reported : 25-Mar-2023 / 16:53

Use a QR Code Scanner  
 Application To Scan the Code

**Interpretation:**

A thyroid panel is used to evaluate thyroid function and/or help diagnose various thyroid disorders.

**Clinical Significance:**

- 1)TSH Values between high abnormal upto15 microIU/ml should be correlated clinically or repeat the test with new sample as physiological factors can give falsely high TSH.
- 2)TSH values may be transiently altered because of non thyroidal illness like severe infections,liver disease, renal and heart severe burns, trauma and surgery etc.

TSH	FT4 / T4	FT3 / T3	Interpretation
High	Normal	Normal	Subclinical hypothyroidism, poor compliance with thyroxine, drugs like amiodarone, Recovery phase of non-thyroidal illness, TSH Resistance.
High	Low	Low	Hypothyroidism, Autoimmune thyroiditis, post radio iodine Rx, post thyroidectomy, Anti thyroid drugs, tyrosine kinase inhibitors & amiodarone, amyloid deposits in thyroid, thyroid tumors & congenital hypothyroidism.
Low	High	High	Hyperthyroidism, Graves disease, toxic multinodular goiter, toxic adenoma, excess iodine or thyroxine intake, pregnancy related (hyperemesis gravidarum, hydatiform mole)
Low	Normal	Normal	Subclinical Hyperthyroidism, recent Rx for Hyperthyroidism, drugs like steroids & dopamine), Non thyroidal illness.
Low	Low	Low	Central Hypothyroidism, Non Thyroidal Illness, Recent Rx for Hyperthyroidism.
High	High	High	Interfering anti TPO antibodies, Drug interference: Amiodarone, Heparin, Beta Blockers, steroids & anti epileptics.

**Diurnal Variation:**TSH follows a diurnal rhythm and is at maximum between 2 am and 4 am , and is at a minimum between 6 pm and 10 pm. The variation is on the order of 50 to 206%. Biological variation:19.7%(with in subject variation)

**Reflex Tests:**Anti thyroid Antibodies,USG Thyroid ,TSH receptor Antibody. Thyroglobulin, Calcitonin

**Limitations:**

1. Samples should not be taken from patients receiving therapy with high biotin doses (i.e. >5 mg/day) until atleast 8 hours following the last biotin administration.
2. Patient samples may contain heterophilic antibodies that could react in immunoassays to give falsely elevated or depressed results. this assay is designed to minimize interference from heterophilic antibodies.

**Reference:**

- 1.O.koulouri et al. / Best Practice and Research clinical Endocrinology and Metabolism 27(2013)
- 2.Interpretation of the thyroid function tests, Dayan et al. THE LANCET . Vol 357
- 3.Tietz ,Text Book of Clinical Chemistry and Molecular Biology -5th Edition
- 4.Biological Variation:From principles to Practice-Callum G Fraser (AACC Press)

\*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD CPL, Andheri West

\*\*\* End Of Report \*\*\*



MC-2111



*Anupa*

**Dr.ANUPA DIXIT**  
**M.D.(PATH)**  
**Consultant Pathologist & Lab Director**