PID No.
 : MED111518225
 Register On
 : 25/02/2023 9:46 AM

 SID No.
 : 423010597
 Collection On
 : 25/02/2023 11:10 AM

 Age / Sex
 : 36 Year(s) / Female
 Report On
 : 25/02/2023 9:09 PM

 Type
 Printed On
 : 27/02/2023 11:15 AM

Ref. Dr : MediWheel

Investigation	Observed Value	<u>Unit</u>	Biological Reference Interval
<b>HAEMATOLOGY</b>			
Complete Blood Count With - ESR			
Haemoglobin (EDTA Blood/Spectrophotometry)	14.07	g/dL	12.5 - 16.0
Packed Cell Volume(PCV)/Haematocrit (EDTA Blood)	42.6	%	37 - 47
RBC Count (EDTA Blood)	5.07	mill/cu.mm	4.2 - 5.4
Mean Corpuscular Volume(MCV) (EDTA Blood)	84.0	fL	78 - 100
Mean Corpuscular Haemoglobin(MCH) (EDTA Blood)	27.8	pg	27 - 32
Mean Corpuscular Haemoglobin concentration(MCHC) (EDTA Blood)	33.0	g/dL	32 - 36
RDW-CV (EDTA Blood)	14.1	%	11.5 - 16.0
RDW-SD (EDTA Blood)	41.45	fL	39 - 46
Total Leukocyte Count (TC) (EDTA Blood)	6870	cells/cu.mm	4000 - 11000
Neutrophils (EDTA Blood)	56.98	%	40 - 75
Lymphocytes (EDTA Blood)	32.50	%	20 - 45
Eosinophils (EDTA Blood)	4.74	%	01 - 06



 PID No.
 : MED111518225
 Register On
 : 25/02/2023 9:46 AM

 SID No.
 : 423010597
 Collection On
 : 25/02/2023 11:10 AM

 Age / Sex
 : 36 Year(s) / Female
 Report On
 : 25/02/2023 9:09 PM

 Type
 : OP
 Printed On
 : 27/02/2023 11:15 AM

Ref. Dr : MediWheel

Investigation	Observed Value	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
Monocytes (EDTA Blood)	5.39	%	01 - 10
Basophils (Blood)	0.40	%	00 - 02
INTERPRETATION: Tests done on Automated Five Pa	art cell counter. All	abnormal results are	reviewed and confirmed microscopically.
Absolute Neutrophil count (EDTA Blood)	3.91	10^3 / μl	1.5 - 6.6
Absolute Lymphocyte Count (EDTA Blood)	2.23	10^3 / μ1	1.5 - 3.5
Absolute Eosinophil Count (AEC) (EDTA Blood)	0.33	10^3 / μl	0.04 - 0.44
Absolute Monocyte Count (EDTA Blood)	0.37	10^3 / μl	< 1.0
Absolute Basophil count (EDTA Blood)	0.03	10^3 / μl	< 0.2
Platelet Count (EDTA Blood)	276.6	10^3 / μl	150 - 450
MPV (EDTA Blood)	8.15	fL	8.0 - 13.3
PCT (EDTA Blood/Automated Blood cell Counter)	0.23	%	0.18 - 0.28
ESR (Erythrocyte Sedimentation Rate) (Citrated Blood)	19	mm/hr	< 20



 PID No.
 : MED111518225
 Register On
 : 25/02/2023 9:46 AM

 SID No.
 : 423010597
 Collection On
 : 25/02/2023 11:10 AM

 Age / Sex
 : 36 Year(s) / Female
 Report On
 : 25/02/2023 9:09 PM

 Type
 Printed On
 : 27/02/2023 11:15 AM

Ref. Dr : MediWheel

Investigation	Observed Value	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
<b>BIOCHEMISTRY</b>			
Liver Function Test			
Bilirubin(Total) (Serum/DCA with ATCS)	0.32	mg/dL	0.1 - 1.2
Bilirubin(Direct) (Serum/Diazotized Sulfanilic Acid)	0.14	mg/dL	0.0 - 0.3
Bilirubin(Indirect) (Serum/Derived)	0.18	mg/dL	0.1 - 1.0
SGOT/AST (Aspartate Aminotransferase) (Serum/Modified IFCC)	13.81	U/L	5 - 40
SGPT/ALT (Alanine Aminotransferase) (Serum/Modified IFCC)	16.09	U/L	5 - 41
GGT(Gamma Glutamyl Transpeptidase) (Serum/IFCC / Kinetic)	16.48	U/L	< 38
Alkaline Phosphatase (SAP) (Serum/Modified IFCC)	64.0	U/L	42 - 98
Total Protein (Serum/Biuret)	6.77	gm/dl	6.0 - 8.0
Albumin (Serum/Bromocresol green)	4.41	gm/dl	3.5 - 5.2
Globulin (Serum/Derived)	2.36	gm/dL	2.3 - 3.6
A : G RATIO (Serum/Derived)	1.87		1.1 - 2.2



 PID No.
 : MED111518225
 Register On
 : 25/02/2023 9:46 AM

 SID No.
 : 423010597
 Collection On
 : 25/02/2023 11:10 AM

 Age / Sex
 : 36 Year(s) / Female
 Report On
 : 25/02/2023 9:09 PM

 Type
 : OP
 Printed On
 : 27/02/2023 11:15 AM

Ref. Dr : MediWheel

Investigation	Observed Value	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
<u>Lipid Profile</u>			
Cholesterol Total (Serum/CHOD-PAP with ATCS)	247.96	mg/dL	Optimal: < 200 Borderline: 200 - 239 High Risk: >= 240
Triglycerides (Serum/GPO-PAP with ATCS)	165,21	mg/dL	Optimal: < 150 Borderline: 150 - 199 High: 200 - 499 Very High: >= 500

**INTERPRETATION:** The reference ranges are based on fasting condition. Triglyceride levels change drastically in response to food, increasing as much as 5 to 10 times the fasting levels, just a few hours after eating. Fasting triglyceride levels show considerable diurnal variation too. There is evidence recommending triglycerides estimation in non-fasting condition for evaluating the risk of heart disease and screening for metabolic syndrome, as non-fasting sample is more representative of the `usual\_circulating level of triglycerides during most part of the day.

HDL Cholesterol (Serum/Immunoinhibition)	47.63	mg/dL	Optimal(Negative Risk Factor): >= 60 Borderline: 50 - 59 High Risk: < 50
LDL Cholesterol (Serum/Calculated)	167.3	mg/dL	Optimal: < 100 Above Optimal: 100 - 129 Borderline: 130 - 159 High: 160 - 189 Very High: >=190
VLDL Cholesterol (Serum/Calculated)	33	mg/dL	< 30
Non HDL Cholesterol (Serum/Calculated)	200.3	mg/dL	Optimal: < 130 Above Optimal: 130 - 159 Borderline High: 160 - 189 High: 190 - 219 Very High: >= 220



PID No. : MED111518225 Register On : 25/02/2023 9:46 AM : 423010597 SID No. Collection On : 25/02/2023 11:10 AM Age / Sex : 36 Year(s) / Female Report On : 25/02/2023 9:09 PM **Type** : OP **Printed On** : 27/02/2023 11:15 AM

Ref. Dr : MediWheel

Investigation <u>Observed</u> **Unit Biological** <u>Value</u> Reference Interval

INTERPRETATION: 1. Non-HDL Cholesterol is now proven to be a better cardiovascular risk marker than LDL Cholesterol. 2.It is the sum of all potentially atherogenic proteins including LDL, IDL, VLDL and chylomicrons and it is the "new bad cholesterol" and is a co-primary target for cholesterol lowering therapy.

Total Cholesterol/HDL Cholesterol Ratio 5.2 Optimal: < 3.3Low Risk: 3.4 - 4.4 (Serum/Calculated) Average Risk: 4.5 - 7.1

Moderate Risk: 7.2 - 11.0 High Risk: > 11.0

Triglyceride/HDL Cholesterol Ratio Optimal: < 2.53.5

Mild to moderate risk: 2.5 - 5.0 (TG/HDL)

High Risk: > 5.0(Serum/Calculated)

LDL/HDL Cholesterol Ratio 3.5 Optimal: 0.5 - 3.0 (Serum/Calculated)

Borderline: 3.1 - 6.0 High Risk: > 6.0



 PID No.
 : MED111518225
 Register On
 : 25/02/2023 9:46 AM

 SID No.
 : 423010597
 Collection On
 : 25/02/2023 11:10 AM

 Age / Sex
 : 36 Year(s) / Female
 Report On
 : 25/02/2023 9:09 PM

 Type
 : OP
 Printed On
 : 27/02/2023 11:15 AM

Ref. Dr : MediWheel

Investigation	Observed <u>Value</u>	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
Glycosylated Haemoglobin (HbA1c)			
HbA1C (Whole Blood/HPLC)	5.8	%	Normal: 4.5 - 5.6 Prediabetes: 5.7 - 6.4 Diabetic: >= 6.5

INTERPRETATION: If Diabetes - Good control: 6.1 - 7.0 %, Fair control: 7.1 - 8.0 %, Poor control >= 8.1 %

Estimated Average Glucose 119.76 mg/dL

(Whole Blood)

#### **INTERPRETATION: Comments**

HbA1c provides an index of Average Blood Glucose levels over the past 8 - 12 weeks and is a much better indicator of long term glycemic control as compared to blood and urinary glucose determinations.

Conditions that prolong RBC life span like Iron deficiency anemia, Vitamin B12 & Folate deficiency,

hypertriglyceridemia, hyperbilirubinemia, Drugs, Alcohol, Lead Poisoning, Asplenia can give falsely elevated HbAlC values.

Conditions that shorten RBC survival like acute or chronic blood loss, hemolytic anemia, Hemoglobinopathies, Splenomegaly, Vitamin E ingestion, Pregnancy, End stage Renal disease can cause falsely low HbA1c.



 PID No.
 : MED111518225
 Register On
 : 25/02/2023 9:46 AM

 SID No.
 : 423010597
 Collection On
 : 25/02/2023 11:10 AM

 Age / Sex
 : 36 Year(s) / Female
 Report On
 : 25/02/2023 9:09 PM

 Type
 : OP
 Printed On
 : 27/02/2023 11:15 AM

Ref. Dr : MediWheel

InvestigationObservedUnitBiologicalValueReference Interval

## **IMMUNOASSAY**

### THYROID PROFILE / TFT

T3 (Triiodothyronine) - Total 1.26 ng/ml 0.7 - 2.04

(Serum/ECLIA)

#### INTERPRETATION:

**Comment:** 

Total T3 variation can be seen in other condition like pregnancy, drugs, nephrosis etc. In such cases, Free T3 is recommended as it is

Metabolically active.

T4 (Tyroxine) - Total 7.75 μg/dl 4.2 - 12.0

(Serum/ECLIA)

#### INTERPRETATION:

**Comment:** 

Total T4 variation can be seen in other condition like pregnancy, drugs, nephrosis etc. In such cases, Free T4 is recommended as it is Metabolically active.

TSH (Thyroid Stimulating Hormone) 3.00 µIU/mL 0.35 - 5.50

(Serum/ECLIA)

#### INTERPRETATION:

Reference range for cord blood - upto 20

1 st trimester: 0.1-2.5 2 nd trimester 0.2-3.0 3 rd trimester : 0.3-3.0

(Indian Thyroid Society Guidelines)

#### **Comment:**

1.TSH reference range during pregnancy depends on Iodine intake, TPO status, Serum HCG concentration, race, Ethnicity and BMI.

2.TSH Levels are subject to circadian variation, reaching peak levels between 2-4am and at a minimum between 6-10PM. The variation can be of the order of 50%, hence time of the day has influence on the measured serum TSH concentrations.

3. Values&amplt 0.03 µIU/mL need to be clinically correlated due to presence of rare TSH variant in some individuals.



 PID No.
 : MED111518225
 Register On
 : 25/02/2023 9:46 AM

 SID No.
 : 423010597
 Collection On
 : 25/02/2023 11:10 AM

 Age / Sex
 : 36 Year(s) / Female
 Report On
 : 25/02/2023 9:09 PM

 Type
 : OP
 Printed On
 : 27/02/2023 11:15 AM

Ref. Dr : MediWheel

InvestigationObservedUnitBiologicalValueReference Interval

# **CLINICAL PATHOLOGY**

# PHYSICAL EXAMINATION (URINE COMPLETE)

Colour Pale yellow Yellow to Amber

(Urine)

Appearance Clear Clear

(Urine)

Volume(CLU) 30

(Urine)

# CHEMICAL EXAMINATION (URINE

**COMPLETE**)

pH 7.0 4.5 - 8.0

(Urine)

Specific Gravity 1.003 1.002 - 1.035

(Urine)

Ketone Negative Negative

(Urine)

Urobilinogen Normal Normal

(Urine)

Blood Negative Negative

(Urine)

Nitrite Negative Negative

(Urine)

Bilirubin Negative Negative

(Urine)

Protein Negative Negative

(Urine)



 PID No.
 : MED111518225
 Register On
 : 25/02/2023 9:46 AM

 SID No.
 : 423010597
 Collection On
 : 25/02/2023 11:10 AM

 Age / Sex
 : 36 Year(s) / Female
 Report On
 : 25/02/2023 9:09 PM

 Type
 : OP
 Printed On
 : 27/02/2023 11:15 AM

Ref. Dr : MediWheel

<u>Investigation</u>	<u>Observed</u> <u>Value</u>	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
Glucose (Urine/GOD - POD)	Negative		Negative
Leukocytes(CP) (Urine)	Negative		Negative
MICROSCOPIC EXAMINATION (URINE COMPLETE)			
Pus Cells (Urine)	0-1	/hpf	NIL
Epithelial Cells (Urine)	0-1	/hpf	NIL

RBCs (Urine)

Others

(Urine)

**INTERPRETATION:** Note: Done with Automated Urine Analyser & Automated urine sedimentation analyser. All abnormal reports are reviewed and confirmed microscopically.

NIL

Casts NIL /hpf NIL

(Urine)

Crystals NIL /hpf NIL

(Urine)



/HPF

**NIL** 

 PID No.
 : MED111518225
 Register On
 : 25/02/2023 9:46 AM

 SID No.
 : 423010597
 Collection On
 : 25/02/2023 11:10 AM

 Age / Sex
 : 36 Year(s) / Female
 Report On
 : 25/02/2023 9:09 PM

 Type
 : OP
 Printed On
 : 27/02/2023 11:15 AM

Ref. Dr : MediWheel

InvestigationObservedUnitBiologicalValueReference Interval

# **IMMUNOHAEMATOLOGY**

BLOOD GROUPING AND Rh TYPING 'AB' 'Positive'

(EDTA Blood/Agglutination)

DE RAVIKUMAR R
MBBS, MD BIOCHEMISTRY

Reg No: 78771

CONSULTANT BIOCHEMIST

 PID No.
 : MED111518225
 Register On
 : 25/02/2023 9:46 AM

 SID No.
 : 423010597
 Collection On
 : 25/02/2023 11:10 AM

 Age / Sex
 : 36 Year(s) / Female
 Report On
 : 25/02/2023 9:09 PM

 Type
 : OP
 Printed On
 : 27/02/2023 11:15 AM

Ref. Dr : MediWheel

Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
<b>BIOCHEMISTRY</b>			
BUN / Creatinine Ratio	8.9		6.0 - 22.0
Glucose Fasting (FBS) (Plasma - F/GOD-PAP)	80.93	mg/dL	Normal: < 100 Pre Diabetic: 100 - 125 Diabetic: >= 126

**INTERPRETATION:** Factors such as type, quantity and time of food intake, Physical activity, Psychological stress, and drugs can influence blood glucose level.

Glucose, Fasting (Urine)	Negative		Negative
(Urine - F/GOD - POD)			
Glucose Postprandial (PPBS)	91.15	mg/dL	70 - 140
(Plasma - PP/GOD-PAP)			

# INTERPRETATION:

Factors such as type, quantity and time of food intake, Physical activity, Psychological stress, and drugs can influence blood glucose level. Fasting blood glucose level may be higher than Postprandial glucose, because of physiological surge in Postprandial Insulin resistance, Exercise or Stress, Dawn Phenomenon, Somogyi Phenomenon, Anti- diabetic medication during treatment for Diabetes.

Blood Urea Nitrogen (BUN)	7.0	mg/dL	7.0 - 21
(Serum/Urease UV / derived)			
Creatinine	0.78	mg/dL	0.6 - 1.1

(Serum/Modified Jaffe)

INTERPRETATION: Elevated Creatinine values are encountered in increased muscle mass, severe dehydration, Pre-eclampsia, increased ingestion of cooked meat, consuming Protein/ Creatine supplements, Diabetic Ketoacidosis, prolonged fasting, renal dysfunction and drugs such as cefoxitin ,cefazolin, ACE inhibitors ,angiotensin II receptor antagonists,N-acetylcyteine , chemotherapeutic agent such as flucytosine etc

Uric Acid 4.72 mg/dL 2.6 - 6.0 (Serum/Enzymatic)



APPROVED BY

-- End of Report --

## **CLUMAX DIAGNOSTICS**





--- A MEDALL COMPANY ---CUSTOMER CHECKLIST

Date 25-Feb-2023 9:44 AM

Customer Name: MS. PADHIYAR NIVEDITABA J

DOB

:18 Nov 1986

Ref Dr Name : MediWheel

Age

No

:36Y/FEMALE

Customer Id: MED111518225



isit ID :423010597

H-168 wt-83.7 Bp-117/82

Email Id

Phone

:9739188555

Corp Name

: MediWheel


Address

Package Name: Mediwheel Full Body Health Checkup Female Below 40

S.No	Modality	Study	Accession No	Time	Seq	Signature
1	LAB	BLOOD UREA NITROGEN				
		(BUN)				
2	LAB	CREATININE				
3	LAB	GLUCOSE - FASTING				
4	LAB	GLUCOSE - POSTPRANDIAL				
		(2 HRS)				
5	LAB	GLYCOSYLATED				
		HAEMOGLOBIN (HbA1c)				
6	LAB	URIC ACID				
7	LAB	LIPID PROFILE				
8	LAB	LIVER FUNCTION TEST (LFT)				
9	LAB	THYROID PROFILE/ TFT( T3,				
		T4, TSH)				
10	LAB	URINE GLUCOSE - FASTING				
11	LAB	URINE GLUCOSE -				
		POSTPRANDIAL (2 Hrs)				
12	LAB	COMPLETE BLOOD COUNT				
		WITH ESR			-50	
13	LAB	STOOL ANALYSIS - ROUTINE				
14	LAB	URINE ROUTINE				

15	LAB	BUN/CREATININE RATIO				
16	LAB	BLOOD GROUP & RH TYPE (Forward Reverse)				
17	ECG	ECG	IND13713261138	d	7	
18	OTHERS	Treadmill / 2D Echo	IND137132614690			
19	OTHERS	physical examination	IND137132615279			
20	US	ULTRASOUND ABDOMEN	IND137132615292			
21	OTHERS	EYE CHECKUP	IND137132617756	ner	hop	word
22	X-RAY	X RAY CHEST	IND137132618659			
23	OTHERS	Consultation Physician	IND137132618736			

Registerd By (HARI.O)



Name	MS. PADHIYAR NIVEDITABA J	ID	MED111518225
Age & Gender	36Y/FEMALE	Visit Date	25 Feb 2023
Ref Doctor Name	MediWheel		

## 2 D ECHOCARDIOGRAPHIC STUDY

## M mode measurement:

AORTA : 3.2cms

LEFT ATRIUM : 3.5cms

AVS :----

LEFT VENTRICLE (DIASTOLE) : 4.3cms

(SYSTOLE) : 2.7cms

VENTRICULAR SEPTUM (DIASTOLE) : 0.8cms

(SYSTOLE) : 1.2cms

POSTERIOR WALL (DIASTOLE) : 0.8cms

(SYSTOLE) : 1.6cms

EDV : 84ml

ESV : 27ml

FRACTIONAL SHORTENING : 35%

EJECTION FRACTION : 65%

EPSS :---

RVID : 1.9cms

## **DOPPLER MEASUREMENTS:**

MITRAL VALVE : E' 0.96 m/s A' 0.69 m/s NO MR

AORTIC VALVE : 1.31 m/s NO AR

TRICUSPID VALVE : E' - m/s A' - m/s NO TR

PULMONARY VALVE : 0.84 m/s NO PR

Name	MS. PADHIYAR NIVEDITABA J	ID	MED111518225
Age & Gender	36Y/FEMALE	Visit Date	25 Feb 2023
Ref Doctor Name	MediWheel		

## **2D ECHOCARDIOGRAPHY FINDINGS:**

Left ventricle : Normal size, Normal systolic function.

No regional wall motion abnormalities.

Left Atrium : Normal.

Right Ventricle : Normal.

Right Atrium : Normal.

Mitral valve : Normal, No mitral valve prolapsed.

Aortic valve : Normal, Trileaflet.

Tricuspid valve : Normal.

Pulmonary valve : Normal.

IAS : Intact.

IVS : Intact.

Pericardium : No pericardial effusion.

## **IMPRESSION:**

- > NORMAL SIZED CARDIAC CHAMBERS.
- > NORMAL LV SYSTOLIC FUNCTION. EF: 65%.
- > NO REGIONAL WALL MOTION ABNORMALITIES.
- > NORMAL VALVES.
- > NO CLOTS / PERICARDIAL EFFUSION / VEGETATION.

DR. K.S. SUBRAMANI. MBBS, MD, DM (CARDIOLOGY) FESC SENIOR CONSULTANT INTERVENTIONAL CARDIOLOGIST Keschin

#### Note:

<sup>\*</sup> Report to be interpreted by qualified medical professional.

Name	MS. PADHIYAR NIVEDITABA J	ID	MED111518225
Age & Gender	36Y/FEMALE	Visit Date	25 Feb 2023
Ref Doctor Name	MediWheel		

<sup>\*</sup> To be correlated with other clinical findings.

\* Parameters may be subjected to inter and intra observer variations.

\* Any discrepancy in reports due to typing errors should be corrected as soon as possible.

Name	MS. PADHIYAR NIVEDITABA J	ID	MED111518225
Age & Gender	36Y/FEMALE	Visit Date	25 Feb 2023
Ref Doctor Name	MediWheel		

#### ABDOMINO-PELVIC ULTRASONOGRAPHY

**LIVER** shows normal in shape, size and has uniform echopattern. No evidence of focal lesion or intrahepatic biliary ductal dilatation. Hepatic and portal vein radicals are normal.

**GALL BLADDER** shows normal shape and has clear contents. Gall bladder wall is of normal thickness. CBD is of normal calibre.

**PANCREAS** has normal shape, size and uniform echopattern. No evidence of ductal dilatation or calcification.

**SPLEEN** shows normal shape, size and echopattern.

No demonstrable Para -aortic lymphadenopathy.

**KIDNEYS** move well with respiration and have normal shape, size and echopattern. Cortico- medullary differentiations are well madeout. No evidence of calculus or hydronephrosis.

The kidney measures as follows:

· ·	Bipolar length (cms)	Parenchymal thickness (cms)
Right Kidney	11.2	1.5
Left Kidney	11.5	1.4

**URINARY BLADDER** shows normal shape and wall thickness. It has clear contents. No evidence of diverticula.

UTERUS is anteverted and normal in size. Few small fibroids with calcification measuring about  $1.3 \times 1.4 \text{cms}$  and  $1.6 \times 1.0 \text{cms}$  in the upper and mid uterine segment are noted. Endometrial thickness measures 6mm

Uterus measures as follows: LS: 8.9cms AP: 5.4cms TS: 6.3cms.

**OVARIES** are normal in size, shape and echotexture. No focal lesion seen.

Ovaries measure as follows: **Right ovary**: 2.8 x 1.5cms **Left ovary**: 3.3 x 2.1cms

POD & adnexae are free.

No evidence of ascites/pleural effusion.

#### **IMPRESSION:**

- > SMALL UTERINE FIBROIDS.
- > NO OTHER SIGNIFICANT ABNORMALITY DETECTED.

Name	MS. PADHIYAR NIVEDITABA J	ID	MED111518225
Age & Gender	36Y/FEMALE	Visit Date	25 Feb 2023
Ref Doctor Name	MediWheel		

# DR. APARNA CONSULTANT RADIOLOGIST

A/vp

Name	PADHIYAR NIVEDITABA J	Customer ID	MED111518225
Age & Gender	36Y/F	Visit Date	Feb 25 2023 9:44AM
Ref Doctor	MediWheel		

# X - RAY CHEST PA VIEW

Bilateral lung fields appear normal.

Cardiac size is within normal limits.

Bilateral hilar regions appear normal.

Bilateral domes of diaphragm and costophrenic angles are normal.

Visualised bones and soft tissues appear normal.

# **IMPRESSION:**

• No significant abnormality detected.

DR. APARNA

CONSULTANT RADIOLOGIST