

SUBURBAN DIAGNOSTICS

Patient Details

Name: MR ATUL MANTRI Date: 26-Mar-22
 Age: 31 y ID: 2208525659 Sex: M
 Clinical History: NIL Height: -- cms Weight: -- Kgs
 Medications: NIL

Time: 10:50:09 AM

Test Details

Protocol: Bruce
 Total Exec. Time: 8 m 56 s
 Max. BP: 140 / 80 mmHg
 Test Termination Criteria: THR ACHIEVED

Pr.MHR: 189 bpm
 Max. HR: 163 (86% of Pr.MHR) bpm
 Max. BP x HR: 22820 mmHg/min

THR: 160 (85 % of Pr.MHR) bpm
 Max. Mets: 10.20
 Min. BP x HR: 6160 mmHg/min

Protocol Details

Stage Name	Stage Time (min : sec)	Mets	Speed (mph)	Grade (%)	Heart Rate (bpm)	Max. BP (mm/Hg)	Max. ST Level (mm)	Max. ST Slope (mV/s)
Supine	1 : 10	1.0	0	0	91	120 / 70	-1.27 aVR	1.77 V2
Standing	0 : 13	1.0	0	0	88	120 / 70	-1.27 aVR	1.77 V4
Hyperventilation	0 : 19	1.0	0	0	102	120 / 70	-1.06 aVR	1.77 V4
1	3 : 0	4.6	1.7	10	123	124 / 70	-1.27 aVR	2.48 V4
2	3 : 0	7.0	2.5	12	142	130 / 80	-1.27 aVR	3.89 V4
Peak Ex	2 : 56	10.2	3.4	14	163	140 / 80	-2.12 aVR	4.60 II
Recovery(1)	1 : 0	1.8	1	0	132	140 / 80	-1.91 aVR	4.95 V2
Recovery(2)	1 : 0	1.0	0	0	115	130 / 80	-2.34 aVR	5.66 V3
Recovery(3)	1 : 0	1.0	0	0	108	130 / 80	-2.97 III	4.60 V3
Recovery(4)	1 : 0	1.0	0	0	111	120 / 70	-1.27 aVR	3.18 V3
Recovery(5)	1 : 0	1.0	0	0	101	120 / 70	-1.06 aVR	2.83 V3
Recovery(6)	0 : 15	1.0	0	0	101	120 / 70	-1.06 aVR	2.48 V3

SUBURBAN DIAGNOSTICS


Patient Details

Name: MR ATUL MANTRI Date: 26-Mar-22
 ID: 2208525659
 Age: 31 Y Sex: M

Time: 10:50:09 AM

Height: -- cms

Weight: -- Kgs



Interpretation

GOOD EFFORT TOLERANCE
 NORMAL CHRONOTROPIC RESPONSE
 NORMAL INOTROPIC RESPONSE
 NO ANGINA / ANGINA EQUIVALENTS
 NO ARRHYTHMIAS
 NO SIGNIFICANT ST-T CHANGES FROM BASELINE SEEN DURING THE TEST

IMPRESSION:
 STRESS TEST IS NEGATIVE FOR STRESS INDUCIBLE ISCHAEMIA.

Disclaimer: Negative stress test does not rule out Coronary Artery Disease. Positive stress test is suggestive but not confirmatory of coronary Artery Disease. Hence clinical correlation is mandatory.

SUBURBAN DIAGNOSTICS (I) PVT. LTD.
 Shop No. 22, Ground Floor, Rakar Bhavan
 Sector-12, Vashi, Navi Mumbai - 400 703
 Tel: 27884547 / 27864548.

DR. ANAND N. MOTWANI

M.D. (GENERAL MEDICINE)

Reg. No. 39329 (M.M.C)

(c) Schiller Healthcare India Pvt. Ltd. V 4.7

Ref. Doctor: ...
 (Summary Report edited by user)



MR ATUL MANTRI (31 M)

SUBURBAN DIAGNOSTICS

Test Report

Protocol: Bruce

ID: 2208525659

Date: 26-Mar-22

Exec Time: 0 m 0 s

Stage Time: 1 m 4 s

HR: 89 bpm

Stage: Supine

Speed: 0 mph

Grade: 0%

(THR: 160 bpm)

B.P: 120 / 70

ST Level (mm) ST Slope (mV/s)

ST Level (mm) ST Slope (mV/s)




Chart Speed: 25 mm/sec
Schiller Spandan V4.7

Filter: 35 Hz

Mains Filtr: ON

Amp: 10 mm

Iso = R - 60 ms

J = R + 60 ms

Post J = J + 60 ms

Linked Median



MR ATUL MANTRI (31 M)

SUBURBAN DIAGNOSTICS

Test Report

Protocol: Bruce

ID: 2208525659

Date: 26-Mar-22

Exec Time : 0 m 0 s

Stage Time : 0 m 7 s

HR: 97 bpm

ST Level (mm)

ST Slope (mV/s)

Stage: Standing

Speed: 0 mph

Grade: 0 %

(THR: 160 bpm)

B.P: 120 / 70

ST Level (mm)

ST Slope (mV/s)




Chart Speed: 25 mm/sec
Schiller Spandan V 4.7

Filter: 35 Hz

Mains Filtr: ON

Amp: 10 mm

ISO = R - 60 ms

J = R + 60 ms

Post J = J + 60 ms

Linked Median



MR ATUL MANTRI (31 M)

SUBURBAN DIAGNOSTICS

ID: 2208525659

Date: 26-Mar-22

Exec Time : 0 m 0 s

Stage Time : 0 m 13 s **HR: 96 bpm**

Test Report

Protocol: Bruce

Stage: Hyperventilation

Speed: 0 mph

Grade: 0 %

(THR: 160 bpm)

B.P: 120 / 70

ST Level (mm) ST Slope (mV/s)

ST Level (mm) ST Slope (mV/s)




Chart Speed: 25 mm/sec
Schiller Spandan V 4.7

Filter: 35 Hz

Mains Filtr: ON

Amp: 10 mm

ISO = R - 60 ms

J = R + 60 ms

Post J = J + 60 ms

Linked Median



MR ATUL MANTRI (31 M)

SUBURBAN DIAGNOSTICS

ID: 2208525659

Protocol: Bruce

Date: 26-Mar-22

Exec Time : 2 m 54 s Stage Time : 2 m 54 s

Test Report

ST Level (mm) ST Slope (mV/s)

Stage: 1

Speed: 1.7 mph

Grade: 10 %

(THR: 160 bpm)

B.P: 124 / 70

ST Level (mm) ST Slope (mV/s)




Chart Speed: 25 mm/sec
Schiller Spandax V4.7

Filter: 35 Hz

Mains Fil: ON

Amp: 10 mm

ISO = R - 60 ms

J = R + 60 ms

Post J = J + 60 ms

Linked Median



RATUL MANTRI (31 M)

Protocol: Bruce

ID: 2208525659

SUBURBAN DIAGNOSTICS

Date: 26-Mar-22

Stage: 2

Exec Time : 5 m 54 s

Speed: 2.5 mph

Stage Time : 2 m 54 s

Grade: 12 %

HR: 142 bpm

(THR: 160 bpm)

B.P.: 130 / 80

ST Level (mm) ST Slope (mV/s)

ST Level (mm) ST Slope (mV/s)




Chart Speed: 25 mm/sec
Schiller Standard V4.7

Filter: 35 Hz

Mains Filtr: ON

Amp: 10 mm

Iso = R - 60 ms

J = R + 60 ms

Post J = J + 60 ms

Linked Median



MR ATUL MANTRI (31 M)

SUBURBAN DIAGNOSTICS

Test Report

Protocol: Bruce

ID: 2208525659

Date: 26-Mar-22

Exec Time : 8 m 50 s Stage Time : 2 m 50 s HR: 161 bpm

Stage: Peak Ex

Speed: 3.4 mph

Grade: 14 %

(THR: 160 bpm)

B.P: 140 / 80

ST Level (mm) ST Slope (mV/s)

ST Level (mm) ST Slope (mV/s)




Chart Speed: 25 mm/sec
Schiller Standard V4.7

Filter: 35 Hz

Mains Filtr: ON

Amp: 10 mm

Iso = R - 60 ms

J = R + 60 ms

Post J = J + 60 ms

Linked Median



M RATUL MANTRI (31 M)

Pr: Stood: Bruce

S T Level (mm) ST Slope (mV/s)

ID: 2208525659 Date: 26-Mar-22 Exec Time : 8 m 56 s Stage Time : 0 m 54 s HR: 122
Stage: Recovery(1) Speed: 1 mph Grade: 0 % (THR: 160 bpm) B.P: 140

SUBURBAN DIAGNOSTICS

Test Re




Chart Speed: 25 mm/sec
Schiller SP andan V 4.7

Filter: 35 Hz

Mains Filtr: ON

Amp: 10 mm

ISO = R - 60 ms

J = R + 60 ms

Post J = J + 60 ms

Linked Median



MR ATUL MANTRI (31 M)

SUBURBAN DIAGNOSTICS

Test Report

Protocol: Bruce

ID: 2208525659

Date: 26-Mar-22

Exec Time : 8 m 56 s Stage Time : 0 m 54 s HR: 111 bpm

Stage: Recovery(2)

Speed: 0 mph

Grade: 0 %

(THR: 160 bpm)

B.P: 130 / 80

ST Level (mm) ST Slope (mV/s)

ST Level (mm) ST Slope (mV/s)




Chart Speed: 25 mm/sec
Schiller Spandani V4.7

Filter: 35 Hz

Mains Filtr: ON

Amp: 10 mm

Iso = R - 60 ms

J = R + 60 ms

Post J = J + 60 ms

Linked Median



MR ATUL MANTRI (31 M)

SUBURBAN DIAGNOSTICS

Test Report

Protocol: Bruce

ID: 2208525659

Date: 26-Mar-22

Exec Time : 8 m 56 s Stage Time : 0 m 54 s HR: 107 bpm

Stage: Recovery(3)

Speed: 0 mph

Grade: 0 %

(THR: 160 bpm)

B.P: 130 / 80

ST Level (mm) ST Slope (mV/s)

ST Level (mm) ST Slope (mV/s)




Chart Speed: 25 mm/sec
Schiller Spandan V 4.7

Filter: 35 Hz

Mains Filtr: ON

Amp: 10 mm

ISO = R - 60 ms

J = R + 60 ms

Post J = J + 60 ms

Linked Median



MIR ATUL MANTRI (31 M)

SUBURBAN DIAGNOSTICS

ID: 2208525659

Date: 26-Mar-22

Exec Time : 8 m 56 s Stage Time : 0 m 54 s HR: 97 bpm

Stage: Recovery(4)

Speed: 0 mph

Grade: 0 %


(THR: 160 bpm)

B.P.: 120 / 70

Protocol: Bruce

ST Level (mm) ST Slope (mV/s)

ST Level (mm) ST Slope (mV/s)



Char Speed: 25 mm/sec
Schiller Spandan V.4.7

Filter: 35 Hz

Mains Filt: ON

Amp: 10 mm

Iso = R - 60 ms

J = R + 60 ms

Post J = + 60 ms

Linked Median



M R ATUL MANTRI (31 M)

SUBURBAN DIAGNOSTICS

ID: 2208525659

Date: 26-Mar-22

Exec Time : 8 m 56 s Stage Time : 0 m 54 s HR: 103 bpm

Protocol: Bruce

Stage: Recovery(5)

Speed: 0 mph

Grade: 0 %

(THR: 160 bpm)

B.P: 120 / 70

ST Level (mm) ST Slope (mV/s)

ST Level (mm) ST Slope (mV/s)




Chart Speed: 25 mm/sec
Schiller Spandan V 4.7

Filter: 35 Hz

Mains Fil: ON

Amp: 10 mm

ISO = R - 60 ms

J = R + 60 ms

Post J = J + 60 ms

Linked Median



MR ATUL MANTRI (31 M)

SUBURBAN DIAGNOSTICS

ID: 2208525659

Date: 26-Mar-22

Exec Time : 8 m 56 s Stage Time : 0 m 54 s HR: 103 bpm

Test Report

Protocol: Bruce

Stage: Recovery(6)

Speed: 0 mph

Grade: 0 %

(THR: 160 bpm)

B.P: 120 / 70

ST Level (mm) ST Slope (mV/s)

ST Level (mm) ST Slope (mV/s)




Chart Speed: 25 mm/sec
Schiller Spandan V.4.7

Filter: 35 Hz

Mains Filtr: ON

Amp: 10 mm

ISO = R - 60 ms

J = R + 60 ms

Post J = J + 60 ms

Linked Median