

info@aarogyamdiagnostics.comwww.aarogyamdiagnostics.com

26/09/2021 Srl No. 7 Patient Id 2109260007 Date Sex Μ Name **Mr. ABHIJEET KUMAR** Age Ref. By Dr.BOB **Test Name** Value Unit **Normal Value** HAEMATOLOGY HB A1C 5.0 % **EXPECTED VALUES :-**Metabolicaly healthy patients 4.8 - 5.5 % HbAIC = Good Control = 5.5 - 6.8 % HbAIC Fair Control = 6.8-8.2 % HbAIC Poor Control = >8.2 % HbAIC

REMARKS:-

www.busysoft.in

In vitro quantitative determination of HbAIC in whole blood is utilized in long term monitoring of glycemia

The **HbAIC** level correlates with the mean glucose concentration prevailing in the course of the patient's recent history (approx - 6-8 weeks) and therefore provides much more reliable information for glycemia monitoring than do determinations of blood glucose or urinary glucose.

It is recommended that the determination of **HbAIC** be performed at intervals of 4-6 weeksduring Diabetes

Mellitus therapy.

Results of **HbAIC** should be assessed in conjunction with the patient's medical history, clinical examinations and other findings.

**** End Of Report ****

Dr.R.B.RAMAN MBBS, MD CONSULTANT PATHOLOGIST



S204278300, 9003873700, 87893314Info@aarogyamdiagnostics.com

www.aarogyamdiagnostics.com

Date 26/09/2021 Name Mr. ABHIJEET KUMAR Ref. By Dr.BOB	Srl No. 7 Age		Patient Id 210926000 Sex M
Test Name	Value	Unit	Normal Value
COMPLETE BLOOD COUNT (CBC)			
HAEMOGLOBIN (Hb)	14.2	gm/dl	13.5 - 18.0
TOTAL LEUCOCYTE COUNT (TLC)	6,300	/cumm	4000 - 11000
DIFFERENTIAL LEUCOCYTE COUNT (E	DLC)		
NEUTROPHIL	54	%	40 - 75
LYMPHOCYTE	37	%	20 - 45
EOSINOPHIL	01	%	01 - 06
MONOCYTE	08	%	02 - 10
BASOPHIL	00	%	0 - 0
ESR (WESTEGREN`s METHOD)	11	mm/lst hr.	0 - 15
R B C COUNT	5.50	Millions/cmm	4.5 - 5.5
P.C.V / HAEMATOCRIT	42.6	%	40 - 54
MCV	77.45	fl.	80 - 100
МСН	25.82	Picogram	27.0 - 31.0
МСНС	33.3	gm/dl	33 - 37
PLATELET COUNT	2.48	Lakh/cmm	1.50 - 4.00
BLOOD GROUP ABO	"B"		
RH TYPING	POSITIVE		

**** End Of Report ****

Dr.R.B.RAMAN MBBS, MD CONSULTANT PATHOLOGIST



info@aarogyamdiagnostics.com

www.aarogyamdiagnostics.com

Date 26/09/2021 Name Mr. ABHIJEET KUMAR	Srl No Age	b. 7	Patient Id 2109260007 Sex M	
Ref. By Dr.BOB				
Test Name	Value	Unit	Normal Value	
	BIOCHEM	<u>ISTRY</u>		
BLOOD SUGAR FASTING	85.7	mg/dl	70 - 110	
SERUM CREATININE	0.80	mg%	0.7 - 1.4	
BLOOD UREA	27.8	mg /dl	15.0 - 45.0	
SERUM URIC ACID	4.1	mg%	3.4 - 7.0	
LIVER FUNCTION TEST (LFT)				
BILIRUBIN TOTAL	0.60	mg/dl	0 - 1.0	
CONJUGATED (D. Bilirubin)	0.17	mg/dl	0.00 - 0.40	
UNCONJUGATED (I.D.Bilirubin)	0.43	mg/dl	0.00 - 0.70	
TOTAL PROTEIN	6.8	gm/dl	6.6 - 8.3	
ALBUMIN	3.6	gm/dl	3.4 - 4.8	
GLOBULIN	3.2	gm/dl	2.3 - 3.5	
A/G RATIO	1.125			
SGOT	24.7	IU/L	5 - 40	
SGPT	27.8	IU/L	5.0 - 55.0	
ALKALINE PHOSPHATASE IFCC Method	282.0	U/L	40.0 - 130.0	
GAMMA GT	26.0	IU/L	8.0 - 71.0	
LFT INTERPRET				
LIPID PROFILE				
TRIGLYCERIDES	74.5	mg/dL	40.0 - 165.0	
TOTAL CHOLESTEROL	168.4	mg/dL	123.0 - 199.0	



info@aarogyamdiagnostics.com

www.aarogyamdiagnostics.com

Date 26/09/2021 Name Mr. ABHIJEET KUMAR Ref. By Dr.BOB	Srl No. 7 Age			Patient Id 210926000 Sex M	
Test Name	Value	Unit		Normal Val	ue
H D L CHOLESTEROL DIRECT	43.8	mg/dL		40.0 - 79.4	Ļ
VLDL	14.9	mg/dL		4.7 - 22.1	
L D L CHOLESTEROL DIRECT	109.7	mg/dL		63.0 - 129.	.0
TOTAL CHOLESTEROL/HDL RATIO	3.845			0.0 - 4.97	
LDL / HDL CHOLESTEROL RATIO	2.505			0.00 - 3.55	5
THYROID PROFILE					
ТЗ	0.89	ng/ml		0.60 - 1.81	
T4 Chemiluminescence	9.91	ug/dl		4.5 - 10.9	
TSH Chemiluminescence	1.72	ulU/ml			
REFERENCE RANGE					
<u>PAEDIATRIC AGE GROUP</u> 0-3 DAYS 3-30 DAYS I MONTH -5 MONTHS 6 MONTHS- 18 YEARS			ulu/ml ulu/ml		
ADULTS	0.39 - 6.16	ulu/ml			

before the onset of sleep, reaching peak levels between 11 pm to 6 am. Nadir concentrations are observed during the afternoon. Diurnal variation in TSH level approximates \pm 50 %, hence time of the day has influence on the measured serum TSH concentration.



info@aarogyamdiagnostics.comwww.aarogyamdiagnostics.com

 Date
 26/09/2021
 Srl No. 7
 Patient Id
 2109260007

 Name
 Mr. ABHIJEET KUMAR
 Age
 Sex
 M

 Ref. By Dr.BOB
 Value
 Unit
 Normal Value

Assay performed on enhanced chemi lumenescence system (Centaur-Siemens)

Serum T3,T4 & TSH measurements form the three components of Thyroid screening panel, useful in diagnosing various disorders of Thyroid gland function.

1. Primary hypothyroidism is accompanied by depressed serum T3 and T4 values and elevated serum TSH level.

2. Primary hyperthyroidism is accompanied by elevated serum T3 and T4 levels along with depressed TSH values.

3. Normal T4 levels are accompanied by increased T3 in patients with T3 thyrotoxicosis.

4. Slightly elevated T3 levels may be found in pregnancy and estrogen therapy, while depressed levels may be encountered in severe illness, renal failure and during therapy with drugs like propranolol and propyl thiouracil.

5. Although elevated TSH levels are nearly always indicative of primary hyporthyroidism, and may be seen in secondary thyrotoxicosis.

URINE EXAMINATION TEST

PHYSICAL EXAMINATION

	QUANTITY	20	ml.			
	COLOUR	PALE YELLOW	,			
	TRANSPARENCY	CLEAR				
	SPECIFIC GRAVITY	1.015				
	РН	6.0				
(CHEMICAL EXAMINATION					
	ALBUMIN	NIL				



www.busysoft.in

info@aarogyamdiagnostics.com

www.aarogyamdiagnostics.com

Date 26/09/2021 Name Mr. ABHIJEET KUMAR Ref. By Dr.BOB	Srl No Age	o. 7	Patient Id 2109260007 Sex M
Test Name	Value	Unit	Normal Value
SUGAR	NIL		
MICROSCOPIC EXAMINATION			
PUS CELLS	0-1	/HPF	
RBC'S	NIL	/HPF	
CASTS	NIL		
CRYSTALS	NIL		
EPITHELIAL CELLS	0-1	/HPF	
BACTERIA	NIL		
OTHERS	NIL		

**** End Of Report ****

Dr.R.B.RAMAN MBBS, MD CONSULTANT PATHOLOGIST