

Name : Mr. AJITH P
PID No. : MED111034322
SID No. : 922018272
Age / Sex : 35 Year(s) / Male
Type : OP
Ref. Dr : MediWheel

Register On : 26/03/2022 8:07 AM
Collection On : 26/03/2022 8:55 AM
Report On : 27/03/2022 1:21 PM
Printed On : 29/03/2022 6:07 PM




<u>Investigation</u>	<u>Observed Value</u>	<u>Unit</u>	<u>Biological Reference Interval</u>
----------------------	-----------------------	-------------	--------------------------------------


HAEMATOLOGY

Complete Blood Count With - ESR

Haemoglobin (EDTA Blood/Spectrophotometry)	16.2	g/dL	13.5 - 18.0
Packed Cell Volume(PCV)/Haematocrit (EDTA Blood/Derived from Impedance)	47.9	%	42 - 52
RBC Count (EDTA Blood/Impedance Variation)	5.80	mill/cu.mm	4.7 - 6.0
Mean Corpuscular Volume(MCV) (EDTA Blood/Derived from Impedance)	83.0	fL	78 - 100
Mean Corpuscular Haemoglobin(MCH) (EDTA Blood/Derived from Impedance)	27.9	pg	27 - 32
Mean Corpuscular Haemoglobin concentration(MCHC) (EDTA Blood/Derived from Impedance)	33.7	g/dL	32 - 36
RDW-CV (EDTA Blood/Derived from Impedance)	13.6	%	11.5 - 16.0
RDW-SD (EDTA Blood/Derived from Impedance)	39.51	fL	39 - 46
Total Leukocyte Count (TC) (EDTA Blood/Impedance Variation)	6400	cells/cu.mm	4000 - 11000
Neutrophils (EDTA Blood/Impedance Variation & Flow Cytometry)	60.1	%	40 - 75
Lymphocytes (EDTA Blood/Impedance Variation & Flow Cytometry)	30.8	%	20 - 45
Eosinophils (EDTA Blood/Impedance Variation & Flow Cytometry)	4.1	%	01 - 06


DR .VANITHA.R.SWAMY MD
Consultant Pathologist
Reg No : 99049

VERIFIED BY


DR SHAMIM JAVED
MD PATHOLOGY
KMC 88902

APPROVED BY

Name : Mr. AJITH P
PID No. : MED111034322
SID No. : 922018272
Age / Sex : 35 Year(s) / Male
Type : OP
Ref. Dr : MediWheel

Register On : 26/03/2022 8:07 AM
Collection On : 26/03/2022 8:55 AM
Report On : 27/03/2022 1:21 PM
Printed On : 29/03/2022 6:07 PM



<u>Investigation</u>	<u>Observed Value</u>	<u>Unit</u>	<u>Biological Reference Interval</u>
Monocytes (EDTA Blood/Impedance Variation & Flow Cytometry)	4.5	%	01 - 10
Basophils (EDTA Blood/Impedance Variation & Flow Cytometry)	0.5	%	00 - 02
Absolute Neutrophil count (EDTA Blood/Impedance Variation & Flow Cytometry)	3.85	10 ³ / µl	1.5 - 6.6
Absolute Lymphocyte Count (EDTA Blood/Impedance Variation & Flow Cytometry)	1.97	10 ³ / µl	1.5 - 3.5
Absolute Eosinophil Count (AEC) (EDTA Blood/Impedance Variation & Flow Cytometry)	0.26	10 ³ / µl	0.04 - 0.44
Absolute Monocyte Count (EDTA Blood/Impedance Variation & Flow Cytometry)	0.29	10 ³ / µl	< 1.0
Absolute Basophil count (EDTA Blood/Impedance Variation & Flow Cytometry)	0.03	10 ³ / µl	< 0.2
Platelet Count (EDTA Blood/Impedance Variation)	195	10 ³ / µl	150 - 450
MPV (EDTA Blood/Derived from Impedance)	7.7	fL	7.9 - 13.7
PCT (EDTA Blood/Automated Blood cell Counter)	0.15	%	0.18 - 0.28
ESR (Erythrocyte Sedimentation Rate) (EDTA Blood/Modified Westergren)	10	mm/hr	< 15


DR .VANITHA.R.SWAMY MD
Consultant Pathologist
Reg No : 99049
VERIFIED BY


DR SHAMIM JAVED
MD PATHOLOGY
KMC 88902
APPROVED BY

Name : Mr. AJITH P
PID No. : MED111034322
SID No. : 922018272
Age / Sex : 35 Year(s) / Male
Type : OP
Ref. Dr : MediWheel

Register On : 26/03/2022 8:07 AM
Collection On : 26/03/2022 8:55 AM
Report On : 27/03/2022 1:21 PM
Printed On : 29/03/2022 6:07 PM




<u>Investigation</u>	<u>Observed Value</u>	<u>Unit</u>	<u>Biological Reference Interval</u>
----------------------	-----------------------	-------------	--------------------------------------


BIOCHEMISTRY

Liver Function Test

Bilirubin(Total) (Serum/Diazotized Sulfanilic Acid)	0.7	mg/dL	0.1 - 1.2
Bilirubin(Direct) (Serum/Diazotized Sulfanilic Acid)	0.3	mg/dL	0.0 - 0.3
Bilirubin(Indirect) (Serum/Derived)	0.4	mg/dL	0.1 - 1.0
Total Protein (Serum/Biuret)	7.1	gm/dL	6.0 - 8.0
Albumin (Serum/Bromocresol green)	4.8	gm/dL	3.5 - 5.2
Globulin (Serum/Derived)	2.3	gm/dL	2.3 - 3.6
A : G Ratio (Serum/Derived)	2.1		1.1 - 2.2
SGOT/AST (Aspartate Aminotransferase) (Serum/IFCC Kinetic)	20	U/L	5 - 40
SGPT/ALT (Alanine Aminotransferase) (Serum/IFCC / Kinetic)	43	U/L	5 - 41
Alkaline Phosphatase (SAP) (Serum/IFCC Kinetic)	75	U/L	53 - 128
GGT(Gamma Glutamyl Transpeptidase) (Serum/SZASZ standarised IFCC)	13	U/L	< 55



VERIFIED BY



APPROVED BY

Name : Mr. AJITH P
PID No. : MED111034322
SID No. : 922018272
Age / Sex : 35 Year(s) / Male
Type : OP
Ref. Dr : MediWheel

Register On : 26/03/2022 8:07 AM
Collection On : 26/03/2022 8:55 AM
Report On : 27/03/2022 1:21 PM
Printed On : 29/03/2022 6:07 PM




<u>Investigation</u>	<u>Observed Value</u>	<u>Unit</u>	<u>Biological Reference Interval</u>
<u>Lipid Profile</u>			
Cholesterol Total (Serum/Cholesterol oxidase/Peroxidase)	160	mg/dL	Optimal: < 200 Borderline: 200 - 239 High Risk: >= 240
Triglycerides (Serum/Glycerol phosphate oxidase / peroxidase)	132	mg/dL	Optimal: < 150 Borderline: 150 - 199 High: 200 - 499 Very High: >= 500


INTERPRETATION: The reference ranges are based on fasting condition. Triglyceride levels change drastically in response to food, increasing as much as 5 to 10 times the fasting levels, just a few hours after eating. Fasting triglyceride levels show considerable diurnal variation too. There is evidence recommending triglycerides estimation in non-fasting condition for evaluating the risk of heart disease and screening for metabolic syndrome, as non-fasting sample is more representative of the "usual" circulating level of triglycerides during most part of the day.

HDL Cholesterol (Serum/Immuno-inhibition)	38	mg/dL	Optimal(Negative Risk Factor): >= 60 Borderline: 40 - 59 High Risk: < 40
LDL Cholesterol (Serum/Calculated)	95.6	mg/dL	Optimal: < 100 Above Optimal: 100 - 129 Borderline: 130 - 159 High: 160 - 189 Very High: >= 190
VLDL Cholesterol (Serum/Calculated)	26.4	mg/dL	< 30
Non HDL Cholesterol (Serum/Calculated)	122.0	mg/dL	Optimal: < 130 Above Optimal: 130 - 159 Borderline High: 160 - 189 High: 190 - 219 Very High: >= 220

INTERPRETATION: 1.Non-HDL Cholesterol is now proven to be a better cardiovascular risk marker than LDL Cholesterol.
2.It is the sum of all potentially atherogenic proteins including LDL, IDL, VLDL and chylomicrons and it is the "new bad cholesterol" and is a co-primary target for cholesterol lowering therapy.



VERIFIED BY




APPROVED BY

Name : Mr. AJITH P
PID No. : MED111034322
SID No. : 922018272
Age / Sex : 35 Year(s) / Male
Type : OP
Ref. Dr : MediWheel


Register On : 26/03/2022 8:07 AM
Collection On : 26/03/2022 8:55 AM
Report On : 27/03/2022 1:21 PM
Printed On : 29/03/2022 6:07 PM



<u>Investigation</u>	<u>Observed Value</u>	<u>Unit</u>	<u>Biological Reference Interval</u>
Total Cholesterol/HDL Cholesterol Ratio (Serum/Calculated)	4.2		Optimal: < 3.3 Low Risk: 3.4 - 4.4 Average Risk: 4.5 - 7.1 Moderate Risk: 7.2 - 11.0 High Risk: > 11.0
Triglyceride/HDL Cholesterol Ratio (TG/HDL) (Serum/Calculated)	3.5		Optimal: < 2.5 Mild to moderate risk: 2.5 - 5.0 High Risk: > 5.0
LDL/HDL Cholesterol Ratio (Serum/Calculated)	2.5		Optimal: 0.5 - 3.0 Borderline: 3.1 - 6.0 High Risk: > 6.0



VERIFIED BY



APPROVED BY

Name : Mr. AJITH P

PID No. : MED111034322

SID No. : 922018272

Age / Sex : 35 Year(s) / Male

Type : OP

Ref. Dr : MediWheel

Register On : 26/03/2022 8:07 AM

Collection On : 26/03/2022 8:55 AM

Report On : 27/03/2022 1:21 PM

Printed On : 29/03/2022 6:07 PM



<u>Investigation</u>	<u>Observed Value</u>	<u>Unit</u>	<u>Biological Reference Interval</u>
<u>Glycosylated Haemoglobin (HbA1c)</u>			
HbA1C (Whole Blood/HPLC)	5.8	%	Normal: 4.5 - 5.6 Prediabetes: 5.7 - 6.4 Diabetic: >= 6.5

INTERPRETATION: If Diabetes - Good control : 6.1 - 7.0 % , Fair control : 7.1 - 8.0 % , Poor control >= 8.1 %


Estimated Average Glucose 119.76 mg/dL
(Whole Blood)

INTERPRETATION: Comments


HbA1c provides an index of Average Blood Glucose levels over the past 8 - 12 weeks and is a much better indicator of long term glycaemic control as compared to blood and urinary glucose determinations.

Conditions that prolong RBC life span like Iron deficiency anemia, Vitamin B12 & Folate deficiency, hypertriglyceridemia, hyperbilirubinemia, Drugs, Alcohol, Lead Poisoning, Asplenia can give falsely elevated HbA1C values.

Conditions that shorten RBC survival like acute or chronic blood loss, hemolytic anemia, Hemoglobinopathies, Splenomegaly, Vitamin E ingestion, Pregnancy, End stage Renal disease can cause falsely low HbA1c.



VERIFIED BY



APPROVED BY

Name : Mr. AJITH P
PID No. : MED111034322
SID No. : 922018272
Age / Sex : 35 Year(s) / Male
Type : OP
Ref. Dr : MediWheel

Register On : 26/03/2022 8:07 AM
Collection On : 26/03/2022 8:55 AM
Report On : 27/03/2022 1:21 PM
Printed On : 29/03/2022 6:07 PM



<u>Investigation</u>	<u>Observed Value</u>	<u>Unit</u>	<u>Biological Reference Interval</u>
----------------------	-----------------------	-------------	--------------------------------------

IMMUNOASSAY

THYROID PROFILE / TFT

T3 (Triiodothyronine) - Total (Serum/CMIA)	1.47	ng/mL	0.7 - 2.04
-----------------------------------------------	------	-------	------------

INTERPRETATION:

Comment :

Total T3 variation can be seen in other condition like pregnancy, drugs, nephrosis etc. In such cases, Free T3 is recommended as it is Metabolically active.

T4 (Thyroxine) - Total (Serum/CMIA)	9.57	µg/dL	4.2 - 12.0
----------------------------------------	------	-------	------------

INTERPRETATION:

Comment :

Total T4 variation can be seen in other condition like pregnancy, drugs, nephrosis etc. In such cases, Free T4 is recommended as it is Metabolically active.

TSH (Thyroid Stimulating Hormone) (Serum/Chemiluminescent Microparticle Immunoassay(CMIA))	1.34	µIU/mL	0.35 - 5.50
--------------------------------------------------------------------------------------------------	------	--------	-------------

INTERPRETATION:

Reference range for cord blood - upto 20

1 st trimester: 0.1-2.5

2 nd trimester 0.2-3.0

3 rd trimester : 0.3-3.0

(Indian Thyroid Society Guidelines)

Comment :

1.TSH reference range during pregnancy depends on Iodine intake, TPO status, Serum HCG concentration, race, Ethnicity and BMI.

2.TSH Levels are subject to circadian variation, reaching peak levels between 2-4am and at a minimum between 6-10PM.The variation can be of the order of 50%,hence time of the day has influence on the measured serum TSH concentrations.

3.Values&lt;0.03 µIU/mL need to be clinically correlated due to presence of rare TSH variant in some individuals.


DR SHAMIM JAVED
MD PATHOLOGY
KMC 88902
APPROVED BY

Name : Mr. AJITH P
PID No. : MED111034322
SID No. : 922018272
Age / Sex : 35 Year(s) / Male
Type : OP
Ref. Dr : MediWheel

Register On : 26/03/2022 8:07 AM
Collection On : 26/03/2022 8:55 AM
Report On : 27/03/2022 1:21 PM
Printed On : 29/03/2022 6:07 PM



<u>Investigation</u>	<u>Observed Value</u>	<u>Unit</u>	<u>Biological Reference Interval</u>
----------------------	-----------------------	-------------	--------------------------------------

CLINICAL PATHOLOGY

PHYSICAL EXAMINATION

Colour (Urine)	Pale yellow		
Appearance (Urine)	Clear		Clear
Volume (Urine)	15	mL	

CHEMICAL EXAMINATION(Automated-Urineanalyser)

pH (Urine/AUTOMATED URINANALYSER)	5.5		4.5 - 8.0
Specific Gravity (Urine)	1.025		1.002 - 1.035
Ketones (Urine)	Negative		Negative
Urobilinogen (Urine/AUTOMATED URINANALYSER)	0.2		0.2 - 1.0
Blood (Urine/AUTOMATED URINANALYSER)	Negative		Negative
Nitrite (Urine/AUTOMATED URINANALYSER)	Negative		Negative
Bilirubin (Urine/AUTOMATED URINANALYSER)	Negative		Negative
Protein (Urine)	Negative		Negative
Glucose (Urine)	Negative		Negative

Dr. Arjun C.P
MBBS, MD Pathology
Reg No:KMC 89655

VERIFIED BY

DR SHAMIM JAVED
MD PATHOLOGY
KMC 88902


APPROVED BY

Name : Mr. AJITH P
PID No. : MED111034322
SID No. : 922018272
Age / Sex : 35 Year(s) / Male
Type : OP
Ref. Dr : MediWheel


Register On : 26/03/2022 8:07 AM
Collection On : 26/03/2022 8:55 AM
Report On : 27/03/2022 1:21 PM
Printed On : 29/03/2022 6:07 PM



<u>Investigation</u>	<u>Observed Value</u>	<u>Unit</u>	<u>Biological Reference Interval</u>
Leukocytes (Urine)	Negative	leuco/uL	Negative
<u>MICROSCOPY(URINE DEPOSITS)</u>			
Pus Cells (Urine/Flow cytometry)	3-4	/hpf	3-5
Epithelial Cells (Urine)	2-3	/hpf	1-2
RBCs (Urine/Flow cytometry)	Nil	/hpf	NIL
Others (Urine)	Nil		Nil
Casts (Urine/Flow cytometry)	Nil	/hpf	0 - 1
Crystals (Urine)	Nil		NIL



VERIFIED BY



APPROVED BY

Name : Mr. AJITH P
PID No. : MED111034322
SID No. : 922018272
Age / Sex : 35 Year(s) / Male
Type : OP
Ref. Dr : MediWheel

Register On : 26/03/2022 8:07 AM
Collection On : 26/03/2022 8:55 AM
Report On : 27/03/2022 1:21 PM
Printed On : 29/03/2022 6:07 PM



<u>Investigation</u>	<u>Observed Value</u>	<u>Unit</u>	<u>Biological Reference Interval</u>
----------------------	-----------------------	-------------	--------------------------------------

BIOCHEMISTRY

BUN / Creatinine Ratio	16		6 - 22
Glucose Fasting (FBS) (Plasma - F/GOD - POD)	101	mg/dL	Normal: < 100 Pre Diabetic: 100 - 125 Diabetic: >= 126

INTERPRETATION: Factors such as type, quantity and time of food intake, Physical activity, Psychological stress, and drugs can influence blood glucose level.

Glucose Fasting - Urine (Urine - F)	Negative		Negative
----------------------------------------	----------	--	----------

Glucose Postprandial (PPBS) (Plasma - PP/GOD - POD)	117	mg/dL	70 - 140
--------------------------------------------------------	-----	-------	----------

INTERPRETATION:

Factors such as type, quantity and time of food intake, Physical activity, Psychological stress, and drugs can influence blood glucose level. Fasting blood glucose level may be higher than Postprandial glucose, because of physiological surge in Postprandial Insulin secretion, Insulin resistance, Exercise or Stress, Dawn Phenomenon, Somogyi Phenomenon, Anti- diabetic medication during treatment for Diabetes.


Glucose Postprandial - Urine (Urine - PP)	Negative		Negative
----------------------------------------------	----------	--	----------

Blood Urea Nitrogen (BUN) (Serum/Urease-GLDH)	15	mg/dL	7.0 - 21
--------------------------------------------------	----	-------	----------


Creatinine (Serum/Jaffe Kinetic)	1.0	mg/dL	0.9 - 1.3
-------------------------------------	-----	-------	-----------

INTERPRETATION: Elevated Creatinine values are encountered in increased muscle mass, severe dehydration, Pre-eclampsia, increased ingestion of cooked meat, consuming Protein/ Creatine supplements, Diabetic Ketoacidosis, prolonged fasting, renal dysfunction and drugs such as cefoxitin ,cefazolin, ACE inhibitors ,angiotensin II receptor antagonists,N-acetylcyteine, chemotherapeutic agent such as flucytosine etc.

Uric Acid (Serum/Uricase/Peroxidase)	6.7	mg/dL	3.5 - 7.2
-----------------------------------------	-----	-------	-----------


Dr. Arjun C.P
MBBS, MD Pathology
Reg No:KMC 89655

VERIFIED BY


DR SHAMIM JAVED
MD PATHOLOGY
KMC 88902

APPROVED BY

Name : Mr. AJITH P
PID No. : MED111034322
SID No. : 922018272
Age / Sex : 35 Year(s) / Male
Type : OP
Ref. Dr : MediWheel

Register On : 26/03/2022 8:07 AM
Collection On : 26/03/2022 8:55 AM
Report On : 27/03/2022 1:21 PM
Printed On : 29/03/2022 6:07 PM



<u>Investigation</u>	<u>Observed Value</u>	<u>Unit</u>	<u>Biological Reference Interval</u>
----------------------	-----------------------	-------------	--------------------------------------

IMMUNOHAEMATOLOGY

BLOOD GROUPING AND Rh TYPING
(EDTA Blood/Agglutination)

'O' 'Positive'

Dr. Arjun C.P
MBBS, MD Pathology
Reg No:KMC 89655

VERIFIED BY

DR SHAMIM JAVED
MD PATHOLOGY
KMC 88902

APPROVED BY

-- End of Report --

 **UNION OF INDIA Driving Licence (Tamil Nadu)** 

DL. No. **TN70 20190005754** 

	Date of Issue 27-08-2019 	Valid Till 05-07-2036	
Name AJITH P	Date of Birth 06-07-1986	Blood Group O+	
Son/Daughter/Wife of PAUL RAJ T			

To be filled by Customer

Name: Mr/Ms/Mrs

Gender: Male Female Age: years DOB: / /

Mobile: Pincode:

Email:

Bar code

Vitals

To be filled by Technician

Height: . . cms

Waist: . in.

Hip: . in.

Weight: . kg

Fat: . %

Visc. Fat: . %

RM: cal

BMI: . kg/m²

Body Age: years

Sys. BP: mmHg

Dia. BP: mmHg

To be filled by Customer

Medical History

Have you been previously diagnosed with?

Diabetes (Sugar) Yes No

Hypertension (BP) Yes No

Cardiovascular Disease (Heart) Yes No

Asthma/Allergies (Dust, Pollen, Food, Animals, etc.) Yes No

Neurological Problems (Nerve) Yes No

Are you currently taking medications for?

Diabetes (Sugar) Yes No

Hypertension (BP) Yes No

Cardiovascular Disease (Heart) Yes No

Liver Disease Yes No

Cancer Yes No

Tuberculosis (TB) Yes No

Family History

Is there a history of below diseases in your family?

Diabetes (Sugar) Yes No

Hypertension (BP) Yes No

Cardiovascular Disease (Heart) Yes No

Cancer Yes No

Lifestyle

Do you exercise regularly? Yes No

Do you consume alcohol more than 2 times a week? Yes No

Do you smoke/chew tobacco? Yes No

Are you vegetarian? Yes No

General

Do you see a doctor at least once in 6 months? Yes No

Do you undergo a health checkup every year? Yes No

How would you rate your overall Health? Excellent Good Normal Poor Very Poor

Women's Health

Is there a family history of Breast Cancer? Yes No

Is there a family history of Endometrial (Uterus) Cancer? Yes No

Is there a family history of Ovarian Cancer? Yes No

Do you have irregular periods? Yes No

Do you have heavy bleeding during periods? Yes No

Do you have scanty periods? Yes No

Have you attained Menopause? Yes No

Do you have children? Yes No

Was it a normal delivery? Yes No

Did you have diabetes/hypertension during delivery? Yes No

Signature:

Customer Name	Aish P	Customer ID	MED 111034322 9-22018272
Age & Gender	35. & male	Visit Date	26/03/2022

Eye Screening



With spectacles / without spectacles (strike out whichever is not applicable)

	Right Eye	Left Eye
Near Vision	N6	N6
Distance Vision	6/6	6/6
Colour Vision	normal	normal

Observation / Comments: — Normal


Dr. Ravi

Dr. RAVI V. HALAKATTI
M.S. (OPHTH)
EYE SURGEON
Regd. No. 11801

Male

35 Years

26.03.2022 8.12.07
CLUMAX DIAGNOSTICS
JAYANAGAR
BANGALORE



Technician: koms
Ordering Ph: MEDIWHEEL
Referring Ph: MEDIWHEEL
Attending Ph:

QRS : 94 ms
QT / QTcBaz : 380 / 427 ms
PR : 178 ms
P : 108 ms
RR / PP : 786 / 789 ms
P / QRS / T : 45 / 8 / 43 degrees


(Needs Clinical Correlation
for further Management)

DR. SRIHAR J.
MD (Med), DM, Cardiol, FICG
Interventional Cardiologist
K.M.C. No.: 32248

Dr. John
WKL
RM +20°

Normal ECG

[Signature]



GE MAC2000 1.1 12SL™ V241

25 mm/s 10 mm/mV

ADS 0.56-20 Hz 50 Hz

Unconfirmed
4X2 5x3_25_R1

Name	AJITH P	Customer ID	MED111034322
Age & Gender	35Y/M	Visit Date	Mar 26 2022 8:05AM
Ref Doctor	MediWheel		

X - RAY CHEST PA VIEW

Bilateral lung fields appear normal.

Cardiac size is within normal limits.

Bilateral hilar regions appear normal.

Bilateral domes of diaphragm and costophrenic angles are normal.

Visualised bones and soft tissues appear normal.

Impression: Essentially normal study.



DR. H.K. ANAND

DR. SHWETHA S

DR. PRAJNA SHENOY

DR. MAHESH M S

CONSULTANT RADIOLOGISTS



Name	MR.AJITH P	ID	MED111034322
Age & Gender	35Y/MALE	Visit Date	26/03/2022
Ref Doctor	MediWheel		

ABDOMINO-PELVIC ULTRASONOGRAPHY

LIVER is normal in shape, size and has increased echopattern. No evidence of focal lesion or intrahepatic biliary ductal dilatation. Hepatic and portal vein radicals are normal.

GALL BLADDER show normal shape and has clear contents.
Gall bladder wall is of normal thickness. CBD is of normal calibre.

PANCREAS has normal shape, size and uniform echopattern.
No evidence of ductal dilatation or calcification.

SPLEEN show normal shape, size and echopattern.

No demonstrable Para -aortic lymphadenopathy.

KIDNEYS move well with respiration and have normal shape, size and echopattern.

Cortico- medullary differentiations are well madeout.

Right kidney shows a cyst measuring 1.6 x 1.6cms in the lower pole.

Left kidney shows a cyst measuring 1.5 x 1.3cms in the upper pole.

No evidence of calculus or hydronephrosis.

The kidney measures as follows

	Bipolar length (cms)	Parenchymal thickness (cms)
Right Kidney	9.6	1.7
Left Kidney	10.2	1.7

URINARY BLADDER show normal shape and wall thickness.

It has clear contents. No evidence of diverticula.

PROSTATE shows normal shape, size (wt – 14.2gms) and echopattern.

No evidence of ascites.

Impression:

- **Bilateral renal cysts**
- **Increased hepatic echopattern suggestive of fatty infiltration**

CONSULTANT RADIOLOGISTS:

DR. H. K. ANAND

DR. PRAJNA SHENOY

DR. MAHESH. M. S

DR. RADHA KRISHNA. A.

DR. HIMA BINDU.P

Ms/pu



Name	MR.AJITH P	ID	MED111034322
Age & Gender	35Y/MALE	Visit Date	26/03/2022
Ref Doctor	MediWheel		

2D ECHOCARDIOGRAPHIC STUDY

M mode measurement:

AORTA	:	2.65	cms
LEFT ATRIUM	:	3.63	cms
AVS	:	1.39	cms
LEFT VENTRICLE (DIASTOLE)	:	4.24	cms
(SYSTOLE)	:	2.82	cms
VENTRICULAR SEPTUM (DIASTOLE)	:	1.02	cms
(SYSTOLE)	:	2.12	cms
POSTERIOR WALL (DIASTOLE)	:	0.94	cms
(SYSTOLE)	:	2.16	cms
EDV	:	80	ml
ESV	:	30	ml
FRACTIONAL SHORTENING	:	33	%
EJECTION FRACTION	:	62	%
EPSS	:		cms
RVID	:	1.88	cms

DOPPLER MEASUREMENTS

MITRAL VALVE	: 'E' -1.04m/s 'A' -0.64m/s	TRIVIAL MR
AORTIC VALVE	:1.33 m/s	NO AR
TRICUSPID VALVE	: 'E' -0.68m/s 'A' - m/s	NO TR
PULMONARY VALVE	:0.84m/s	NO PR



Name	MR.AJITH P	ID	MED111034322
Age & Gender	35Y/MALE	Visit Date	26/03/2022
Ref Doctor	MediWheel		

:2:

2D ECHOCARDIOGRAPHY FINDINGS:

Left Ventricle : Normal size, Normal systolic function.
No regional wall motion abnormalities

Left Atrium : Normal

Right Ventricle : Normal

Right Atrium : Normal.

Mitral valve : Normal, No mitral valve prolapse.

Aortic valve : Normal, Trileaflet

Tricuspid valve : Normal.

Pulmonary valve : Normal.

IAS : Intact.


IVS : Intact.

Pericardium : No Pericardial effusion.

IMPRESSION :

- TRIVIAL MITRAL REGURGITATION
- NORMAL SIZED CARDIAC CHAMBERS.
- NORMAL LV SYSTOLIC FUNCTION. EF : 62 %
- NO REGIONAL WALL MOTION ABNORMALITIES.
- NO CLOTS / PERICARDIAL EFFUSION / VEGETATION.

(KINDLY CORRELATE CLINICALLY AND WITH ECG)


DR.SRIDHAR.L MD,DM,FICC.
CONSULTANT CARDIOLOGIST
Ls/ml

Dr. SRIDHAR .L
MD,(Med), DM(Cardio), FICC
Interventional Cardiologist
K.M.C. No. 32248