



Pt Name :	Mr. Deepak Nigam
Age :	29/M
Lab. No. :	01
Date :	18/02/2023
Skigram	X Ray Chest PA View
Radiologist	Dr. B.M. Agarwal MD (Radiology)

REPORT

Tricia Central

Thoracic cage normal

Both Lungs Field Clear.

Both hilers normal

Cardiac border normal

Both cp angles clear

Both domes and diaphragm normal

IMPRESSION

**-NO CARDIO PULMONARY PATHOLOGY
 -COORRELATE WITH CLINICAL FINDINGS.**



दिवीकर डायग्नोस्टिक सेंटर

E-7/636, पंजाब नेशनल बैंक के पास, मन रोड, अरुणा कॉलोनी, श्रीपाल (म.प.)

फॉन : 9826340190



Pt Name :- Mr. Deepak Nigam
Age :- 29/M
Lab. No. :- 01
Date :- 18/02/2023

EXAMINATION OF BLOOD

TEST	RESULT	NORMAL VALUE
Haemoglobin	14.7gms%	Female 12-16gms%, Male 14-18gms%
Red Cell count	5.40	
Platelet Count	2.31	4.5-5.6 million /cumm
Leucocytes per.cumm	5000/cumm	5000-11000/cumm
Neutrophils	50%	50-70%
Lymphocytes	40%	20-40%
Eosinophils	04%	0-7%
Monocytes	06%	2-8%
PCV	46.1	37-47
MCV	85.4	76-96
MCH	27.2	27-32
MCHC	31.8	31-35
ESR	08	Male 0-9, Female 0-20mm/FHR
Blood Group	"B" Positive	By slide method
Total Serum Cholesterol	178.0	100-250 mg%
Serum Triglyceride	148.0	Up to 150 mg%
Serum Cholesterol HDL	51.0	Up to 65 mg%
Serum Cholesterol LDL	97.4	Up to 125 mg%
VLDL	29.6	Up to 30 mg%
S.Bilirubin(Total)	0.9	0.2-1.0mg/dl
Direct	0.5	0.0-0.25mg/dl
Indirect	0.4	
SGOT	26.0	5-35U/L
SGPT	30.0	8-40U/L
Alk Phosphatase	8.9	3-13 KA units
S. Protein(Total)	7.0	6.0-8.0mg%
Albumin	4.9	3.7-5.3mg%
Globulin	2.4	1.5 to 3.5 mg%
Blood Urea	20.0	Up to 40 mg%
S.Creatine	0.81	0.5-1.4mg/dl
S.Uric Acid	6.8	3.5-7.5mg%
GGTP	24.0	5-35 UL/dl
Fasting Blood Sugar	84.2	Up to 110 mg%
HBA1c	5.5	Below - 6.0% -Non Diabetic control 6-7% -Excellent control Above- 8% -Poor control
Thyrod Stimulating Hormone(TSH)	2.9	0.27-4.2



All test have technical limitation. Collaborative clinic pathological interpretation is mandatory. In case of disparity test may be repeated immediately. Typographical mistakes should be get correct instantly. This report is not valid for medico legal purpose

Pathologist



Pathologist

Dr. B. M. Agarwal
MBBS, DCP
Consultant Pathologist

A. PHYSICAL EXAMINATION	
1. Colour	Pale Yellow
2. Appearance	Clear
3. Specific Gravity	Q.N.S.
B. CHEMICAL EXAMINATION	
1. Reaction	Acidic
2. Albumin	Nil
3. Sugar	Nil
4. Bile Salts	Absent
C. MICROSCOPIC EXAMINATION	
Pus Cells	2-3/HPF
R.B.C.	Nil
Epithelial Cell	occ
Cast	Nil
Crystals(Cal.Oxa)	Nil
Bacteria	Nil
Amorphous	Nil
T. Vaginitis	Nil

URINE ANALYSIS

Pt Name :- Mr. Deepak Nigam
Age :- 29/M
Lab. No. :- 01
Date :- 18/02/2023



डिवाकर डायग्नोस्टिक सेंटर
E-7/636, पंजाब नगर, बैंक के पास, मैन रोड, अरुण कॉलोनी, भापाल (म.प.)
फोन : 9826340190




दिवाकर डायग्नोस्टिक सेंटर


E-7/636, पंजाब नेशनल बैंक के पास, मॉन रोड, असेरा कॉलोनी, भोपाल (म.प्र.
मॉ : 9826340190



Dr. B. M. Agarwal
MBBS, DCP
Consultant Pathologist



3 X 4 + RHYTHM



Diwakar Diagnostic Centre
E-7/636, Arera Colony, Bhopal

1007 / Mr. Deepak Nigam / 29 Yrs / M / 0 Cms / 0 Kg Date: 18-Feb-2023 Refd By : BOB

Report

(GEM213180307)(R)/Allengers



Report :

TEST OBJECTIVE	: ROUTINE CHECK UP
RISK FACTOR	: MALE
ACTIVITY	: MODERATE ACTIVE
REASON FOR TERMINATION	: FATIGUE, HEART RATE ACHIEVED
EXERCISE TOLERANCE	: AVERAGE
EXERCISE INDUCED ARRHYTHMIAS	: NO
HAEMODYNAMIC RESPONSE	: NORMAL
CHRONOTROPIC RESPONSE	: NORMAL
FINAL IMPRESSION	: STRESS TEST IS NEGATIVE FOR EXERCISE INDUCED ISCHAEMIC HEART DISEASE

Doctor : Cardiologist





1007 / Mr:Deepak Nigam / 29 Yrs / M / 0 Cms / 0 Kg Date: 18-Feb-2023 Refd By : BOB

Stage	Time	Duration	Belt Speed (mph)	Elevation	METS	Rate	% THR Achieved	BP	RPP	PVC	Comments
Supine	02:37	0:01	00.0	00.0	01.0	99	52 %	120/80	118	00	
Standing	02:47	0:01	00.0	00.0	01.0	98	51 %	120/80	117	00	
HV	03:03	0:01	00.0	00.0	01.0	090	47 %	120/80	108	00	
Warm Up	03:09	0:04	01.7	10.0	01.1	082	43 %	120/80	098	00	
ExStart	03:12	0:07	01.7	10.0	01.1	104	54 %	120/80	124	00	
BRUCE Stage 1	06:12	3:00	01.7	10.0	04.7	134	70 %	130/80	174	00	
BRUCE Stage 2	09:12	3:00	02.5	12.0	07.1	167	87 %	130/80	217	00	
PeakEx	09:49	0:37	03.4	14.0	07.8	179	94 %	130/80	232	00	
Recovery	10:48	1:00	00.0	00.0	01.2	138	72 %	150/80	207	00	
Recovery	11:48	2:00	00.0	00.0	01.0	116	61 %	130/80	150	00	
Recovery	12:28	2:39	00.0	00.0	01.0	101	53 %	120/80	121	00	

Findings :

Exercise Time : 06:38
 Max HR Attained : 179 bpm 94% of Target 191
 Max BP Attained : (Sys) 150/80
 Max WorkLoad Attained : 7.8 Fair response to induced stress
 Test End Reasons : Fatigue, Heart Rate Achieved

Doctor : Cardiologist

1007 / Mr. Deepak Nigam / 29 Yrs / M

Date: 18-Feb-2023 11:15:43 AM



METS: 1.0/99 bpm 51% of THR BP-120/80 mmHg

Raw ECG/ BLC On/ Notch On/ HF 0.05 Hz/LF 20 Hz

ExTime: 02:36 0.0 mph, 0.0%

4X 80 mS Post J

25 mm/Sec 1.0 Cm/mV





Date: 18-Feb-2023 11:15:43 AM



METS: 1.0/ 98 bpm 51% of THR

BP: 120/80 mmHg Raw ECG/BLC On/ Natch On/ HF 0.05 Hz/LF 20 Hz

EXTime: 02:46 0.0 mph, 0.0%

4X 90 mS Post J

25 mm/Sec. 1.0 Cm/mV



I	III	aVL	V1	V3	V5
II	aVR	aVF	V2	V4	V6

REMARKS:

1007/Mr. Deepak Nigam / 29 Yrs / M

Date: 18-Feb-2023 11:15:43 AM

METS: 1.0 / 90 bpm 47% of THR


BP: 120/80 mmHg

Raw ECG/ BLC On/ Natch On/ HF 0.05 Hz/LF 20 Hz

EXTime: 03:02 0.0 mph, 0.0%

25 mm/Sec. 1.0 Cm/mV

4X 80 ms Post J



Lead	STL	STV
I	0.1	0.3
II	0.7	0.3
III	0.8	-0.5
aVR	-0.3	-0.6
aVL	-0.5	0.7
aVF	0.8	-0.1
V1	0.1	-0.2
V2	1.3	1.3
V3	1.2	0.6
V4	0.9	0.4
V5	0.7	0.2
V6	0.6	0.0

REMARKS:





1007/Mr. Deepak Nigam / 29 Yrs / M

Date: 18-Feb-2023 11:15:43 AM METS: 1.0/ 82 bpm 42% of THR BP: 120/80 mmHg Raw ECG/ BLC On/ Notch On/ HF 0.05 Hz/ LF 20 Hz

EXTime: 03:08 1.0 mph, 0.0%

4X 80 ms Post J

25 mm/Sec 1.0 Cm/mV



REMARKS:



1007 / Mr. Deepak Nigam / 29 Yrs / M

Date: 18-Feb-2023 11:15:43 AM


METS: 1.0 / 82 bpm 42% of THR

BP: 120/80 mmHg Raw ECG/ BLC On/ Notch On/ HF 0.05 Hz/LF 20 Hz

ExTime: 00:00 0.0 mph, 0.0%

4X 80 mS Post J

25 mm/Sec 1.0 Cm/mV




I
STL 0.5
STS 0.6



V1
0.0
0.1



II
0.9
0.6



V2
1.1
1.8



III
0.4
-0.1




V3
1.0
1.0



aVR
-0.7
-0.6



V4
0.7
0.6



aVL
0.2
0.2




V5
0.5
0.3




aVF
0.6
0.3



V6
0.3
0.0



II
aVR
aVF
V2
V4
V6



REMARKS:



Date: 18-Feb-2023 11:15:43 AM










METS: 4.7/134 bpm 70% of THR

BP: 130/80 mmHg

ExtTime: 03:00 1.7 mph, 10.0%

4X 60 ms Post J

25 mm/Sec 1.0 Cm/mV



REMARKS:



1007 / Mr. Deepak Nigam / 29 Yrs / M

Date: 18-Feb-2023 11:15:43 AM

METS: 7.1 / 167 bpm 87% of THR



BP: 130/80 mmHg

Raw ECG/ BLC On/ Notch On/ HF 0.05 Hz/LF 20 Hz

EXTime: 06:00 2.5 mph, 12.0%

4X 60 ms Post J

25 mm/Sec 1.0 Cm/mV




REMARKS:

Date: 18-Feb-2023 11:15:43 AM METS: 7.8/179 bpm 93% of THR BP: 130/80 mmHg Raw ECG/ BLC On/ Natch On/ HF 0.05 Hz/LF 20 Hz


EXTime: 06:37 3.4 mph 14.0%

4X 60 ms Post J

25 mm/Sec. 1.0 Cm/mV



I
STL 0.1
STS 1.1



VI
0.3
0.0



II
-1.9
1.4



V2
0.0
0.8




III
-2.2
0.1




V3
-1.3
1.5




avR
0.8
-1.3



V4
-1.2
1.1



avL
1.2
0.6




V5
-1.2
0.6



avF
-2.0
0.7



V6
-0.8
0.5



REMARKS:



1007/Mr. Deepak Nigam / 29 Yrs / M

Date: 18-Feb-2023 11:15:43 AM

METS: 1.1/138 bpm 72% of THR


BP: 150/80 mmHg

Raw ECG/ BLC On/ Notch On/ HF 0.05 Hz/LF 20 Hz

ExTime: 06:37 0.0 mph, 0.0%

4X 60 ms Post J


25 mm/Sec. 1.0 Cm/mV




I
STL 0.8
STS 1.3




V1
-0.6
-1.4




II
1.3
4.0



V2
1.0
1.2



III
0.6
2.7



V3
1.7
3.7



aVR
-1.0
-2.6



V4
1.0
2.8



aVL
0.0
-0.7





V5
0.6
2.3



aVF
1.0
3.3



V6
0.3
1.7



REMARKS:




Date: 18-Feb-2023 11:15:43 AM METS: 1.0/116 bpm 60% of THR BP: 130/80 mmHg Raw ECG/BLC On/ Natch On/ HF 0.05 Hz/LF 20 Hz

EXTime: 06:37 0.0 mph. 0.0%

4X 80 ms Post J

25 mm/Sec. 1.0 Cm/mV



I
STL 0.5
STS 0.7



V1
-0.5
-0.7



II
0.5
1.9




V2
0.9
1.1




III
0.0
1.2



V3
0.4
2.0



avR
-0.5
-1.3




V4
0.3
1.3



avL
0.2
-0.3




V5
0.2
0.8



avF
0.3
1.6



V6
0.1
0.8



REMARKS: