PID No.
 : MED120772356
 Register On
 : 04/02/2022 9:11 AM

 SID No.
 : 522207511
 Collection On
 : 04/02/2022 10:37 AM

 Age / Sex
 : 46 Year(s) / Female
 Report On
 : 04/02/2022 7:52 PM

 Type
 : OP
 Printed On
 : 09/02/2022 12:20 PM

Ref. Dr : MediWheel

<u>Investigation</u>	Observed Value	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
<b>HAEMATOLOGY</b>			
Complete Blood Count With - ESR			
Haemoglobin (EDTA Blood'Spectrophotometry)	12.4	g/dL	12.5 - 16.0
Packed Cell Volume(PCV)/Haematocrit (EDTA Blood/Derived from Impedance)	38.6	%	37 - 47
RBC Count (EDTA Blood/Impedance Variation)	4.42	mill/cu.mm	4.2 - 5.4
Mean Corpuscular Volume(MCV) (EDTA Blood/Derived from Impedance)	87.0	fL	78 - 100
Mean Corpuscular Haemoglobin(MCH) (EDTA Blood/Derived from Impedance)	28.0	pg	27 - 32
Mean Corpuscular Haemoglobin concentration(MCHC) (EDTA Blood/Derived from Impedance)	32.1	g/dL	32 - 36
RDW-CV (Derived from Impedance)	13.8	%	11.5 - 16.0
RDW-SD (Derived from Impedance)	42.02	fL	39 - 46
Total Leukocyte Count (TC) (EDTA Blood/Impedance Variation)	7200	cells/cu.mm	4000 - 11000
Neutrophils (Blood/Impedance Variation & Flow Cytometry)	62.4	%	40 - 75
Lymphocytes (Blood/Impedance Variation & Flow Cytometry)	27.2	%	20 - 45
Eosinophils (Blood/Impedance Variation & Flow Cytometry)	4.8	%	01 - 06



**VERIFIED BY** 



 PID No.
 : MED120772356
 Register On
 : 04/02/2022 9:11 AM

 SID No.
 : 522207511
 Collection On
 : 04/02/2022 10:37 AM

 Age / Sex
 : 46 Year(s) / Female
 Report On
 : 04/02/2022 7:52 PM

 Type
 : OP
 Printed On
 : 09/02/2022 12:20 PM

Ref. Dr : MediWheel

Investigation	Observed <u>Value</u>	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
Monocytes (Blood/Impedance Variation & Flow Cytometry)	4.7	%	01 - 10
Basophils (Blood/Impedance Variation & Flow Cytometry)	0.9	%	00 - 02
Absolute Neutrophil count (EDTA Blood/Impedance Variation & Flow Cytometry)	4.49	10^3 / μ1	1.5 - 6.6
Absolute Lymphocyte Count (EDTA Blood/Impedance Variation & Flow Cytometry)	1.96	10^3 / μ1	1.5 - 3.5
Absolute Eosinophil Count (AEC) (EDTA Blood/Impedance Variation & Flow Cytometry)	0.35	10^3 / μl	0.04 - 0.44
Absolute Monocyte Count (EDTA Blood/Impedance Variation & Flow Cytometry)	0.34	10^3 / μl	< 1.0
Absolute Basophil count (EDTA Blood/Impedance Variation & Flow Cytometry)	0.06	10^3 / μl	< 0.2
Platelet Count (EDTA Blood/Impedance Variation)	223	10^3 / μl	150 - 450
MPV (Blood/Derived from Impedance)	10.2	fL	8.0 - 13.3
PCT (Automated Blood cell Counter)	0.23	%	0.18 - 0.28
ESR (Erythrocyte Sedimentation Rate) (Citrated Blood/Modified Westergren)	8	mm/hr	< 20



**VERIFIED BY** 



 PID No.
 : MED120772356
 Register On
 : 04/02/2022 9:11 AM

 SID No.
 : 522207511
 Collection On
 : 04/02/2022 10:37 AM

 Age / Sex
 : 46 Year(s) / Female
 Report On
 : 04/02/2022 7:52 PM

 Type
 : OP
 Printed On
 : 09/02/2022 12:20 PM

Ref. Dr : MediWheel

Investigation	Observed Value	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
<b>BIOCHEMISTRY</b>			
Liver Function Test			
Bilirubin(Total) (Serum/Diazotized Sulfanilic Acid)	0.9	mg/dL	0.1 - 1.2
Bilirubin(Direct) (Serum/Diazotized Sulfanilic Acid)	0.3	mg/dL	0.0 - 0.3
Bilirubin(Indirect) (Serum/Derived)	0.6	mg/dL	0.1 - 1.0
Total Protein (Serum/Biuret)	6.9	g/dL	6.0 - 8.3
Albumin (Serum/Bromocresol green)	4.2	gm/dL	3.5 - 5.2
Globulin (Serum/Derived)	2.7	g/dL	2.3 - 3.5
A : G Ratio (Serum/Derived)	1.6		1.1 - 2.2
SGOT/AST (Aspartate Aminotransferase) (Serum/IFCC Kinetic)	13	U/L	5 - 40
SGPT/ALT (Alanine Aminotransferase) (Serum/IFCC / Kinetic)	10	U/L	5 - 41
Alkaline Phosphatase (SAP) (Serum/IFCC Kinetic)	92	U/L	42 - 98
GGT(Gamma Glutamyl Transpeptidase) (Serum/SZASZ standarised IFCC)	14	U/L	< 38



**VERIFIED BY** 



 PID No.
 : MED120772356
 Register On
 : 04/02/2022 9:11 AM

 SID No.
 : 522207511
 Collection On
 : 04/02/2022 10:37 AM

 Age / Sex
 : 46 Year(s) / Female
 Report On
 : 04/02/2022 7:52 PM

 Type
 : OP
 Printed On
 : 09/02/2022 12:20 PM

Ref. Dr : MediWheel

Investigation	Observed Value	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
<u>Lipid Profile</u>			
Cholesterol Total (Serum/Cholesterol oxidase/Peroxidase)	186	mg/dL	Optimal: < 200 Borderline: 200 - 239 High Risk: >= 240
Triglycerides (Serum/Glycerol phosphate oxidase / peroxidase)	88	mg/dL	Optimal: < 150 Borderline: 150 - 199 High: 200 - 499 Very High: >= 500

**INTERPRETATION:** The reference ranges are based on fasting condition. Triglyceride levels change drastically in response to food, increasing as much as 5 to 10 times the fasting levels, just a few hours after eating. Fasting triglyceride levels show considerable diurnal variation too. There is evidence recommending triglycerides estimation in non-fasting condition for evaluating the risk of heart disease and screening for metabolic syndrome, as non-fasting sample is more representative of the õusualö"circulating level of triglycerides during most part of the day.

r · · · · · · · · · · · · · · · · · · ·			
HDL Cholesterol (Serum/Immunoinhibition)	55	mg/dL	Optimal(Negative Risk Factor): >= 60 Borderline: 50 - 59 High Risk: < 50
LDL Cholesterol (Serum/Calculated)	113.4	mg/dL	Optimal: < 100 Above Optimal: 100 - 129 Borderline: 130 - 159 High: 160 - 189 Very High: >= 190
VLDL Cholesterol (Serum/Calculated)	17.6	mg/dL	< 30
Non HDL Cholesterol (Serum/Calculated)	131.0	mg/dL	Optimal: <130 Above Optimal: 130 - 159 Borderline High: 160 - 189 High: 190 - 219



**VERIFIED BY** 



Very High:  $\geq 220$ 

 PID No.
 : MED120772356
 Register On
 : 04/02/2022 9:11 AM

 SID No.
 : 522207511
 Collection On
 : 04/02/2022 10:37 AM

 Age / Sex
 : 46 Year(s) / Female
 Report On
 : 04/02/2022 7:52 PM

 Type
 : OP
 Printed On
 : 09/02/2022 12:20 PM

Ref. Dr : MediWheel

<u>Investigation</u> <u>Observed</u> <u>Unit</u> <u>Biological</u> <u>Value</u> <u>Reference Interval</u>

**INTERPRETATION:** 1. Non-HDL Cholesterol is now proven to be a better cardiovascular risk marker than LDL Cholesterol. 2. It is the sum of all potentially atherogenic proteins including LDL, IDL, VLDL and chylomicrons and it is the "new bad cholesterol" and is a co-primary target for cholesterol lowering therapy.

Total Cholesterol/HDL Cholesterol Ratio 3.4

(Serum/Calculated) Low Risk: 3.4 - 4.4

Average Risk: 4.5 - 7.1 Moderate Risk: 7.2 - 11.0 High Risk: > 11.0

Optimal: < 3.3

Triglyceride/HDL Cholesterol Ratio 1.6 Optimal: < 2.5

(TG/HDL) Mild to moderate risk: 2.5 - 5.0

(Serum/Calculated) High Risk: > 5.0

LDL/HDL Cholesterol Ratio 2.1 Optimal: 0.5 - 3.0

(Serum/Calculated)
Borderline: 3.1 - 6.0
High Risk: > 6.0



**VERIFIED BY** 



 PID No.
 : MED120772356
 Register On
 : 04/02/2022 9:11 AM

 SID No.
 : 522207511
 Collection On
 : 04/02/2022 10:37 AM

 Age / Sex
 : 46 Year(s) / Female
 Report On
 : 04/02/2022 7:52 PM

 Type
 : OP
 Printed On
 : 09/02/2022 12:20 PM

Ref. Dr : MediWheel

InvestigationObserved ValueUnitBiological Reference IntervalGlycosylated Haemoglobin (HbA1c)6.1%Normal: 4.5 - 5.6<br/>Prediabetes: 5.7 - 6.4<br/>Diabetic: >= 6.5

INTERPRETATION: If Diabetes - Good control: 6.1 - 7.0 %, Fair control: 7.1 - 8.0 %, Poor control >= 8.1 %

Estimated Average Glucose 128.37 mg/dL

(Whole Blood)

#### **INTERPRETATION: Comments**

HbA1c provides an index of Average Blood Glucose levels over the past 8 - 12 weeks and is a much better indicator of long term glycemic control as compared to blood and urinary glucose determinations.

Conditions that prolong RBC life span like Iron deficiency anemia, Vitamin B12 & Folate deficiency,

hypertriglyceridemia, hyperbilirubinemia, Drugs, Alcohol, Lead Poisoning, Asplenia can give falsely elevated HbAlC values.

Conditions that shorten RBC survival like acute or chronic blood loss, hemolytic anemia, Hemoglobinopathies, Splenomegaly, Vitamin E ingestion, Pregnancy, End stage Renal disease can cause falsely low HbAlc.



**VERIFIED BY** 



 PID No.
 : MED120772356
 Register On
 : 04/02/2022 9:11 AM

 SID No.
 : 522207511
 Collection On
 : 04/02/2022 10:37 AM

 Age / Sex
 : 46 Year(s) / Female
 Report On
 : 04/02/2022 7:52 PM

 Type
 : OP
 Printed On
 : 09/02/2022 12:20 PM

Ref. Dr : MediWheel

InvestigationObservedUnitBiologicalValueReference Interval

#### **IMMUNOASSAY**

#### THYROID PROFILE / TFT

T3 (Triiodothyronine) - Total 1.28 ng/mL 0.7 - 2.04

(Serum/CMIA)

#### INTERPRETATION:

**Comment:** 

Total T3 variation can be seen in other condition like pregnancy, drugs, nephrosis etc. In such cases, Free T3 is recommended as it is

Metabolically active.

T4 (Thyroxine) - Total 6.81 μg/dL 4.2 - 12.0

(Serum/CMIA)

#### INTERPRETATION:

**Comment:** 

Total T4 variation can be seen in other condition like pregnancy, drugs, nephrosis etc. In such cases, Free T4 is recommended as it is Metabolically active.

TSH (Thyroid Stimulating Hormone) 5.48 µIU/mL 0.35 - 5.50

(Serum/Chemiluminescent Microparticle

Immunoassay(CMIA))

#### INTERPRETATION:

Reference range for cord blood - upto 20

1 st trimester: 0.1-2.5 2 nd trimester 0.2-3.0 3 rd trimester : 0.3-3.0

(Indian Thyroid Society Guidelines)

#### **Comment:**

- 1.TSH reference range during pregnancy depends on Iodine intake, TPO status, Serum HCG concentration, race, Ethnicity and BMI.
- 2.TSH Levels are subject to circadian variation, reaching peak levels between 2-4am and at a minimum between 6-10PM. The variation can be of the order of 50%, hence time of the day has influence on the measured serum TSH concentrations.
- 3. Values&amplt 0.03 µIU/mL need to be clinically correlated due to presence of rare TSH variant in some individuals.



 PID No.
 : MED120772356
 Register On
 : 04/02/2022 9:11 AM

 SID No.
 : 522207511
 Collection On
 : 04/02/2022 10:37 AM

 Age / Sex
 : 46 Year(s) / Female
 Report On
 : 04/02/2022 7:52 PM

 Type
 : OP
 Printed On
 : 09/02/2022 12:20 PM

Ref. Dr : MediWheel

<u>Investigation</u>	<u>Observed</u> <u>Unit</u>	<u>Biological</u>
	Value	Reference Interval

Pale Yellow

## **CLINICAL PATHOLOGY**

#### PHYSICAL EXAMINATION

(Urine)			
Appearance	Clear	Clear	

Appearance Clear Clear (Urine)

Volume 20 mL

CHEMICAL EXAMINATION(Automated-

<u>Urineanalyser)</u>

(Urine/AUTOMATED URINANALYSER)
Specific Gravity
1.020
1.002 - 1.035

Specific Gravity (Urine)

Ketones Negative Negative

(Urine)

Colour

(Urine)

Urobilinogen 0.2 0.2 - 1.0

(Urine/AUTOMATED URINANALYSER)

Blood Negative Negative

(Urine/AUTOMATED URINANALYSER)

Nitrite Negative Negative

(Urine/AUTOMATED URINANALYSER)

Bilirubin Negative Negative

(Urine/AUTOMATED URINANALYSER)

Protein Negative Negative

(Urine)



**VERIFIED BY** 



 PID No.
 : MED120772356
 Register On
 : 04/02/2022 9:11 AM

 SID No.
 : 522207511
 Collection On
 : 04/02/2022 10:37 AM

 Age / Sex
 : 46 Year(s) / Female
 Report On
 : 04/02/2022 7:52 PM

 Type
 : OP
 Printed On
 : 09/02/2022 12:20 PM

Ref. Dr : MediWheel

Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
Glucose (Urine)	Negative		Negative
Leukocytes (Urine)  MICROSCOPY(URINE DEPOSITS)	Negative	leuco/uL	Negative
Pus Cells (Urine/Flow cytometry)	1-2	/hpf	3-5
Epithelial Cells (Urine)	4-5	/hpf	1-2
RBCs (Urine/Flow cytometry)	Nil	/hpf	2-3
Others (Urine)	Nil		Nil



**VERIFIED BY** 



 PID No.
 : MED120772356
 Register On
 : 04/02/2022 9:11 AM

 SID No.
 : 522207511
 Collection On
 : 04/02/2022 10:37 AM

 Age / Sex
 : 46 Year(s) / Female
 Report On
 : 04/02/2022 7:52 PM

 Type
 : OP
 Printed On
 : 09/02/2022 12:20 PM

Ref. Dr : MediWheel

<u>Investigation</u> <u>Observed</u> <u>Unit</u> <u>Biological</u>
<u>Value</u> <u>Reference Interval</u>

## **IMMUNOHAEMATOLOGY**

BLOOD GROUPING AND Rh TYPING 'B' 'Positive'

(EDTA Blood/Agglutination)

INTERPRETATION: Note: Slide method is screening method. Kindly confirm with Tube method for transfusion.



**VERIFIED BY** 



PID No. Register On : MED120772356 : 04/02/2022 9:11 AM : 522207511 Collection On : 04/02/2022 10:37 AM SID No. Age / Sex : 46 Year(s) / Female Report On 04/02/2022 7:52 PM **Type** : OP **Printed On** : 09/02/2022 12:20 PM

: MediWheel Ref. Dr

Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
<b>BIOCHEMISTRY</b>			
BUN / Creatinine Ratio	11.4		6 - 22
Glucose Fasting (FBS) (Plasma - F/GOD - POD)	88	mg/dL	Normal: < 100 Pre Diabetic: 100 - 125 Diabetic: >= 126

INTERPRETATION: Factors such as type, quantity and time of food intake, Physical activity, Psychological stress, and drugs can influence blood glucose level.

70 - 140 Glucose Postprandial (PPBS) 73 mg/dL

(Plasma - PP/GOD - POD)

#### INTERPRETATION:

Factors such as type, quantity and time of food intake, Physical activity, Psychological stress, and drugs can influence blood glucose level. Fasting blood glucose level may be higher than Postprandial glucose, because of physiological surge in Postprandial Insulin secretion, Insulin resistance, Exercise or Stress, Dawn Phenomenon, Somogyi Phenomenon, Anti- diabetic medication during treatment for Diabetes.

Blood Urea Nitrogen (BUN)	8	mg/dL	7.0 - 21
(Serum/Urease-GLDH)			
Creatinine	0.7	mg/dL	0.6 - 1.1
(Corum/Laffa Vinatia)			

(Serum/*Jaffe Kinetic*)

INTERPRETATION: Elevated Creatinine values are encountered in increased muscle mass, severe dehydration, Pre-eclampsia, increased ingestion of cooked meat, consuming Protein/ Creatine supplements, Diabetic Ketoacidosis, prolonged fasting, renal dysfunction and drugs such as cefoxitin, cefazolin, ACE inhibitors, angiotensin II receptor antagonists, N-acetylcyteine, chemotherapeutic agent such as flucytosine etc.

3.9 2.6 - 6.0 Uric Acid mg/dL

(Serum/Uricase/Peroxidase)



**VERIFIED BY** 



APPROVED BY

-- End of Report --

Name	MRS.SHANTHAMMA B	ID	MED120772356
Age & Gender	46Y/FEMALE	Visit Date	04 Feb 2022
Ref Doctor Name	MediWheel	-	

## X-ray mammogram (mediolateral oblique & craniocaudal views) followed by Sonomammography.

#### **BILATERAL MAMMOGRAPHY**

Breast composition Type D (The breasts are extremely dense, which lowers the sensitivity of mammography).

Fairly defined opacity with mildly obscured margins seen in upper and outer quadrant of right breast.

Left breast shows few fairly defined opacities noted in inner and upper quadrant.

No evidence of cluster microcalcification.

Subcutaneous fat deposition is within normal limits.

Bilateral axillary lymphnodes are seen.

#### BILATERAL SONOMAMMOGRAPHY

Right breast shows multiple hypoechoic lesions. Colour doppler shows mild marginal vascularity;

- 1. At 1 o' clock, measuring about 6 x 3.4mm. It has mildly obscured margins.
- 2. At 11 12 o' clock position, measuring about 6.2 x 5.2 mm.
- 3. At 10 o' clock position 4.2 x 3.4mm.
- 4. At 9 o' clock position 23 x 16 mm. It has mildly irregular and lobulated margins.
- 5. At 4 o' clock position, measuring about 4.6 x 3.2 mm.
- 6. At 3 o' clock position, measuring about 4.8 x 3.2mm

#### Left breast shows;

- 1. Multiple small hypoechoic lesions from 9 11 o' clock position of varying sizes ranging from 4 6mm (they are five to six in number).
- 2. Cysts at 12 o' clock position, measuring about 9.9 x 5.2mm and 9.1 x 2.3 mm.
- 3. Another cyst at 9 o' clock position, measuring 8 x 2mm.
- 4. At 6 o' clock position also shows small cyst, measuring about 4.6 x 2.6 mm.
- 5. Another hypoechoic lesion at 5 o' clock position, measuring about 4.4 x 3.9 mm.

No evidence of ductal dilatation.

Bilateral enlarged axillary lymphnodes are seen with preserved fatty hilum, largest measuring about 21 x 10mm on right side and 14.4 x 8.4 mm on left side.

#### **IMPRESSION:**

- Hypoechoic lesions in both the breasts BI RADS 3.
- Cysts in left breast.
- Bilateral axillary lymphnodes.
- Hypoechoic lesion with irregular and lobulated margins in right breast at 9

Name	MRS.SHANTHAMMA B	ID	MED120772356
Age & Gender	46Y/FEMALE	Visit Date	04 Feb 2022
Ref Doctor Name	MediWheel	-	

## o' clock position - BI RADS 4a.

Contd....2

-2-

## **BI-RADS CLASSIFICATION**

## **CATEGORY RESULT**

3 Probably benign finding. Short interval follow-up suggested.

4a Low suspicion for malignancy (>2% to  $\geq$  10%). Biopsy should be

considered.

# DR. H.K. ANAND DR. C.R RAMACHANDRA DR. LOHITH H.P DR. VARSHA KALE CONSULTANT RADIOLOGISTS

Vk/Ss

Name	MRS.SHANTHAMMA B	ID	MED120772356
Age & Gender	46Y/FEMALE	Visit Date	04 Feb 2022
Ref Doctor Name	MediWheel		

#### ABDOMINO-PELVIC ULTRASONOGRAPHY

**LIVER** is normal in shape, size (14.2 cms) and shows mild diffusely increased echopattern. No evidence of focal lesion or intrahepatic biliary ductal dilatation. Hepatic and portal vein radicals are normal.

**GALL BLADDER** show normal shape and has clear contents. Wall is of normal thickness. CBD is of normal calibre.

**PANCREAS** has normal shape, size and uniform echopattern. No evidence of ductal dilatation or calcification.

**SPLEEN** show normal shape, size (10.0 cms) and echopattern.

No demonstrable Para-aortic lymphadenopathy.

#### **KIDNEYS**

**Right kidney:** Normal in shape, size and echopattern. Cortico-medullary differentiation is well madeout. No evidence of calculus or hydronephrosis.

**Left kidney:** Normal in shape, size and echopattern. Cortico-medullary differentiation is well madeout. No evidence of calculus or hydronephrosis.

The kidney measures as follows:

	Bipolar length (cm)	Parenchymal thickness (cm)
Right Kidney	10.3	1.4
Left Kidney	10.6	1.6

**URINARY BLADDER** show normal shape and wall thickness. It has clear contents. No evidence of diverticula.

**UTERUS** is anteverted and has normal shape and size. It has uniform myometrial echopattern. Endometrial echo is of normal thickness - 11 mm.

Uterus measures LS: 7.9 cm AP: 4.7 cm TS: 5.0 cm.

**OVARIES** are normal in size, shape and echotexture

Right ovary measures 2.9 x 1.3 cms. Left ovary measures 3.7 x 2.6 cms.

POD & adnexa are free.

No evidence of ascites.

#### **IMPRESSION:**

- Grade I fatty infiltration of liver.
- No other significant abnormality detected.

DR. H.K. ANAND DR. C.R RAMACHANDRA DR. LOHITH H.P DR. VARSHA KALE

Name	MRS.SHANTHAMMA B	ID	MED120772356
Age & Gender	46Y/FEMALE	Visit Date	04 Feb 2022
Ref Doctor Name	MediWheel	-	

## **CONSULTANT RADIOLOGISTS**

Vk/Ss

Name	MRS.SHANTHAMMA B	ID	MED120772356
Age & Gender	46Y/FEMALE	Visit Date	04 Feb 2022
Ref Doctor Name	MediWheel		

#### **2D ECHOCARDIOGRAPHIC STUDY**

#### **M-mode measurement:**

**AORTA** 2.16 cms. LEFT ATRIUM 2.39 cms. **AVS** 1.47 cms. LEFT VENTRICLE (DIASTOLE) 3.97 cms. (SYSTOLE) 2.70 cms. **VENTRICULAR SEPTUM** (DIASTOLE) 0.93 cms. (SYSTOLE) 1.23 cms. **POSTERIOR WALL** (DIASTOLE) 1.08 cms. (SYSTOLE) 1.31 cms. **EDV** 68 ml. **ESV** 29 ml. FRACTIONAL SHORTENING 30 % **EJECTION FRACTION** 60 % **EPSS** cms. **RVID** 1.80 cms.

### **DOPPLER MEASUREMENTS:**

MITRAL VALVE:  $E - 0.8 \text{ m/s} \quad A - 0.7 \text{ m/s}$  NO MR.

AORTIC VALVE: 1.0 m/s NO AR.

TRICUSPID VALVE: E - 0.4 m/s A -0.3 m/s NO TR.

PULMONARY VALVE: 0.8 m/s NO PR.

Name	MRS.SHANTHAMMA B	ID	MED120772356
Age & Gender	46Y/FEMALE	Visit Date	04 Feb 2022
Ref Doctor Name	MediWheel	-	

## 2D ECHOCARDIOGRAPHY FINDINGS:

Left Ventricle : Normal size, Normal systolic function.

: No regional wall motion abnormalities.

Left Atrium : Normal.

Right Ventricle : Normal.

Right Atrium : Normal.

Mitral Valve : Normal. No mitral valve prolapsed.

Aortic Valve : Normal.Trileaflet.

Tricuspid Valve : Normal.

Pulmonary Valve : Normal.

IAS : Intact.

IVS : Intact.

Pericardium : No pericardial effusion.

#### **IMPRESSION:**

- NORMAL SIZED CARDIAC CHAMBERS.
- NORMAL LV SYSTOLIC FUNCTION. EF: 60 %.
- NO REGIONAL WALL MOTION ABNORMALITIES.
- NORMAL VALVES.
- NO CLOTS / PERICARDIAL EFFUSION / VEGETATION.

DR. ANAND KUMAR M, MD DM CONSULTANT INTERVENTIONAL CARDIOLOGIST

Name	MRS.SHANTHAMMA B	ID	MED120772356
Age & Gender	46Y/FEMALE	Visit Date	04 Feb 2022
Ref Doctor Name	MediWheel	-	-