



CLIENT CODE : C000138379

CLIENT'S NAME AND ADDRESS :
ACROFEMI HEALTHCARE LTD (MEDIWHEEL)
F-703, LADO SARAI, MEHRAULI
SOUTH WEST DELHI
NEW DELHI 110030
DELHI INDIA
8800465156

SRL Ltd
PLOT No. 88, ROAD No. 15, MIDC ESTATE, ANDHERI (EAST)
MUMBAI, 400093
MAHARASHTRA, INDIA
Tel : 09152729959/9111591115,
CIN - U74899PB1995PLC045956

PATIENT NAME : AMIT RAMESH MORYE

PATIENT ID : AMITM18088665

ACCESSION NO : 0065VG003302 AGE : 35 Years SEX : Male

ABHA NO :

DRAWN :

RECEIVED : 23/07/2022 10:18

REPORTED : 26/07/2022 12:55

REFERRING DOCTOR : SELF

CLIENT PATIENT ID :

Test Report Status	Final	Results	Biological Reference Interval	Units
--------------------	-------	---------	-------------------------------	-------

MEDI WHEEL FULL BODY HEALTH CHECK UP BELOW 40 MALE**BLOOD COUNTS, EDTA WHOLE BLOOD**

HEMOGLOBIN	13.7	13.0 - 17.0	g/dL
METHOD : PHOTOMETRIC MEASUREMENT			
RED BLOOD CELL COUNT	4.56	4.5 - 5.5	mil/ μ L
METHOD : COULTER PRINCIPLE			
WHITE BLOOD CELL COUNT	6.70	4.0 - 10.0	thou/ μ L
METHOD : COULTER PRINCIPLE			
PLATELET COUNT	272	150 - 410	thou/ μ L
METHOD : ELECTRONIC IMPEDENCE & MICROSCOPY			

RBC AND PLATELET INDICES

HEMATOCRIT	42.3	40.0 - 50.0	%
METHOD : CALCULATED PARAMETER			
MEAN CORPUSCULAR VOL	92.7	83.0 - 101.0	fL
METHOD : DERIVED PARAMETER FROM RBC HISTOGRAM			
MEAN CORPUSCULAR HGB.	30.0	27.0 - 32.0	pg
METHOD : CALCULATED PARAMETER			
MEAN CORPUSCULAR HEMOGLOBIN CONCENTRATION	32.3	31.5 - 34.5	g/dL
METHOD : CALCULATED PARAMETER			
MENTZER INDEX	20.3		
RED CELL DISTRIBUTION WIDTH	14.4	High 11.6 - 14.0	%
METHOD : DERIVED PARAMETER FROM RBC HISTOGRAM			
MEAN PLATELET VOLUME	8.4	6.8 - 10.9	fL
METHOD : DERIVED PARAMETER FROM PLATELET HISTOGRAM			

WBC DIFFERENTIAL COUNT - NLR

SEGMENTED NEUTROPHILS	64	40 - 80	%
METHOD : VCSN TECHNOLOGY/ MICROSCOPY			
ABSOLUTE NEUTROPHIL COUNT	4.29	2.0 - 7.0	thou/ μ L
METHOD : CALCULATED PARAMETER			
LYMPHOCYTES	22	20 - 40	%
METHOD : VCSN TECHNOLOGY/ MICROSCOPY			
ABSOLUTE LYMPHOCYTE COUNT	1.47	1.0 - 3.0	thou/ μ L
METHOD : CALCULATED PARAMETER			
NEUTROPHIL LYMPHOCYTE RATIO (NLR)	2.9		
METHOD : CALCULATED			
EOSINOPHILS	3	1.0 - 6.0	%



Scan to View Details



Scan to View Report



CLIENT CODE : C000138379

CLIENT'S NAME AND ADDRESS :
ACROFEMI HEALTHCARE LTD (MEDIWHEEL)
F-703, LADO SARAI, MEHRAULI
SOUTH WEST DELHI
NEW DELHI 110030
DELHI INDIA
8800465156

SRL Ltd
PLOT No. 88, ROAD No. 15, MIDC ESTATE, ANDHERI (EAST)
MUMBAI, 400093
MAHARASHTRA, INDIA
Tel : 09152729959/9111591115,
CIN - U74899PB1995PLC045956

PATIENT NAME : AMIT RAMESH MORYE

PATIENT ID : AMITM18088665

ACCESSION NO : 0065VG003302 AGE : 35 Years SEX : Male

ABHA NO :

DRAWN :

RECEIVED : 23/07/2022 10:18

REPORTED : 26/07/2022 12:55

REFERRING DOCTOR : SELF

CLIENT PATIENT ID :

Test Report Status	Final	Results	Biological Reference Interval	Units
METHOD : VCSN TECHNOLOGY/ MICROSCOPY				
ABSOLUTE EOSINOPHIL COUNT		0.20	0.02 - 0.50	thou/ μ L
METHOD : CALCULATED PARAMETER				
MONOCYTES		10	2.0 - 10.0	%
METHOD : VCSN TECHNOLOGY/ MICROSCOPY				
ABSOLUTE MONOCYTE COUNT		0.67	0.2 - 1.0	thou/ μ L
METHOD : CALCULATED PARAMETER				
BASOPHILS		1	0 - 1	%
METHOD : VCSN TECHNOLOGY/ MICROSCOPY				
ABSOLUTE BASOPHIL COUNT		0.07	0.02 - 0.10	thou/ μ L
METHOD : CALCULATED PARAMETER				
ERYTHRO SEDIMENTATION RATE, BLOOD				
SEDIMENTATION RATE (ESR)		20	High 0 - 14	mm at 1 hr
METHOD : AUTOMATED (PHOTOMETRICAL CAPILLARY STOPPED FLOW KINETIC ANALYSIS)				
GLUCOSE, FASTING, PLASMA				
GLUCOSE, FASTING, PLASMA		115	High 74 - 99	mg/dL
METHOD : SPECTROPHOTOMETRY HEXOKINASE				
GLYCOSYLATED HEMOGLOBIN, EDTA WHOLE BLOOD				
GLYCOSYLATED HEMOGLOBIN (HBA1C)		5.7	Non-diabetic: < 5.7 Pre-diabetics: 5.7 - 6.4 Diabetics: > or = 6.5 ADA Target: 7.0 Action suggested: > 8.0	%
METHOD : ION- EXCHANGE HPLC				
MEAN PLASMA GLUCOSE		116.9	High < 116.0	mg/dL
METHOD : CALCULATED PARAMETER				
GLUCOSE, POST-PRANDIAL, PLASMA				
GLUCOSE, POST-PRANDIAL, PLASMA		110	70 - 139	mg/dL
METHOD : SPECTROPHOTOMETRY HEXOKINASE				
CORONARY RISK PROFILE (LIPID PROFILE), SERUM				
CHOLESTEROL		218	High Desirable cholesterol level < 200 Borderline high cholesterol 200 - 239 High cholesterol > / = 240	mg/dL
METHOD : SPECTROPHOTOMETRY, ENZYMATIC COLORIMETRIC - CHOLESTEROL OXIDASE, ESTERASE, PEROXIDASE				



Scan to View Details



Scan to View Report



CLIENT CODE : C000138379

CLIENT'S NAME AND ADDRESS :

ACROFEMI HEALTHCARE LTD (MEDIWHEEL)
F-703, LADO SARAI, MEHRAULI
SOUTH WEST DELHI
NEW DELHI 110030
DELHI INDIA
8800465156

SRL Ltd
PLOT No. 88, ROAD No. 15, MIDC ESTATE, ANDHERI (EAST)
MUMBAI, 400093
MAHARASHTRA, INDIA
Tel : 09152729959/9111591115,
CIN - U74899PB1995PLC045956

PATIENT NAME : AMIT RAMESH MORYE

PATIENT ID : AMITM18088665

ACCESSION NO : 0065VG003302 AGE : 35 Years SEX : Male

ABHA NO :

DRAWN :

RECEIVED : 23/07/2022 10:18

REPORTED : 26/07/2022 12:55

REFERRING DOCTOR : SELF

CLIENT PATIENT ID :

Test Report Status	Final	Results	Biological Reference Interval	Units
TRIGLYCERIDES		127	Normal: < 150 Borderline high: 150 - 199 High: 200 - 499 Very High: > / = 500	mg/dL
METHOD : SPECTROPHOTOMETRY, ENZYMATIC ENDPOINT WITH GLYCEROL BLANK				
HDL CHOLESTEROL		45	Low HDL cholesterol < 40 High HDL cholesterol > / = 60	mg/dL
METHOD : SPECTROPHOTOMETRY, HOMOGENEOUS DIRECT ENZYMATIC COLORIMETRIC				
DIRECT LDL CHOLESTEROL		145	High Optimal : < 100 Near optimal/above optimal : 100 - 129 Borderline high : 130 - 159 High : 160 - 189 Very high : > / = 190	mg/dL
METHOD : SPECTROPHOTOMETRY, HOMOGENEOUS ENZYMATIC COLORIMETRIC				
NON HDL CHOLESTEROL		173	High Desirable : < 130 Above Desirable : 130 - 159 Borderline High : 160 - 189 High : 190 - 219 Very high : > / = 220	mg/dL
METHOD : CALCULATED PARAMETER				
CHOL/HDL RATIO		4.8	High Low Risk : 3.3 - 4.4 Average Risk : 4.5 - 7.0 Moderate Risk : 7.1 - 11.0 High Risk : > 11.0	
METHOD : CALCULATED PARAMETER				
LDL/HDL RATIO		3.2	High Desirable/Low Risk : 0.5 - 3.0 Borderline/Moderate Risk : 3.1 - 6.0 High Risk : > 6.0	
METHOD : CALCULATED PARAMETER				
VERY LOW DENSITY LIPOPROTEIN		25.0	< or = 30.0	mg/dL
METHOD : CALCULATED PARAMETER				
LIVER FUNCTION PROFILE, SERUM				
BILIRUBIN, TOTAL		0.39	Upto 1.2	mg/dL
METHOD : SPECTROPHOTOMETRY, COLORIMETRIC -DIAZO METHOD				
BILIRUBIN, DIRECT		0.21	High 0.0 - 0.2	mg/dL
METHOD : SPECTROPHOTOMETRY, JENDRASSIK & GROFF - DIAZOTIZATION				
BILIRUBIN, INDIRECT		0.18	0.1 - 1.0	mg/dL
METHOD : CALCULATED PARAMETER				
TOTAL PROTEIN		7.1	6.0 - 8.0	g/dL
METHOD : SPECTROPHOTOMETRY, COLORIMETRIC -BIURET, REAGENT BLANK, SERUM BLANK				



Scan to View Details



Scan to View Report



CLIENT CODE : C000138379

CLIENT'S NAME AND ADDRESS :

ACROFEMI HEALTHCARE LTD (MEDIWHEEL)
F-703, LADO SARAI, MEHRAULI
SOUTH WEST DELHI
NEW DELHI 110030
DELHI INDIA
8800465156

SRL Ltd
PLOT No. 88, ROAD No. 15, MIDC ESTATE, ANDHERI (EAST)
MUMBAI, 400093
MAHARASHTRA, INDIA
Tel : 09152729959/9111591115,
CIN - U74899PB1995PLC045956

PATIENT NAME : AMIT RAMESH MORYE

PATIENT ID : AMITM18088665

ACCESSION NO : 0065VG003302 AGE : 35 Years SEX : Male

ABHA NO :

DRAWN :

RECEIVED : 23/07/2022 10:18

REPORTED : 26/07/2022 12:55

REFERRING DOCTOR : SELF

CLIENT PATIENT ID :

Test Report Status	Final	Results	Biological Reference Interval	Units
ALBUMIN		4.6	3.97 - 4.94	g/dL
METHOD : SPECTROPHOTOMETRY, BROMOCRESOL GREEN(BCG) - DYE BINDING				
GLOBULIN		2.5	2.0 - 3.5	g/dL
METHOD : CALCULATED PARAMETER				
ALBUMIN/GLOBULIN RATIO		1.8	1.0 - 2.1	RATIO
METHOD : CALCULATED PARAMETER				
ASPARTATE AMINOTRANSFERASE (AST/SGOT)		30	Upto 40	U/L
METHOD : SPECTROPHOTOMETRY, WITHOUT PYRIDOXAL PHOSPHATE ACTIVATION(P5P) - IFCC				
ALANINE AMINOTRANSFERASE (ALT/SGPT)		50	High Upto 41	U/L
METHOD : SPECTROPHOTOMETRY, WITHOUT PYRIDOXAL PHOSPHATE ACTIVATION(P5P) - IFCC				
ALKALINE PHOSPHATASE		98	40 - 129	U/L
METHOD : SPECTROPHOTOMETRY, PNPP, AMP BUFFER - IFCC				
GAMMA GLUTAMYL TRANSFERASE (GGT)		24	< 60	U/L
METHOD : SPECTROPHOTOMETRY, ENZYMATIC COLORIMETRIC - G-GLUTAMYL-CARBOXY-NITROANILIDE - IFCC				
LACTATE DEHYDROGENASE		168	< 232	U/L
METHOD : SPECTROPHOTOMETRY, LACTATE TO PYRUVATE - UV-IFCC				
SERUM BLOOD UREA NITROGEN				
BLOOD UREA NITROGEN		10	6 - 20	mg/dL
METHOD : SPECTROPHOTOMETRY, UREASE -COLORIMETRIC				
CREATININE, SERUM				
CREATININE		0.84	Low 0.90 - 1.30	mg/dL
METHOD : SPECTROPHOTOMETRY, JAFFE'S ALKALINE PICRATE KINETIC - RATE BLANKED - IFCC-IDMS STANDARDIZED				
BUN/CREAT RATIO				
BUN/CREAT RATIO		11.70	8 - 15	
METHOD : CALCULATED PARAMETER				
URIC ACID, SERUM				
URIC ACID		6.9	3.4 - 7.0	mg/dL
METHOD : SPECTROPHOTOMETRY, ENZYMATIC COLORIMETRIC- URICASE				
TOTAL PROTEIN, SERUM				
TOTAL PROTEIN		7.1	6.0 - 8.0	g/dL
METHOD : SPECTROPHOTOMETRY, COLORIMETRIC -BIURET, REAGENT BLANK, SERUM BLANK				
ALBUMIN, SERUM				
ALBUMIN		4.6	3.97 - 4.94	g/dL
METHOD : SPECTROPHOTOMETRY, BROMOCRESOL GREEN(BCG) - DYE BINDING				
GLOBULIN				
GLOBULIN		2.5	2.0 - 3.5	g/dL
METHOD : CALCULATED PARAMETER				



Scan to View Details



Scan to View Report



CLIENT CODE : C000138379

CLIENT'S NAME AND ADDRESS :
ACROFEMI HEALTHCARE LTD (MEDIWHEEL)
F-703, LADO SARAI, MEHRAULI
SOUTH WEST DELHI
NEW DELHI 110030
DELHI INDIA
8800465156

SRL Ltd
PLOT No. 88, ROAD No. 15, MIDC ESTATE, ANDHERI (EAST)
MUMBAI, 400093
MAHARASHTRA, INDIA
Tel : 09152729959/9111591115,
CIN - U74899PB1995PLC045956

PATIENT NAME : AMIT RAMESH MORYE

PATIENT ID : AMITM18088665

ACCESSION NO : 0065VG003302 AGE : 35 Years SEX : Male

ABHA NO :

DRAWN :

RECEIVED : 23/07/2022 10:18

REPORTED : 26/07/2022 12:55

REFERRING DOCTOR : SELF

CLIENT PATIENT ID :

Test Report Status	Final	Results	Biological Reference Interval	Units
--------------------	-------	---------	-------------------------------	-------

ELECTROLYTES (NA/K/CL), SERUM

SODIUM	137	136 - 145	mmol/L
METHOD : ISE INDIRECT			
POTASSIUM	4.10	3.5 - 5.1	mmol/L
METHOD : ISE INDIRECT			
CHLORIDE	103	98 - 106	mmol/L
METHOD : ISE INDIRECT			

PHYSICAL EXAMINATION, URINE

COLOR	PALE YELLOW		
APPEARANCE	TRANSPARENT		
SPECIFIC GRAVITY	1.015	1.010 - 1.030	

CHEMICAL EXAMINATION, URINE

PH	6.0	5.00 - 7.50	
PROTEIN	NOT DETECTED	NOT DETECTED	
GLUCOSE	NOT DETECTED	NOT DETECTED	
KETONES	NOT DETECTED	NOT DETECTED	
BLOOD	NOT DETECTED	NOT DETECTED	
BILIRUBIN	NOT DETECTED	NOT DETECTED	
UROBILINOGEN	NOT DETECTED	NORMAL	
NITRITE	NOT DETECTED	NOT DETECTED	
LEUKOCYTE ESTERASE	NOT DETECTED	NOT DETECTED	

MICROSCOPIC EXAMINATION, URINE

PUS CELL (WBC'S)	1-2	0-5	/HPF
EPITHELIAL CELLS	0-1	0-5	/HPF
ERYTHROCYTES (RBC'S)	NOT DETECTED	0-5	/HPF
CASTS	NOT DETECTED		
CRYSTALS	NOT DETECTED		
BACTERIA	NOT DETECTED	NOT DETECTED	
YEAST	NOT DETECTED	NOT DETECTED	

METHOD : URINE ROUTINE & MICROSCOPY EXAMINATION BY INTEGRATED AUTOMATED SYSTEM

Comments

NOTE: KINDLY EXERT CAUTION DURING INTERPRETATION OF FINDINGS REPORTED IN URINALYSIS WHERE IN THE SAMPLE IS MORE THAN TWO HOURS OLD.

THYROID PANEL, SERUM

T3	130.0	80.0 - 200.0	ng/dL
----	-------	--------------	-------



Scan to View Details



Scan to View Report



CLIENT CODE : C000138379

CLIENT'S NAME AND ADDRESS :

ACROFEMI HEALTHCARE LTD (MEDIWHEEL)
F-703, LADO SARAI, MEHRAULI
SOUTH WEST DELHI
NEW DELHI 110030
DELHI INDIA
8800465156

SRL Ltd
PLOT No. 88, ROAD No. 15, MIDC ESTATE, ANDHERI (EAST)
MUMBAI, 400093
MAHARASHTRA, INDIA
Tel : 09152729959/9111591115,
CIN - U74899PB1995PLC045956

PATIENT NAME : AMIT RAMESH MORYE

PATIENT ID : AMITM18088665

ACCESSION NO : 0065VG003302 AGE : 35 Years SEX : Male

ABHA NO :

DRAWN :

RECEIVED : 23/07/2022 10:18

REPORTED : 26/07/2022 12:55

REFERRING DOCTOR : SELF

CLIENT PATIENT ID :

Test Report Status	Final	Results	Biological Reference Interval	Units
--------------------	-------	---------	-------------------------------	-------

METHOD : COMPETITIVE ELECTROCHEMILUMINESCENCE IMMUNOASSAY

T4	6.99	5.10 - 14.10	µg/dL
----	------	--------------	-------

METHOD : COMPETITIVE ELECTROCHEMILUMINESCENCE IMMUNOASSAY

TSH 3RD GENERATION	1.960	0.270 - 4.200	µIU/mL
--------------------	-------	---------------	--------

METHOD : SANDWICH ELECTROCHEMILUMINESCENCE IMMUNOASSAY

STOOL: OVA & PARASITE

REMARK

TEST CANCELLED AS SPECIMEN NOT RECEIVED

ABO GROUP & RH TYPE, EDTA WHOLE BLOOD

ABO GROUP

A

METHOD : HAEMAGGLUTINATION (AUTOMATED)

RH TYPE

POSITIVE

METHOD : HAEMAGGLUTINATION (AUTOMATED)

XRAY-CHEST

IMPRESSION

NO ABNORMALITY DETECTED

TMT OR ECHO

TMT OR ECHO

NEGATIVE

ECG

ECG

WITHIN NORMAL LIMITS

MEDICAL HISTORY

RELEVANT PRESENT HISTORY

CVS 2 ND DOSE DONE

RELEVANT PAST HISTORY

NOT SIGNIFICANT

RELEVANT PERSONAL HISTORY

NOT SIGNIFICANT

RELEVANT FAMILY HISTORY

HYPERTENSION
HEART DISEASE
CANCER

HISTORY OF MEDICATIONS

NOT SIGNIFICANT

ANTHROPOMETRIC DATA & BMI

HEIGHT IN METERS

1.73

mts

WEIGHT IN KGS.

90

Kgs

BMI

30

BMI & Weight Status as follows: kg/sqmts
Below 18.5: Underweight
18.5 - 24.9: Normal
25.0 - 29.9: Overweight
30.0 and Above: Obese

GENERAL EXAMINATION

MENTAL / EMOTIONAL STATE

NORMAL

PHYSICAL ATTITUDE

NORMAL

GENERAL APPEARANCE / NUTRITIONAL STATUS

OBESE



Scan to View Details



Scan to View Report



CLIENT CODE : C000138379

CLIENT'S NAME AND ADDRESS :

ACROFEMI HEALTHCARE LTD (MEDIWHEEL)
F-703, LADO SARAI, MEHRAULI
SOUTH WEST DELHI
NEW DELHI 110030
DELHI INDIA
8800465156

SRL Ltd
PLOT No. 88, ROAD No. 15, MIDC ESTATE, ANDHERI (EAST)
MUMBAI, 400093
MAHARASHTRA, INDIA
Tel : 09152729959/9111591115,
CIN - U74899PB1995PLC045956

PATIENT NAME : AMIT RAMESH MORYE

PATIENT ID : AMITM18088665

ACCESSION NO : 0065VG003302 AGE : 35 Years SEX : Male

ABHA NO :

DRAWN :

RECEIVED : 23/07/2022 10:18

REPORTED : 26/07/2022 12:55

REFERRING DOCTOR : SELF

CLIENT PATIENT ID :

Test Report Status	Final	Results	Biological Reference Interval	Units
--------------------	-------	---------	-------------------------------	-------

BUILT / SKELETAL FRAMEWORK	AVERAGE			
FACIAL APPEARANCE	NORMAL			
SKIN	NORMAL			
UPPER LIMB	NORMAL			
LOWER LIMB	NORMAL			
NECK	NORMAL			
NECK LYMPHATICS / SALIVARY GLANDS	NOT ENLARGED OR TENDER			
THYROID GLAND	NOT ENLARGED			
CAROTID PULSATION	NORMAL			
TEMPERATURE	NORMAL			
PULSE	83/MIN, REGULAR, ALL PERIPHERAL PULSES WELL FELT, NO CAROTID BRUIT			
RESPIRATORY RATE	NORMAL			
CARDIOVASCULAR SYSTEM				
BP	122/82 MM HG (SUPINE)			mm/Hg
PERICARDIUM	NORMAL			
APEX BEAT	NORMAL			
HEART SOUNDS	S1, S2 HEARD NORMALLY			
MURMURS	ABSENT			
RESPIRATORY SYSTEM				
SIZE AND SHAPE OF CHEST	NORMAL			
MOVEMENTS OF CHEST	SYMMETRICAL			
BREATH SOUNDS INTENSITY	NORMAL			
BREATH SOUNDS QUALITY	VESICULAR (NORMAL)			
ADDED SOUNDS	ABSENT			
PER ABDOMEN				
APPEARANCE	NORMAL			
VENOUS PROMINENCE	ABSENT			
LIVER	NOT PALPABLE			
SPLEEN	NOT PALPABLE			
HERNIA	ABSENT			
CENTRAL NERVOUS SYSTEM				
HIGHER FUNCTIONS	NORMAL			
CRANIAL NERVES	NORMAL			



Scan to View Details



Scan to View Report



CLIENT CODE : C000138379

CLIENT'S NAME AND ADDRESS :

ACROFEMI HEALTHCARE LTD (MEDIWHEEL)
F-703, LADO SARAI, MEHRAULI
SOUTH WEST DELHI
NEW DELHI 110030
DELHI INDIA
8800465156

SRL Ltd
PLOT No. 88, ROAD No. 15, MIDC ESTATE, ANDHERI (EAST)
MUMBAI, 400093
MAHARASHTRA, INDIA
Tel : 09152729959/9111591115,
CIN - U74899PB1995PLC045956

PATIENT NAME : AMIT RAMESH MORYE

PATIENT ID : AMITM18088665

ACCESSION NO : 0065VG003302 AGE : 35 Years SEX : Male

ABHA NO :

DRAWN :

RECEIVED : 23/07/2022 10:18

REPORTED : 26/07/2022 12:55

REFERRING DOCTOR : SELF

CLIENT PATIENT ID :

Test Report Status	Final	Results	Biological Reference Interval	Units
--------------------	-------	---------	-------------------------------	-------

CEREBELLAR FUNCTIONS	NORMAL
SENSORY SYSTEM	NORMAL
MOTOR SYSTEM	NORMAL
REFLEXES	NORMAL
MUSCULOSKELETAL SYSTEM	
SPINE	NORMAL
JOINTS	NORMAL
BASIC EYE EXAMINATION	
CONJUNCTIVA	NORMAL
EYELIDS	NORMAL
EYE MOVEMENTS	NORMAL
CORNEA	NORMAL
DISTANT VISION RIGHT EYE WITH GLASSES	WITH GLASSES NORMAL(6/6)
DISTANT VISION LEFT EYE WITH GLASSES	WITH GLASSES NORMAL(6/6)
NEAR VISION RIGHT EYE WITH GLASSES	WITH GLASSES NORMAL(N/6)
NEAR VISION LEFT EYE WITH GLASSES	WITH GLASSES NORMAL(N/6)
COLOUR VISION	NORMAL(17/17)
BASIC ENT EXAMINATION	
EXTERNAL EAR CANAL	NORMAL
TYMPANIC MEMBRANE	NORMAL
NOSE	NO ABNORMALITY DETECTED
SINUSES	NORMAL
THROAT	NO ABNORMALITY DETECTED
TONSILS	NOT ENLARGED
SUMMARY	
RELEVANT HISTORY	NOT SIGNIFICANT
RELEVANT GP EXAMINATION FINDINGS	OVERWEIGHT
RELEVANT LAB INVESTIGATIONS	RAISED FASTING BLOOD SUGAR(115), RAISED SGPT(50), RAISED DIRECT BILIRUBIN(0.21), RAISED CHOLESTEROL(218), RAISED NON HDL CHOLESTEROL(173), RAISED DIRECT LDL CHOLESTEROL(145), RAISED MEAN PLASMA GLUCOSE (116.9)
RELEVANT NON PATHOLOGY DIAGNOSTICS	USG : MILD FATTY LIVER LEFT RENAL CALCULI.



Scan to View Details



Scan to View Report



CLIENT CODE : C000138379

CLIENT'S NAME AND ADDRESS :

ACROFEMI HEALTHCARE LTD (MEDIWHEEL)
F-703, LADO SARAI, MEHRAULI
SOUTH WEST DELHI
NEW DELHI 110030
DELHI INDIA
8800465156

SRL Ltd
PLOT No. 88, ROAD No. 15, MIDC ESTATE, ANDHERI (EAST)
MUMBAI, 400093
MAHARASHTRA, INDIA
Tel : 09152729959/9111591115,
CIN - U74899PB1995PLC045956

PATIENT NAME : AMIT RAMESH MORYE

PATIENT ID : AMITM18088665

ACCESSION NO : 0065VG003302 AGE : 35 Years SEX : Male

ABHA NO :

DRAWN :

RECEIVED : 23/07/2022 10:18

REPORTED : 26/07/2022 12:55

REFERRING DOCTOR : SELF

CLIENT PATIENT ID :

Test Report Status	Final	Results	Biological Reference Interval	Units
--------------------	-------	---------	-------------------------------	-------

REMARKS / RECOMMENDATIONS

REGULAR PHYSICAL EXERCISES / LOW CALORIC DIET
REDUCE FATTY AND PROCESSED FOOD IN DIET
REDUCE SUGARS, SWEETS IN DIET.

Interpretation(s)

BLOOD COUNTS, EDTA WHOLE BLOOD-

The cell morphology is well preserved for 24hrs. However after 24-48 hrs a progressive increase in MCV and HCT is observed leading to a decrease in MCHC. A direct smear is recommended for an accurate differential count and for examination of RBC morphology.

RBC AND PLATELET INDICES-

Mentzer index (MCV/RBC) is an automated cell-counter based calculated screen tool to differentiate cases of Iron deficiency anaemia (>13) from Beta thalassaemia trait (<13) in patients with microcytic anaemia. This needs to be interpreted in line with clinical correlation and suspicion. Estimation of HbA2 remains the gold standard for diagnosing a case of beta thalassaemia trait.

WBC DIFFERENTIAL COUNT - NLR-

The optimal threshold of 3.3 for NLR showed a prognostic possibility of clinical symptoms to change from mild to severe in COVID positive patients. When age = 49.5 years old and NLR = 3.3, 46.1% COVID-19 patients with mild disease might become severe. By contrast, when age < 49.5 years old and NLR < 3.3, COVID-19 patients tend to show mild disease.

(Reference to - The diagnostic and predictive role of NLR, d-NLR and PLR in COVID-19 patients ; A.-P. Yang, et al.; International Immunopharmacology 84 (2020) 106504 This ratio element is a calculated parameter and out of NABL scope.

ERYTHRO SEDIMENTATION RATE, BLOOD-

Erythrocyte sedimentation rate (ESR) is a non-specific phenomena and is clinically useful in the diagnosis and monitoring of disorders associated with an increased production of acute phase reactants. The ESR is increased in pregnancy from about the 3rd month and returns to normal by the 4th week post partum. ESR is influenced by age, sex, menstrual cycle and drugs (eg. corticosteroids, contraceptives). It is especially low (0-1mm) in polycythaemia, hypofibrinogenemia or congestive cardiac failure and when there are abnormalities of the red cells such as poikilocytosis, spherocytosis or sickle cells.

Reference :

1. Nathan and Oski's Haematology of Infancy and Childhood, 5th edition
2. Paediatric reference intervals. AACC Press, 7th edition. Edited by S. Soldin
3. The reference for the adult reference range is "Practical Haematology by Dacie and Lewis, 10th Edition"

GLUCOSE, FASTING, PLASMA-

ADA 2021 guidelines for adults, after 8 hrs fasting is as follows:

Pre-diabetics: 100 - 125 mg/dL

Diabetic: > or = 126 mg/dL

GLYCOSYLATED HEMOGLOBIN, EDTA WHOLE BLOOD-

Glycosylated hemoglobin (GHb) has been firmly established as an index of long-term blood glucose concentrations and as a measure of the risk for the development of complications in patients with diabetes mellitus. Formation of GHb is essentially irreversible, and the concentration in the blood depends on both the life span of the red blood cell (average 120 days) and the blood glucose concentration. Because the rate of formation of GHb is directly proportional to the concentration of glucose in the blood, the GHb concentration represents the integrated values for glucose over the preceding 6-8 weeks.

Any condition that alters the life span of the red blood cells has the potential to alter the GHb level. Samples from patients with hemolytic anemias will exhibit decreased glycated hemoglobin values due to the shortened life span of the red cells. This effect will depend upon the severity of the anemia. Samples from patients with polycythemia or post-splenectomy may exhibit increased glycated hemoglobin values due to a somewhat longer life span of the red cells.

Glycosylated hemoglobins results from patients with HbSS, HbCC, and HbSC and HbD must be interpreted with caution, given the pathological processes, including anemia, increased red cell turnover, transfusion requirements, that adversely impact HbA1c as a marker of long-term glycemic control. In these conditions, alternative forms of testing such as glycated serum protein (fructosamine) should be considered.

"Targets should be individualized; More or less stringent glycemic goals may be appropriate for individual patients. Goals should be individualized based on duration of diabetes, age/life expectancy, comorbid conditions, known CVD or advanced microvascular complications, hypoglycemia unawareness, and individual patient considerations."

References

1. Tietz Textbook of Clinical Chemistry and Molecular Diagnostics, edited by Carl A Burtis, Edward R. Ashwood, David E Bruns, 4th Edition, Elsevier publication, 2006, 879-884.
 2. Forsham PH. Diabetes Mellitus: A rational plan for management. Postgrad Med 1982, 71, 139-154.
 3. Mayer TK, Freedman ZR: Protein glycosylation in Diabetes Mellitus: A review of laboratory measurements and their clinical utility. Clin Chim Acta 1983, 127, 147-184.
- GLUCOSE, POST-PRANDIAL, PLASMA-ADA Guidelines for 2hr post prandial glucose levels is only after ingestion of 75grams of glucose in 300 ml water, over a period of 5 minutes.
- CORONARY RISK PROFILE (LIPID PROFILE), SERUM-Serum cholesterol is a blood test that can provide valuable information for the risk of coronary artery disease. This test can help determine your risk of the build up of plaques in your arteries that can lead to narrowed or blocked arteries throughout your body (atherosclerosis). High cholesterol levels usually don't cause any signs or symptoms, so a cholesterol test is an important tool. High cholesterol levels often are a significant risk factor for heart disease and important for diagnosis of hyperlipoproteinemia, atherosclerosis, hepatic and thyroid diseases.

Serum Triglyceride are a type of fat in the blood. When you eat, your body converts any calories it doesn't need into triglycerides, which are stored in fat cells. High



Scan to View Details



Scan to View Report



CLIENT CODE : C000138379

CLIENT'S NAME AND ADDRESS :

ACROFEMI HEALTHCARE LTD (MEDIWHEEL)
F-703, LADO SARAI, MEHRAULI
SOUTH WEST DELHI
NEW DELHI 110030
DELHI INDIA
8800465156

SRL Ltd
PLOT No. 88, ROAD No. 15, MIDC ESTATE, ANDHERI (EAST)
MUMBAI, 400093
MAHARASHTRA, INDIA
Tel : 09152729959/9111591115,
CIN - U74899PB1995PLC045956

PATIENT NAME : AMIT RAMESH MORYE

PATIENT ID : AMITM18088665

ACCESSION NO : 0065VG003302 AGE : 35 Years SEX : Male

ABHA NO :

DRAWN : RECEIVED : 23/07/2022 10:18

REPORTED : 26/07/2022 12:55

REFERRING DOCTOR : SELF

CLIENT PATIENT ID :

Test Report Status	Final	Results	Biological Reference Interval	Units
--------------------	-------	---------	-------------------------------	-------

triglyceride levels are associated with several factors, including being overweight, eating too many sweets or drinking too much alcohol, smoking, being sedentary, or having diabetes with elevated blood sugar levels. Analysis has proven useful in the diagnosis and treatment of patients with diabetes mellitus, nephrosis, liver obstruction, other diseases involving lipid metabolism, and various endocrine disorders. In conjunction with high density lipoprotein and total serum cholesterol, a triglyceride determination provides valuable information for the assessment of coronary heart disease risk. It is done in fasting state.

High-density lipoprotein (HDL) cholesterol. This is sometimes called the "good" cholesterol because it helps carry away LDL cholesterol, thus keeping arteries open and blood flowing more freely. HDL cholesterol is inversely related to the risk for cardiovascular disease. It increases following regular exercise, moderate alcohol consumption and with oral estrogen therapy. Decreased levels are associated with obesity, stress, cigarette smoking and diabetes mellitus.

SERUM LDL The small dense LDL test can be used to determine cardiovascular risk in individuals with metabolic syndrome or established/progressing coronary artery disease, individuals with triglyceride levels between 70 and 140 mg/dL, as well as individuals with a diet high in trans-fat or carbohydrates. Elevated sdLDL levels are associated with metabolic syndrome and an 'atherogenic lipoprotein profile', and are a strong, independent predictor of cardiovascular disease. Elevated levels of LDL arise from multiple sources. A major factor is sedentary lifestyle with a diet high in saturated fat. Insulin-resistance and pre-diabetes have also been implicated, as has genetic predisposition. Measurement of sdLDL allows the clinician to get a more comprehensive picture of lipid risk factors and tailor treatment accordingly. Reducing LDL levels will reduce the risk of CVD and MI.

Non HDL Cholesterol - Adult treatment panel ATP III suggested the addition of Non-HDL Cholesterol as an indicator of all atherogenic lipoproteins (mainly LDL and VLDL). NICE guidelines recommend Non-HDL Cholesterol measurement before initiating lipid lowering therapy. It has also been shown to be a better marker of risk in both primary and secondary prevention studies.

Recommendations:

Results of Lipids should always be interpreted in conjunction with the patient's medical history, clinical presentation and other findings.

NON FASTING LIPID PROFILE includes Total Cholesterol, HDL Cholesterol and calculated non-HDL Cholesterol. It does not include triglycerides and may be best used in patients for whom fasting is difficult.

LIVER FUNCTION PROFILE, SERUM-
LIVER FUNCTION PROFILE

Bilirubin is a yellowish pigment found in bile and is a breakdown product of normal heme catabolism. Bilirubin is excreted in bile and urine, and elevated levels may give yellow discoloration in jaundice. Elevated levels result from increased bilirubin production (eg, hemolysis and ineffective erythropoiesis), decreased bilirubin excretion (eg, obstruction and hepatitis), and abnormal bilirubin metabolism (eg, hereditary and neonatal jaundice). Conjugated (direct) bilirubin is elevated more than unconjugated (indirect) bilirubin in Viral hepatitis, Drug reactions, Alcoholic liver disease Conjugated (direct) bilirubin is also elevated more than unconjugated (indirect) bilirubin when there is some kind of blockage of the bile ducts like in Gallstones getting into the bile ducts, tumors & Scarring of the bile ducts. Increased unconjugated (indirect) bilirubin may be a result of Hemolytic or pernicious anemia, Transfusion reaction & a common metabolic condition termed Gilbert syndrome, due to low levels of the enzyme that attaches sugar molecules to bilirubin.

AST is an enzyme found in various parts of the body. AST is found in the liver, heart, skeletal muscle, kidneys, brain, and red blood cells, and it is commonly measured clinically as a marker for liver health. AST levels increase during chronic viral hepatitis, blockage of the bile duct, cirrhosis of the liver, liver cancer, kidney failure, hemolytic anemia, pancreatitis, hemochromatosis. AST levels may also increase after a heart attack or strenuous activity. ALT test measures the amount of this enzyme in the blood. ALT is found mainly in the liver, but also in smaller amounts in the kidneys, heart, muscles, and pancreas. It is commonly measured as a part of a diagnostic evaluation of hepatocellular injury, to determine liver health. AST levels increase during acute hepatitis, sometimes due to a viral infection, ischemia to the liver, chronic hepatitis, obstruction of bile ducts, cirrhosis.

ALP is a protein found in almost all body tissues. Tissues with higher amounts of ALP include the liver, bile ducts and bone. Elevated ALP levels are seen in Biliary obstruction, Osteoblastic bone tumors, osteomalacia, hepatitis, Hyperparathyroidism, Leukemia, Lymphoma, Paget's disease, Rickets, Sarcoidosis etc. Lower-than-normal ALP levels seen in Hypophosphatasia, Malnutrition, Protein deficiency, Wilson's disease. GGT is an enzyme found in cell membranes of many tissues mainly in the liver, kidney and pancreas. It is also found in other tissues including intestine, spleen, heart, brain and seminal vesicles. The highest concentration is in the kidney, but the liver is considered the source of normal enzyme activity. Serum GGT has been widely used as an index of liver dysfunction. Elevated serum GGT activity can be found in diseases of the liver, biliary system and pancreas. Conditions that increase serum GGT are obstructive liver disease, high alcohol consumption and use of enzyme-inducing drugs etc. Serum total protein, also known as total protein, is a biochemical test for measuring the total amount of protein in serum. Protein in the plasma is made up of albumin and globulin. Higher-than-normal levels may be due to: Chronic inflammation or infection, including HIV and hepatitis B or C, Multiple myeloma, Waldenstrom's disease. Lower-than-normal levels may be due to: Agammaglobulinemia, Bleeding (hemorrhage), Burns, Glomerulonephritis, Liver disease, Malabsorption, Malnutrition, Nephrotic syndrome, Protein-losing enteropathy etc. Human serum albumin is the most abundant protein in human blood plasma. It is produced in the liver. Albumin constitutes about half of the blood serum protein. Low blood albumin levels (hypoalbuminemia) can be caused by: Liver disease like cirrhosis of the liver, nephrotic syndrome, protein-losing enteropathy, Burns, hemodilution, increased vascular permeability or decreased lymphatic clearance, malnutrition and wasting etc

SERUM BLOOD UREA NITROGEN-

Causes of Increased levels

Pre renal

- High protein diet, Increased protein catabolism, GI haemorrhage, Cortisol, Dehydration, CHF Renal

Renal Failure

Post Renal

- Malignancy, Nephrolithiasis, Prostatism

Causes of decreased levels

- Liver disease

• SIADH.

CREATININE, SERUM-

Higher than normal level may be due to:

- Blockage in the urinary tract
- Kidney problems, such as kidney damage or failure, infection, or reduced blood flow



Scan to View Details



Scan to View Report



CLIENT CODE : C000138379

CLIENT'S NAME AND ADDRESS :

ACROFEMI HEALTHCARE LTD (MEDIWHEEL)
F-703, LADO SARAI, MEHRAULI
SOUTH WEST DELHI
NEW DELHI 110030
DELHI INDIA
8800465156

SRL Ltd
PLOT No. 88, ROAD No. 15, MIDC ESTATE, ANDHERI (EAST)
MUMBAI, 400093
MAHARASHTRA, INDIA
Tel : 09152729959/9111591115,
CIN - U74899PB1995PLC045956

PATIENT NAME : AMIT RAMESH MORYE

PATIENT ID : AMITM18088665

ACCESSION NO : 0065VG003302 AGE : 35 Years SEX : Male

ABHA NO :

DRAWN :

RECEIVED : 23/07/2022 10:18

REPORTED : 26/07/2022 12:55

REFERRING DOCTOR : SELF

CLIENT PATIENT ID :

Test Report Status	Final	Results	Biological Reference Interval	Units
--------------------	-------	---------	-------------------------------	-------

- Loss of body fluid (dehydration)
- Muscle problems, such as breakdown of muscle fibers
- Problems during pregnancy, such as seizures (eclampsia), or high blood pressure caused by pregnancy (preeclampsia)

Lower than normal level may be due to:

- Myasthenia Gravis
 - Muscular dystrophy
- URIC ACID, SERUM-
Causes of Increased levels
Dietary
- High Protein Intake.
 - Prolonged Fasting,
 - Rapid weight loss.
- Gout
Lesch nyhan syndrome.
Type 2 DM.
Metabolic syndrome.

Causes of decreased levels

- Low Zinc Intake
- OCP's
- Multiple Sclerosis

Nutritional tips to manage increased Uric acid levels

- Drink plenty of fluids
- Limit animal proteins
- High Fibre foods
- Vit C Intake
- Antioxidant rich foods

TOTAL PROTEIN, SERUM-

Serum total protein, also known as total protein, is a biochemical test for measuring the total amount of protein in serum. Protein in the plasma is made up of albumin and globulin

Higher-than-normal levels may be due to: Chronic inflammation or infection, including HIV and hepatitis B or C, Multiple myeloma, Waldenstrom's disease

Lower-than-normal levels may be due to: Agammaglobulinemia, Bleeding (hemorrhage), Burns, Glomerulonephritis, Liver disease, Malabsorption, Malnutrition, Nephrotic syndrome, Protein-losing enteropathy etc.

ALBUMIN, SERUM-

Human serum albumin is the most abundant protein in human blood plasma. It is produced in the liver. Albumin constitutes about half of the blood serum protein. Low blood albumin levels (hypoalbuminemia) can be caused by: Liver disease like cirrhosis of the liver, nephrotic syndrome, protein-losing enteropathy, Burns, hemodilution, increased vascular permeability or decreased lymphatic clearance, malnutrition and wasting etc.

ELECTROLYTES (NA/K/CL), SERUM-

Sodium levels are Increased in dehydration, cushing's syndrome, aldosteronism & decreased in Addison's disease, hypopituitarism, liver disease. Hypokalemia (low K) is common in vomiting, diarrhea, alcoholism, folic acid deficiency and primary aldosteronism. Hyperkalemia may be seen in end-stage renal failure, hemolysis, trauma, Addison's disease, metabolic acidosis, acute starvation, dehydration, and with rapid K infusion. Chloride is increased in dehydration, renal tubular acidosis (hyperchloremia metabolic acidosis), acute renal failure, metabolic acidosis associated with prolonged diarrhea and loss of sodium bicarbonate, diabetes insipidus, adrenocortical hyperfunction, salicylate intoxication and with excessive infusion of isotonic saline or extremely high dietary intake of salt. Chloride is decreased in overhydration, chronic respiratory acidosis, salt-losing nephritis, metabolic alkalosis, congestive heart failure, Addisonian crisis, certain types of metabolic acidosis, persistent gastric secretion and prolonged vomiting,

MICROSCOPIC EXAMINATION, URINE-

Routine urine analysis assists in screening and diagnosis of various metabolic, urological, kidney and liver disorders

Protein: Elevated proteins can be an early sign of kidney disease. Urinary protein excretion can also be temporarily elevated by strenuous exercise, orthostatic proteinuria, dehydration, urinary tract infections and acute illness with fever

Glucose: Uncontrolled diabetes mellitus can lead to presence of glucose in urine. Other causes include pregnancy, hormonal disturbances, liver disease and certain medications.

Ketones: Uncontrolled diabetes mellitus can lead to presence of ketones in urine. Ketones can also be seen in starvation, frequent vomiting, pregnancy and strenuous exercise.

Blood: Occult blood can occur in urine as intact erythrocytes or haemoglobin, which can occur in various urological, nephrological and bleeding disorders.

Leukocytes: An increase in leukocytes is an indication of inflammation in urinary tract or kidneys. Most common cause is bacterial urinary tract infection.

Nitrite: Many bacteria give positive results when their number is high. Nitrite concentration during infection increases with length of time the urine specimen is retained in bladder prior to collection.

pH: The kidneys play an important role in maintaining acid base balance of the body. Conditions of the body producing acidosis/ alkalosis or ingestion of certain type of food can affect the pH of urine.

Specific gravity: Specific gravity gives an indication of how concentrated the urine is. Increased specific gravity is seen in conditions like dehydration, glycosuria and proteinuria while decreased specific gravity is seen in excessive fluid intake, renal failure and diabetes insipidus.

Bilirubin: In certain liver diseases such as biliary obstruction or hepatitis, bilirubin gets excreted in urine.

Urobilinogen: Positive results are seen in liver diseases like hepatitis and cirrhosis and in cases of hemolytic anemia

THYROID PANEL, SERUM-



Scan to View Details



Scan to View Report



CLIENT CODE : C000138379

CLIENT'S NAME AND ADDRESS :

ACROFEMI HEALTHCARE LTD (MEDIWHEEL)
 F-703, LADO SARAI, MEHRAULI
 SOUTH WEST DELHI
 NEW DELHI 110030
 DELHI INDIA
 8800465156

SRL Ltd
 PLOT No. 88, ROAD No. 15, MIDC ESTATE, ANDHERI (EAST)
 MUMBAI, 400093
 MAHARASHTRA, INDIA
 Tel : 09152729959/9111591115,
 CIN - U74899PB1995PLC045956

PATIENT NAME : AMIT RAMESH MORYE

PATIENT ID : AMITM18088665

ACCESSION NO : 0065VG003302 **AGE :** 35 Years **SEX :** Male

ABHA NO :

DRAWN : **RECEIVED :** 23/07/2022 10:18

REPORTED : 26/07/2022 12:55

REFERRING DOCTOR : SELF

CLIENT PATIENT ID :

Test Report Status	Final	Results	Biological Reference Interval	Units
--------------------	-------	---------	-------------------------------	-------

Triiodothyronine T3, is a thyroid hormone. It affects almost every physiological process in the body, including growth, development, metabolism, body temperature, and heart rate. Production of T3 and its prohormone thyroxine (T4) is activated by thyroid-stimulating hormone (TSH), which is released from the pituitary gland. Elevated concentrations of T3, and T4 in the blood inhibit the production of TSH. Thyroxine T4, Thyroxine's principal function is to stimulate the metabolism of all cells and tissues in the body. Excessive secretion of thyroxine in the body is hyperthyroidism, and deficient secretion is called hypothyroidism. Most of the thyroid hormone in blood is bound to transport proteins. Only a very small fraction of the circulating hormone is free and biologically active.

In primary hypothyroidism, TSH levels are significantly elevated, while in secondary and tertiary hypothyroidism, TSH levels are low.

Below mentioned are the guidelines for Pregnancy related reference ranges for Total T4, TSH & Total T3

Levels in	TOTAL T4 (µg/dL)	TSH3G (µIU/mL)	TOTAL T3 (ng/dL)
Pregnancy	6.6 - 12.4	0.1 - 2.5	81 - 190
First Trimester	6.6 - 15.5	0.2 - 3.0	100 - 260
2nd Trimester	6.6 - 15.5	0.3 - 3.0	100 - 260
3rd Trimester			

Below mentioned are the guidelines for age related reference ranges for T3 and T4.

T3 (ng/dL)	T4 (µg/dL)
New Born: 75 - 260	1-3 day: 8.2 - 19.9
	1 Week: 6.0 - 15.9

NOTE: TSH concentrations in apparently normal euthyroid subjects are known to be highly skewed, with a strong tailed distribution towards higher TSH values. This is well documented in the pediatric population including the infant age group.

Kindly note: Method specific reference ranges are appearing on the report under biological reference range.

Reference:

1. Burtis C.A., Ashwood E. R. Bruns D.E. Teitz textbook of Clinical Chemistry and Molecular Diagnostics, 4th Edition.
2. Gowenlock A.H. Varley's Practical Clinical Biochemistry, 6th Edition.
3. Behrman R.E. Kliegman R.M., Jenson H. B. Nelson Text Book of Pediatrics, 17th Edition

STOOL: OVA & PARASITE-

Acute infective diarrhoea and gastroenteritis (diarrhoea with vomiting) are major causes of ill health and premature death in developing countries. Loss of water and electrolytes from the body can lead to severe dehydration which if untreated, can be rapidly fatal in young children, especially that are malnourished, hypoglycaemic, and generally in poor health.

Laboratory diagnosis of parasitic infection is mainly based on microscopic examination and the gross examination of the stool specimen. Depending on the nature of the parasite, the microscopic observations include the identification of cysts, ova, trophozoites, larvae or portions of adult structure. The two classes of parasites that cause human infection are the Protozoa and Helminths. The protozoan infections include amoebiasis mainly caused by Entamoeba histolytica and giardiasis caused by Giardia lamblia. The common helminthic parasites are Trichuris trichiura, Ascaris lumbricoides, Strongyloides stercoralis, Taenia sp. etc

ABO GROUP & RH TYPE, EDTA WHOLE BLOOD-

Blood group is identified by antigens and antibodies present in the blood. Antigens are protein molecules found on the surface of red blood cells. Antibodies are found in plasma. To determine blood group, red cells are mixed with different antibody solutions to give A,B,O or AB.

Disclaimer: "Please note, as the results of previous ABO and Rh group (Blood Group) for pregnant women are not available, please check with the patient records for availability of the same."

The test is performed by both forward as well as reverse grouping methods.

MEDICAL

HISTORY*****

THIS REPORT CARRIES THE SIGNATURE OF OUR LABORATORY DIRECTOR. THIS IS AN INVOLABLE FEATURE OF OUR LAB MANAGEMENT SOFTWARE. HOWEVER, ALL EXAMINATIONS AND INVESTIGATIONS HAVE BEEN CONDUCTED BY OUR PANEL OF DOCTORS.



Scan to View Details



Scan to View Report



CLIENT CODE : C000138379

CLIENT'S NAME AND ADDRESS :

ACROFEMI HEALTHCARE LTD (MEDIWHEEL)
F-703, LADO SARAI, MEHRAULI
SOUTH WEST DELHI
NEW DELHI 110030
DELHI INDIA
8800465156

SRL Ltd
PLOT No. 88, ROAD No. 15, MIDC ESTATE, ANDHERI (EAST)
MUMBAI, 400093
MAHARASHTRA, INDIA
Tel : 09152729959/9111591115,
CIN - U74899PB1995PLC045956

PATIENT NAME : AMIT RAMESH MORYE

PATIENT ID : AMITM18088665

ACCESSION NO : 0065VG003302 AGE : 35 Years SEX : Male

ABHA NO :

DRAWN :

RECEIVED : 23/07/2022 10:18

REPORTED : 26/07/2022 12:55

REFERRING DOCTOR : SELF

CLIENT PATIENT ID :

Test Report Status	Final	Results	Units
--------------------	-------	---------	-------

MEDI WHEEL FULL BODY HEALTH CHECK UP BELOW 40 MALE**ULTRASOUND ABDOMEN****ULTRASOUND ABDOMEN**

MILD FATTY LIVER. LEFT RENAL CALCULI.

****End Of Report****Please visit www.srlworld.com for related Test Information for this accession

Dr. Kshama P.
Biochemist

Dr. Sukanya Verma
Consultant Microbiologist

Dr. Deepak Sanghavi, M.D(Path)
(Reg.no.MMC2004/03/1530)
Chief Of Lab - Mumbai
Reference Lab

Dr. Sushant Chikane
Consultant Pathologist

CONDITIONS OF LABORATORY TESTING & REPORTING

- It is presumed that the test sample belongs to the patient named or identified in the test requisition form.
- All Tests are performed and reported as per the turnaround time stated in the SRL Directory of services (DOS).
- SRL confirms that all tests have been performed or assayed with highest quality standards, clinical safety & technical integrity.
- A requested test might not be performed if:
 - Specimen received is insufficient or inappropriate
 - specimen quality is unsatisfactory
 - Incorrect specimen type
 - Request for testing is withdrawn by the ordering doctor or patient
 - There is a discrepancy between the label on the specimen container and the name on the test requisition form
- The results of a laboratory test are dependent on the quality of the sample as well as the assay technology.
- Result delays could be because of uncontrolled circumstances, e.g. assay run failure.
- Tests parameters marked by asterisks are excluded from the "scope" of NABL accredited tests. (If laboratory is accredited).
- Laboratory results should be correlated with clinical information to determine Final diagnosis.
- Test results are not valid for Medico- legal purposes.
- In case of queries or unexpected test results please call at SRL customer care (Toll free: 1800-222-000). Post proper investigation repeat analysis may be carried out.

SRL Limited

Fortis Hospital, Sector 62, Phase VIII,
Mohali 160062



Scan to View Details



Scan to View Report