

21M1108221000.13770E



*Sri. Danda*

*M. Choudary*

**M.S. CHOUDARY, MBBS, DLO, MS**  
Registered No: 9747 (A.P. Med. Council);  
**MAGANTI CLINIC, ADARSH DIAGNOSTICS**  
D.No: 29-3-23, Flat No: 102  
Sri Ranga Heights, Ground Floor  
Kaleswara Rao Road, Governorpet  
**VIJAYAWADA-520 002. Ph: 666463.**



# ADARSH DIAGNOSTICS

ISO 9001 : 2015 CERTIFIED

D.No. 29-3-23, Flat No : 102, Opp. I.V. Palace Road, Sri Ranga Heights,  
Ground Floor, Kaleswara Rao Road, Governorpet,  
VIJAYAWADA - 520 002. © (0866) 6664639, Fax : 2431916

## BOB

Name of the life to be Assured:-G.S.K.KUMAR Age:-31/M

### BLOOD EXAMINATION REPORT

RANDOM BLOOD SUGAR(RBS):	98 mg%	(N.VALUE:60 – 140 mg%)
S.CHOLESTEROL :	182 mg%	(N.VALUE:130 – 250 mg%)
S.TRIGLY CERIDES :	124 mg%	(N.VALUE:UP TO 175 mg%)
HDL :	45.5 mg%	(N.VALUE:35 – 55 mg%)
V L D L :	24.8 mg%	(N.VALUE: UP TO 30 mg%)
LDL :	111.7	(N.VALUE:UP TO 150 mg%)
UREA :	20 mg%	(N.VALUE:10 – 50 mg%)
BUN :	14 mg%	(N.VALUE:08 – 20 mg%)
S.CREATININE :	0.8 mg%	(N.VALUE:0.5 – 1.6 mg%)
S.PROTEINS :	7.2 gms%	(N.VALUE:6.0 – 8.0 gms%)
ALBUMIN :	4.6 gms%	(N.VALUE:3.5 – 5.6 gms%)
GLOBULIN :	2.6 gms%	(N.VALUE:2.0 – 3.6 gms%)
A.G. RATIO :	1.76	
S.URIC ACID :	5.0 mg%	(N.VALUE:2.5 – 7.0 mg%)
S.BILIRUBIN :	0.7 mg%	(N.VALUE: 0.2 – 1.2 mg%)
DIRECT BILIRUBIN :	0.1 mg%	(N.VALUE:0.0 – 0.2 mg%)
INDIRECT BILIRUBIN :	0.6 mg%	
S G O T :	19 IU/ML	(N.VALUE:8 – 35 IU/ML)
S G P T :	22 IU/ML	(N.VALUE:13 – 40 IU/ML)
S.ALKLINE PHOSPHATESE :	8.7 KA UNITES	(N.VALUE:4 – 11 KA UNITES)
GGTP :	16 IU/ML	(N.VALUE:4 – 24 IU/ML)
Hbs Ag :	NEGATIVE(-VE)	

Dated at Vijayawada on the 06<sup>TH</sup> day of MARCH 2022

  
(Pathologist/Dr.Inchrge)

ADARSH DIAGNOSTICS  
D.No: 29-3-23, Flat No: 102  
Sri Ranga Heights, Ground Floor  
Kaleswara Rao Road, Governorpet  
VIJAYAWADA-520 002. Ph:6664639

X-RAY, ECG, E.E.G. PATHOLOGICAL, SEROLOGICAL, BIO-CHEMICAL, IMMUNOASSAY, BLOOD BANK,  
TREAD-MILL STRESS TEST : ULTRA SOUND SCAN WITH 2-D ECHO CARDIOGRAPHY, HOLTER RECORD,  
AUDIOMETRY AND 24 HOURS AMBULANCE, ENDOSCOPY





# ADARSH DIAGNOSTICS

ISO 9001 : 2015 CERTIFIED

D.No. 29-3-23, Flat No : 102, Opp. I.V. Palace Road, Sri Ranga Heights,  
Ground Floor, Kaleswara Rao Road, Governorpet,  
VIJAYAWADA - 520 002. © (0866) 6664639, Fax : 2431916

BOB

Name of the life to be Assured:-G.S.K.KUMAR Age:-31/M

## BLOOD EXAMINATION REPORT

### CBC

TEST	RESULT	NORMAL .RANGE
HAEMOGLOBIN(HGB)	: 14.2 gm%	(12.0 – 16.0 g/100ml)
P C V ( HAEMATOCRIT)	: 42.6 gm%	( 36 - 48 %)
MCV	: 88.6 CU.MM	( 76 - 92 CU MM)
MCH	: 29.8 MM.G	( 27 - 32 MM G )
MCHC	: 33.3 %	( 30 - 35 %)
RDW	: NORMAL	
M P V	: NORMAL	
INDICES	: NORMAL	
T R B C	: 4.70 mil/cumm	( 3.9 – 6.5mil/cumm)
PLATELET COUNT	: 2.1 lakhs/c.mm	( 1.5 - 4.0 lakhs/c.mm)
T W B C	: 8,100 cells/cumm	(4,000-10,000cells/cumm)
DIFFERENTIAL COUNT		
NEUTROPHILS	: 68 %	( 40 - 74 %)
LYMPHOCYTES	: 28 %	( 20 - 45%)
EOSINOPHILS	: 04 %	( 2 - 06 %)
MONOCYTES	: ----	( 00 - 02 %)
BASOPHILS	: ----	( < 1% )
E S R	: 16 mm/ 1st hour	( 02 - 12mm/1 st hour)
GROUP	: " B"	
RH TYPE	: POSITIVE(+VE)	

Dated at Vijayawada on the 06<sup>TH</sup> day of MARCH 2022

(Pathologist/Dr.Incharge)

**ADARSH DIAGNOSTICS**

D.No: 29-3-23, Flat No: 102  
Sri Ranga Heights, Ground Floor  
Kaleswara Rao Road, Governorpet  
VIJAYAWADA-520 002. Ph:6664639

X-RAY, ECG, E.E.G. PATHOLOGICAL, SEROLOGICAL, BIO-CHEMICAL, IMMUNOASSAY, BLOOD BANK,  
TREAD- MILL STRESS TEST : ULTRA SOUND SCAN WITH 2-D ECHO CARDIOGRAPHY, HOLTER RECORD,  
AUDIOMETRY AND 24 HOURS AMBULANCE, ENDOSCOPY



# ADARSH DIAGNOSTICS

ISO 9001 : 2015 CERTIFIED

D.No. 29-3-23, Flat No : 102, Opp. I.V. Palace Road, Sri Ranga Heights,  
Ground Floor, Kaleswara Rao Road, Governorpet,  
VIJAYAWADA - 520 002. © (0866) 6664639, Fax : 2431916

BOB

Name of the life to be Assured:-G.S.K.KUMAR Age:-31/M

## BLOOD EXAMINATION REPORT

T3	:	164 ng/dl
(N.VALUE	:	70 – 204 ng/dl)
T4	:	7.6 ug/dl
(N.VALUE	:	5.5 -11.0ug/dl)
THYROID STIMULATING	:	
HORMONE TSH	:	2.46uIU/ml
(N.VALUE	:	0.35-5.50 uIU/ml)

Dated at Vijayawada on the 06<sup>TH</sup> day of MARCH 2022

(Pathologist/Dr.Inchrge)

ADARSH DIAGNOSTICS  
D.No: 29-3-23, Flat No: 102  
Sri Ranga Heights, Ground Floor  
Kaleswara Rao Road, Governorpet  
VIJAYAWADA-520 002. Ph:6664639





# ADARSH DIAGNOSTICS

ISO 9001 : 2015 CERTIFIED

D.No. 29-3-23, Flat No : 102, Opp. I.V. Palace Road, Sri Ranga Heights,  
Ground Floor, Kaleswara Rao Road, Governorpet,  
VIJAYAWADA - 520 002. © (0866) 6664639, Fax : 2431916

BOB

Name of the life to be Assured:-G.S.K.KUMAR Age:-31/M

## BLOOD EXAMINATION REPORT

GLYCOSYLATED HEMOGLOBIN TEST :HbA1c  
(MEAN BLOOD GLUCOSE LEVEL FOR THE LAST 2 MONTHS)

RESULT	:	5.42 %
IMPRESSION	:	NON DIABETIC
INTERPRETATION OF TEST	:	
HbA1c	:	%OF GLUCOSE CONTROL
>10 %	:	POOR
9% - 10 %	:	FAIR
8% - 9%	:	GOOD
7% - 8%	:	CONTROL
6% - 7 %	:	NEAR NORMAL
<6	:	NON DIABETIC

Dated at Vijayawada on the 06<sup>TH</sup> day of MARCH 2022

*M. Sree*

(Pathologist/DR.Incharge)

**ADARSH DIAGNOSTICS**  
D.No: 29-3-23, Flat No: 102  
Sri Ranga Heights, Ground Floor  
Kaleswara Rao Road, Governorpet  
VIJAYAWADA-520 002. Ph:6664639

X-RAY, ECG, E.E.G. PATHOLOGICAL, SEROLOGICAL, BIO-CHEMICAL, IMMUNOASSAY, BLOOD BANK,  
TREAD- MILL STRESS TEST : ULTRA SOUND SCAN WITH 2-D ECHO CARDIOGRAPHY, HOLTER RECORD,  
AUDIOMETRY AND 24 HOURS AMBULANCE, ENDOSCOPY



# ADARSH DIAGNOSTICS

ISO 9001 : 2015 CERTIFIED

D.No. 29-3-23, Flat No : 102, Opp. I.V. Palace Road, Sri Ranga Heights,  
Ground Floor, Kaleswara Rao Road, Governorpet,  
VIJAYAWADA - 520 002. © (0866) 6664639, Fax : 2431916

BOB

Name of the life to be Assured:-G.S.K.KUMAR Age:-31/M

## URINE EXAMINATION REPORT

### MACROSCOPY

QUANTITY	:	8.5ML
APPEARANCE	:	CLEAR
COLOUR	:	PALE YELLOW
SP GRAVITY	:	1.020
REACTION	:	ACIDIC

### CHEMICAL

BILE SALTS	:	NEGATIVE(-VE)
BILE PIGMENTS	:	NEGATIVE(-VE)
UROBILINOGEN	:	NORMAL
ACETONE	:	NEGATIVE(-VE)
OCCULT BLOOD	:	NEGATIVE(-VE)
ALBUMIN	:	NIL
URINE SUGAR	:	NIL

### MICRO

R B C	:	NIL
CAST	:	NIL
PUS CELLS	:	2-3/HPF
E P CELLS	:	NIL
CRYSTALS	:	NIL
BACTERIA	:	NIL

Dated at Vijayawada on the 06<sup>TH</sup> day of MARCH 2022

(Pathologist/Dr.Incharge)

ADARSH DIAGNOSTICS

D.No: 29-3-23, Flat No: 102

Sri Ranga Heights, Ground Floor

X-RAY, ECG, E.E.G. PATHOLOGICAL, SEROLOGICAL, BIO-CHEMICAL, IMMUNOASSAY, BLOOD BANK,  
TREAD-MILL STRESS TEST : ULTRA SOUND SCAN WITH 2-D ECHO CARDIOGRAPHY, HOLTTER RECORD,  
AUDIOMETRY AND 24 HOURS AMBULANCE, ENDOSCOPY





# ADARSH DIAGNOSTICS

ISO 9001 : 2015 CERTIFIED

D.No. 29-3-23, Flat No : 102, Opp. I.V. Palace Road, Sri Ranga Heights,  
Ground Floor, Kaleswara Rao Road, Governorpet,  
VIJAYAWADA - 520 002. © (0866) 6664639, Fax : 2431916

BOB

Name of the life to be Assured:- G.S.K.KUMAR Age:- 31/M

## ECG REPORT

<b>RATE</b>	:	<b>85 bpm</b>
<b>RHYTHM</b>	:	<b>SINUS</b>
<b>P</b>	:	<b>NORMAL</b>
<b>P R INTERVAL</b>	:	<b>146 ms</b>
<b>Q R S INTERVAL</b>	:	<b>97ms</b>
<b>S T SEGEMENT</b>	:	<b>NORMAL</b>
<b>T WAVES</b>	:	<b>NORMAL</b>
<b>Q WAVES</b>	:	<b>NIL</b>
<b>HYPERTRPHY</b>	:	<b>NO</b>
<b>QT</b>	:	<b>353 ms</b>
<b>Q R S AXIS</b>	:	<b>36 Deg</b>
<b>IMPRESSION</b>	:	<b>NORMAL ECG</b>

Dated at Vijayawada on the 06th day of MARCH 2022

CONSULTANT CARDIOLOGIST

Dr. MAGANTI S.V.R.K.V. PRASAD  
M.B.,B.S.(PGDHS);DC(CARDIOLOGY)  
Regd. No:14414 (A.P.MED.COUNCIL)  
CONSULTANT CARDIOLOGIST  
MAGANTI CLINIC  
VIJAYAWADA




Rate 85 Sinus rhythm.....normal P axis, V-rate 50- 99  
 PR 146 Baseline wander in lead(s) I, III, aVL  
 QRS 97  
 QT 353  
 QTc 420

--AXIS--  
 P 39  
 QRS 36  
 T 43  
 12 Lead; Standard Placement

- NORMAL ECG -  
 Requested by: BOB  
 Unconfirmed Diagnosis

*G.S. Kumar MD*



Dr. MAGANTI S.V.R.K.V. PRASAD  
 M.B.B.S; PGDHS; DC(CARDIOLOGY)  
 Regd. No. 14414 (A.P.MED.COUNCIL)  
 CONSULTANT CARDIOLOGIST  
 MAGANTI CLINIC  
 VIJAYAWADA

Device: Speed: 25 mm/sec Limb: 10 mm/mV Chest: 10.0 mm/mV F 60~ 0.15-100 Hz PH100B CLP P2

PHILIPS

REORDER M3708A





# ADARSH DIAGNOSTICS

**ISO 9001 : 2015 CERTIFIED**

D.No. 29-3-23, Flat No : 102, Opp. I.V. Palace Road, Sri Ranga Heights,  
Ground Floor, Kaleswara Rao Road, Governorpet,  
VIJAYAWADA - 520 002. © (0866) 6664639, Fax : 2431916

**BOB**

Name of the life to be Assured:- G.S.K.KUMAR Age:- 31/M

**X-RAY CHEST AP VIEW**

CARDIAC SIZE IS NORMAL.

LUNG FIELDS ARE CLEAR

BOTH HILA ARE NORMAL

C.P ANGLES ARE CLEAR

NO BONY LESION

IMPRESSION: NORMAL STUDY

**Dated at Vijayawada on the 06th day of MARCH 2022**

CONSULTANT RADIOLOGIST/Dr.Incharge

**DR. G. PRASADA RAO**  
MBBS, DMRD  
Rg. No: 17266  
Consulting Radiologist




G.S.K.KUMAR 31/M  
05-01-01-004939

Philips Healthcare

01/01/2005  
00:54:15

PHILIPS




G.S.K.KUMAR 31/M,  
05-01-01-004939

Philips Healthcare

01/01/2005  
00:53:21

PHILIPS







# ADARSH DIAGNOSTICS

ISO 9001 : 2015 CERTIFIED

D.No. 29-3-23, Flat No : 102, Opp. I.V. Palace Road, Sri Ranga Heights,  
Ground Floor, Kaleswara Rao Road, Governorpet,  
VIJAYAWADA - 520 002. © (0866) 6664639, Fax : 2431916

BOB

PATIENT NAME:G.S.K.KUMAR

DATE: 06/03 /2022

REF. Dr. :

AGE:31; SEX:M

## ULTRASONOGRAM OF TOTAL ABDOMEN

LIVER : NORMAL IN SIZE WITH HOMOGENOUS PARENCHYMAL ECHOTEXTURE. NO MASS OR CYST IN LIVER.NO DILATATION OF INTRA HEPATIC BILIARY RADICLES.

GALL BLADDER : NORMAL. NO CALCULI. NO MASS LESION DISTENDED

PANCREAS : NORMAL. NO CALCULI. NO MASS LESION.

C B D : NORMAL. NO CALCULI.

PORTAL VEIN : NORMAL MEASURES 09 MM.

SPLEEN : NORMAL WITH HOMOGENOUS PARENCHYMAL ECHOTEXTURE MEASURED 98 MM.

DIAPHRAGM : BOTH DOMES MOVING WELL WITH RESPIRATION. NO SUB DIAPHRAGMATIC PATHOLOGY.

RIGHT KIDNEY : SIZE 8.2 X 4.3 CMS. NORMAL IN SIZE AND ECHOPATTERN, C.M.D MAINTAINED. P.C.S.NORMAL, NO CALCULI NO HYDRONEPHROSIS. URETER NOT DILATED.

LEFT KIDNEY : SIZE 9.6 X 4.4 CMS. NORMAL IN SIZE AND ECHOPATTERN.C.M.D.MAINTAINED. PCS NORMAL.NO CALCULI NO HYDRONEPHROSIS. URETER NOT DILATED.

URINARY BLADDER : NORMAL .NO CALCULI. NO MASS LESION.

PROSTATE : NORMAL IN SIZE AND ECHOTEXTURE .

OTHERS : NIL

IMPRESSION : NORMAL STUDY.  
TO CORRELATE CLINICALLY.





Dr.INCHARGE

ADARSH DIAGNOSTICS

D.No: 29-3-23, Flat No: 102  
Sri Ranga Heights, Ground Floor  
Kaleswara Rao Road, Governorpet  
VIJAYAWADA-520 002. Ph:6664639

X-RAY, ECG, E.E.G. PATHOLOGICAL, SEROLOGICAL, BIO-CHEMICAL, IMMUNOASSAY, BLOOD BANK,  
TREAD- MILL STRESS TEST : ULTRA SOUND SCAN WITH 2-D ECHO CARDIOGRAPHY, HOLTER RECORD,  
AUDIOMETRY AND 24 HOURS AMBULANCE, ENDOSCOPY









# ADARSH DIAGNOSTICS

ISO 9001 : 2015 CERTIFIED

D.No. 29-3-23, Flat No : 102, Opp. I.V. Palace Road, Sri Ranga Heights,  
Ground Floor, Kaleswara Rao Road, Governorpet,  
VIJAYAWADA - 520 002. ☎ (0866) 6664639, Fax : 2431916

BOB

Name of the life to be Assured:- G.S.K.KUMAR Age:-31/M

## 2 - D ECHOCARDIOGRAPHY

AORTA : 3.0 CM LEFT ATRIUM: 3.6 CMS  
LEFT VENTRICLE : 5.0X3.1 CM IVS: 1.3CM LVPW :1.4 CMS  
LVEF:62%  
MITRAL VALVE : NORMAL  
AORTIC VALVE : NORMAL  
TRICUSPID VALVE : NORMAL  
PULMONARY VALVE : NORMAL  
RIGHT ATRIUM : NORMAL  
RIGHT VENTRICLE : NORMAL  
PULMONARY ARTERY : NORMAL  
PERICARDIUM : NORMAL  
IAS : INTACT  
IVS : INTACT  
OTHERS : NIL  
DOPPLER STUDY : MV :E<A /NO TR  
AJV:1.2M/SEC PJV:1.3M/SEC  
IMPRESSION : NO RWMA  
GOOD LV FUNCTION (EF :62%)  
NORMAL SIZED CHAMBERS.

Dated at Vijayawada on the 06th day of MARCH 2022

CONSULTANT CARDIOLOGIST

Dr. MAGANTI S.V.R.K.V. PRASAD  
M.B,B.S;PGDHS;DC(CARDIOLOGY)  
Regd. No:14414 (A.P.MED.COUNCIL  
CONSULTANT CARDIOLOGIST  
MAGANTI CLINIC

X-RAY, ECG, E.E.G, PATHOLOGICAL, SEROLOGICAL, BIO-CHEMICAL, IMMUNOASSAY, BLOOD BANK,  
TREAD-MILL STRESS TEST : ULTRA SOUND SCAN WITH 2-D ECHO CARDIOGRAPHY, HOLTER RECORD,  
AUDIOMETRY AND 24 HOURS AMBULANCE, ENDOSCOPY