Name	: Mr. KUMAR HARENDRA		
PID No.	: MED111354356	Register On : 29/10/2022 8:56 AM	$\mathbf{\mathcal{O}}$
SID No.	: 422074557	Collection On : 29/10/2022 9:27 AM	
Age / Sex	: 49 Year(s) / Male	Report On : 29/10/2022 8:24 PM	MEDALL
Туре	: OP	Printed On : 04/11/2022 1:54 PM	
Ref. Dr	: MediWheel		

Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	<u>Biological</u> Reference Interval
<b>HAEMATOLOGY</b>			
Complete Blood Count With - ESR			
Haemoglobin (EDTA Blood'Spectrophotometry)	14.9	g/dL	13.5 - 18.0
Packed Cell Volume(PCV)/Haematocrit (EDTA Blood)	45.3	%	42 - 52
RBC Count (EDTA Blood)	4.77	mill/cu.mm	4.7 - 6.0
Mean Corpuscular Volume(MCV) (EDTA Blood)	95.0	fL	78 - 100
Mean Corpuscular Haemoglobin(MCH) (EDTA Blood)	31.4	pg	27 - 32
Mean Corpuscular Haemoglobin concentration(MCHC) (EDTA Blood)	33.0	g/dL	32 - 36
RDW-CV (EDTA Blood)	13.4	%	11.5 - 16.0
RDW-SD (EDTA Blood)	44.55	fL	39 - 46
Total Leukocyte Count (TC) (EDTA Blood)	5000	cells/cu.mm	4000 - 11000
Neutrophils (EDTA Blood)	37.8	%	40 - 75
Lymphocytes (EDTA Blood)	41.2	%	20 - 45
Eosinophils (EDTA Blood)	13.0	%	01 - 06
Monocytes (EDTA Blood)	6.4	%	01 - 10



Name	: Mr. KUMAR HARENDRA			
PID No.	: MED111354356	Register On	: 29/10/2022 8:56 AM	$\mathbf{C}$
SID No.	: 422074557	Collection On	: 29/10/2022 9:27 AM	
Age / Sex	: 49 Year(s) / Male	Report On	: 29/10/2022 8:24 PM	MEDALL
Туре	: OP	Printed On	: 04/11/2022 1:54 PM	
Ref. Dr	: MediWheel			

Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
Basophils (Blood)	1.6	%	00 - 02
INTERPRETATION: Tests done on Automated Five	Part cell counter. All	abnormal results are	reviewed and confirmed microscopically.
Absolute Neutrophil count (EDTA Blood)	1.89	10^3 / µl	1.5 - 6.6
Absolute Lymphocyte Count (EDTA Blood)	2.06	10^3 / µl	1.5 - 3.5
Absolute Eosinophil Count (AEC) (EDTA Blood)	0.65	10^3 / µl	0.04 - 0.44
Absolute Monocyte Count (EDTA Blood)	0.32	10^3 / µl	< 1.0
Absolute Basophil count (EDTA Blood)	0.08	10^3 / µl	< 0.2
Platelet Count (EDTA Blood)	224	10^3 / µl	150 - 450
MPV (EDTA Blood)	7.4	fL	7.9 - 13.7
PCT (EDTA Blood/Automated Blood cell Counter)	0.17	%	0.18 - 0.28
ESR (Erythrocyte Sedimentation Rate) (Citrated Blood)	9	mm/hr	< 15



Name	: Mr. KUMAR HARENDRA		
PID No.	: MED111354356	Register On : 29/10/2022 8:56 AM	$\mathbf{\mathcal{O}}$
SID No.	: 422074557	Collection On : 29/10/2022 9:27 AM	
Age / Sex	: 49 Year(s) / Male	Report On : 29/10/2022 8:24 PM	MEDALL
Туре	: OP	Printed On : 04/11/2022 1:54 PM	
Ref. Dr	: MediWheel		

Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	<u>Biological</u> Reference Interval
<b>BIOCHEMISTRY</b>			
Liver Function Test			
Bilirubin(Total) (Serum/DCA with ATCS)	0.48	mg/dL	0.1 - 1.2
Bilirubin(Direct) (Serum/Diazotized Sulfanilic Acid)	0.17	mg/dL	0.0 - 0.3
Bilirubin(Indirect) (Serum/Derived)	0.31	mg/dL	0.1 - 1.0
SGOT/AST (Aspartate Aminotransferase) (Serum/Modified IFCC)	18.09	U/L	5 - 40
SGPT/ALT (Alanine Aminotransferase) (Serum/Modified IFCC)	17.59	U/L	5 - 41
GGT(Gamma Glutamyl Transpeptidase) (Serum/IFCC / Kinetic)	15.23	U/L	< 55
Alkaline Phosphatase (SAP) (Serum/ <i>Modified IFCC</i> )	80.6	U/L	53 - 128
Total Protein (Serum/Biuret)	6.47	gm/dl	6.0 - 8.0
Albumin (Serum/Bromocresol green)	4.12	gm/dl	3.5 - 5.2
Globulin (Serum/Derived)	2.35	gm/dL	2.3 - 3.6
A : G RATIO	1.75		1.1 - 2.2

(Serum/Derived)



Name	: Mr. KUMAR HARENDRA		
PID No.	: MED111354356	Register On : 29/10/2022 8:56 AM	C
SID No.	: 422074557	Collection On : 29/10/2022 9:27 AM	
Age / Sex	: 49 Year(s) / Male	Report On : 29/10/2022 8:24 PM	MEDALL
Туре	: OP	Printed On : 04/11/2022 1:54 PM	
Ref. Dr	: MediWheel		

Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
Lipid Profile			
Cholesterol Total (Serum/CHOD-PAP with ATCS)	176.42	mg/dL	Optimal: < 200 Borderline: 200 - 239 High Risk: >= 240
Triglycerides (Serum/GPO-PAP with ATCS)	110.49	mg/dL	Optimal: < 150 Borderline: 150 - 199 High: 200 - 499 Very High: >=500

**INTERPRETATION:** The reference ranges are based on fasting condition. Triglyceride levels change drastically in response to food, increasing as much as 5 to 10 times the fasting levels, just a few hours after eating. Fasting triglyceride levels show considerable diurnal variation too. There is evidence recommending triglycerides estimation in non-fasting condition for evaluating the risk of heart disease and screening for metabolic syndrome, as non-fasting sample is more representative of the `usual\_circulating level of triglycerides during most part of the day.

HDL Cholesterol (Serum/Immunoinhibition)	56.94	mg/dL	Optimal(Negative Risk Factor): >= 60 Borderline: 40 - 59 High Risk: < 40
LDL Cholesterol (Serum/Calculated)	97.4	mg/dL	Optimal: < 100 Above Optimal: 100 - 129 Borderline: 130 - 159 High: 160 - 189 Very High: >=190
VLDL Cholesterol (Serum/Calculated)	22.1	mg/dL	< 30
Non HDL Cholesterol (Serum/Calculated)	119.5	mg/dL	Optimal: < 130 Above Optimal: 130 - 159 Borderline High: 160 - 189 High: 190 - 219 Very High: >= 220



Name	: Mr. KUMAR HARENDRA			
PID No.	: MED111354356	Register On	: 29/10/2022 8:56 AM	M
SID No.	: 422074557	<b>Collection On</b>	: 29/10/2022 9:27 AM	
Age / Sex	: 49 Year(s) / Male	Report On	: 29/10/2022 8:24 PM	MEDALL
Туре	: OP	Printed On	: 04/11/2022 1:54 PM	
Ref. Dr	: MediWheel			

Investigation	<u>Observed</u> <u>Value</u>	Unit Biological Reference Interval
<b>INTERPRETATION:</b> 1.Non-HDL Cholesterol is now 2.It is the sum of all potentially atherogenic proteins in co-primary target for cholesterol lowering therapy.		r cardiovascular risk marker than LDL Cholesterol. LDL and chylomicrons and it is the "new bad cholesterol" and is a
Total Cholesterol/HDL Cholesterol Ratio (Serum/Calculated)	3.1	Optimal: < 3.3 Low Risk: 3.4 - 4.4 Average Risk: 4.5 - 7.1 Moderate Risk: 7.2 - 11.0 High Risk: > 11.0
Triglyceride/HDL Cholesterol Ratio (TG/HDL) (Serum/ <i>Calculated</i> )	1.9	Optimal: < 2.5 Mild to moderate risk: 2.5 - 5.0 High Risk: > 5.0
LDL/HDL Cholesterol Ratio (Serum/ <i>Calculated</i> )	1.7	Optimal: 0.5 - 3.0 Borderline: 3.1 - 6.0 High Risk: > 6.0

Dr Anusha.K.S Sr.Consultant Pathologist Reg No : 100674 APPROVED BY

The results pertain to sample tested.

Name	: Mr. KUMAR HARENDRA			
PID No.	: MED111354356	Register On	: 29/10/2022 8:56 AM	$\mathbf{M}$
SID No.	: 422074557	<b>Collection On</b>	: 29/10/2022 9:27 AM	
Age / Sex	: 49 Year(s) / Male	Report On	: 29/10/2022 8:24 PM	MEDALL
Туре	: OP	Printed On	: 04/11/2022 1:54 PM	
Ref. Dr	: MediWheel			

Investigation Glycosylated Haemoglobin (HbA1c)	<u>Observed</u> <u>Value</u>	<u>Unit</u>	<u>Biological</u> Reference Interval
HbA1C (Whole Blood/ <i>HPLC</i> )	6.6	%	Normal: 4.5 - 5.6 Prediabetes: 5.7 - 6.4 Diabetic: >= 6.5
	7.0.07 E-in	7.1. 9.0.07 Decan constant	0.1.07

**INTERPRETATION:** If Diabetes - Good control : 6.1 - 7.0 %, Fair control : 7.1 - 8.0 %, Poor control >= 8.1 %

(Whole Blood)

### **INTERPRETATION:** Comments

HbA1c provides an index of Average Blood Glucose levels over the past 8 - 12 weeks and is a much better indicator of long term glycemic control as compared to blood and urinary glucose determinations.

Conditions that prolong RBC life span like Iron deficiency anemia, Vitamin B12 & Folate deficiency,

hypertriglyceridemia, hyperbilirubinemia, Drugs, Alcohol, Lead Poisoning, Asplenia can give falsely elevated HbA1C values.

Conditions that shorten RBC survival like acute or chronic blood loss, hemolytic anemia, Hemoglobinopathies, Splenomegaly, Vitamin E ingestion, Pregnancy, End stage Renal disease can cause falsely low HbA1c.



Name	: Mr. KUMAR HARENDRA			
PID No.	: MED111354356	Register On	: 29/10/2022 8:56 AM	M
SID No.	: 422074557	<b>Collection On</b>	: 29/10/2022 9:27 AM	
Age / Sex	: 49 Year(s) / Male	Report On	: 29/10/2022 8:24 PM	MEDALL
Туре	: OP	Printed On	: 04/11/2022 1:54 PM	
Ref. Dr	: MediWheel			

Investigation	<u>Observed</u> Value	<u>Unit</u>	<u>Biological</u> Reference Interval
<b>IMMUNOASSAY</b>			
<u>THYROID PROFILE / TFT</u>			
T3 (Triiodothyronine) - Total (Serum/ <i>ECLIA</i> )	0.807	ng/ml	0.7 - 2.04
<b>INTERPRETATION:</b> <b>Comment :</b> Total T3 variation can be seen in other condition like preg Metabolically active.	gnancy, drugs, nepł	nrosis etc. In such cas	es, Free T3 is recommended as it is
T4 (Tyroxine) - Total (Serum/ECLIA)	7.64	µg/dl	4.2 - 12.0
<b>INTERPRETATION:</b> <b>Comment :</b> Total T4 variation can be seen in other condition like preg Metabolically active.	gnancy, drugs, nepł	nrosis etc. In such cas	es, Free T4 is recommended as it is
TSH (Thyroid Stimulating Hormone) (Serum/ECLIA)	3.01	µIU/mL	0.35 - 5.50
INTERPRETATION: Reference range for cord blood - upto 20 1 st trimester: 0.1-2.5 2 nd trimester 0.2-3.0 3 rd trimester : 0.3-3.0 (Indian Thyroid Society Guidelines) <b>Comment :</b> 1.TSH reference range during pregnancy depends on Iodi 2.TSH Levels are subject to circadian variation, reaching of the order of 50%.hence time of the day has influence o	peak levels betwee	n 2-4am and at a mir	imum between 6-10PM. The variation can be

 $3.Values\&amplt; 0.03 \ \mu\text{IU/mL}$  need to be clinically correlated due to presence of rare TSH variant in some individuals.



Name	: Mr. KUMAR HARENDRA		
PID No.	: MED111354356	Register On : 29/10/2022 8:56 AM	$\mathbf{C}$
SID No.	: 422074557	Collection On : 29/10/2022 9:27 AM	
Age / Sex	: 49 Year(s) / Male	Report On : 29/10/2022 8:24 PM	MEDALL
Туре	: OP	Printed On : 04/11/2022 1:54 PM	
Ref. Dr	: MediWheel		

Investigation	<u>Observed</u> <u>Unit</u> <u>Value</u>	<u>Biological</u> <u>Reference Interval</u>
<b>CLINICAL PATHOLOGY</b>		
<u>PHYSICAL EXAMINATION (URINE</u> <u>COMPLETE)</u>		
Colour (Urine)	Pale yellow	Yellow to Amber
Appearance (Urine)	Clear	Clear
Volume(CLU) (Urine)	15	
<u>CHEMICAL EXAMINATION (URINE</u> <u>COMPLETE)</u>		
pH (Urine)	6.0	4.5 - 8.0
Specific Gravity (Urine)	1.004	1.002 - 1.035
Ketone (Urine)	Negative	Negative
Urobilinogen (Urine)	Normal	Normal
Blood (Urine)	Negative	Negative
Nitrite (Urine)	Negative	Negative
Bilirubin (Urine)	Negative	Negative
Protein (Urine)	Negative	Negative



Name	: Mr. KUMAR HARENDRA		
PID No.	: MED111354356	Register On : 29/10/2022	8:56 AM
SID No.	: 422074557	Collection On : 29/10/2022	9:27 AM
Age / Sex	: 49 Year(s) / Male	Report On : 29/10/2022	8:24 PM MEDALL
Туре	: OP	Printed On : 04/11/2022	1:54 PM
Ref. Dr	: MediWheel		

Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	Biological Reference Interval
Glucose (Urine/GOD - POD)	Negative		Negative
Leukocytes(CP) (Urine)	Negative		
<u>MICROSCOPIC EXAMINATION</u> (URINE COMPLETE)			
Pus Cells (Urine)	0-2	/hpf	NIL
Epithelial Cells (Urine)	0-2	/hpf	NIL
RBCs (Urine)	NIL	/HPF	NIL
Others (Urine)	NIL		

**INTERPRETATION:** Note: Done with Automated Urine Analyser & Automated urine sedimentation analyser. All abnormal reports are reviewed and confirmed microscopically.

Casts (Urine)	NIL	/hpf	NIL
Crystals (Urine)	NIL	/hpf	NIL



Name	: Mr. KUMAR HARENDRA			
PID No.	: MED111354356	Register On	: 29/10/2022 8:56 AM	C
SID No.	: 422074557	<b>Collection On</b>	: 29/10/2022 9:27 AM	
Age / Sex	: 49 Year(s) / Male	Report On	: 29/10/2022 8:24 PM	MEDALL
Туре	: OP	Printed On	: 04/11/2022 1:54 PM	
Ref. Dr	: MediWheel			

## Investigation

# **IMMUNOHAEMATOLOGY**

BLOOD GROUPING AND Rh TYPING (EDTA Blood/Agglutination)

'B' 'Positive'

<u>Observed</u>

<u>Value</u>

<u>Unit</u>



VERIFIED BY



**Biological** 

Reference Interval

APPROVED BY

The results pertain to sample tested.

Name	: Mr. KUMAR HARENDRA		
PID No.	: MED111354356	Register On : 29/10/2022 8:56 AM	M
SID No.	: 422074557	Collection On : 29/10/2022 9:27 AM	
Age / Sex	: 49 Year(s) / Male	<b>Report On</b> : 29/10/2022 8:24 PM	MEDALL
Туре	: OP	Printed On : 04/11/2022 1:54 PM	
Ref. Dr	: MediWheel		

Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
<b>BIOCHEMISTRY</b>			
BUN / Creatinine Ratio	7.6		6.0 - 22.0
Glucose Fasting (FBS) (Plasma - F/GOD-PAP)	115.11	mg/dL	Normal: < 100 Pre Diabetic: 100 - 125 Diabetic: >= 126

**INTERPRETATION:** Factors such as type, quantity and time of food intake, Physical activity, Psychological stress, and drugs can influence blood glucose level.

Glucose, Fasting (Urine)	Negative		Negative
(Urine - F/GOD - POD)			
Glucose Postprandial (PPBS)	121.47	mg/dL	70 - 140
(Plasma - PP/GOD-PAP)			

#### **INTERPRETATION:**

Factors such as type, quantity and time of food intake, Physical activity, Psychological stress, and drugs can influence blood glucose level. Fasting blood glucose level may be higher than Postprandial glucose, because of physiological surge in Postprandial Insulin secretion, Insulin resistance, Exercise or Stress, Dawn Phenomenon, Somogyi Phenomenon, Anti- diabetic medication during treatment for Diabetes.

Urine Glucose(PP-2 hours) (Urine - PP)	Negative		Negative
Blood Urea Nitrogen (BUN) (Serum/Urease UV / derived)	6.1	mg/dL	7.0 - 21
Creatinine	0.80	mg/dL	0.9 - 1.3

# (Serum/Modified Jaffe)

**INTERPRETATION:** Elevated Creatinine values are encountered in increased muscle mass, severe dehydration, Pre-eclampsia, increased ingestion of cooked meat, consuming Protein/ Creatine supplements, Diabetic Ketoacidosis, prolonged fasting, renal dysfunction and drugs such as cefoxitin ,cefazolin, ACE inhibitors ,angiotensin II receptor antagonists,N-acetylcyteine , chemotherapeutic agent such as flucytosine etc.

Uric Acid	4.41	mg/dL	3.5 - 7.2
(Serum/Enzymatic)			

Dr Anusha.K.S Sr.Consultant Pathologist Reg No : 100674 APPROVED BY

Name	: Mr. KUMAR HARENDRA			
PID No.	: MED111354356	Register On	: 29/10/2022 8:56 AM	M
SID No.	: 422074557	<b>Collection On</b>	: 29/10/2022 9:27 AM	
Age / Sex	: 49 Year(s) / Male	Report On	: 29/10/2022 8:24 PM	MEDALL
Туре	: OP	Printed On	: 04/11/2022 1:54 PM	
Ref. Dr	: MediWheel			

Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	Biological Reference Interval
<b>IMMUNOASSAY</b>			
Prostate specific antigen - Total(PSA) (Serum/ <i>Manometric method</i> )	2.55	ng/ml	Normal: 0.0 - 4.0 Inflammatory & Non Malignant conditions of Prostate & genitourinary system: 4.01 - 10.0 Suspicious of Malignant disease of Prostate: > 10.0

### INTERPRETATION: Analytical sensitivity: 0.008 - 100 ng/mL

PSA is a tumor marker for screening of prostate cancer. Increased levels of PSA are associated with prostate cancer and benign conditions like bacterial infection, inflammation of prostate gland and benign hypertrophy of prostate/ benign prostatic hyperplasia (BPH). Transient elevation of PSA levels are seen following digital rectal examination, rigorous physical activity like bicycle riding, ejaculation within 24 hours.

PSA levels tend to increase in all men as they age.

Clinical Utility of PSA:

**ð**In the early detection of Prostate cancer.

čAs an aid in discriminating between Prostate cancer and Benign Prostatic disease.

ðTo detect cancer recurrence or disease progression.



-- End of Report --



Name	Mr.KUMAR HARENDRA	ID	MED111354356
Age & Gender	49/MALE	Visit Date	29/10/2022
Ref Doctor Name	MediWheel		

# ABDOMINO-PELVIC ULTRASONOGRAPHY

**LIVER** is normal in shape, size and has uniform echopattern. No evidence of focal lesion or intrahepatic biliary ductal dilatation. Hepatic and portal vein radicals are normal.

**GALL BLADDER** shows normal shape and has clear contents. Gall bladder wall is of normal thickness. CBD is of normal calibre.

**PANCREAS** has normal shape, size and uniform echopattern. No evidence of ductal dilatation or calcification.

**SPLEEN** shows normal shape, size and echopattern. No demonstrable Para -aortic lymphadenopathy.

**KIDNEYS** move well with respiration and have normal shape, size and echopattern. Cortico- medullary differentiations are well madeout. No evidence of calculus or hydronephrosis.

#### The kidney measures as follows:

	Bipolar length (cms)	Parenchymal thickness (cms)
Right Kidney	10.8	1.3
Left Kidney	10.2	1.1

**URINARY BLADDER** shows normal shape and wall thickness. It has clear contents. No evidence of diverticula.

**PROSTATE** shows normal shape, size and echopattern. It measures 3.3 x 3.3 x 3.4cms (Vol:20cc).

No evidence of ascites / pleural effusion.

### **IMPRESSION:**

# > NO SIGNIFICANT ABNORMALITY DETECTED.

#### REPORT DISCLAIMER

- This is only a radiologincal imperssion. Like other investigations, radiological investication also have limitation. Therefore radiologincal reports should be interpreted in correlation with clinical and pathological findings.
- 2. The results reported here in are subject to interpretation by qualified medical professionals only.
- 3.Customer identities are accepted provided by the customer or their representative.
- 4.information about the customer's condition at the time of sample collection such as fasting, food consumption, medication, etc are accepted as provided by the customer or representative and shall not be investigated for its truthfulness.
- 5.If any specimen/sample is received from any others laboratory/hospital, its is presumed that the sample belongs to the patient identified or named.
- 6.Test results should be interpreted in context of clinical and other findings if any. In case of any clarification /doubt, the refrering doctor/patient can contact the respective section head of the laboratory.
- 7.Results of the test are influenced by the various factors such as sensitivity, specificity of the procedures of the tests, quality of the samples and drug interactions etc.,

8.1f the test results are found not to be appeared and ang clinically can contact the lab in charge for clarification or retesting where practicable within 24 hours from the time of issue of results.

- 9.Liability is limited to the extend of amount billed.
- 10.Reports are subject to interpretation in their entirety.partial or selective interpretation may lead to false opinion.
- 11.Disputes, if any, with regard to the report findings are subject to the exclusive jurisdiction of the competent courts chennai only.



Name	Mr.KUMAR HARENDRA	ID	MED111354356
Age & Gender	49/MALE	Visit Date	29/10/2022
Ref Doctor Name	MediWheel		

# DR. APARNA CONSULTANT RADIOLOGIST A/vp

REPORT DISCLAIMER

- 1. This is only a radiologincal imperssion. Like other investigations, radiological investication also have limitation. Therefore radiologincal reports should be interpreted in correlation with clinical and pathological findings.
- 2. The results reported here in are subject to interpretation by qualified medical professionals only.
- 3.Customer identities are accepted provided by the customer or their representative.
- 4.information about the customer's condition at the time of sample collection such as fasting, food consumption, medication, etc are accepted as provided by the customer or representative and shall not be investigated for its truthfulness.
- 5.If any specimen/sample is received from any others laboratory/hospital,its is presumed that the sample belongs to the patient identified or named.
- 6.Test results should be interpreted in context of clinical and other findings if any.In case of any clarification /doubt , the refrering doctor/patient can contact the respective section head of the laboratory.
- 7.Results of the test are influenced by the various factors such as sensitivity, specificity of the procedures of the tests, quality of the samples and drug interactions etc.,
- S.If the test results are found not to be correlating clinically can contact the lab in charge for clarification or retesting where practicable within 24 hours from the time of issue of results.
- 9.Liability is limited to the extend of amount billed.
- 10.Reports are subject to interpretation in their entirety.partial or selective interpretation may lead to false opinion.
- 11.Disputes, if any, with regard to the report findings are subject to the exclusive jurisdiction of the competent courts chennai only.