DEPARTMENT OF CARDIOLOGY

| UHID / IP NO | 40004037 (6667) | RISNo./Status: | 4007200/ |
|---------------|--|----------------|----------|
| Patient Name: | Mrs. PUJA MEENA | Age/Gender: | 30 Y/F |
| Referred By: | EHS CONSULTANT | Ward/Bed No: | OPD |
| Bill Date/No: | 22/07/2023 9:20AM/ OPSCR23- 24/3031 | Scan Date : | |
| Report Date: | 22/07/2023 11:54AM | Company Name: | Final |

REFERRAL REASON: - HEALTH CHECKUP

2D ECHOCARDIOGRAPHY WITH COLOR DOPPLER

M MODE DIMENSIONS: -

| | | | No | rmal | | | | Normal |
|--------------------|------------|-------|-------|--------------|--------|----------|-------------|---------------|
| IVSD | 10.4 | | 6-1 | 12mm | | LVIDS | 28.1 | 20-40mm |
| LVIDD | 43.1 | | 32- | 57mm | | LVPWS | 16.3 | mm |
| LVPWD | 10.9 | | 6-1 | l2mm | | AO | 28.1 | 19-37mm |
| IVSS | 16.3 | |] | mm | | LA | 28.1 | 19-40mm |
| LVEF | 62-64 | | > | 55% | | RA | ı | mm |
| | DOPPLEI | R MEA | SUREN | IENTS | & CALC | ULATIONS | <u>:</u> | |
| STRUCTURE | MORPHOLOGY | | VELO | CITY (m. | /s) | GRAD | IENT | REGURGITATION |
| | | | | | | (mml | Hg <u>)</u> | |
| MITRAL | NORMAL | E | 0.72 | e' | | | | NIL |
| VALVE | | A | 0.59 | E/e' | | - | | |
| TRICUSPID | NORMAL | | E | 0. | 42 | _ | | NIL |
| VALVE | | | A | 0. | 40 | | | |
| AORTIC | NORMAL | |] | 10.6 | | | | NIL |
| VALVE | | | | | | - | | |
| PULMONARY VALVE | NORMAL | | (| 0.57 | | - | | NIL |

COMMENTS & CONCLUSION: -

- NO RWMA, LVEF 62-64%
- NORMAL LV SYSTOLIC FUNCTION
- NORMAL LV DIASTOLIC FUNCTION
- ALL CARDIAC VALVES ARE NORMAL, NO PAH
- ALL CARDIAC CHAMBERS ARE NORMAL
- NO EVIDENCE OF CLOT/VEGETATION/PE
- INTACT IVS/IAS

IMPRESSION: - NORMAL BI VENTRICULAR FUNCTIONS

DR SUPRIY JAIN MBBS, M.D., D.M. (CARDIOLOGY) INCHARGE & SR. CONSULTANT INTERVENTIONAL CARDIOLOGY DR ROOPAM SHARMA MBBS, PGDCC, FIAE CONSULTANT & INCHARGE EMERGENCY, PREVENTIVE CARDIOLOGY AND WELLNESS CENTRE

Patient Name Mrs. PUJA MEENA

UHID 313175

Age/Gender 30 Yrs/Female

IP/OP Location O-OPD

Referred By Dr. EHCC Consultant

Mobile No. 9773349797

Lab No 497629

 Collection Date
 22/07/2023 11:59AM

 Receiving Date
 22/07/2023 12:03PM

Report Date 22/07/2023 12:38PM

Report Status Final



BIOCHEMISTRY

| Test Name | Result | Unit | Biological Ref. Range |
|-----------|--------|------|---|
| | | | Sample: WHOLE BLOOD EDTA |
| HBA1C | 5.9 | % | < 5.7% Nondiabetic 5.7-6.4% Pre-diabetic > 6.4% Indicate Diabetes |
| | | | Known Diabetic Patients < 7 % Excellent Control 7 - 8 % Good Control > 8 % Poor Control |

Method: - High - performance liquid chromatography HPLC Interpretation:-Monitoring long term glycemic control, testing every 3 to 4 months is generally sufficient. The approximate relationship between HbA1C and mean blood glucose values during the preceding 2 to 3 months.

End Of Report

RESULT ENTERED BY : Mr. Ravi

Dr. SURENDRA SINGH CONSULTANT & HOD MBBS|MD| PATHOLOGY Dr. ASHISH SHARMA
CONSULTANT & INCHARGE PATHOLOGY
MBBS|MD| PATHOLOGY

Page: 1 Of 1

| Patient Name | Mrs. PUJA MEENA | Lab No | 4007200 |
|----------------|-----------------|-----------------|--------------------|
| UHID | 40004037 | Collection Date | 22/07/2023 9:36AM |
| Age/Gender | 30 Yrs/Female | Receiving Date | 22/07/2023 9:44AM |
| IP/OP Location | O-OPD | Report Date | 22/07/2023 12:48PM |
| Referred By | EHS CONSULTANT | Report Status | Final |
| Mobile No. | 9460870025 | | |

BIOCHEMISTRY

| Test Name | Result | Unit | Biological Ref. Range | |
|-------------------------|--------|-------|-----------------------|--------------------|
| BLOOD GLUCOSE (FASTING) | | | | Sample: Fl. Plasma |
| BLOOD GLUCOSE (FASTING) | 100.1 | mg/dl | 74 - 106 | |

Method: Hexokinase assay.

TSH

Interpretation: -Diagnosis and monitoring of treatment in diabetes mellitus and evaluation of carbohydrate metabolism in various diseases.

 THYROID T3 T4 TSH

 T3
 1.290
 ng/mL
 0.970 - 1.690

 T4
 7.86
 ug/dl
 5.53 - 11.00

μIU/mL

0.40 - 4.05

T3:- Method: ElectroChemiLuminescence ImmunoAssay - ECLIA

Interpretation:-The determination of T3 is utilized in the diagnosis of T3-hyperthyroidism the detection of early stages of hyperthyroidism and for indicating a diagnosis of thyrotoxicosis factitia.

T4:- Method: ElectroChemiLuminescence ImmunoAssay - ECLIA

Interpretation:—The determination of T4 assay employs acompetitive test principle with an antibody specifically directed against T4.

 $\textbf{TSH - THYROID STIMULATING HORMONE :-} \ \texttt{ElectroChemiLuminescenceImmunoAssay} \ - \ \texttt{ECLIA}$

3.94

Interpretation:—The determination of TSH serves as theinitial test in thyroid diagnostics. Even very slight changes in the concentrations of the free thyroid hormones bring about much greater opposite changes in the TSH levels.

| LFT (LIVER FUNCTION TEST) | | | | Sample: Serum |
|---------------------------|--------|-------|-------------|---------------|
| BILIRUBIN TOTAL | 0.33 | mg/dl | 0.00 - 1.20 | |
| BILIRUBIN INDIRECT | 0.20 | mg/dl | 0.20 - 1.00 | |
| BILIRUBIN DIRECT | 0.13 | mg/dl | 0.00 - 0.40 | |
| SGOT | 44.4 H | U/L | 0.0 - 40.0 | |
| SGPT | 57.9 H | U/L | 0.0 - 40.0 | |

RESULT ENTERED BY : SUNIL EHS

Dr. MUDITA SHARMA

| Patient Name | Mrs. PUJA MEENA | Lab No | 4007200 |
|---------------------------|-----------------|-----------------|--------------------|
| UHID | 40004037 | Collection Date | 22/07/2023 9:36AM |
| Age/Gender IP/OP Location | 30 Yrs/Female | Receiving Date | 22/07/2023 9:44AM |
| | O-OPD | Report Date | 22/07/2023 12:48PM |
| Referred By | EHS CONSULTANT | Report Status | Final |
| Mobile No. | 9460870025 | | |

DIOCHERAICEDY

| | | DIOCHEIVIISTRY | |
|----------------------|--------|----------------|------------|
| TOTAL PROTEIN | 6.6 | g/dl | 6.6 - 8.7 |
| ALBUMIN | 4.0 | g/dl | 3.5 - 5.2 |
| GLOBULIN | 2.6 | | 1.8 - 3.6 |
| ALKALINE PHOSPHATASE | 78.3 | U/L | 42 - 98 |
| A/G RATIO | 1.5 | Ratio | 1.5 - 2.5 |
| GGTP | 59.1 H | U/L | 6.0 - 38.0 |

BILIRUBIN TOTAL :- Method: DPD assay. Interpretation:-Total Bilirubin measurements are used in the diagnosis and treatment of various liver diseases, and of haemolytic and metabolic disorders in adults and newborns. Both obstruction damage to hepatocellular structive.

BILIRUBIN DIRECT :- Method: Diazo method Interpretation: -Determinations of direct bilirubin measure mainly conjugated,

water soluble bilirubin.

SGOT - AST :- Method: IFCC without pyridoxal phosphate activation. Interpretation:-SGOT(AST) measurements are used in the diagnosis and treatment of certain types of liver and heart disease.

SGPT - ALT :- Method: IFCC without pyridoxal phosphate activation. Interpretation:-SGPT(ALT) Ratio Is Used For Differential Diagnosis In Liver Diseases.

TOTAL PROTEINS :- Method: Biuret colorimetric assay. Interpretation:-Total protein measurements are used in the diagnosis and treatment of a variety of liver and kidney diseases and bone marrow as well as metabolic and nutritional disorder. ALBUMIN :- Method: Colorimetric (BCP) assay. Interpretation:-For Diagnosis and monitoring of liver diseases, e.g. liver cirrhosis, nutritional status.

ALKALINE PHOSPHATASE :- Method: Colorimetric assay according to IFCC. Interpretation:-Elevated serum ALT is found in hepatitis, cirrhosis, obstructive jaundice, carcinoma of the liver, and chronic alcohol abuse. ALT is only slightly elevated in patients who have an uncomplicated myocardial infarction. **GGTP-GAMMA GLUTAMYL TRANSPEPTIDASE**:- Method: Enzymetic colorimetric assay. Interpretation:-y-glutamyltransferase is used in the diagnosis and monitoring of hepatobiliary disease. Enzymatic activity of GGT is often the only parameter with increased values when testing for such diseases and is one of the most sensitive indicator known.

LIPID PROFILE

| TOTAL CHOLESTEROL | 149 | | <200 mg/dl :- Desirable 200-240 mg/dl :- Borderline >240 mg/dl :- High |
|-------------------|-------|-------|--|
| HDL CHOLESTEROL | 29.5 | | High Risk :-<40 mg/dl (Male), <40 mg/dl (Female) Low Risk :->=60 mg/dl (Male), >=60 mg/dl (Female) |
| LDL CHOLESTEROL | 118.0 | | Optimal :- <100 mg/dl Near or Above Optimal :- 100-129 mg/dl Borderline :- 130-159 mg/dl High :- 160-189 mg/dl Very High :- >190 mg/dl |
| CHOLESTERO VLDL | 33 | mg/dl | 10 - 50 |

RESULT ENTERED BY: SUNIL EHS Os game.

Dr. MUDITA SHARMA

Patient Name Mrs. PUJA MEENA Lab No 4007200 UHID 40004037 **Collection Date** 22/07/2023 9:36AM 22/07/2023 9:44AM Age/Gender 30 Yrs/Female **Receiving Date Report Date IP/OP Location** O-OPD 22/07/2023 12:48PM Referred By **EHS CONSULTANT Report Status** Final Mobile No. 9460870025

BIOCHEMISTRY

TRIGLYCERIDES Normal :- <150 mg/dl 166.2

> Border Line:- 150 - 199 mg/dl High :- 200 - 499 mg/dl Very high :- > 500 mg/dl

CHOLESTEROL/HDL RATIO 5.0 %

CHOLESTEROL TOTAL :- Method: CHOD-PAP enzymatic colorimetric assay.

interpretation:-The determination of the individual total cholesterol (TC) level is used for screening purposes while for

a better risk assessment it is necessary to measure additionally lipid & lipoprotein metabolic disorders. HDL CHOLESTEROL :- Method:-Homogenous enzymetic colorimetric method.

Interpretation:-HDL-cholesterol has a protective against coronary heart disease, while reduced HDL-cholesterol concentrations, particularly in conjunction with elevated triglycerides, increase the cardiovascular disease.

LDL CHOLESTEROL:- Method: Homogenous enzymatic colorimetric assay.

Interpretation:-LDL play a key role in causing and influencing the progression of atherosclerosis and in particular

coronary sclerosis. The LDL are derived form VLDL rich in TG by the action of various lipolytic enzymes and are synthesized in the liver.

TRIGLYCERIDES: - Method: GPO-PAP enzymatic colorimetric assay.

Interpretation: -High triglycerde levels also occur in various diseases of liver, kidneys and pancreas.

DM, nephrosis, liver obstruction.

CHOLESTEROL/HDL RATIO :- Method: Cholesterol/HDL Ratio Calculative

RENAL PROFILE TEST Sample: Serum

| UREA | 14.2 L | mg/dl | 16.60 - 48.50 |
|------------|--------|--------|---------------|
| BUN | 6.6 | mg/dl | 6 - 20 |
| CREATININE | 0.40 L | mg/dl | 0.50 - 0.90 |
| SODIUM | 136.5 | mmol/L | 136 - 145 |
| POTASSIUM | 4.69 | mmol/L | 3.50 - 5.50 |
| CHLORIDE | 101.2 | mmol/L | 98 - 107 |
| URIC ACID | 4.1 | mg/dl | 2.6 - 6.0 |
| CALCIUM | 8.98 | mg/dl | 8.60 - 10.30 |

RESULT ENTERED BY: SUNIL EHS arried to

Dr. MUDITA SHARMA

Patient Name Mrs. PUJA MEENA Lab No 4007200 UHID 40004037 **Collection Date** 22/07/2023 9:36AM 22/07/2023 9:44AM Age/Gender **Receiving Date** 30 Yrs/Female Report Date O-OPD **IP/OP Location** 22/07/2023 12:48PM **Referred By EHS CONSULTANT Report Status** Final Mobile No. 9460870025

CREATININE - SERUM :- Method: -Jaffe method, Interpretation: -To differentiate acute and chronic kidneydisease.
URIC ACID :- Method: Enzymatic colorimetric assay. Interpretation: - Elevated blood concentrations of uricacid are renal diseases with decreased excretion of waste products, starvation, drug abuse and increased alcohol consume.
SODIUM: - Method: ISE electrode. Interpretation: -Decrease: Prolonged vomiting or diarrhea, diminished reabsorption in the kidney and excessive fluid retention. Increase: excessive fluid loss, high salt intake and kidney reabsorption.

POTASSIUM: - Method: ISE electrode. Intrpretation: -Low level: Intake excessive loss formbodydue to diarrhea, vomiting

renal failure, High level: Dehydration, shock severe burns, DKA, renalfailure.

CHLORIDE - SERUM: - Method: ISE electrode. Interpretation: -Decrease: reduced dietary intake, prolonged vomiting and reduced renal reabsorption as well as forms of acidosisand alkalosis.

Increase: dehydration, kidney failure, some form ofacidosis, high dietary or parenteral chloride intake, and salicylate poisoning.

UREA:- Method: Urease/GLDH kinetic assay. Interpretation:-Elevations in blood urea nitrogenconcentration are seen in inadequate renal perfusion, shock, diminished bloodvolume, chronic nephritis, nephrosclerosis, tubular necrosis, glomerularnephritis and UTI.

CALCIUM TOTAL: - Method: O-Cresolphthaleine complexone. Interpretation:-Increase in serum PTH or vit-D are usually associated with hypercalcemia. Increased serum calcium levels may also be observed in multiple myeloma and other neoplastic diseases. Hypocalcemia may

beobserved in hypoparathyroidism, nephrosis, and pancreatitis.

Lab No **Patient Name** Mrs. PUJA MEENA 4007200 UHID 40004037 **Collection Date** 22/07/2023 9:36AM 22/07/2023 9:44AM Age/Gender **Receiving Date** 30 Yrs/Female **Report Date IP/OP Location** O-OPD 22/07/2023 12:48PM **Referred By EHS CONSULTANT Report Status** Final Mobile No. 9460870025

BLOOD BANK INVESTIGATION

Unit **Biological Ref. Range Test Name** Result

BLOOD GROUPING "A" Rh Positive

1. Both forward and reverse grouping performed.
2. Test conducted on EDTA whole blood.

RESULT ENTERED BY: SUNIL EHS arrep &

Dr. MUDITA SHARMA

| Patient Name UHID | Mrs. PUJA MEENA 40004037 | Lab No Collection Date | 4007200 22/07/2023 9:36AM |
|---------------------------|-----------------------------|-------------------------------|---|
| Age/Gender IP/OP Location | 30 Yrs/Female O-OPD | Receiving Date Report Date | 22/07/2023 9:44AM 22/07/2023 12:48PM |
| Referred By | EHS CONSULTANT | Report Status | Final |
| Mohile No | 9460870025 | | |

CLINICAL PATHOLOGY

| URINE SUGAR (RANDOM) NEGATIVE Sample: Urine ROUTINE EXAMINATION - URINE Sample: Urine PHYSICAL EXAMINATION VOLUME 20 ml COLOUR PALE YELLOW PYELLOW APPEARANCE CLEAR CLEAR CHEMICAL EXAMINATION CLEAR CLEAR PH 6.0 5.5 - 7.0 SPECIFIC GRAVITY 1.005 1.016-1.022 PROTEIN NEGATIVE NEGATIVE SUGAR NEGATIVE NEGATIVE |
|--|
| ROUTINE EXAMINATION - URINE PHYSICAL EXAMINATION VOLUME 20 ml COLOUR APPEARANCE CLEAR CLEAR CLEAR CLEAR CLEAR CLEAR FYELLOW PYELLOW CLEAR CLEAR CLEAR CLEAR CLEAR ROUTINE EXAMINATION PYELLOW CLEAR CLEAR CLEAR CLEAR CLEAR NEGATIVE NEGATIVE |
| PHYSICAL EXAMINATIONVOLUME20mlCOLOURPALE YELLOWPYELLOWAPPEARANCECLEARCLEARCHEMICAL EXAMINATIONPH6.05.5 - 7.0SPECIFIC GRAVITY1.0051.016-1.022PROTEINNEGATIVENEGATIVE |
| PHYSICAL EXAMINATIONVOLUME20mlCOLOURPALE YELLOWPYELLOWAPPEARANCECLEARCLEARCHEMICAL EXAMINATIONPH6.05.5 - 7.0SPECIFIC GRAVITY1.0051.016-1.022PROTEINNEGATIVENEGATIVE |
| VOLUME20mlCOLOURPALE YELLOWP YELLOWAPPEARANCECLEARCLEARCHEMICAL EXAMINATIONPH6.05.5 - 7.0SPECIFIC GRAVITY1.0051.016-1.022PROTEINNEGATIVENEGATIVE |
| COLOUR PALE YELLOW PYELLOW APPEARANCE CLEAR CLEAR CHEMICAL EXAMINATION PH 6.0 5.5 - 7.0 SPECIFIC GRAVITY 1.005 1.005 1.016-1.022 PROTEIN NEGATIVE NEGATIVE |
| APPEARANCE CLEAR CLEAR CHEMICAL EXAMINATION PH 6.0 5.5 - 7.0 SPECIFIC GRAVITY 1.005 1.016-1.022 PROTEIN NEGATIVE NEGATIVE |
| CHEMICAL EXAMINATION PH 6.0 5.5 - 7.0 SPECIFIC GRAVITY 1.005 1.016-1.022 PROTEIN NEGATIVE NEGATIVE |
| PH 6.0 5.5 - 7.0 SPECIFIC GRAVITY 1.005 1.016-1.022 PROTEIN NEGATIVE NEGATIVE |
| SPECIFIC GRAVITY1.0051.016-1.022PROTEINNEGATIVENEGATIVE |
| PROTEIN NEGATIVE NEGATIVE |
| |
| SUGAR NEGATIVE NEGATIVE |
| |
| BILIRUBIN NEGATIVE NEGATIVE |
| BLOOD NEGATIVE |
| KETONES NEGATIVE NEGATIVE |
| NITRITE NEGATIVE NEGATIVE |
| UROBILINOGEN NEGATIVE NEGATIVE |
| LEUCOCYTE NEGATIVE NEGATIVE |
| MICROSCOPIC EXAMINATION |
| WBCS/HPF 1-2 /hpf 0-3 |
| RBCS/HPF 0-0 /hpf 0-2 |
| EPITHELIAL CELLS/HPF 2-3 /hpf 0 - 1 |
| CASTS NIL NIL |
| CRYSTALS NIL NIL |
| BACTERIA NIL NIL |
| OHTERS NIL NIL |

RESULT ENTERED BY: SUNIL EHS

Dr. MUDITA SHARMA

Patient Name Mrs. PUJA MEENA Lab No 4007200 UHID 40004037 **Collection Date** 22/07/2023 9:36AM 22/07/2023 9:44AM Age/Gender 30 Yrs/Female **Receiving Date Report Date IP/OP Location** O-OPD 22/07/2023 12:48PM **Referred By EHS CONSULTANT Report Status** Final 9460870025 Mobile No.

Methodology:-

Glucose: GOD-POD, Bilirubin: Diazo-Azo-coupling reaction with a diazonium, Ketone: Nitro Pruside reaction, Specific Gravity: Proton re;ease from ions, Blood: Psuedo-Peroxidase activity oh Haem moiety, pH: Methye Red-Bromothymol Blue (Double indicator system), Protein: H+ Release by buffer, microscopic & chemical method. interpretation: Diagnosis of Kidney function, UTI, Presence of Protein, Glucoses, Blood. Vocubulary syntax: Kit insert

Patient Name Mrs. PUJA MEENA Lab No 4007200 UHID 40004037 **Collection Date** 22/07/2023 9:36AM 22/07/2023 9:44AM Age/Gender 30 Yrs/Female **Receiving Date** Report Date **IP/OP Location** O-OPD 22/07/2023 12:48PM **Referred By EHS CONSULTANT Report Status** Final Mobile No. 9460870025

HEMATOLOGY

| Test Name | Result | Unit | Biological Ref. Ran | ge |
|------------------------------|--------|----------------|---------------------|--------------------------|
| CBC (COMPLETE BLOOD COUNT) | | | | Sample: WHOLE BLOOD EDTA |
| HAEMOGLOBIN | 11.8 L | g/dl | 12.0 - 15.0 | |
| PACKED CELL VOLUME(PCV) | 40.1 | % | 36.0 - 46.0 | |
| MCV | 78.3 L | fl | 82 - 92 | |
| MCH | 23.0 L | pg | 27 - 32 | |
| MCHC | 29.4 L | g/dl | 32 - 36 | |
| RBC COUNT | 5.12 H | millions/cu.mm | 3.80 - 4.80 | |
| TLC (TOTAL WBC COUNT) | 8.17 | 10^3/ uL | 4 - 10 | |
| DIFFERENTIAL LEUCOCYTE COUNT | | | | |
| NEUTROPHILS | 57.8 | % | 40 - 80 | |
| LYMPHOCYTE | 32.3 | % | 20 - 40 | |
| EOSINOPHILS | 3.8 | % | 1 - 6 | |
| MONOCYTES | 5.4 | % | 2 - 10 | |
| BASOPHIL | 0.7 L | % | 1 - 2 | |
| PLATELET COUNT | 3.85 | lakh/cumm | 1.500 - 4.500 | |

HAEMOGLOBIN :- Method:-SLS HemoglobinMethodology by Cell Counter.Interpretation:-Low-Anemia, High-Polycythemia.

MCV :- Method:- Calculation bysysmex. MCH: - Method: - Calculation bysysmex.
MCHC: - Method: - Calculation bysysmex.

RBC COUNT :- Method:-Hydrodynamicfocusing.Interpretation:-Low-Anemia, High-Polycythemia.

TLC (TOTAL WBC COUNT) :- Method: -Optical Detectorblock based on Flowcytometry. Interpretation: -High-Leucocytosis, Low-Leucopenia.

NEUTROPHILS :- Method: Optical detectorblock based on Flowcytometry $\textbf{LYMPHOCYTS} : - \ \texttt{Method:} \ \texttt{Optical} \ \texttt{detectorblock} \ \texttt{based} \ \texttt{on} \ \texttt{Flowcytometry}$

EOSINOPHILS :- Method: Optical detectorblock based on Flowcytometry

MONOCYTES :- Method: Optical detectorblock based on Flowcytometry

BASOPHIL :- Method: Optical detectorblock based on Flowcytometry

PLATELET COUNT :- Method:-Hydrodynamicfocusing method.Interpretation:-Low-Thrombocytopenia, High-Thrombocytosis.

HCT: Method:- Pulse Height Detection. Interpretation:-Low-Anemia, High-Polycythemia. NOTE: CH- CRITICAL HIGH, CL: CRITICAL LOW, L: LOW, H: HIGH

ESR (ERYTHROCYTE SEDIMENTATION RATE) 20 H mm/1st hr 0 - 15

Os game. Dr. MUDITA SHARMA

RESULT ENTERED BY: SUNIL EHS

Patient Name Lab No Mrs. PUJA MEENA 4007200 22/07/2023 9:36AM UHID 40004037 **Collection Date** 22/07/2023 9:44AM Age/Gender **Receiving Date** 30 Yrs/Female **Report Date** O-OPD **IP/OP Location** 22/07/2023 12:48PM **Referred By EHS CONSULTANT Report Status** Final Mobile No. 9460870025

Method:-Modified Westergrens.
Interpretation:-Increased in infections, sepsis, and malignancy.

| Patient Name | Mrs. PUJA MEENA | Lab No | 4007200 |
|---------------------------|-----------------|-----------------|--------------------|
| UHID | 40004037 | Collection Date | 22/07/2023 9:36AM |
| Age/Gender IP/OP Location | 30 Yrs/Female | Receiving Date | 22/07/2023 9:44AM |
| | O-OPD | Report Date | 22/07/2023 12:48PM |
| Referred By | EHS CONSULTANT | Report Status | Final |
| Mobile No. | 9460870025 | | |

Test Name Result Unit Biological Ref. Range

USG REPORT - ABDOMEN AND PELVIS

LIVER:

Is mildly enlarged in size measure 158 mm and shows diffuse increased echogenicity. No obvious focal lesion seen. No intra - Hepatic biliary radical dilatation seen.

GALL BLADDER:

Adequately distended with no obvious wall thickening/pericholecystic fat stranding/fluid. No obvious calculus/polyp/mass seen within.

PANCREAS:

Appears normal in size and it shows uniform echo texture.

SPLEEN:

Is normal in size measure 80 mm and shows uniform echogenicity.

RIGHT KIDNEY:

Right kidney measures 89 x 55 mm.

The shape, size and contour of the right kidney appear normal.

Corticomedullary differentiation is maintained. No evidence of pelvicalyceal dilatation.

No calculi seen.

LEFT KIDNEY:

Left kidney measures 92 x 59 mm.

| | Patient Name UHID | Mrs. PUJA MEENA 40004037 | Lab No Collection Date | 4007200 22/07/2023 9:36AM |
|---|---------------------------|-----------------------------|-------------------------------|---|
| | Age/Gender IP/OP Location | 30 Yrs/Female O-OPD | Receiving Date Report Date | 22/07/2023 9:44AM 22/07/2023 12:48PM |
| | Referred By | EHS CONSULTANT | Report Status | Final |
| ı | Mobile No. | 9460870025 | | |

USG

The shape, size and contour of the left kidney appear normal.

Corticomedullary differentiation is maintained. No evidence of pelvicalyceal dilatation.

No calculi seen.

BLADDER:

Is normal contour. No intra luminal echoes are seen.

UTERUS:

Uterus measures ~ 33 x 44 x 73 mm, anteverted.

Endometrial thickness measures ~ 3.6 mm.

No focal lesion noted.

OVARIES:

Both ovaries are normal in size and echoes.

Right ovary measures ~ 23 x 16 x 24 mm with 4.6cc in volume.

Left ovary measures ~ 24 x 19 x 24 mm with 5.8cc in volume.

RIGHT ILIAC FOSSA:

No focal fluid collections seen.

IMPRESSION:

Borderline hepatomegaly with Diffuse grade I fatty liver.

RESULT ENTERED BY : SUNIL EHS

Dr. RENU JADIYA MBBS, DNB RADIOLOGIST

Page: 11 Of 12

Patient Name Mrs. PUJA MEENA Lab No 4007200 UHID 40004037 **Collection Date** 22/07/2023 9:36AM 22/07/2023 9:44AM Age/Gender **Receiving Date** 30 Yrs/Female **Report Date IP/OP Location** O-OPD 22/07/2023 12:48PM **Referred By EHS CONSULTANT Report Status** Final Mobile No. 9460870025

X Ray

Test Name Result Unit Biological Ref. Range

X-RAY - CHEST PA VIEW

OBSERVATION:

Patient is rotated to the right.

The mediastinal and cardiac silhouette are normal.

Cardiothoracic ratio is normal.

Cardiophrenic and costophrenic angles are normal.

Both hila are normal.

The lung fields are clear.

Bones of the thoracic cage are normal.

End Of Report

RESULT ENTERED BY : SUNIL EHS

Dr. RENU JADIYA MBBS, DNB RADIOLOGIST

Page: 12 Of 12