

Page 1 of 12

This is an electronically authenticated report.



Test done from collected sample

Approved by: DR PS RAO MD Pathologist 2-B, Hazareshwar Colony, Udaipur 313001 (Raj.), Mob.: 7229961115, 7229970005 (24 x 7 Customer Service) Email : kshipralabsudaipur@gmail.com



	TEST R	EPORT	
Reg. No : 2111102105			Reg. Date : 19-Nov-2021
Name : Ram Kanha			Collected On : 19-Nov-2021 10:12
Age/Sex : 27 Years / Male			Approved On : 19-Nov-2021 10:40
Ref. By : Client : MEDIWHEEL WELLNESS	、		Printed On : 20-Nov-2021 19:31
		11:4	Reference Interval
<u>Parameter</u>	Result	<u>Unit</u>	
_	COMPLETE BLO SPECIMEN:	OD COUNT (C	BC)
Hemoglobin	16.7	g/dL	13.0 - 17.0
RBC Count	5.68	million/cmm	4.5 - 5.5
Hematrocrit (PCV)	54.3	%	40 - 54
МСН	29.4	Pg	27 - 32
MCV	95.6	fL	83 - 101
МСНС	30.8	%	31.5 - 34.5
RDW	11.8	%	11.5 - 14.5
WBC Count	9580	/cmm	4000 - 11000
DIFFERENTIAL WBC COUNT (Flow	<u>cytometry)</u>		
Neutrophils (%)	60	%	38 - 70
Lymphocytes (%)	32	%	20 - 40
Monocytes (%)	06	%	2 - 8
Eosinophils (%)	02	%	0 - 6
Basophils (%)	00	%	0 - 2
Neutrophils	5748	/cmm	
Lymphocytes	3066	/cmm	
Monocytes	575	/cmm	
Eosinophils	192	/cmm	
Basophils	0	/cmm	
Platelet Count (Flow cytometry)	239000	/cmm	150000 - 450000
MPV	9.7	fL	7.5 - 11.5
ERYTHROCYTE SEDIMENTATION F	<u>RATE</u>		
ESR (After 1 hour)	09	mm/hr	0 - 14
Modified Westergren Method			

----- End Of Report ------

Page 2 of 12


This is an electronically authenticated report.



Test done from collected sample

Approved by: DR PS RAO

2-B, Hazareshwar Colony, Udaipur 313001 (Raj.) , Mob.: 7229961115, 722997Ratiologist (24 x 7 Customer Service) Email : kshipralabsudaipur@gmail.com



Page 3 of 12

This is an electronically authenticated report.



Test done from collected sample

Approved by: DR PS RAO MD Pathologist 2-B, Hazareshwar Colony, Udaipur 313001 (Raj.), Mob.: 7229961115, 7229970005 (24 x 7 Customer Service) Email : kshipralabsudaipur@gmail.com

ora Scans & Labs


TEST REPORT 2111102105 Reg. Date Reg. No : 19-Nov-2021 Name **Collected On** Ram Kanha : 19-Nov-2021 10:12 Age/Sex 27 Years / Male • **Approved On** 19-Nov-2021 14:40 ÷ Ref. By **Printed On** 20-Nov-2021 19:31 Client : MEDIWHEEL WELLNESS Parameter **Result** <u>Unit</u> **Reference Interval** PLASMA GLUCOSE Fasting Blood Sugar (FBS) 122.7 70 - 110 mg/dL Hexokinase Method mg/dL Post Prandial Blood Sugar (PPBS) 206.6 70 - 140 Hexokinase Method Criteria for the diagnosis of diabetes 1. HbA1c >/= 6.5 * Or 2. Fasting plasma glucose >126 gm/dL. Fasting is defined as no caloric intake at least for 8 hrs. Or 3. Two hour plasma glucose >/= 200mg/dL during an oral glucose tolerence test by using a glucose load containing equivalent of 75 gm anhydrous glucose dissolved in water.

Or 4. In a patient with classic symptoms of hyperglycemia or hyperglycemic crisis, a random plasma glucose >/= 200 mg/dL.

*In the absence of unequivocal hyperglycemia, criteria 1-3 should be confirmed by repeat testing.

American diabetes association. Standards of medical care in diabetes 2011. Diabetes care 2011;34;S11.

----- End Of Report ------



Page 4 of 12

This is an electronically authenticated report.



Test done from collected sample

Approved by: DR PS RAO 2-B, Hazareshwar Colony, Udaipur 313001 (Raj.), Mob.: 7229961115, 7229970005

(24 x 7 Customer Service) Email : kshipralabsudaipur@gmail.com



	ТІ	EST REPORT	
Reg. No : 2111102105 Name : Ram Kanha Age/Sex : 27 Years / Male Ref. By : Client : MEDIWHEEL WELLI	NESS		Reg. Date:19-Nov-2021Collected On:19-Nov-2021 10:12Approved On:19-Nov-2021 12:06Printed On:20-Nov-2021 19:31
Parameter	Result	Unit	Reference Interval
	LIF	PID PROFILE	
Cholesterol (Enzymatic colorimetric)	255.8	mg/dL	Desirable : < 200.0 Borderline High : 200-239 High : > 240.0
Triglyceride (Enzymatic colorimetric)	406.4	mg/dL	Normal : < 150.0 Borderline : 150-199 High : 200-499 Very High : > 500.0
VLDL	81.28	mg/dL	15 - 35
Calculated			
LDL CHOLESTEROL	136.52	mg/dL	Optimal : < 100.0 Near / above optimal : 100-129 Borderline High : 130-159 High : 160-189 Very High : >190.0
HDL Cholesterol Homogeneous enzymatic colorin	38.0	mg/dL	30 - 70
Cholesterol /HDL Ratio	6.73		0 - 5.0
LDL / HDL RATIO Calculated	3.59		0 - 3.5

Page 5 of 12

This is an electronically authenticated report.




Test done from collected sample

Approved by: DR PS RAO 2-B, Hazareshwar Colony, Udaipur 313001 (Raj.), Mob.: 7229961115, 72299784069gist (24 x 7 Customer Service) Email : kshipralabsudaipur@gmail.com

	shipra Sca	ans &	& Labs	
			TEST REPORT	
Reg. No	: 2111102105			Reg. Date : 19-Nov-2021
Name	: Ram Kanha			Collected On : 19-Nov-2021 10:12
Age/Sex	: 27 Years / Male			Approved On : 19-Nov-2021 12:06
Ref. By	:			Printed On : 20-Nov-2021 19:31
Client	: MEDIWHEEL WELLNESS	5		
Paramet	er	<u>Result</u>	<u>Unit</u>	Reference Interval

NEW ATP III GUIDELINES (MAY 2001), MODIFICATION OF NCEP<?xml:namespace prefix = "o" ns = "urn:schemasmicrosoft-com:office:office" />




- LDL Cholesterol level is primary goal for treatment and varies with risk category and assesment
- For LDL Cholesterol level Please consider direct LDL value
- Risk assessment from HDL and Triglyceride has been revised. Also LDL goals have changed.
- Detail test interpreation available from the lab
- All tests are done according to NCEP guidelines and with FDA approved kits.
- LDL Cholesterol level is primary goal for treatment and varies with risk category and assessment # For test performed on specimens received or collected from non-KSHIPRA locations, it is presumed that the specimen belongs to the patient

named or identified as labeled on the container/test request and such verification has been carried out at the point generation of the said specimen by the sender.

KSHIPRA will be responsible Only for the analytical part of test carried out. All other responsibility will be of referring Laboratory.

----- End Of Report -----

Page 6 of 12



Test done from collected sample

2-B, Hazareshwar Colony, Udaipur 313001 (Raj.), Mob.: 7229961115, 72299780009gist (24 x 7 Customer Service) Email : kshipralabsudaipur@gmail.com

Kshipra Scans & Labs

	TES	T REPORT	
Reg. No : 2111102105			Reg. Date : 19-Nov-2021
Name : Ram Kanha			Collected On : 19-Nov-2021 10:12
Age/Sex : 27 Years / Male			Approved On : 19-Nov-2021 12:06
Ref. By			Printed On : 20-Nov-2021 19:31
Client : MEDIWHEEL WELLNES	S		
Parameter	<u>Result</u>	<u>Unit</u>	Reference Interval
	LIVER F	UNCTION TES	т
Total Bilirubin	1.0	mg/dL	0.10 - 1.0
Colorimetric diazo method			
Conjugated Bilirubin	0.49	mg/dL	0.0 - 0.3
Sulph acid dpl/caff-benz			
Unconjugated Bilirubin	0.51	mg/dL	0.0 - 1.1
Sulph acid dpl/caff-benz			
SGOT	68.6	U/L	0 - 37
(Enzymatic)			
SGPT	125.5	U/L	0 - 40
(Enzymatic)			
Alakaline Phosphatase	69.5	U/L	53 - 130
(Colorimetric standardized method)			
Protien with ratio			
Total Protein	8.4	g/dL	6.5 - 8.7
(Colorimetric standardized method)			
Albumin	5.3	mg/dL	3.5 - 5.3
(Colorimetric standardized method)			
Globulin	3.10	g/dL	2.3 - 3.5
Calculated			
A/G Ratio	1.71		0.8 - 2.0
Calculated			
	Enc	Of Report	

Page 7 of 12

This is an electronically authenticated report.



Test done from collected sample

Approved by: DR PS RAO 2-B, Hazareshwar Colony, Udaipur 313001 (Raj.), Mob.: 7229961115, 72299784069gist (24 x 7 Customer Service) Email : kshipralabsudaipur@gmail.com

	TEST	REPORT	
Reg. No : 2111102105			Reg. Date : 19-Nov-2021
lame : Ram Kanha			Collected On : 19-Nov-2021 10:12
ge/Sex : 27 Years / Male			Approved On : 19-Nov-2021 12:06
ef. By			Printed On : 20-Nov-2021 19:31
Client : MEDIWHEEL WELL	NESS		
<u>Parameter</u>	<u>Result</u>	<u>Unit</u>	Reference Interval
Ib A1C	Specimer 7.1	A1 C ESTIMATION n: Blood EDTA % of Total Hb	Poor Control : > 7.0 %
Ib A1C Foronate Affinity with Fluorescent Quenchin	Specimer 7.1	n: Blood EDTA	Poor Control : > 7.0 % Good Control : 6.2-7.0 %
	Specimer 7.1	n: Blood EDTA	Poor Control : > 7.0 %
	Specimer 7.1	n: Blood EDTA	Poor Control : > 7.0 % Good Control : 6.2-7.0 %
oronate Affinity with Fluorescent Quenchin lean Blood Glucose alculated	7.1 ng 175.46	n: Blood EDTA % of Total Hb	Poor Control : > 7.0 % Good Control : 6.2-7.0 %
lean Blood Glucose alculated egree of Glucose Control Norn oor Control >7.0% *	7.1 ^{2g} 175.46 mal Range:	n: Blood EDTA % of Total Hb	Poor Control : > 7.0 % Good Control : 6.2-7.0 %
bronate Affinity with Fluorescent Quenchin lean Blood Glucose alculated	7.1 99 175.46 mal Range: abetic level < 6.0 % n complication such as retinop	n: Blood EDTA % of Total Hb mg/dL	Poor Control : > 7.0 % Good Control : 6.2-7.0 % Non-diabetic Level : 4.3-6.2 %

various diabetic complications. Because the average half life of a red blood cell is sixty days,HbA1c has been accepted as a measurnment which eflects the mean daily blood glucose concentration, better than fasting blood glucose determination, and the degree of carbohydrate imbalance over the preceding two months.

*It may also provide a better index of control of the diabetic patient without resorting to glucose loading procedures.

HbA1c assay Interferences: *Errneous values might be obtained from samples with abnormally elevated quantities of other Haemoglobins as a result of either their simultaneous elution with HbA1c(HbF) or differences in their glycation from that of HbA(HbS)



Page 8 of 12

This is an electronically authenticated report.



Test done from collected sample


Approved by: DR PS RAO

2-B, Hazareshwar Colony, Udaipur 313001 (Raj.) , Mob.: 7229961115, 7229970005 (24 x 7 Customer Service) Email : kshipralabsudaipur@gmail.com

Kshipra S	cans & l	abs	
	-	TEST REPORT	
Reg. No:2111102105Name:Ram KanhaAge/Sex:27 Years / MaleRef. By:			Reg. Date : 19-Nov-2021 Collected On : 19-Nov-2021 10:12 Approved On : 19-Nov-2021 12:06 Printed On : 20-Nov-2021 19:31
Client : MEDIWHEEL WELLN Parameter	IESS <u>Result</u>	Unit	Reference Interval
	THYR	OID FUNCTION TES	ST
T3 (Triiodothyronine) Chemiluminescence	1.31	ng/mL	0.87 - 1.81
T4 (Thyroxine) Chemiluminescence	17.25	µg/dL	5.89 - 14.9
TSH (ultra sensitive)	4.801	μIU/mI	0.34 - 5.6

Chemiluminescence

SUMMARY The hypophyseal release of TSH (thyrotropic hormone) is the central regulating mechanism for the biological action of thyroid hormones.TSH is a very sensitive and specific parameter for assessing thyroid function and is particularly suitable for early detection or exclusion of disorders in the central regulating circuit between the hypothalamus, pituitary and thyroid. LIMITATION Presence of autoantibodies may cause unexpected high value of TSH




Page 9 of 12

This is an electronically authenticated report.




Test done from collected sample

Approved by: DR PS RAO 2-B, Hazareshwar Colony, Udaipur 313001 (Raj.), Mob.: 7229961115, 72299784069gist (24 x 7 Customer Service) Email : kshipralabsudaipur@gmail.com



Page 10 of 12

This is an electronically authenticated report.



Test done from collected sample

2-B, Hazareshwar Colony, Udaipur 313001 (Raj.) , Mob.: 7229961115, 72299700095t (24 x 7 Customer Service) Email : kshipralabsudaipur@gmail.com



	TES	T REPORT	
Reg. No : 2111102105			Reg. Date : 19-Nov-2021
Name : Ram Kanha			Collected On : 19-Nov-2021 10:12
Age/Sex : 27 Years / Male			Approved On : 20-Nov-2021 19:31
Ref. By			Printed On : 20-Nov-2021 19:31
Client : MEDIWHEEL WELLN			
Parameter	<u>Result</u>	<u>Unit</u>	Reference Interval
	STOOL	EXAMINATIO	DN .
Colour	Yellow		
Consistency	Semi Solid		
CHEMICAL EXAMINATION			
Occult Blood	Negative		
Peroxidase Reaction with o- Dianisidine			
Reaction	Acidic		
pH Strip Method			
Reducing Substance	Absent		
Benedict's Method			
MICROSCOPIC EXAMINATION			
Mucus	Nil		
Pus Cells	1 - 2/hpf		
Red Cells	Nil		
Epithelial Cells	Nil		
Vegetable Cells	Nil		
Trophozoites	Nil		
Cysts	Nil		
Ova	Nil		
Neutral Fat	Nil		
Monilia	Nil		
Note: Stool occult blood test is	highly sensitive to pero	oxidase like activ	ity of free hemoglobin

Note: Stool occult blood test is highly sensitive to peroxidase like activity of free hemoglobin. False negative: False negative occult blood test may be observed in case of excess (>250mg/day) Vitamin C intake and in case of occassinal unruptured RBCs.

False positive: False positive occult blood test may be observed in stool samples containing vegetable peroxidase (turnips, horseradish, cauliflower, brocoli, cantaloupe, parsnips) and myoglobin from food (meat diet) intake.

----- End Of Report ------

Page	11	of	12
------	----	----	----

This is an electronically authenticated report.



Test done from collected sample

Approved by: DR PS RAO 2-B, Hazareshwar Colony, Udaipur 313001 (Raj.), Mob.: 7229961115, 722997Rationogist

(24 x 7 Customer Service) Email : kshipralabsudaipur@gmail.com

	TEST REPORT	
Reg. No : 2111102105 Name : Ram Kanha Age/Sex : 27 Years / Male Ref. By : : Client : MEDIWHEEL WELLNESS		Reg. Date:19-Nov-2021Collected On:19-Nov-2021 10:12Approved On:20-Nov-2021 19:31Printed On:20-Nov-2021 19:31
Parameter	Result Unit	Reference Interval
<u>PHYSICAL EXAMINATION</u> Quantity Colour	20 cc Pale Yellow	
Appearance	Clear	
CHEMICAL EXAMINATION (BY REI pH Sp. Gravity Protein	7.0 1.020 Nil	5.0 - 8.0 1.002 - 1.03
Glucose Ketone Bodies Urine Bile salt and Bile Pigment	Nil Nil Nil	
Urine Bilirubin Nitrite Leucocytes Blood	Nil Nil Nil	
MICROSCOPIC EXAMINATION (MA Leucocytes (Pus Cells) Erythrocytes (Red Cells)	NUAL BY MCIROSCOPY) Nil Nil	
Epithelial Cells Amorphous Material Casts	1-2/hpf Nil Nil	
Casts Crystals Bacteria Monilia	Nil Nil Nil	

----- End Of Report ------

Page 12 of 12

This is an electronically authenticated report.



Test done from collected sample

Approved by: DR PS RAO 2-B, Hazareshwar Colony, Udaipur 313001 (Raj.), Mob.: 7229961115, 722% Ratio (24 x 7 Customer Service) Email : kshipralabsudaipur@gmail.com