

Name : Mrs. LILYU KUMARI

PID No. : MED121472184

Register On : 12/11/2022 7:36 AM

SID No. : 522228387

Collection On : 12/11/2022 9:12 AM

Age / Sex : 43 Year(s) / Female

Report On : 12/11/2022 3:08 PM

Type : OP

Printed On : 14/11/2022 1:39 PM


Ref. Dr : MediWheel

<u>Investigation</u>	<u>Observed Value</u>	<u>Unit</u>	<u>Biological Reference Interval</u>
----------------------	-----------------------	-------------	--------------------------------------

HAEMATOLOGY

Complete Blood Count With - ESR

Haemoglobin (EDTA Blood/Spectrophotometry)	13.0	g/dL	12.5 - 16.0
Packed Cell Volume(PCV)/Haematocrit (EDTA Blood)	40.2	%	37 - 47
RBC Count (EDTA Blood)	4.87	mill/cu.mm	4.2 - 5.4
Mean Corpuscular Volume(MCV) (EDTA Blood)	82.6	fL	78 - 100
Mean Corpuscular Haemoglobin(MCH) (EDTA Blood)	26.8	pg	27 - 32
Mean Corpuscular Haemoglobin concentration(MCHC) (EDTA Blood)	32.4	g/dL	32 - 36
RDW-CV	14.6	%	11.5 - 16.0
RDW-SD	42.21	fL	39 - 46
Total Leukocyte Count (TC) (EDTA Blood)	10600	cells/cu.mm	4000 - 11000
Neutrophils (Blood)	55.6	%	40 - 75
Lymphocytes (Blood)	35.4	%	20 - 45
Eosinophils (Blood)	2.8	%	01 - 06
Monocytes (Blood)	5.6	%	01 - 10




APPROVED BY

Name : Mrs. LILYU KUMARI
PID No. : MED121472184
SID No. : 522228387
Age / Sex : 43 Year(s) / Female
Type : OP
Ref. Dr : MediWheel

Register On : 12/11/2022 7:36 AM
Collection On : 12/11/2022 9:12 AM
Report On : 12/11/2022 3:08 PM
Printed On : 14/11/2022 1:39 PM

<u>Investigation</u>	<u>Observed Value</u>	<u>Unit</u>	<u>Biological Reference Interval</u>
Basophils (Blood)	0.6	%	00 - 02
INTERPRETATION: Tests done on Automated Five Part cell counter. All abnormal results are reviewed and confirmed microscopically.			
Absolute Neutrophil count (EDTA Blood)	5.89	10 ³ / μ l	1.5 - 6.6
Absolute Lymphocyte Count (EDTA Blood)	3.75	10 ³ / μ l	1.5 - 3.5
Absolute Eosinophil Count (AEC) (EDTA Blood)	0.30	10 ³ / μ l	0.04 - 0.44
Absolute Monocyte Count (EDTA Blood)	0.59	10 ³ / μ l	< 1.0
Absolute Basophil count (EDTA Blood)	0.06	10 ³ / μ l	< 0.2
Platelet Count (EDTA Blood)	251	10 ³ / μ l	150 - 450
MPV (Blood)	9.6	fL	8.0 - 13.3
PCT (Automated Blood cell Counter)	0.24	%	0.18 - 0.28
ESR (Erythrocyte Sedimentation Rate) (Citrate Blood)	7	mm/hr	< 20



APPROVED BY


Name : Mrs. LILYU KUMARI
PID No. : MED121472184 **Register On** : 12/11/2022 7:36 AM
SID No. : 522228387 **Collection On** : 12/11/2022 9:12 AM
Age / Sex : 43 Year(s) / Female **Report On** : 12/11/2022 3:08 PM
Type : OP **Printed On** : 14/11/2022 1:39 PM
Ref. Dr : MediWheel

<u>Investigation</u>	<u>Observed Value</u>	<u>Unit</u>	<u>Biological Reference Interval</u>
----------------------	-----------------------	-------------	--------------------------------------

BIOCHEMISTRY

Liver Function Test

Bilirubin(Total) (Serum/DCA with ATCS)	0.59	mg/dL	0.1 - 1.2
Bilirubin(Direct) (Serum/Diazotized Sulfanilic Acid)	0.22	mg/dL	0.0 - 0.3
Bilirubin(Indirect) (Serum/Derived)	0.37	mg/dL	0.1 - 1.0
SGOT/AST (Aspartate Aminotransferase) (Serum/Modified IFCC)	24.21	U/L	5 - 40
SGPT/ALT (Alanine Aminotransferase) (Serum/Modified IFCC)	33.29	U/L	5 - 41
GGT(Gamma Glutamyl Transpeptidase) (Serum/IFCC / Kinetic)	78.65	U/L	< 38
Alkaline Phosphatase (SAP) (Serum/Modified IFCC)	74.0	U/L	42 - 98
Total Protein (Serum/Biuret)	7.17	gm/dl	6.0 - 8.0
Albumin (Serum/Bromocresol green)	4.24	gm/dl	3.5 - 5.2
Globulin (Serum/Derived)	2.93	gm/dL	2.3 - 3.6
A : G RATIO (Serum/Derived)	1.45		1.1 - 2.2



Dr. Arjun C.P
 MBBS, MD Pathology
 Reg No:KMC 89655


APPROVED BY

Name : Mrs. LILYU KUMARI
PID No. : MED121472184 **Register On** : 12/11/2022 7:36 AM
SID No. : 522228387 **Collection On** : 12/11/2022 9:12 AM
Age / Sex : 43 Year(s) / Female **Report On** : 12/11/2022 3:08 PM
Type : OP **Printed On** : 14/11/2022 1:39 PM
Ref. Dr : MediWheel

<u>Investigation</u>	<u>Observed Value</u>	<u>Unit</u>	<u>Biological Reference Interval</u>
<u>Lipid Profile</u>			
Cholesterol Total (Serum/CHOD-PAP with ATCS)	172.85	mg/dL	Optimal: < 200 Borderline: 200 - 239 High Risk: >= 240
Triglycerides (Serum/GPO-PAP with ATCS)	146.38	mg/dL	Optimal: < 150 Borderline: 150 - 199 High: 200 - 499 Very High: >= 500

INTERPRETATION: The reference ranges are based on fasting condition. Triglyceride levels change drastically in response to food, increasing as much as 5 to 10 times the fasting levels, just a few hours after eating. Fasting triglyceride levels show considerable diurnal variation too. There is evidence recommending triglycerides estimation in non-fasting condition for evaluating the risk of heart disease and screening for metabolic syndrome, as non-fasting sample is more representative of the usual circulating level of triglycerides during most part of the day.

HDL Cholesterol (Serum/Immunoinhibition)	32.16	mg/dL	Optimal(Negative Risk Factor): >= 60 Borderline: 50 - 59 High Risk: < 50
LDL Cholesterol (Serum/Calculated)	111.4	mg/dL	Optimal: < 100 Above Optimal: 100 - 129 Borderline: 130 - 159 High: 160 - 189 Very High: >= 190
VLDL Cholesterol (Serum/Calculated)	29.3	mg/dL	< 30
Non HDL Cholesterol (Serum/Calculated)	140.7	mg/dL	Optimal: < 130 Above Optimal: 130 - 159 Borderline High: 160 - 189 High: 190 - 219 Very High: >= 220



APPROVED BY

Name : Mrs. LILYU KUMARI
PID No. : MED121472184 **Register On** : 12/11/2022 7:36 AM
SID No. : 522228387 **Collection On** : 12/11/2022 9:12 AM
Age / Sex : 43 Year(s) / Female **Report On** : 12/11/2022 3:08 PM
Type : OP **Printed On** : 14/11/2022 1:39 PM
Ref. Dr : MediWheel


<u>Investigation</u>	<u>Observed Value</u>	<u>Unit</u>	<u>Biological Reference Interval</u>
----------------------	-----------------------	-------------	--------------------------------------

INTERPRETATION: 1.Non-HDL Cholesterol is now proven to be a better cardiovascular risk marker than LDL Cholesterol.
 2.It is the sum of all potentially atherogenic proteins including LDL, IDL, VLDL and chylomicrons and it is the "new bad cholesterol" and is a co-primary target for cholesterol lowering therapy.

Total Cholesterol/HDL Cholesterol Ratio (Serum/Calculated)	5.4		Optimal: < 3.3 Low Risk: 3.4 - 4.4 Average Risk: 4.5 - 7.1 Moderate Risk: 7.2 - 11.0 High Risk: > 11.0
---	-----	--	--

Triglyceride/HDL Cholesterol Ratio (TG/HDL) (Serum/Calculated)	4.6		Optimal: < 2.5 Mild to moderate risk: 2.5 - 5.0 High Risk: > 5.0
--	-----	--	--

LDL/HDL Cholesterol Ratio (Serum/Calculated)	3.5		Optimal: 0.5 - 3.0 Borderline: 3.1 - 6.0 High Risk: > 6.0
---	-----	--	---



APPROVED BY

Name : Mrs. LILYU KUMARI
PID No. : MED121472184 Register On : 12/11/2022 7:36 AM
SID No. : 522228387 Collection On : 12/11/2022 9:12 AM
Age / Sex : 43 Year(s) / Female Report On : 12/11/2022 3:08 PM
Type : OP Printed On : 14/11/2022 1:39 PM
Ref. Dr : MediWheel

<u>Investigation</u>	<u>Observed Value</u>	<u>Unit</u>	<u>Biological Reference Interval</u>
<u>Glycosylated Haemoglobin (HbA1c)</u>			
HbA1C (Whole Blood/HPLC)	6.7	%	Normal: 4.5 - 5.6 Prediabetes: 5.7 - 6.4 Diabetic: >= 6.5

INTERPRETATION: If Diabetes - Good control : 6.1 - 7.0 % , Fair control : 7.1 - 8.0 % , Poor control >= 8.1 %


Estimated Average Glucose 145.59 mg/dL
(Whole Blood)

INTERPRETATION: Comments

HbA1c provides an index of Average Blood Glucose levels over the past 8 - 12 weeks and is a much better indicator of long term glyceimic control as compared to blood and urinary glucose determinations.

Conditions that prolong RBC life span like Iron deficiency anemia, Vitamin B12 & Folate deficiency, hypertriglyceridemia, hyperbilirubinemia, Drugs, Alcohol, Lead Poisoning, Asplenia can give falsely elevated HbA1C values.

Conditions that shorten RBC survival like acute or chronic blood loss, hemolytic anemia, Hemoglobinopathies, Splenomegaly, Vitamin E ingestion, Pregnancy, End stage Renal disease can cause falsely low HbA1c.



APPROVED BY

Name : Mrs. LILYU KUMARI
PID No. : MED121472184 **Register On** : 12/11/2022 7:36 AM
SID No. : 522228387 **Collection On** : 12/11/2022 9:12 AM
Age / Sex : 43 Year(s) / Female **Report On** : 12/11/2022 3:08 PM
Type : OP **Printed On** : 14/11/2022 1:39 PM
Ref. Dr : MediWheel

<u>Investigation</u>	<u>Observed Value</u>	<u>Unit</u>	<u>Biological Reference Interval</u>
----------------------	-----------------------	-------------	--------------------------------------

IMMUNOASSAY

THYROID PROFILE / TFT

T3 (Triiodothyronine) - Total (Serum/ECLIA)	0.971	ng/ml	0.7 - 2.04
--	-------	-------	------------

INTERPRETATION:

Comment :

Total T3 variation can be seen in other condition like pregnancy, drugs, nephrosis etc. In such cases, Free T3 is recommended as it is Metabolically active.

T4 (Tyroxine) - Total (Serum/ECLIA)	10.19	µg/dl	4.2 - 12.0
--	-------	-------	------------

INTERPRETATION:

Comment :

Total T4 variation can be seen in other condition like pregnancy, drugs, nephrosis etc. In such cases, Free T4 is recommended as it is Metabolically active.

TSH (Thyroid Stimulating Hormone) (Serum/ECLIA)	3.62	µIU/mL	0.35 - 5.50
--	------	--------	-------------

INTERPRETATION:

Reference range for cord blood - upto 20

1 st trimester: 0.1-2.5

2 nd trimester 0.2-3.0

3 rd trimester : 0.3-3.0


(Indian Thyroid Society Guidelines)

Comment :

1.TSH reference range during pregnancy depends on Iodine intake, TPO status, Serum HCG concentration, race, Ethnicity and BMI.

2.TSH Levels are subject to circadian variation, reaching peak levels between 2-4am and at a minimum between 6-10PM.The variation can be of the order of 50%,hence time of the day has influence on the measured serum TSH concentrations.

3.Values&lt;0.03 µIU/mL need to be clinically correlated due to presence of rare TSH variant in some individuals.



APPROVED BY

Name : Mrs. LILYU KUMARI
PID No. : MED121472184 **Register On** : 12/11/2022 7:36 AM
SID No. : 522228387 **Collection On** : 12/11/2022 9:12 AM
Age / Sex : 43 Year(s) / Female **Report On** : 12/11/2022 3:08 PM
Type : OP **Printed On** : 14/11/2022 1:39 PM
Ref. Dr : MediWheel

<u>Investigation</u>	<u>Observed Value</u>	<u>Unit</u>	<u>Biological Reference Interval</u>
----------------------	-----------------------	-------------	--------------------------------------


CLINICAL PATHOLOGY

PHYSICAL EXAMINATION (URINE COMPLETE)

Colour (Urine)	Pale yellow		Yellow to Amber
Appearance (Urine)	Clear		Clear
Volume(CLU) (Urine)	35		

CHEMICAL EXAMINATION (URINE COMPLETE)

pH (Urine)	5.5		4.5 - 8.0
Specific Gravity (Urine)	1.008		1.002 - 1.035
Ketone (Urine)	Negative		Negative
Urobilinogen (Urine)	Normal		Normal
Blood (Urine)	Negative		Negative
Nitrite (Urine)	Negative		Negative
Bilirubin (Urine)	Negative		Negative
Protein (Urine)	Trace		Negative



APPROVED BY

Name : Mrs. LILYU KUMARI
PID No. : MED121472184 Register On : 12/11/2022 7:36 AM
SID No. : 522228387 Collection On : 12/11/2022 9:12 AM
Age / Sex : 43 Year(s) / Female Report On : 12/11/2022 3:08 PM
Type : OP Printed On : 14/11/2022 1:39 PM
Ref. Dr : MediWheel

<u>Investigation</u>	<u>Observed Value</u>	<u>Unit</u>	<u>Biological Reference Interval</u>
Glucose (Urine/GOD - POD)	Negative		Negative
Leukocytes(CP) (Urine)	Negative		
<u>MICROSCOPIC EXAMINATION</u> <u>(URINE COMPLETE)</u>			
Pus Cells (Urine)	0-2	/hpf	NIL
Epithelial Cells (Urine)	0-2	/hpf	NIL
RBCs (Urine)	NIL	/HPF	NIL
Others (Urine)	NIL		

INTERPRETATION:Note: Done with Automated Urine Analyser & Automated urine sedimentation analyser. All abnormal reports are reviewed and confirmed microscopically.



APPROVED BY

Name : Mrs. LILYU KUMARI
PID No. : MED121472184 Register On : 12/11/2022 7:36 AM
SID No. : 522228387 Collection On : 12/11/2022 9:12 AM
Age / Sex : 43 Year(s) / Female Report On : 12/11/2022 3:08 PM
Type : OP Printed On : 14/11/2022 1:39 PM
Ref. Dr : MediWheel

<u>Investigation</u>	<u>Observed Value</u>	<u>Unit</u>	<u>Biological Reference Interval</u>
----------------------	-----------------------	-------------	--------------------------------------

IMMUNOHAEMATOLOGY

BLOOD GROUPING AND Rh TYPING 'B' Positive'
(EDTA Blood/Agglutination)

INTERPRETATION:Note: Slide method is screening method. Kindly confirm with Tube method for transfusion.


Dr Anusha.K.S
Sr.Consultant Pathologist
Reg No : 100674
APPROVED BY

Name : Mrs. LILYU KUMARI
PID No. : MED121472184 **Register On** : 12/11/2022 7:36 AM
SID No. : 522228387 **Collection On** : 12/11/2022 9:12 AM
Age / Sex : 43 Year(s)/ Female **Report On** : 12/11/2022 3:08 PM
Type : OP **Printed On** : 14/11/2022 1:39 PM
Ref. Dr : MediWheel

<u>Investigation</u>	<u>Observed Value</u>	<u>Unit</u>	<u>Biological Reference Interval</u>
<u>BIOCHEMISTRY</u>			
BUN / Creatinine Ratio	12.3		6.0 - 22.0
Glucose Fasting (FBS) (Plasma - F/GOD-PAP)	123.85	mg/dL	Normal: < 100 Pre Diabetic: 100 - 125 Diabetic: >= 126

INTERPRETATION: Factors such as type, quantity and time of food intake, Physical activity, Psychological stress, and drugs can influence blood glucose level.


Glucose, Fasting (Urine) (Urine - F/GOD - POD)	Negative		Negative
Glucose Postprandial (PPBS) (Plasma - PP/GOD-PAP)	211.93	mg/dL	70 - 140

INTERPRETATION: Factors such as type, quantity and time of food intake, Physical activity, Psychological stress, and drugs can influence blood glucose level. Fasting blood glucose level may be higher than Postprandial glucose, because of physiological surge in Postprandial Insulin secretion, Insulin resistance, Exercise or Stress, Dawn Phenomenon, Somogyi Phenomenon, Anti- diabetic medication during treatment for Diabetes.

Urine Glucose(PP-2 hours) (Urine - PP)	Negative		Negative
Blood Urea Nitrogen (BUN) (Serum/Urease UV / derived)	8.0	mg/dL	7.0 - 21
Creatinine (Serum/Modified Jaffe)	0.65	mg/dL	0.6 - 1.1

INTERPRETATION: Elevated Creatinine values are encountered in increased muscle mass, severe dehydration, Pre-eclampsia, increased ingestion of cooked meat, consuming Protein/ Creatine supplements, Diabetic Ketoacidosis, prolonged fasting, renal dysfunction and drugs such as cefoxitin ,cefazolin, ACE inhibitors ,angiotensin II receptor antagonists,N-acetylcyteine , chemotherapeutic agent such as flucytosine etc.

Uric Acid (Serum/Enzymatic)	6.02	mg/dL	2.6 - 6.0
--------------------------------	-------------	-------	-----------



APPROVED BY

-- End of Report --

Name	MRS.LILYU KUMARI	ID	MED121472184
Age & Gender	43Y/FEMALE	Visit Date	12 Nov 2022
Ref Doctor Name	MediWheel		

ABDOMINO-PELVIC ULTRASONOGRAPHY

LIVER is normal in size (13.9cms) and shows increased echogenicity. No evidence of focal lesion or intrahepatic biliary ductal dilatation. Hepatic and portal vein radicals are normal.

GALL BLADDER is partially distended.
CBD is of normal calibre.

PANCREAS has normal shape, size and uniform echopattern. No evidence of ductal dilatation or calcification.

SPLEEN show normal shape, size and echopattern.
No demonstrable Para-aortic lymphadenopathy.

BOTH KIDNEYS

Right kidney: Normal in shape, size and echopattern. Cortico-medullary differentiation is well madeout. No evidence of calculus or hydronephrosis.

Left kidney: Normal in shape, size and echopattern. Cortico-medullary differentiation is well madeout. No evidence of calculus or hydronephrosis.

The kidney measures as follows:

	Bipolar length (cms)	Parenchymal thickness (cms)
Right Kidney	11.0	1.4
Left Kidney	11.5	1.5

URINARY BLADDER show normal shape and wall thickness. It has clear contents. No evidence of diverticula.

UTERUS is anteverted and has normal shape and size. It has uniform myometrial echopattern. Endometrial echo is of normal thickness - 5mm.

Uterus measures LS: 6.6cms AP: 3.4cms TS: 4.8cms.

OVARIES are normal in size, shape and echotexture

Right ovary measures 2.6 x 1.9cms Left ovary measures 2.0 x 1.9cms

POD & adnexa are free.
No evidence of ascites.

IMPRESSION:

- **Grade I fatty infiltration of the liver.**

Name	MRS.LILYU KUMARI	ID	MED121472184
Age & Gender	43Y/FEMALE	Visit Date	12 Nov 2022
Ref Doctor Name	MediWheel		

- **No other significant abnormality detected.**

DR. HEMANANDINI V.N
CONSULTANT RADIOLOGIST
Hn/an

Name	MRS.LILYU KUMARI	ID	MED121472184
Age & Gender	43Y/FEMALE	Visit Date	12 Nov 2022
Ref Doctor Name	MediWheel		

PT COME NEXT WEEK


43 Years Female

QRS : 80 ms
QT / QTcBaz : 420 / 450 ms
PR : 132 ms
P : 86 ms
RR / PP : 872 / 869 ms
P / QRS / T : 42 / -5 / 94 degrees

Normal sinus rhythm
Possible Left atrial enlargement
Nonspecific ST and T wave abnormality
Abnormal ECG

Handwritten: CAD Poor R in V1-V6

Technician:
Ordering Ph:
Referring Ph:
Attending Ph:



Unconfirmed

Patient Name	Lily Kumari	Date	12/11/2022
Age	43 yrs	Visit Number	522228387
Sex	Female	Corporate	Mediwheel

MEDICAL EXAMINATION REPORT

Height : 152 cms

Weight : 76.6 cms

BMI : 33.2

- Healthy BMI range: 18.5 kg/m² - 25 kg/m²
- Healthy weight for the height: 58.0 kgs - 78.3 kgs
- Lose 8.4 kgs to reach a BMI of 25 kg/m².
- Ponderal Index: 15.6 kg/m³

Blood Pressure : 220/110 mm of Hg

Pulse : 68 per mt

Chest - Exhale : 92 cms

Inhale : 100 cms

Abdomen : 96 cms

Eyes : Normal

Ears : Normal

Throat : Normal

Neck Nodes : Not enlarged

CVS : S1S2+

PA : NAD

RS : AUBS

CNS : NAD

Smoker / Alcoholic : No

Weight loss / cough : No

H/O Piles / Fever : No

Any surgery : CSES-2

Medication for DM / HT / Heart disease :
Hypothyroid

on medication

K.R.S. Shankar
Physician signature **Dr. SHANKAR K.R.S**
Bsc. MBBS.,
KMC No: 15130



Name	LILYU KUMARI	Customer ID	MED121472184
Age & Gender	43Y/F	Visit Date	Nov 12 2022 7:36AM
Ref Doctor	MediWheel		

X - RAY CHEST PA VIEW

Bilateral lung fields appear normal.

Cardiac size is within normal limits.

Bilateral hilar regions appear normal.

Bilateral domes of diaphragm and costophrenic angles are normal.

Visualised bones and soft tissues appear normal.

IMPRESSION:

- No significant abnormality detected.



DR. HEMANANDHINI
CONSULTANT RADIOLOGIST