

## आरत सरकार Government of India



Download Date: 11/10/202



उत्सव सक्सेना Utsav Saxena जन्म तिथि/DOB: 13/08/1989 पुरुष/ MALE

la sue Date : 27/01/2016

4872 5291 7613

VID: 9175 2752 0489 4260

मेरा आधार, मेरी पहचान

June

Chandan Diagnostic Centre 24/22, Karachi Khana Mall Road, Kanpur Dr. K.C. BHARADWAJ M.B.B.S. D CARD Reg. No. 32749


ni.vop.inbiu.www

ni.vog.isbiu@qiad [24]

ZP61 3

Reshorder

4872 5291 7613 VID: 9175 2752 0489 4260



Address: S/O: Manoj Kumar Saxena, 278/174, -, LUKERGAMJ, Allahabad \*\*, Allahabad, Uhar Pradesh - 211001


८/०: मनीय कमार संवर्तना, 278/174, -, जूकरनाय, इलाहणाट, इलेहजाट, उत्तर प्रदेश - 211001

Harrier Chil



आरताय विशिष्ट पहुचान भाषिकरण Unique Identification Authority of India







Add: 24/22, Vrindawan Bhawan, Karachi Khana, Kanpur

Ph: 9235432757,

CIN: U85110DL2003LC308206



Patient Name : Mr.UTSAV SAXENA Registered On : 17/Mar/2024 10:45:32 Age/Gender Collected : 17/Mar/2024 13:14:31 : 34 Y 7 M 4 D /M UHID/MR NO : IKNP.0000032767 Received : 18/Mar/2024 10:20:30 Visit ID : IKNP0091222324 Reported : 18/Mar/2024 13:33:06 Ref Doctor : Dr.MediWheel Knp -Status : Final Report

## **DEPARTMENT OF HAEMATOLOGY**

## MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
Blood Group (ABO & Rh typing) ** , E	Blood			
Blood Group	В			ERYTHROCYTE MAGNETIZED TECHNOLOGY / TUBE AGGLUTINA
Rh ( Anti-D)	POSITIVE	or and the		ERYTHROCYTE MAGNETIZED TECHNOLOGY / TUBE AGGLUTINA
Complete Blood Count (CBC) ** , Who	le Blood			
Haemoglobin  TLC (WBC)	15.50 6,700.00	g/dl /Cu mm	1 Day- 14.5-22.5 g/dl 1 Wk- 13.5-19.5 g/dl 1 Mo- 10.0-18.0 g/dl 3-6 Mo- 9.5-13.5 g/dl 0.5-2 Yr- 10.5-13.5 g/dl 2-6 Yr- 11.5-15.5 g/dl 6-12 Yr- 11.5-15.5 g/dl 12-18 Yr 13.0-16.0 g/dl Male- 13.5-17.5 g/dl Female- 12.0-15.5 g/dl 4000-10000	ELECTRONIC IMPEDANCE
DLC				
Polymorphs (Neutrophils )	63.00	%	55-70	ELECTRONIC IMPEDANCE
Lymphocytes	25.00	%	25-40	ELECTRONIC IMPEDANCE
Monocytes	5.00	%	3-5	ELECTRONIC IMPEDANCE
Eosinophils	7.00	%	1-6	ELECTRONIC IMPEDANCE
Basophils <b>ESR</b>	0.00	%	<1	ELECTRONIC IMPEDANCE
Observed	8.00	Mm for 1st hr.		
Corrected	0.00	Mm for 1st hr.	< 9	
PCV (HCT)	47.00	%	40-54	
Platelet count				
Platelet Count	3.30	LACS/cu mm	1.5-4.0	ELECTRONIC IMPEDANCE/MICROSCOPIC
PDW (Platelet Distribution width)	16.30	fL	9-17	ELECTRONIC IMPEDANCE
P-LCR (Platelet Large Cell Ratio)	29.70	%	35-60	ELECTRONIC IMPEDANCE









Add: 24/22,Vrindawan Bhawan,Karachi Khana, Kanpur

Ph: 9235432757,

CIN: U85110DL2003LC308206



Patient Name : Mr. UTSAV SAXENA Registered On : 17/Mar/2024 10:45:32 Age/Gender Collected : 17/Mar/2024 13:14:31 : 34 Y 7 M 4 D /M UHID/MR NO : IKNP.0000032767 Received : 18/Mar/2024 10:20:30 Visit ID : IKNP0091222324 Reported : 18/Mar/2024 13:33:06 Ref Doctor Status : Dr.MediWheel Knp -: Final Report

## **DEPARTMENT OF HAEMATOLOGY**

## MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
PCT (Platelet Hematocrit)	0.34	%	0.108-0.282	ELECTRONIC IMPEDANCE
MPV (Mean Platelet Volume)	10.30	fL	6.5-12.0	ELECTRONIC IMPEDANCE
RBC Count				
RBC Count	5.08	Mill./cu mm	4.2-5.5	ELECTRONIC IMPEDANCE
Blood Indices (MCV, MCH, MCHC)				
MCV	91.80	۰fl	80-100	CALCULATED PARAMETER
MCH	30.50	pg	28-35	CALCULATED PARAMETER
MCHC	33.30	%	30-38	CALCULATED PARAMETER
RDW-CV	13.50	%	11-16	ELECTRONIC IMPEDANCE
RDW-SD	46.90	fL	35-60	ELECTRONIC IMPEDANCE
Absolute Neutrophils Count	4,221.00	/cu mm	3000-7000	
Absolute Eosinophils Count (AEC)	469.00	/cu mm	40-440	

Dr. Surbhi Lahoti (M.D. Pathology)









Ph: 9235432757,

CIN: U85110DL2003LC308206



Patient Name : Mr.UTSAV SAXENA : 17/Mar/2024 10:45:32 Registered On Age/Gender : 34 Y 7 M 4 D /M Collected : 17/Mar/2024 18:35:34 UHID/MR NO : IKNP.0000032767 Received : 17/Mar/2024 18:38:59 Visit ID : IKNP0091222324 Reported : 17/Mar/2024 19:05:43 Ref Doctor Status : Dr.MediWheel Knp -: Final Report

## **DEPARTMENT OF BIOCHEMISTRY**

#### MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
GLUCOSE FASTING , Plasma				
Glucose Fasting	80.30	mg/dl	< 100 Normal 100-125 Pre-diabetes ≥ 126 Diabetes	GOD POD

## **Interpretation:**

- a) Kindly correlate clinically with intake of hypoglycemic agents, drug dosage variations and other drug interactions.
- b) A negative test result only shows that the person does not have diabetes at the time of testing. It does not mean that the person will never get diabetics in future, which is why an Annual Health Check up is essential.
- c) I.G.T = Impared Glucose Tolerance.

Glucose PP	93.10	mg/dl	<140 Normal	<b>GOD POD</b>
Sample:Plasma After Meal		San Paris	140-199 Pre-diabetes	
			>200 Diabetes	

#### **Interpretation:**

- a) Kindly correlate clinically with intake of hypoglycemic agents, drug dosage variations and other drug interactions.
- b) A negative test result only shows that the person does not have diabetes at the time of testing. It does not mean that the person will never get diabetics in future, which is why an Annual Health Check up is essential.
- c) I.G.T = Impared Glucose Tolerance.

Dr. Seema Nagar(MD Path)

Page 3 of 12









Ph: 9235432757,

CIN: U85110DL2003LC308206



Patient Name : 17/Mar/2024 10:45:33 : Mr. UTSAV SAXENA Registered On Age/Gender : 34 Y 7 M 4 D /M Collected : 17/Mar/2024 13:14:31 UHID/MR NO : IKNP.0000032767 Received : 18/Mar/2024 12:43:13 Visit ID : IKNP0091222324 Reported : 18/Mar/2024 15:14:52 Ref Doctor : Dr.MediWheel Knp -Status : Final Report

### **DEPARTMENT OF BIOCHEMISTRY**

#### MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method

## GLYCOSYLATED HAEMOGLOBIN (HBA1C) \*\*, EDTA BLOOD

Glycosylated Haemoglobin (HbA1c)	5.70	% NGSP	HPLC (NGSP)
Glycosylated Haemoglobin (HbA1c)	39.00	mmol/mol/IFCC	
Estimated Average Glucose (eAG)	117	mg/dl	

#### **Interpretation:**

### NOTE:-

- eAG is directly related to A1c.
- An A1c of 7% -the goal for most people with diabetes-is the equivalent of an eAG of 154 mg/dl.
- eAG may help facilitate a better understanding of actual daily control helping you and your health care provider to make necessary changes to your diet and physical activity to improve overall diabetes mnagement.

The following ranges may be used for interpretation of results. However, factors such as duration of diabetes, adherence to therapy and the age of the patient should also be considered in assessing the degree of blood glucose control.

Haemoglobin A1C (%)NGSP	mmol/mol / IFCC Unit	eAG (mg/dl)	<b>Degree of Glucose Control Unit</b>
> 8	>63.9	>183	Action Suggested*
7-8	53.0 -63.9	154-183	Fair Control
< 7	<63.9	<154	Goal**
6-7	42.1 -63.9	126-154	Near-normal glycemia
< 6%	<42.1	<126	Non-diabetic level

<sup>\*</sup>High risk of developing long term complications such as Retinopathy, Nephropathy, Neuropathy, Cardiopathy, etc.

N.B.: Test carried out on Automated VARIANT II TURBO HPLC Analyser.

#### **Clinical Implications:**

- \*Values are frequently increased in persons with poorly controlled or newly diagnosed diabetes.
- \*With optimal control, the HbA 1c moves toward normal levels.
- \*A diabetic patient who recently comes under good control may still show higher concentrations of glycosylated hemoglobin. This level declines gradually over several months as nearly normal glycosylated \*Increases in glycosylated hemoglobin occur in the following non-diabetic conditions: a. Iron-deficiency anemia b. Splenectomy







<sup>\*\*</sup>Some danger of hypoglycemic reaction in Type 1diabetics. Some glucose intolerant individuals and "subclinical" diabetics may demonstrate HbA1C levels in this area.





Ph: 9235432757,

CIN: U85110DL2003LC308206



Registered On Patient Name : Mr.UTSAV SAXENA : 17/Mar/2024 10:45:33 Age/Gender : 34 Y 7 M 4 D /M Collected : 17/Mar/2024 13:14:31 UHID/MR NO : IKNP.0000032767 Received : 18/Mar/2024 12:43:13 Visit ID : IKNP0091222324 Reported : 18/Mar/2024 15:14:52 Ref Doctor : Dr.MediWheel Knp -

Status : Final Report

## **DEPARTMENT OF BIOCHEMISTRY**

## MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Unit **Test Name** Result Bio. Ref. Interval Method

c. Alcohol toxicity d. Lead toxicity



Dr. Anupam Singh (MBBS MD Pathology)







<sup>\*</sup>Decreases in A 1c occur in the following non-diabetic conditions: a. Hemolytic anemia b. chronic blood loss

<sup>\*</sup>Pregnancy d. chronic renal failure. Interfering Factors:

<sup>\*</sup>Presence of Hb F and H causes falsely elevated values. 2. Presence of Hb S, C, E, D, G, and Lepore (autosomal recessive mutation resulting in a hemoglobinopathy) causes falsely decreased values.



Add: 24/22,Vrindawan Bhawan,Karachi Khana, Kanpur

Ph: 9235432757,

CIN: U85110DL2003LC308206



Patient Name : Mr.UTSAV SAXENA Registered On : 17/Mar/2024 10:45:33 Age/Gender Collected : 17/Mar/2024 13:14:31 : 34 Y 7 M 4 D /M UHID/MR NO : IKNP.0000032767 Received : 17/Mar/2024 13:14:43 Visit ID : IKNP0091222324 Reported : 17/Mar/2024 14:41:08 Ref Doctor : Dr.MediWheel Knp -Status : Final Report

## **DEPARTMENT OF BIOCHEMISTRY**

## MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
BUN (Blood Urea Nitrogen) * Sample:Serum	8.10	mg/dL	7.0-23.0	CALCULATED
Creatinine Sample:Serum	0.75	mg/dl	0.6-1.30	MODIFIED JAFFES
<b>Uric Acid</b> Sample:Serum	3.82	· mg/dl	3.4-7.0	URICASE
LFT (WITH GAMMA GT) * , Serum				
SGOT / Aspartate Aminotransferase (AST)	28.60	U/L	< 35	IFCC WITHOUT P5P
SGPT / Alanine Aminotransferase (ALT)	35.60	U/L	< 40	IFCC WITHOUT P5P
Gamma GT (GGT)	33.80	IU/L	11-50	OPTIMIZED SZAZING
Protein	6.87	gm/dl	6.2-8.0	BIURET
Albumin	3.82	gm/dl	3.4-5.4	B.C.G.
Globulin	3.05	gm/dl	1.8-3.6	CALCULATED
A:G Ratio	1.25		1.1-2.0	CALCULATED
Alkaline Phosphatase (Total)	84.80	U/L	42.0-165.0.	IFCC METHOD
Bilirubin (Total)	0.44	mg/dl	0.3-1.2	JENDRASSIK & GROF
Bilirubin (Direct)	0.22	mg/dl	< 0.30	JENDRASSIK & GROF
Bilirubin (Indirect)	0.22	mg/dl	< 0.8	JENDRASSIK & GROF
LIPID PROFILE ( MINI ) , Serum				
Cholesterol (Total)	251.00	mg/dl	<200 Desirable 200-239 Borderline High > 240 High	CHOD-PAP
HDL Cholesterol (Good Cholesterol)	90.10	mg/dl	30-70	DIRECT ENZYMATIC
LDL Cholesterol (Bad Cholesterol)	102	mg/dl	< 100 Optimal 100-129 Nr.	CALCULATED
			Optimal/Above Optima 130-159 Borderline High 160-189 High > 190 Very High	
VLDL	58.98	mg/dl ,	10-33	^
Triglycerides	294.90	mg/dl	< 150 Normal 150-199 Borderline High 200-499 High	Tree of
			>500 Very High	Dr. Seema Nagar(MD Path)











Ph: 9235432757,

CIN: U85110DL2003LC308206



Patient Name : Mr.UTSAV SAXENA Registered On : 17/Mar/2024 10:45:32 Age/Gender Collected : 17/Mar/2024 13:14:31 : 34 Y 7 M 4 D /M UHID/MR NO : IKNP.0000032767 Received : 18/Mar/2024 11:31:07 Visit ID : IKNP0091222324 Reported : 18/Mar/2024 15:41:28

Ref Doctor : Dr.MediWheel Knp -Status : Final Report

## **DEPARTMENT OF CLINICAL PATHOLOGY** MEDIWHEEL BANK OF BARODA MALE AROVE 40 VRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
RINE EXAMINATION, ROUTINE *	<b>* ,</b> Urine			
Color	PALE YELLOW			
Specific Gravity	1.010			
Reaction PH	Neutral (7.0)			DIPSTICK
Appearance	CLEAR			
Protein	ABSENT	mg %	< 10 Absent	DIPSTICK
			10-40 (+)	
			40-200 (++)	
			200-500 (+++)	
Sugar	ABSENT	amc0/	> 500 (++++)	DIPSTICK
Sugar	ADSEIVI	gms%	< 0.5 (+) 0.5-1.0 (++)	DIPSTICK
			1-2 (+++)	
			> 2 (++++)	
Ketone	ABSENT	mg/dl	0.1-3.0	BIOCHEMISTRY
Bile Salts	ABSENT			
Bile Pigments	ABSENT			
Bilirubin	ABSENT			DIPSTICK
Leucocyte Esterase	ABSENT			DIPSTICK
Urobilinogen(1:20 dilution)	ABSENT			
Nitrite	ABSENT			DIPSTICK
Blood	ABSENT			DIPSTICK
Microscopic Examination:				
Epithelial cells	0-1/h.p.f			MICROSCOPIC
	о .,р			EXAMINATION
Pus cells	ABSENT			
RBCs	ABSENT			MICROSCOPIC
				EXAMINATION
Cast	ABSENT			
Crystals	ABSENT			MICROSCOPIC
-				<b>EXAMINATION</b>
Others	ABSENT			
TOOL, ROUTINE EXAMINATION *	* , Stool			
Color	BROWNISH			
Consistency	SEMI SOLID			



Consistency **SEMI SOLID** Reaction (PH) Acidic (6.5)







Add: 24/22,Vrindawan Bhawan,Karachi Khana, Kanpur

Ph: 9235432757,

CIN: U85110DL2003LC308206



Patient Name : Mr.UTSAV SAXENA Registered On : 17/Mar/2024 10:45:32 Age/Gender Collected : 17/Mar/2024 13:14:31 : 34 Y 7 M 4 D /M UHID/MR NO : IKNP.0000032767 Received : 18/Mar/2024 11:31:07 Visit ID : IKNP0091222324 Reported : 18/Mar/2024 15:41:28 Ref Doctor : Dr.MediWheel Knp -Status : Final Report

# DEPARTMENT OF CLINICAL PATHOLOGY MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
Mucus	ABSENT			
Blood	ABSENT			
Worm	ABSENT			
Pus cells	ABSENT			
RBCs	ABSENT			
Ova	ABSENT			
Cysts	ABSENT	,		
Others	ABSENT			

Being

Dr. Anupam Singh (MBBS MD Pathology)

Page 8 of 12







Add: 24/22,Vrindawan Bhawan,Karachi Khana, Kanpur

Ph: 9235432757,

CIN: U85110DL2003LC308206



Patient Name : Mr.UTSAV SAXENA Registered On : 17/Mar/2024 10:45:32 Age/Gender Collected : 17/Mar/2024 18:35:34 : 34 Y 7 M 4 D /M UHID/MR NO : IKNP.0000032767 Received : 17/Mar/2024 18:38:59 : IKNP0091222324 Visit ID Reported : 17/Mar/2024 19:06:23

Ref Doctor : Dr.MediWheel Knp - Status : Final Report

# DEPARTMENT OF CLINICAL PATHOLOGY MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name Result Unit Bio. Ref. Interval Method

**SUGAR, FASTING STAGE \***, Urine

Sugar, Fasting stage

**ABSENT** 

gms%

**Interpretation:** 

(+) < 0.5

(++) 0.5-1.0

(+++) 1-2 (++++) > 2

SUGAR, PP STAGE \* , Urine

Sugar, PP Stage

**ABSENT** 

**Interpretation:** 

(+) < 0.5 gms%

(++) 0.5-1.0 gms%

(+++) 1-2 gms%

(++++) > 2 gms%

Dr. Seema Nagar(MD Path)

Page 9 of 12







Add: 24/22, Vrindawan Bhawan, Karachi Khana, Kanpur

Ph: 9235432757,

CIN: U85110DL2003LC308206



Patient Name : Mr.UTSAV SAXENA : 17/Mar/2024 10:45:33 Registered On Age/Gender : 34 Y 7 M 4 D /M Collected : 17/Mar/2024 13:14:31 UHID/MR NO : IKNP.0000032767 Received : 18/Mar/2024 09:57:33 Visit ID : IKNP0091222324 Reported : 18/Mar/2024 13:21:12 Ref Doctor : Dr.MediWheel Knp -Status : Final Report

## **DEPARTMENT OF IMMUNOLOGY**

#### MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
PSA (Prostate Specific Antigen), Total ** Sample:Serum	0.29	ng/mL	<4.1	CLIA

## **Interpretation:**

- 1. PSA is detected in the serum of males with normal, benign hypertrophic, and malignant prostate tissue.
- 2. Measurement of serum PSA levels is not recommended as a screening procedure for the diagnosis of cancer because elevated PSA levels also are observed in patients with benign prostatic hypertrophy. However, studies suggest that the measurement of PSA in conjunction with digital rectal examination (DRE) and ultrasound provide a better method of detecting prostate cancer than DRE alone.
- 3. PSA levels increase in men with cancer of the prostate, and after radical prostatectomy PSA levels routinely fall to the undetectable range.
- 4. If prostatic tissue remains after surgery or metastasis has occurred, PSA appears to be useful in detecting residual and early recurrence of tumor.
- 5. Therefore, serial PSA levels can help determine the success of prostatectomy, and the need for further treatment, such as radiation, endocrine or chemotherapy, and in the monitoring of the effectiveness of therapy.

## THYROID PROFILE - TOTAL \*\*, Serum

T3, Total (tri-iodothyronine)	94.25	ng/dl	84.61-201.7	CLIA
T4, Total (Thyroxine)	4.20	ug/dl	3.2-12.6	CLIA
TSH (Thyroid Stimulating Hormone)	7.570	μIU/mL	0.27 - 5.5	CLIA

## **Interpretation:**

0.3-4.5	μIU/mL	First Trimester	
0.5-4.6	$\mu IU/mL$	Second Trimester	
0.8 - 5.2	$\mu IU/mL$	Third Trimester	
0.5 - 8.9	μIU/mL	Adults	55-87 Years
0.7 - 27	μIU/mL	Premature	28-36 Week
2.3-13.2	$\mu IU/mL$	Cord Blood	> 37Week
0.7-64	μIU/mL	Child(21 wk - 20 Yrs.)	
1-39	$\mu IU/mL$	Child	0-4 Days
1.7-9.1	$\mu IU/mL$	Child	2-20 Week

1) Patients having low T3 and T4 levels but high TSH levels suffer from primary hypothyroidism, cretinism, juvenile myxedema or autoimmune disorders.









Ph: 9235432757,

CIN: U85110DL2003LC308206



Patient Name : Mr.UTSAV SAXENA : 17/Mar/2024 10:45:33 Registered On Age/Gender : 34 Y 7 M 4 D /M Collected : 17/Mar/2024 13:14:31 UHID/MR NO : IKNP.0000032767 Received : 18/Mar/2024 09:57:33 Visit ID : IKNP0091222324 Reported : 18/Mar/2024 13:21:12 Ref Doctor Status : Dr.MediWheel Knp -: Final Report

### **DEPARTMENT OF IMMUNOLOGY**

## MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name Result Unit Bio. Ref. Interval Method

- 2) Patients having high T3 and T4 levels but low TSH levels suffer from Grave's disease, toxic adenoma or sub-acute thyroiditis.
- 3) Patients having either low or normal T3 and T4 levels but low TSH values suffer from iodine deficiency or secondary hypothyroidism.
- **4)** Patients having high T3 and T4 levels but normal TSH levels may suffer from toxic multinodular goiter. This condition is mostly a symptomatic and may cause transient hyperthyroidism but no persistent symptoms.
- 5) Patients with high or normal T3 and T4 levels and low or normal TSH levels suffer either from T3 toxicosis or T4 toxicosis respectively.
- **6**) In patients with non thyroidal illness abnormal test results are not necessarily indicative of thyroidism but may be due to adaptation to the catabolic state and may revert to normal when the patient recovers.
- 7) There are many drugs for eg. Glucocorticoids, Dopamine, Lithium, Iodides, Oral radiographic dyes, etc. which may affect the thyroid function tests.
- 8) Generally when total T3 and total T4 results are indecisive then Free T3 and Free T4 tests are recommended for further confirmation along with TSH levels.

Bring

Dr. Anupam Singh (MBBS MD Pathology)









Ph: 9235432757,

CIN: U85110DL2003LC308206



Patient Name : Mr.UTSAV SAXENA Registered On : 17/Mar/2024 10:45:34

 Age/Gender
 : 34 Y 7 M 4 D /M
 Collected
 : N/A

 UHID/MR NO
 : IKNP.0000032767
 Received
 : N/A

Visit ID : IKNP0091222324 Reported : 18/Mar/2024 19:13:45

Ref Doctor : Dr.MediWheel Knp - Status : Final Report

## DEPARTMENT OF X-RAY

### MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

#### X-RAY DIGITAL CHEST PA \*

## X- Ray Digital Chest P.A. View

- Lung fields are clear.
- Pleural spaces are clear.
- Both hilar shadows appear normal.
- Trachea and carina appear normal.
- Heart size within normal limits.
- Both the diaphragms appear normal.
- Soft tissues and Bony cage appear normal.

## **IMPRESSION**

## \* NO OBVIOUS DETECTABLE ABNORMALITY SEEN

\*\*\* End Of Report \*\*\*

(\*\*) Test Performed at Chandan Speciality Lab.

Result/s to Follow:

ECG / EKG, ULTRASOUND WHOLE ABDOMEN (UPPER & LOWER), Tread Mill Test (TMT)



Bont

Dr Raveesh Chandra Roy (MD-Radio)

This report is not for medico legal purpose. If clinical correlation is not established, kindly repeat the test at no additional cost within seven days.

Facilities: Pathology, Bedside Sample Collection, Health Check-ups, Digital X-Ray, ECG (Bedside also), Allergy Testing, Test And Health Check-ups, Ultrasonography, Sonomammography, Bone Mineral Density (BMD), Doppler Studies, 2D Echo, CT Scan, MRI, Blood Bank, TMT, EEG, PFT, OPG, Endoscopy, Digital Mammography, Electromyography (EMG), Nerve Condition Velocity (NCV), Audiometry, Brainstem Evoked Response Audiometry (BERA), Colonoscopy, Ambulance Services, Online Booking Facilities for Diagnostics, Online Report Viewing \*

\*Facilities Available at Select Location








## **Chandan Diagnostic**



Age / Gender: 34/Male Date and Time: 17th Mar 24 11:07 AM

Patient ID: IKNP0091222324 Patient Name: Mr.UTSAV SAXENA



Abnormal: Sinus Rhythm.Flattened T wave in lead I, aVL. Bi-phasic T waves in V6. Please evaluate further if any symptoms are present. Baseline artefacts. Please correlate clinically.

AUTHORIZED BY


REPORTED BY




Dr. Charit MD, DM: Cardiology

63382

Disclaimer: Analysis in this report is based on ECG alone and should only be used as an adjunct to clinical history, symptoms and results of other invasive and non-invasive tests and must be interpreted by a qualified physician.







## DR. A.K. GUPTA

M.B.B.S., D.C.P., I.A.P.M., P.M.H.S. Ex Chief Medical Superintendent Senior Consultant

# **ASHMEE CARE**

ULTRASOUND

CARDIO CENTRE

## 2D ECHO \* COLOUR DOPPLER \* ULTRASOUND \* TMT \* ECG

NAME OF PATIENT: MR.UTSAV SAXENA

AGE: 34 SEX: M

REF.BY: DR.C.D.C 

DATE: 17-03-2024

## ULTRASOUND REPORT WHOLE ABDOMEN

LIVER

: LIVER IS ENLARGED IN SIZE 187.9MM WITH FATTY CHANGES GRADE 1ST NO

FOCAL LESION SEEN .THE INTRA-HEPATIC BILLIARY RADICALS ARE

NORMAL. THE HEPATIC VEINS ARE NORMAL.

PORTAL VIEN GALL BLADDER : NORMAL IN COURSE & CALIBER

WELL DISTENDED, NORMAL WALL THICKNESS .IT HAS AN ECHO FREE LUMEN &

THERE IS NO EVIDENCE OF GALLSTONES

CBD

NORMAL IN COURSE & CALIBER.

PANCREAS

NORMAL IN SIZE, SHAPE AND ECHO TEXTURE. PANCREATIC DUCT IS NORMAL IN

COURSE & CALIBER. NO FOCAL LESION SEEN.

RT. KIDNEY

NORMAL IN SIZE. POSITION AND AXIS. THE CORTICOMEDULLARY

DIFFERENTIATION IS WELL MAINTAINED. NO CALCULI /HYDRONEPHROSIS

LESION SEEN.

LT. KIDNEY

NORMAL IN SIZE. POSITION AND AXIS. THE CORTICOMEDULLARY

DIFFERENTIATION IS WELL MAINTAINED. NO CALCULUS/HYDRONEPHROSIS

LESION SEEN.

SPLEEN

SPLEEN IS NORMAL IN SIZE 119.0MM .SPLENIC VEIN IS NORMAL IN

DIAMETER.

U. BLADDER

NORMAL IN SIZE SHAPE AND OUTLINE. ITS WALL THICKNESS IS NORMAL NO

INTRALUMINAL MASS LESION/CALCULUS NOTED.RESIDUAL URINE VOLUME 4

ML

PROSTATE

PROSTATE IS NORMAL IN SIZE WEIGHT 24.6GMS

IMPRESSION

HEPATOMEGALY WITH FATTY CHANGES GRADE 1st

FILM & REPORT NOT VALID FOR MEDICO-LEGAL PURPOSE

DR. RACHIT GUPTA

Attending Cardiologist, MD (Physician) PG Diploma in Clinical Cardiology

PNDT Registration No- PNDT/REG/94/2012

SHOP NO.37/54, CAPITAL TOWER, MESTON ROAD, KANPUR NAGAR - 208001 \* M.: 9307775184 Note: This report is to help clinician for better patient management. Discrepancies due to technical or typing errors

should be reported within three days for correction. Ne compensation liability stands.