Name	: Mr. SANDEEP KUMAR B	
PID No.	: MED111534971	Register On : 11/03/2023 10:18 AM
SID No.	: 423014273	Collection On : 11/03/2023 12:00 PM
Age / Sex	: 39 Year(s) / Male	Report On : 11/03/2023 9:43 PM
Туре	: OP	Printed On : 13/03/2023 11:16 AM
Ref. Dr	: MediWheel	

Investigation HAEMATOLOGY	<u>Observed</u> <u>Value</u>	<u>Unit</u>	<u>Biological</u> Reference Interval
<u>Complete Blood Count With - ESR</u>			
Haemoglobin (EDTA Blood/Spectrophotometry)	14.1	g/dL	13.5 - 18.0
Packed Cell Volume(PCV)/Haematocrit (EDTA Blood)	45.0	%	42 - 52
RBC Count (EDTA Blood)	5.45	mill/cu.mm	4.7 - 6.0
Mean Corpuscular Volume(MCV) (EDTA Blood)	82.6	fL	78 - 100
Mean Corpuscular Haemoglobin(MCH) (EDTA Blood)	25.9	pg	27 - 32
Mean Corpuscular Haemoglobin concentration(MCHC) (EDTA Blood)	31.4	g/dL	32 - 36
RDW-CV (EDTA Blood)	13.2	%	11.5 - 16.0
RDW-SD (EDTA Blood)	38.16	fL	39 - 46
Total Leukocyte Count (TC) (EDTA Blood)	7200	cells/cu.mm	4000 - 11000
Neutrophils (EDTA Blood)	45.3	%	40 - 75
Lymphocytes (EDTA Blood)	43.8	%	20 - 45
Eosinophils (EDTA Blood)	2.7	%	01 - 06
Monocytes (EDTA Blood)	7.1	%	01 - 10





Name	: Mr. SANDEEP KUMAR B	
PID No.	: MED111534971	Register On : 11/03/2023 10:18 AM
SID No.	: 423014273	Collection On : 11/03/2023 12:00 PM
Age / Sex	: 39 Year(s) / Male	Report On : 11/03/2023 9:43 PM
Туре	: OP	Printed On : 13/03/2023 11:16 AM
Ref. Dr	: MediWheel	

Investigation	<u>Observed</u> <u>Value</u>	Unit	Biological Reference Interval
Basophils (Blood)	1.1	%	00 - 02
INTERPRETATION: Tests done on Automated Five 1	Part cell counter. All	abnormal results are re	eviewed and confirmed microscopically.
Absolute Neutrophil count (EDTA Blood)	3.26	10^3 / µl	1.5 - 6.6
Absolute Lymphocyte Count (EDTA Blood)	3.15	10^3 / µl	1.5 - 3.5
Absolute Eosinophil Count (AEC) (EDTA Blood)	0.19	10^3 / µl	0.04 - 0.44
Absolute Monocyte Count (EDTA Blood)	0.51	10^3 / µl	< 1.0
Absolute Basophil count (EDTA Blood)	0.08	10^3 / µl	< 0.2
Platelet Count (EDTA Blood)	240	10^3 / µl	150 - 450
MPV (EDTA Blood)	9.1	fL	7.9 - 13.7
PCT (EDTA Blood/Automated Blood cell Counter)	0.22	%	0.18 - 0.28
ESR (Erythrocyte Sedimentation Rate) (Citrated Blood)	8	mm/hr	< 15





Name	: Mr. SANDEEP KUMAR B	
PID No.	: MED111534971	Register On : 11/03/2023 10:18 AM
SID No.	: 423014273	Collection On : 11/03/2023 12:00 PM
Age / Sex	: 39 Year(s) / Male	Report On : 11/03/2023 9:43 PM
Туре	: OP	Printed On : 13/03/2023 11:16 AM
Ref. Dr	: MediWheel	

Investigation <u>BIOCHEMISTRY</u>	<u>Observed</u> <u>Value</u>	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
Liver Function Test			
Bilirubin(Total) (Serum/DCA with ATCS)	0.70	mg/dL	0.1 - 1.2
Bilirubin(Direct) (Serum/Diazotized Sulfanilic Acid)	0.26	mg/dL	0.0 - 0.3
Bilirubin(Indirect) (Serum/Derived)	0.44	mg/dL	0.1 - 1.0
SGOT/AST (Aspartate Aminotransferase) (Serum/ <i>Modified IFCC</i>)	20.68	U/L	5 - 40
SGPT/ALT (Alanine Aminotransferase) (Serum/ <i>Modified IFCC</i>)	34.77	U/L	5 - 41
GGT(Gamma Glutamyl Transpeptidase) (Serum/IFCC / Kinetic)	51.96	U/L	< 55
Alkaline Phosphatase (SAP) (Serum/ <i>Modified IFCC</i>)	70.9	U/L	53 - 128
Total Protein (Serum/Biuret)	7.72	gm/dl	6.0 - 8.0
Albumin (Serum/Bromocresol green)	4.67	gm/dl	3.5 - 5.2
Globulin (Serum/Derived)	3.05	gm/dL	2.3 - 3.6
A : G RATIO (Serum/Derived)	1.53		1.1 - 2.2





APPROVED BY

Name	: Mr. SANDEEP KUMAR B	
PID No.	: MED111534971	Register On : 11/03/2023 10:18 AM
SID No.	: 423014273	Collection On : 11/03/2023 12:00 PM
Age / Sex	: 39 Year(s) / Male	Report On : 11/03/2023 9:43 PM
Туре	: OP	Printed On : 13/03/2023 11:16 AM
Ref. Dr	: MediWheel	

Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	<u>Biological</u> Reference Interval
Lipid Profile			
Cholesterol Total (Serum/CHOD-PAP with ATCS)	159.26	mg/dL	Optimal: < 200 Borderline: 200 - 239 High Risk: >= 240
Triglycerides (Serum/GPO-PAP with ATCS)	120.73	mg/dL	Optimal: < 150 Borderline: 150 - 199 High: 200 - 499 Very High: >= 500

INTERPRETATION: The reference ranges are based on fasting condition. Triglyceride levels change drastically in response to food, increasing as much as 5 to 10 times the fasting levels, just a few hours after eating. Fasting triglyceride levels show considerable diurnal variation too. There is evidence recommending triglycerides estimation in non-fasting condition for evaluating the risk of heart disease and screening for metabolic syndrome, as non-fasting sample is more representative of the `usual_circulating level of triglycerides during most part of the day.

HDL Cholesterol (Serum/Immunoinhibition)	29.30	mg/dL	Optimal(Negative Risk Factor): >= 60 Borderline: 40 - 59 High Risk: < 40
LDL Cholesterol (Serum/ <i>Calculated</i>)	105.9	mg/dL	Optimal: < 100 Above Optimal: 100 - 129 Borderline: 130 - 159 High: 160 - 189 Very High: >=190
VLDL Cholesterol (Serum/Calculated)	24.1	mg/dL	< 30
Non HDL Cholesterol (Serum/ <i>Calculated</i>)	130.0	mg/dL	Optimal: < 130 Above Optimal: 130 - 159 Borderline High: 160 - 189 High: 190 - 219 Very High: >= 220

INTERPRETATION: 1.Non-HDL Cholesterol is now proven to be a better cardiovascular risk marker than LDL Cholesterol. 2.It is the sum of all potentially atherogenic proteins including LDL, IDL, VLDL and chylomicrons and it is the "new bad cholesterol" and is a co-primary target for cholesterol lowering therapy.





Name	: Mr. SANDEEP KUMAR B	
PID No.	: MED111534971	Register On : 11/03/2023 10:18 AM
SID No.	: 423014273	Collection On : 11/03/2023 12:00 PM
Age / Sex	: 39 Year(s) / Male	Report On : 11/03/2023 9:43 PM
Туре	: OP	Printed On : 13/03/2023 11:16 AM
Ref. Dr	: MediWheel	

Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	Biological Reference Interval
Total Cholesterol/HDL Cholesterol Ratio (Serum/Calculated)	5.4		Optimal: < 3.3 Low Risk: 3.4 - 4.4 Average Risk: 4.5 - 7.1 Moderate Risk: 7.2 - 11.0 High Risk: > 11.0
Triglyceride/HDL Cholesterol Ratio (TG/HDL) (Serum/ <i>Calculated</i>)	4.1		Optimal: < 2.5 Mild to moderate risk: 2.5 - 5.0 High Risk: > 5.0
LDL/HDL Cholesterol Ratio (Serum/Calculated)	3.6		Optimal: 0.5 - 3.0 Borderline: 3.1 - 6.0 High Risk: > 6.0





Name	: Mr. SANDEEP KUMAR B	
PID No.	: MED111534971	Register On : 11/03/2023 10:18 AM
SID No.	: 423014273	Collection On : 11/03/2023 12:00 PM
Age / Sex	: 39 Year(s) / Male	Report On : 11/03/2023 9:43 PM
Туре	: OP	Printed On : 13/03/2023 11:16 AM
Ref. Dr	: MediWheel	

Investigation	<u>Observed</u>	<u>Unit</u>	<u>Biological</u>
Glycosylated Haemoglobin (HbA1c)	<u>Value</u>		<u>Reference Interval</u>
HbA1C (Whole Blood/ <i>HPLC</i>)	6.4	%	Normal: 4.5 - 5.6 Prediabetes: 5.7 - 6.4 Diabetic: >= 6.5

INTERPRETATION: If Diabetes - Good control: 6.1 - 7.0 %, Fair control: 7.1 - 8.0 %, Poor control >= 8.1 %

	Estimated Average Glucose	136.98
--	---------------------------	--------

(Whole Blood)

INTERPRETATION: Comments

HbA1c provides an index of Average Blood Glucose levels over the past 8 - 12 weeks and is a much better indicator of long term glycemic control as compared to blood and urinary glucose determinations.

mg/dL

Conditions that prolong RBC life span like Iron deficiency anemia, Vitamin B12 & Folate deficiency,

hypertriglyceridemia, hyperbilirubinemia, Drugs, Alcohol, Lead Poisoning, Asplenia can give falsely elevated HbA1C values. Conditions that shorten RBC survival like acute or chronic blood loss, hemolytic anemia, Hemoglobinopathies, Splenomegaly, Vitamin E ingestion, Pregnancy, End stage Renal disease can cause falsely low HbA1c.





APPROVED BY

Name	: Mr. SANDEEP KUMAR B	
PID No.	: MED111534971	Register On : 11/03/2023 10:18 AM
SID No.	: 423014273	Collection On : 11/03/2023 12:00 PM
Age / Sex	: 39 Year(s) / Male	Report On : 11/03/2023 9:43 PM
Туре	: OP	Printed On : 13/03/2023 11:16 AM
Ref. Dr	: MediWheel	

Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	Biological Reference Interval		
IMMUNOASSAY					
THYROID PROFILE / TFT					
T3 (Triiodothyronine) - Total (Serum/ <i>ECLIA</i>) INTERPRETATION: Comment : Total T3 variation can be seen in other condition like pres	1.43 gnancy, drugs, nep	ng/ml hrosis etc. In such case	0.7 - 2.04 es, Free T3 is recommended as it is		
Metabolically active. T4 (Tyroxine) - Total	6.22	µg/dl	4.2 - 12.0		
(Serum/ECLIA) INTERPRETATION: Comment : Total T4 variation can be seen in other condition like pregnancy, drugs, nephrosis etc. In such cases, Free T4 is recommended as it is Metabolically active.					
TSH (Thyroid Stimulating Hormone) (Serum/ECLIA)	1.36	µIU/mL	0.35 - 5.50		
INTERPRETATION: Reference range for cord blood - upto 20 1 st trimester: 0.1-2.5 2 nd trimester 0.2-3.0 3 rd trimester : 0.3-3.0 (Indian Thyroid Society Guidelines) Comment : 1.TSH reference range during pregnancy depends on Iodi 2.TSH Levels are subject to circadian variation, reaching of the order of 50%,hence time of the day has influence o 3.Values&lt0.03 μIU/mL need to be clinically correl	peak levels between the measured services and the measured services an	en 2-4am and at a mini rum TSH concentration	mum between 6-10PM. The variation can be ns.		





Name	: Mr. SANDEEP KUMAR B	
PID No.	: MED111534971	Register On : 11/03/2023 10:18 AM
SID No.	: 423014273	Collection On : 11/03/2023 12:00 PM
Age / Sex	: 39 Year(s) / Male	Report On : 11/03/2023 9:43 PM
Туре	: OP	Printed On : 13/03/2023 11:16 AM
Ref. Dr	: MediWheel	

Investigation <u>CLINICAL PATHOLOGY</u>	<u>Observed</u> Uni <u>Value</u>	t <u>Biological</u> Reference Interval
<u>PHYSICAL EXAMINATION (URINE</u> <u>COMPLETE)</u>		
Colour (Urine)	Yellow	Yellow to Amber
Appearance (Urine)	Clear	Clear
Volume(CLU) (Urine)	15	
<u>CHEMICAL EXAMINATION (URINE</u> <u>COMPLETE)</u>		
pH (Urine)	6.5	4.5 - 8.0
Specific Gravity (Urine)	1.015	1.002 - 1.035
Ketone (Urine)	Negative	Negative
Urobilinogen (Urine)	Normal	Normal
Blood (Urine)	Negative	Negative
Nitrite (Urine)	Negative	Negative
Bilirubin (Urine)	Negative	Negative
Protein (Urine)	Negative	Negative
Glucose (Urine/GOD - POD)	Negative	Negative





Name	: Mr. SANDEEP KUMAR B	
PID No.	: MED111534971	Register On : 11/03/2023 10:18 AM
SID No.	: 423014273	Collection On : 11/03/2023 12:00 PM
Age / Sex	: 39 Year(s) / Male	Report On : 11/03/2023 9:43 PM
Туре	: OP	Printed On : 13/03/2023 11:16 AM
Ref. Dr	: MediWheel	

Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
Leukocytes(CP)	Negative		
(Urine)			
<u>MICROSCOPIC EXAMINATION</u> (URINE COMPLETE)			
Pus Cells	0-1	/hpf	NIL
(Urine)			
Epithelial Cells	0-1	/hpf	NIL
(Urine)			
RBCs	NIL	/HPF	NIL
(Urine)			
Others	NIL		
(Urine)			

INTERPRETATION: Note: Done with Automated Urine Analyser & Automated urine sedimentation analyser. All abnormal reports are reviewed and confirmed microscopically.

Casts (Urine)	NIL	/hpf	NIL
Crystals (Urine)	NIL	/hpf	NIL





APPROVED BY

Name	: Mr. SANDEEP KUMAR B		
PID No.	: MED111534971	Register On	: 11/03/2023 10:18 AM
SID No.	: 423014273	Collection On	: 11/03/2023 12:00 PM
Age / Sex	: 39 Year(s) / Male	Report On	: 11/03/2023 9:43 PM
Туре	: OP	Printed On	: 13/03/2023 11:16 AM
Ref. Dr	: MediWheel		

Investigation

IMMUNOHAEMATOLOGY

BLOOD GROUPING AND Rh TYPING (EDTA Blood/Agglutination)

<u>Observed</u> <u>Value</u>

<u>Unit</u>

Biological Reference Interval

'O' 'Positive'



Dr Anusha.K.S Sr.Consultant Pathologist Reg No : 100674 APPROVED BY

Name	: Mr. SANDEEP KUMAR B		
PID No.	: MED111534971	Register On	: 11/03/2023 10:18 AM
SID No.	: 423014273	Collection On	: 11/03/2023 12:00 PM
Age / Sex	: 39 Year(s) / Male	Report On	: 11/03/2023 9:43 PM
Туре	: OP	Printed On	: 13/03/2023 11:16 AM
Ref. Dr	: MediWheel		

Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
BIOCHEMISTRY			
BUN / Creatinine Ratio	15.6		6.0 - 22.0
Glucose Fasting (FBS) (Plasma - F/GOD-PAP)	87.39	mg/dL	Normal: < 100 Pre Diabetic: 100 - 125 Diabetic: >= 126

INTERPRETATION: Factors such as type, quantity and time of food intake, Physical activity, Psychological stress, and drugs can influence blood glucose level.

Glucose, Fasting (Urine) (Urine - F/GOD - POD)	Negative		Negative
Glucose Postprandial (PPBS) (Plasma - PP/GOD-PAP)	85.50	mg/dL	70 - 140

INTERPRETATION:

Factors such as type, quantity and time of food intake, Physical activity, Psychological stress, and drugs can influence blood glucose level. Fasting blood glucose level may be higher than Postprandial glucose, because of physiological surge in Postprandial Insulin secretion, Insulin resistance, Exercise or Stress, Dawn Phenomenon, Somogyi Phenomenon, Anti- diabetic medication during treatment for Diabetes.

Blood Urea Nitrogen (BUN)	9.7	mg/dL	7.0 - 21
(Serum/Urease UV / derived)			
Creatinine	0.62	mg/dL	0.9 - 1.3

(Serum/Modified Jaffe)

INTERPRETATION: Elevated Creatinine values are encountered in increased muscle mass, severe dehydration, Pre-eclampsia, increased ingestion of cooked meat, consuming Protein/ Creatine supplements, Diabetic Ketoacidosis, prolonged fasting, renal dysfunction and drugs such as cefoxitin ,cefazolin, ACE inhibitors ,angiotensin II receptor antagonists,N-acetylcyteine , chemotherapeutic agent such as flucytosine etc.

Uric Acid	6.53	mg/dL	3.5 - 7.2
(Serum/Enzymatic)			





APPROVED BY

Name	: Mr. SANDEEP KUMAR B		
PID No.	: MED111534971	Register On	: 11/03/2023 10:18 AM
SID No.	: 423014273	Collection On	: 11/03/2023 12:00 PM
Age / Sex	: 39 Year(s) / Male	Report On	: 11/03/2023 9:43 PM
Туре	: OP	Printed On	: 13/03/2023 11:16 AM
Ref. Dr	: MediWheel		

Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	Biological Reference Interval
IMMUNOASSAY			
Prostate specific antigen - Total(PSA) (Serum/ <i>Manometric method</i>)	0.313	ng/ml	Normal: 0.0 - 4.0 Inflammatory & Non Malignant conditions of Prostate & genitourinary system: 4.01 - 10.0 Suspicious of Malignant disease of Prostate: > 10.0

INTERPRETATION: Analytical sensitivity: 0.008 - 100 ng/mL

PSA is a tumor marker for screening of prostate cancer. Increased levels of PSA are associated with prostate cancer and benign conditions like bacterial infection, inflammation of prostate gland and benign hypertrophy of prostate/ benign prostatic hyperplasia (BPH). Transient elevation of PSA levels are seen following digital rectal examination, rigorous physical activity like bicycle riding, ejaculation within 24 hours.

PSA levels tend to increase in all men as they age. Clinical Utility of PSA:

ðIn the early detection of Prostate cancer.

Ăs an aid in discriminating between Prostate cancer and Benign Prostatic disease.

ðTo detect cancer recurrence or disease progression.





APPROVED BY

-- End of Report --

Name	MR.SANDEEP KUMAR B	ID	MED111534971
Age & Gender	39Y/MALE	Visit Date	11 Mar 2023
Ref Doctor Name	MediWheel	-	

2 D ECHOCARDIOGRAPHIC STUDY

M mode measurement:

AORTA			: 3.7cms
LEFT ATRIUM			: 3.6cms
AVS			:
LEFT VENTRICLE	(DIASTOLE))	: 4.6cms
(SYS'	TOLE)	: 3.0cm	ns
VENTRICULAR SEPTUM	(DIASTOLE)		: 0.9cms
(SYS'	TOLE)	: 1.3cm	ns
POSTERIOR WALL	(DIASTOLE)		: 0.9cms
(SYST	TOLE)	: 1.7cm	ns
EDV			: 95ml
ESV			: 34ml
FRACTIONAL SHORTENII	NG		: 35%
EJECTION FRACTION			: 64%
EPSS			:
RVID			: 1.9cms

DOPPLER MEASUREMENTS:

MITRAL VALVE	: E' 0.73 m/s	A' 0.52 m/s	NO MR
AORTIC VALVE	: 0.91 m/s		NO AR
TRICUSPID VALVE	: E' - m/s	A' - m/s	NO TR
PULMONARY VALVE	: 1.06 m/s		NO PR

Name	MR.SANDEEP KUMAR B	ID	MED111534971
Age & Gender	39Y/MALE	Visit Date	11 Mar 2023
Ref Doctor Name	MediWheel	-	

2D ECHOCARDIOGRAPHY FINDINGS:

Left ventricle : Normal size, Normal systolic function. No regional wall motion abnormalities.

Left Atrium	: Normal.
Right Ventricle	: Normal.
Right Atrium	: Normal.
Mitral valve	: Normal, No mitral valve prolapsed.
Aortic valve	: Normal, Trileaflet.
Tricuspid valve	: Normal.
Tricuspid valve Pulmonary valve	: Normal. : Normal.
Pulmonary valve	: Normal.

IMPRESSION:

- **BRADYCARDIA NOTED DURING STUDY HR- 51bpm**
- > NORMAL SIZED CARDIAC CHAMBERS.
- > NORMAL LV SYSTOLIC FUNCTION. EF:64 %.
- > NO REGIONAL WALL MOTION ABNORMALITIES.
- > NORMAL VALVES.
- > NO CLOTS / PERICARDIAL EFFUSION / VEGETATION.

DR. K.S. SUBRAMANI. MBBS, MD, DM (CARDIOLOGY) FESC SENIOR CONSULTANT INTERVENTIONAL CARDIOLOGIST Kss/da

Name	MR.SANDEEP KUMAR B	ID	MED111534971
Age & Gender	39Y/MALE	Visit Date	11 Mar 2023
Ref Doctor Name	MediWheel	-	

Note:

* Report to be interpreted by qualified medical professional.
* To be correlated with other clinical findings.
* Parameters may be subjected to inter and intra observer variations.

*Any discrepancy in reports due to typing errors should be corrected as soon as possible.

Name	MR.SANDEEP KUMAR B	ID	MED111534971
Age & Gender	39Y/MALE	Visit Date	11 Mar 2023
Ref Doctor Name	MediWheel	-	

ABDOMINO-PELVIC ULTRASONOGRAPHY

LIVER is normal in shape, size and has uniform echopattern. No evidence of focal lesion or intrahepatic biliary ductal dilatation. Hepatic and portal vein radicals are normal.

GALL BLADDER is partially distended and shows a non-mobile echogenicity measuring about 3mm along the posterior wall. Gall bladder wall is of normal thickness. CBD is of normal calibre.

PANCREAS has normal shape, size and uniform echopattern. No evidence of ductal dilatation or calcification.

SPLEEN shows normal shape, size and echopattern. No demonstrable Para -aortic lymphadenopathy.

KIDNEYS move well with respiration and have normal shape, size and echopattern. Cortico- medullary differentiations are well madeout. No evidence of calculus or hydronephrosis.

The kidney measures as follows:

	Bipolar length (cms)	Parenchymal thickness (cms)
Right Kidney	11.2	1.5
Left Kidney	10.9	1.6

URINARY BLADDER shows normal shape and wall thickness. It has clear contents. No evidence of diverticula.

PROSTATE shows normal shape, size and echopattern. It measures 2.7 x 2.6 x 3.5cms (Vol:12cc).

No evidence of ascites / pleural effusion.

IMPRESSION:

- > SMALL GALL BLADDER POLYP.
- > NO OTHER SIGNIFICANT ABNORMALITY DETECTED.

DR. APARNA CONSULTANT RADIOLOGIST A/da

Name	MR.SANDEEP KUMAR B	ID	MED111534971
Age & Gender	39Y/MALE	Visit Date	11 Mar 2023
Ref Doctor Name	MediWheel		

Name	SANDEEP KUMAR B	Customer ID	MED111534971
Age & Gender	39Y/M	Visit Date	Mar 11 2023 9:56AM
Ref Doctor	MediWheel		

X - RAY CHEST PA VIEW

Bilateral lung fields appear normal.

Cardiac size is within normal limits.

Bilateral hilar regions appear normal.

Bilateral domes of diaphragm and costophrenic angles are normal.

Visualised bones and soft tissues appear normal.

Impression: Essentially normal study.

DR. APARNA CONSULTANT RADIOLOGIST