

Add: Kamla Nehru Road, Old Katra,Prayagraj Ph: 9235447965,0532-2548257 CIN : U85110DL2003PLC308206



Patient Name	: Mr.MOHAMMAD ANIS -104430	Registered On	: 26/Feb/2022 11:10:28
Age/Gender	: 48 Y O M O D /M	Collected	: N/A
UHID/MR NO	: ALDP.0000091017	Received	: N/A
Visit ID	: ALDP0322742122	Reported	: 26/Feb/2022 12:14:55
Ref Doctor	: Dr.Mediwheel - Arcofemi Health Care Ltd.	Status	: Final Report

DEPARTMENT OF CARDIOLOGY-ECG MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

ECG / EKG *

1. Machnism, Rhythm	Sinus, Regular	
2. Atrial Rate	71	/mt
3. Ventricular Rate	71	/mt
4. P - Wave	Normal	
5. P R Interval	Normal	
6. Q R S Axis : R/S Ratio : Configuration :	Normal Normal Normal	
7. Q T c Interval	Normal	
8. S - T Segment	Normal	
9. T – Wave <u>FINAL IMPRESSION</u>	Normal	and the second

ECG Within Normal Limits: Sinus Rhythm, Normal Axis, with Sinus Arrhythmia.Please correlate clinically.





Page 1 of 15





Add: Kamla Nehru Road, Old Katra,Prayagraj Ph: 9235447965,0532-2548257 CIN : U85110DL2003PLC308206



Patient Name	: Mr.MOHAMMAD ANIS -104430	Registered On	: 26/Feb/2022 11:10:27	
Age/Gender	: 48 Y O M O D /M	Collected	: 26/Feb/2022 11:17:29	
UHID/MR NO	: ALDP.0000091017	Received	: 26/Feb/2022 11:45:33	
Visit ID	: ALDP0322742122	Reported	: 26/Feb/2022 13:33:21	
Ref Doctor	: Dr.Mediwheel - Arcofemi Health Care Ltd.	Status	: Final Report	

DEPARTMENT OF HAEMATOLOGY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
	Kesun	Onit		Method
Blood Group (ABO & Rh typing) * , Blood				
Blood Group	В			
Rh (Anti-D)	POSITIVE			
Complete Plead Count (CPC) * plead				
Complete Blood Count (CBC) * , Blood		5		
Haemoglobin	13.60	g/dl	1 Day- 14.5-22.5 g/dl	
			1 Wk- 13.5-19.5 g/dl 1 Mo- 10.0-18.0 g/dl	
			3-6 Mo- 9.5-13.5 g/dl	
			0.5-2 Yr- 10.5-13.5	
			g/dl	
			2-6 Yr- 11.5-15.5 g/dl	
			6-12 Yr- 11.5-15.5 g/d	
		We WY	12-18 Yr 13.0-16.0	
			g/dl Male- 13.5-17.5 g/dl	
			Female- 12.0-15.5 g/d	
TLC (WBC)	7,800.00	/Cu mm	4000-10000 ·	Electronic impedance
DLC	.,			
Polymorphs (Neutrophils)	58.00	%	55-70	ELECTRONIC IMPEDANCE
Lymphocytes	33.00	%	25-40	ELECTRONIC IMPEDANCE
Monocytes	4.00	%	3-5	ELECTRONIC IMPEDANCE
Eosinophils	5.00	%	1-6	ELECTRONIC IMPEDANCE
Basophils	0.00	%	< 1	ELECTRONIC IMPEDANCE
ESR				
Observed	6.00	Mm for 1st hr.		
Corrected	-	Mm for 1st hr.	. < 9	
PCV (HCT)	36.00	cc %	40-54	
Platelet count				
Platelet Count	1.55	LACS/cu mm	1.5-4.0	ELECTRONIC IMPEDANCE/MICROSCOPIC
PDW (Platelet Distribution width)	16.20	fL	9-17	ELECTRONIC IMPEDANCE
P-LCR (Platelet Large Cell Ratio)	55.50	%	35-60	ELECTRONIC IMPEDANCE
PCT (Platelet Hematocrit)	0.22	%	0.108-0.282	ELECTRONIC IMPEDANCE
MPV (Mean Platelet Volume)	14.40	fL	6.5-12.0	ELECTRONIC IMPEDANCE
RBC Count				
RBC Count	4.64	Mill./cu mm	4.2-5.5	ELECTRONIC IMPEDANCE





Add: Kamla Nehru Road, Old Katra, Prayagraj Ph: 9235447965,0532-2548257 CIN: U85110DL2003PLC308206



Patient Name	: Mr.MOHAMMAD ANIS -104430	Registered On	: 26/Feb/2022 11:10:27
Age/Gender	: 48 Y O M O D /M	Collected	: 26/Feb/2022 11:17:29
UHID/MR NO	: ALDP.0000091017	Received	: 26/Feb/2022 11:45:33
Visit ID	: ALDP0322742122	Reported	: 26/Feb/2022 13:33:21
Ref Doctor	: Dr.Mediwheel - Arcofemi Health Care Ltd.	Status	: Final Report

DEPARTMENT OF HAEMATOLOGY MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method		
Blood Indices (MCV, MCH, MCHC)						
MCV	78.20	fl	80-100	CALCULATED PARAMETER		
MCH	29.40	pg	28-35	CALCULATED PARAMETER		
MCHC	37.50	%	30-38	CALCULATED PARAMETER		
RDW-CV	12.80	%	11-16	ELECTRONIC IMPEDANCE		
RDW-SD	46.40	fL	35-60	ELECTRONIC IMPEDANCE		
Absolute Neutrophils Count	4,524.00	/cu mm	3000-7000			
Absolute Eosinophils Count (AEC)	390.00	/cu mm	40-440			



Dr. Akanksha Singh (MD Pathology)

Page 3 of 15







Add: Kamla Nehru Road, Old Katra,Prayagraj Ph: 9235447965,0532-2548257 CIN : U85110DL2003PLC308206



Patient Name	: Mr.MOHAMMAD ANIS -104430	Registered On	: 26/Feb/2022 11:10:27
Age/Gender	: 48 Y O M O D /M	Collected	: 26/Feb/2022 11:17:29
UHID/MR NO	: ALDP.0000091017	Received	: 26/Feb/2022 11:45:33
Visit ID	: ALDP0322742122	Reported	: 26/Feb/2022 13:52:32
Ref Doctor	: Dr.Mediwheel - Arcofemi Health Care Ltd.	Status	: Final Report

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
GLUCOSE FASTING * , Plasma				
Glucose Fasting	101.30	mg/dl	< 100 Normal 100-125 Pre-diabetes ≥ 126 Diabetes	GOD POD

Interpretation:

a) Kindly correlate clinically with intake of hypoglycemic agents, drug dosage variations and other drug interactions.b) A negative test result only shows that the person does not have diabetes at the time of testing. It does not mean that the person will never get diabetics in future, which is why an Annual Health Check up is essential.c) I.G.T = Impared Glucose Tolerance.



Dr. Akanksha Singh (MD Pathology)

Page 4 of 15







Add: Kamla Nehru Road, Old Katra,Prayagraj Ph: 9235447965,0532-2548257 CIN : U85110DL2003PLC308206



Patient Name	: Mr.MOHAMMAD ANIS -104430	Registered On	: 26/Feb/2022 11:10:27
Age/Gender	: 48 Y O M O D /M	Collected	: 26/Feb/2022 11:17:29
UHID/MR NO	: ALDP.0000091017	Received	: 27/Feb/2022 11:05:15
Visit ID	: ALDP0322742122	Reported	: 27/Feb/2022 12:02:27
Ref Doctor	: Dr.Mediwheel - Arcofemi Health Care Ltd.	Status	: Final Report

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Unit B	Bio. Ref. Interval	Method
GLYCOSYLATED HAEMOGLOBIN (HBA1C)	** EDTA BLOOD			
Glycosylated Haemoglobin (HbA1c)	6.30	% NGSP		HPLC (NGSP)
Glycosylated Haemoglobin (Hb-A1c)	45.00	mmol/mol/IFCC		· · ·

mg/dl

Interpretation:

NOTE:-

Estimated Average Glucose (eAG)

- eAG is directly related to A1c.
- An A1c of 7% -the goal for most people with diabetes-is the equivalent of an eAG of 154 mg/dl.

134

• eAG may help facilitate a better understanding of actual daily control helping you and your health care provider to make necessary changes to your diet and physical activity to improve overall diabetes mnagement.

The following ranges may be used for interpretation of results. However, factors such as duration of diabetes, adherence to therapy and the age of the patient should also be considered in assessing the degree of blood glucose control.

Haemoglobin A1C (%)NGSP	mmol/mol / IFCC Unit	eAG (mg/dl)	Degree of Glucose Control Unit
> 8	>63.9	>183	Action Suggested*
7-8	53.0 -63.9	154-183	Fair Control
< 7	<63.9	<154	Goal**
6-7	42.1 -63.9	126-154	Near-normal glycemia
< 6%	<42.1	<126	Non-diabetic level

*High risk of developing long term complications such as Retinopathy, Nephropathy, Neuropathy, Cardiopathy, etc. **Some danger of hypoglycemic reaction in Type 1 diabetics. Some glucose intolerant individuals and "subclinical" diabetics may demonstrate HbA1C levels in this area.

N.B. : Test carried out on Automated G8 90 SL TOSOH HPLC Analyser.





Add: Kamla Nehru Road, Old Katra, Prayagraj Ph: 9235447965,0532-2548257 CIN: U85110DL2003PLC308206



Patient Name	: Mr.MOHAMMAD ANIS -104430	Registered On	: 26/Feb/2022 11:10:27
Age/Gender	: 48 Y O M O D /M	Collected	: 26/Feb/2022 11:17:29
UHID/MR NO	: ALDP.0000091017	Received	: 27/Feb/2022 11:05:15
Visit ID	: ALDP0322742122	Reported	: 27/Feb/2022 12:02:27
Ref Doctor	: Dr.Mediwheel - Arcofemi Health Care Ltd.	Status	: Final Report

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name

Result

Unit

Method

Bio. Ref. Interval

<u>Clinical Implications:</u>

*Values are frequently increased in persons with poorly controlled or newly diagnosed diabetes.

*With optimal control, the HbA 1c moves toward normal levels.

*A diabetic patient who recently comes under good control may still show higher concentrations of glycosylated hemoglobin. This level declines gradually over several months as nearly normal glycosylated *Increases in glycosylated hemoglobin occur in the following nondiabetic conditions: a. Iron-deficiency anemia b. Splenectomy

c. Alcohol toxicity d. Lead toxicity

*Decreases in A 1c occur in the following non-diabetic conditions: a. Hemolytic anemia b. chronic blood loss

*Pregnancy d. chronic renal failure. Interfering Factors:

*Presence of Hb F and H causes falsely elevated values. 2. Presence of Hb S, C, E, D, G, and Lepore (autosomal recessive mutation resulting in a hemoglobinopathy) causes falsely decreased values.



Dr. Anupam Singh M.B.B.S,M.D.(Pathology)



Page 6 of 15



Add: Kamla Nehru Road, Old Katra,Prayagraj Ph: 9235447965,0532-2548257 CIN : U85110DL2003PLC308206



Patient Name	: Mr.MOHAMMAD ANIS -104	4430	Registered On	: 26/Feb/2022 11:10:	
Age/Gender	: 48 Y O M O D /M		Collected	: 26/Feb/2022 11:17:	
UHID/MR NO Visit ID	: ALDP.0000091017 : ALDP0322742122		Received Reported	: 26/Feb/2022 11:45: : 26/Feb/2022 13:30:	
Ref Doctor	: Dr.Mediwheel - Arcofemi	Health Care I td		: Final Report	07
				-	
			OF BIOCHEMIST		
Test Name		Result	Unit	Bio. Ref. Interval	Method
BUN (Blood Urea Sample:Serum	Nitrogen) *	10.30	mg/dL	7.0-23.0	CALCULATED
Creatinine * Sample:Serum		1.00	mg/dl	0.7-1.3	MODIFIED JAFFES
•	Glomerular Filtration	89.00	ml/min/1.73m2	2 - 90-120 Normal - 60-89 Near Normal	CALCULATED
Uric Acid *		5.38	mg/dl	3.4-7.0	URICASE
Sample:Serum			<u>J</u> .		
LFT (WITH G <mark>a</mark> N	IMA GT) * , Serum				
SGOT / Aspartat	e Aminotransferase (AST)	15.60	U/L	< 35	IFCC WITHOUT P5P
SGPT / Alanine A	minotransferase (ALT)	27.70	U/L	< 40	IFCC WITHOUT P5P
Gam <mark>ma</mark> GT (GGT)	15.30	/ IU/L 🥖	11-50	OPTIMIZED SZAZING
Protein		5.00	gm/dl	6.2-8.0	BIRUET
Albumin		3.20	gm/dl	3.8-5.4	B.C.G.
Globulin		1.80	gm/dl	1.8-3.6	CALCULATED
A:G Ratio		1.78		1.1-2.0	CALCULATED
Alkaline Phospha	atase (Total)	84.70	U/L	42.0-165.0	IFCC METHOD
Bilirubin (Total)	4	0.30	mg/dl	0.3-1.2	JENDRASSIK & GROF
Bilirubin (Direct)		0.10	mg/dl	< 0.30	JENDRASSIK & GROF
Bilirubin (Indired	t)	0.20	mg/dl	< 0.8	JENDRASSIK & GROF
LIPID PROFILE (MINI) * , Serum				
Cholesterol (Tota	al)	191.00	mg/dl	<200 Desirable 200-239 Borderline High > 240 High	CHOD-PAP
HDL Cholesterol	(Good Cholesterol)	55.20	mg/dl	30-70	DIRECT ENZYMATIC
	(Bad Cholesterol)	105	mg/dl	< 100 Optimal 100-129 Nr.	CALCULATED
			14. 1	Optimal/Above Optimal 130-159 Borderline High 160-189 High	1
				> 190 Very High	
VLDL		30.88	mg/dl	10-33	CALCULATED
Triglycerides		154.40	mg/dl	< 150 Normal	GPO-PAP

150-199 Borderline High







Add: Kamla Nehru Road, Old Katra,Prayagraj Ph: 9235447965,0532-2548257 CIN : U85110DL2003PLC308206



ſ	Patient Name	: Mr.MOHAMMAD ANIS -104430	Registered On	: 26/Feb/2022 11:10:28
	Age/Gender	: 48 Y 0 M 0 D /M	Collected	: 26/Feb/2022 11:17:29
	UHID/MR NO	: ALDP.0000091017	Received	: 26/Feb/2022 11:45:33
	Visit ID	: ALDP0322742122	Reported	: 26/Feb/2022 13:30:07
	Ref Doctor	: Dr.Mediwheel - Arcofemi Health Care Ltd.	Status	: Final Report

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test	Name

Result

Unit

Method

200-499 High >500 Very High

Bio. Ref. Interval



Dr. Akanksha Singh (MD Pathology)

Page 8 of 15







Add: Kamla Nehru Road, Old Katra,Prayagraj Ph: 9235447965,0532-2548257 CIN : U85110DL2003PLC308206



Patient Nam	e : Mr.MOHAMMAD ANIS -104430	Registered Or	1 : 26/Feb/2022 11:10:27
Age/Gender	: 48 Y O M O D /M	Collected	: 26/Feb/2022 12:28:57
UHID/MR NC	: ALDP.0000091017	Received	: 26/Feb/2022 13:22:09
Visit ID	: ALDP0322742122	Reported	: 26/Feb/2022 13:57:15
Ref Doctor	: Dr.Mediwheel - Arcofemi Health Care Lte	d. Status	: Final Report

DEPARTMENT OF CLINICAL PATHOLOGY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
IRINE EXAMINATION, ROUTINE *	, Urine			
Color	LIGHT YELLOW			
Specific Gravity	1.020			
Reaction PH	Acidic (5.0)			DIPSTICK
Protein	ABSENT	mg %	< 10 Absent	DIPSTICK
		, 0	10-40 (+)	
			40-200 (++)	
			200-500 (+++)	
			> 500 (++++)	
Sugar	ABSENT	gms%	< 0.5 (+)	DIPSTICK
			0.5-1.0 (++)	
			1-2 (+++)	
Ketone	ABSENT	mg/dl	> 2 (++++) 0.2-2.81	BIOCHEMISTRY
Bile Salts	ABSENT	ing/u	0.2-2.01	DIOCHEIVIISTRI
Bile Pigments	ABSENT			
Urobilinogen(1:20 dilution)	ABSENT		and a straw	
Microscopic Examination:				
Epithelial cells	0-2/h.p.f			MICROSCOPIC
				EXAMINATION
Pus cells	0-2/h.p.f			MICROSCOPIC
				EXAMINATION
RBCs	ABSENT			MICROSCOPIC
				EXAMINATION
Cast	ABSENT			
Crystals	ABSENT			MICROSCOPIC
Others				EXAMINATION
Others	ABSENT			

Urine Microscopy is done on centrifuged urine sediment.

SUGAR, FASTING STAGE * , Urine

Sugar, Fasting stage

ABSENT

gms%

Interpretation:

 $\begin{array}{ll} (+) & < 0.5 \\ (++) & 0.5\text{-}1.0 \end{array}$

Page 9 of 15





Add: Kamla Nehru Road, Old Katra,Prayagraj Ph: 9235447965,0532-2548257 CIN : U85110DL2003PLC308206



Patient Name	: Mr.MOHAMMAD ANIS -104430	Registered On	: 26/Feb/2022 11:10:27
Age/Gender	: 48 Y O M O D /M	Collected	: 26/Feb/2022 12:28:57
UHID/MR NO	: ALDP.0000091017	Received	: 26/Feb/2022 13:22:09
Visit ID	: ALDP0322742122	Reported	: 26/Feb/2022 13:57:15
Ref Doctor	: Dr.Mediwheel - Arcofemi Health Care Ltd.	Status	: Final Report

DEPARTMENT OF CLINICAL PATHOLOGY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
(+++) 1-2				

(++++) > 2



Dr. Akanksha Singh (MD Pathology)

Page 10 of 15







Add: Kamla Nehru Road, Old Katra,Prayagraj Ph: 9235447965,0532-2548257 CIN : U85110DL2003PLC308206



Patient Name	: Mr.MOHAMMAD ANIS -104430	Registered On	: 26/Feb/2022 11:10:28
Age/Gender	: 48 Y O M O D /M	Collected	: 26/Feb/2022 11:17:29
UHID/MR NO	: ALDP.0000091017	Received	: 27/Feb/2022 10:31:16
Visit ID	: ALDP0322742122	Reported	: 27/Feb/2022 11:55:08
Ref Doctor	: Dr.Mediwheel - Arcofemi Health Care Ltd.	Status	: Final Report

DEPARTMENT OF IMMUNOLOGY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
PSA (Prostate Specific Antigen), Total ** Sample:Serum	0.750	ng/mL	< 2.0	CLIA

Interpretation:

- 1. PSA is detected in the serum of males with normal, benign hypertrophic, and malignant prostate tissue.
- 2. Measurement of serum PSA levels is not recommended as a screening procedure for the diagnosis of cancer because elevated PSA levels also are observed in patients with benign prostatic hypertrophy. However, studies suggest that the measurement of PSA in conjunction with digital rectal examination (DRE) and ultrasound provide a better method of detecting prostate cancer than DRE alone⁻
- 3. PSA levels increase in men with cancer of the prostate, and after radical prostatectomy PSA levels routinely fall to the undetectable range.
- 4. If prostatic tissue remains after surgery or metastasis has occurred, PSA appears to be useful in detecting residual and early recurrence of tumor.
- 5. Therefore, serial PSA levels can help determine the success of prostatectomy, and the need for further treatment, such as radiation, endocrine or chemotherapy, and in the monitoring of the effectiveness of therapy.

THYROID PROFILE - TOTAL ** , Serum

T3, Total (tri-iodothyronine)	92.25	ng/dl	84.61-201.7	CLIA
T4, Total (Thyroxine)	5.12	ug/dl	3.2-12.6	CLIA
TSH (Thyroid Stimulating Hormone)	7.21	µIU/mL	0.27 - 5.5	CLIA

Interpretation:

0.3-4.5	µIU/mL	First Trimes	ter
0.5-4.6	µIU/mL	Second Trim	lester
0.8-5.2	µIU/mL	Third Trimes	ster
0.5-8.9	µIU/mL	Adults	55-87 Years
0.7-27	µIU/mL	Premature	28-36 Week
2.3-13.2	µIU/mL	Cord Blood	> 37Week
0.7-64	µIU/mL	Child(21 wk	- 20 Yrs.)
1-39	µIU/mL	Child	0-4 Days
1.7-9.1	µIU/mL	Child	2-20 Week

1) Patients having low T3 and T4 levels but high TSH levels suffer from primary hypothyroidism, cretinism, juvenile myxedema or autoimmune disorders.



Home Sample Collection 1800-419-0002





Add: Kamla Nehru Road, Old Katra,Prayagraj Ph: 9235447965,0532-2548257 CIN : U85110DL2003PLC308206



Patient Name	: Mr.MOHAMMAD ANIS -104430	Registered On	: 26/Feb/2022 11:10:28
Age/Gender	: 48 Y 0 M 0 D /M	Collected	: 26/Feb/2022 11:17:29
UHID/MR NO	: ALDP.0000091017	Received	: 27/Feb/2022 10:31:16
Visit ID	: ALDP0322742122	Reported	: 27/Feb/2022 11:55:08
Ref Doctor	: Dr.Mediwheel - Arcofemi Health Care Ltd.	Status	: Final Report

DEPARTMENT OF IMMUNOLOGY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method	

2) Patients having high T3 and T4 levels but low TSH levels suffer from Grave's disease, toxic adenoma or sub-acute thyroiditis.

3) Patients having either low or normal T3 and T4 levels but low TSH values suffer from iodine deficiency or secondary hypothyroidism.

4) Patients having high T3 and T4 levels but normal TSH levels may suffer from toxic multinodular goiter. This condition is mostly a symptomatic and may cause transient hyperthyroidism but no persistent symptoms.


5) Patients with high or normal T3 and T4 levels and low or normal TSH levels suffer either from T3 toxicosis or T4 toxicosis respectively.

6) In patients with non thyroidal illness abnormal test results are not necessarily indicative of thyroidism but may be due to adaptation to the catabolic state and may revert to normal when the patient recovers.

7) There are many drugs for eg. Glucocorticoids, Dopamine, Lithium, Iodides, Oral radiographic dyes, etc. which may affect the thyroid function tests.

8) Generally when total T3 and total T4 results are indecisive then Free T3 and Free T4 tests are recommended for further confirmation along with TSH levels.









Add: Kamla Nehru Road, Old Katra,Prayagraj Ph: 9235447965,0532-2548257 CIN : U85110DL2003PLC308206



Patient Name	: Mr.MOHAMMAD ANIS -104430	Registered On	: 26/Feb/2022 11:10:28
Age/Gender	: 48 Y O M O D /M	Collected	: N/A
UHID/MR NO	: ALDP.0000091017	Received	: N/A
Visit ID	: ALDP0322742122	Reported	: 26/Feb/2022 14:38:02
Ref Doctor	: Dr.Mediwheel - Arcofemi Health Care Ltd.	Status	: Final Report

DEPARTMENT OF X-RAY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

X-RAY DIGITAL CHEST PA *

<u>X-RAY REPORT</u> (300 mA COMPUTERISED UNIT SPOT FILM DEVICE) <u>CHEST P-A VIEW</u>

- Both lung field did not reveal any significant lesion.
- Costo-phrenic angles are bilaterally clear.
- Trachea is central in position.
- Cardiac size & contours are normal.
- Hilar shadows are normal.
- Soft tissue shadow appears normal.
- Bony cage is normal.

Please correlare clinically.



Nidhikant.

Dr Nidhikant (MBBS, DMRD, DNB)

Page 13 of 15



Home Sample Collection
1800-419-0002



Add: Kamla Nehru Road, Old Katra, Prayagraj Ph: 9235447965,0532-2548257 CIN: U85110DL2003PLC308206



Patient Name	: Mr.MOHAMMAD ANIS -104430	Registered On	: 26/Feb/2022 11:10:28
Age/Gender	: 48 Y O M O D /M	Collected	: N/A
UHID/MR NO	: ALDP.0000091017	Received	: N/A
Visit ID	: ALDP0322742122	Reported	: 26/Feb/2022 12:02:39
Ref Doctor	: Dr.Mediwheel - Arcofemi Health Care Ltd.	Status	: Final Report

DEPARTMENT OF ULTRASOUND MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

ULTRASOUND WHOLE ABDOMEN (UPPER & LOWER) *

LIVER: - Normal in size (12.9 cm), shape and echogenicity. No focal lesion is seen. No intra hepatic biliary radicle dilation seen.

GALL BLADDER :- Well distended, walls are normal. No e/o calculus / focal mass lesion/ pericholecystic fluid.

CBD :- Normal in calibre at porta.

PORTAL VEIN: - Normal in calibre and colour uptake at porta.

PANCREAS: - Head is visualised, normal in size & echopattern. No e/o ductal dilatation or calcification. Rest of pancreas is obscured by bowel gas.

SPLEEN: - Normal in size (7.5 cm), shape and echogenicity.

RIGHT KIDNEY: - Normal in size (10. x 4.1cm), shape and echogenicity. No focal lesion or calculus seen. Pelvicalyceal system is not dilated.

LEFT KIDNEY: - Normal in size (10.1 x 5.1 cm), shape and echogenicity. No focal lesion or calculus seen. Pelvicalyceal system is not dilated.

URINARY BLADDER :- Normal in shape, outline and distension. No e/o wall thickening / calculus.

PROSTATE :- Enlarged in size (vol - 26 cc), with normal shape and echo pattern.

Visualized bowel loops are normal in caliber. No para-aortic lymphadenopathy

No free fluid is seen in the abdomen/pelvis.

IMPRESSION : No significant abnormality seen.

Please correlate clinically



Nidhikant.

Dr Nidhikant (MBBS, DMRD, DNB)

Page 14 of 15

Home Sample Collec 1800-419-0002





Add: Kamla Nehru Road, Old Katra,Prayagraj Ph: 9235447965,0532-2548257 CIN : U85110DL2003PLC308206



Patient Name	: Mr.MOHAMMAD ANIS -104430	Registered On	: 26/Feb/2022 11:10:28
Age/Gender	: 48 Y O M O D /M	Collected	: N/A
UHID/MR NO	: ALDP.0000091017	Received	: N/A
Visit ID	: ALDP0322742122	Reported	: 27/Feb/2022 11:16:17
Ref Doctor	: Dr.Mediwheel - Arcofemi Health Care Ltd.	Status	: Final Report

DEPARTMENT OF TMT

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Tread Mill Test (TMT) *

NORMAL

*** End Of Report ***

(**) Test Performed at Chandan Speciality Lab.

Result/s to Follow:

STOOL, ROUTINE EXAMINATION, GLUCOSE PP, SUGAR, PP STAGE



Dr R. MBB

This report is not for medico legal purpose. If clinical correlation is not established, kindly repeat the test at no additional cost within seven days.

Facilities: Pathology, Bedside Sample Collection, Health Check-ups, Digital X-Ray, ECG (Bedside also), Allergy Testing, Test And Health Check-ups, Ultrasonography, Sonomammography, Bone Mineral Density (BMD), Doppler Studies, 2D Echo, CT Scan, MRI, Blood Bank, TMT, EEG, PFT, OPG, Endoscopy, Digital Mammography, Electromyography (EMG), Nerve Condition Velocity (NCV), Audiometry, Brainstem Evoked Response Audiometry (BERA), Colonoscopy, Ambulance Services, Online Booking Facilities for Diagnostics, Online Report Viewing * 365 Days Open *Facilities Available at Select Location

Page 15 of 15

