Name	: Ms. DASARI SRIVIDYA	
PID No.	: MED111534796	Register On : 11/03/2023 9:04 AM
SID No.	: 423014225	Collection On : 11/03/2023 9:40 AM
Age / Sex	: 35 Year(s) / Female	Report On : 11/03/2023 6:19 PM
Туре	: OP	Printed On : 13/03/2023 11:10 AM
Ref. Dr	: MediWheel	

Investigation	<u>Observed</u> <u>Value</u>	Unit	Biological Reference Interval
HAEMATOLOGY			
<b>Complete Blood Count With - ESR</b>			
Haemoglobin (EDTA Blood'Spectrophotometry)	11.1	g/dL	12.5 - 16.0
Packed Cell Volume(PCV)/Haematocrit (EDTA Blood)	35.0	%	37 - 47
RBC Count (EDTA Blood)	4.39	mill/cu.mm	4.2 - 5.4
Mean Corpuscular Volume(MCV) (EDTA Blood)	79.8	fL	78 - 100
Mean Corpuscular Haemoglobin(MCH) (EDTA Blood)	25.4	pg	27 - 32
Mean Corpuscular Haemoglobin concentration(MCHC) (EDTA Blood)	31.8	g/dL	32 - 36
RDW-CV (EDTA Blood)	13.7	%	11.5 - 16.0
RDW-SD (EDTA Blood)	38.9	fL	39 - 46
Total Leukocyte Count (TC) (EDTA Blood)	6000	cells/cu.mm	4000 - 11000
Neutrophils (EDTA Blood)	54.1	%	40 - 75
Lymphocytes (EDTA Blood)	29.9	%	20 - 45
Eosinophils (EDTA Blood)	4.3	%	01 - 06
Monocytes (EDTA Blood)	10.5	%	01 - 10





Name	: Ms. DASARI SRIVIDYA	
PID No.	: MED111534796	Register On : 11/03/2023 9:04 AM
SID No.	: 423014225	Collection On : 11/03/2023 9:40 AM
Age / Sex	: 35 Year(s) / Female	Report On : 11/03/2023 6:19 PM
Туре	: OP	Printed On : 13/03/2023 11:10 AM
Ref. Dr	: MediWheel	

Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	Biological Reference Interval
Basophils (Blood)	1.2	%	00 - 02
INTERPRETATION: Tests done on Automated Five I	Part cell counter. All	abnormal results are r	eviewed and confirmed microscopically.
Absolute Neutrophil count (EDTA Blood)	3.2	10^3 / µl	1.5 - 6.6
Absolute Lymphocyte Count (EDTA Blood)	1.8	10^3 / µl	1.5 - 3.5
Absolute Eosinophil Count (AEC) (EDTA Blood)	0.3	10^3 / µl	0.04 - 0.44
Absolute Monocyte Count (EDTA Blood)	0.6	10^3 / µl	< 1.0
Absolute Basophil count (EDTA Blood)	0.1	10^3 / µl	< 0.2
Platelet Count (EDTA Blood)	232	10^3 / µl	150 - 450
MPV (EDTA Blood)	10.4	fL	8.0 - 13.3
PCT (EDTA Blood/Automated Blood cell Counter)	0.242	%	0.18 - 0.28
ESR (Erythrocyte Sedimentation Rate)	9	mm/hr	< 20

(Citrated Blood)





Name	: Ms. DASARI SRIVIDYA	
PID No.	: MED111534796	Register On : 11/03/2023 9:04 AM
SID No.	: 423014225	Collection On : 11/03/2023 9:40 AM
Age / Sex	: 35 Year(s) / Female	Report On : 11/03/2023 6:19 PM
Туре	: OP	Printed On : 13/03/2023 11:10 AM
Ref. Dr	: MediWheel	

Investigation BIOCHEMISTRY	<u>Observed</u> <u>Value</u>	<u>Unit</u>	Biological Reference Interval
Liver Function Test			
Bilirubin(Total) (Serum/DCA with ATCS)	0.29	mg/dL	0.1 - 1.2
Bilirubin(Direct) (Serum/Diazotized Sulfanilic Acid)	0.11	mg/dL	0.0 - 0.3
Bilirubin(Indirect) (Serum/Derived)	0.18	mg/dL	0.1 - 1.0
SGOT/AST (Aspartate Aminotransferase) (Serum/ <i>Modified IFCC</i> )	16.96	U/L	5 - 40
SGPT/ALT (Alanine Aminotransferase) (Serum/ <i>Modified IFCC</i> )	18.39	U/L	5 - 41
GGT(Gamma Glutamyl Transpeptidase) (Serum/IFCC / Kinetic)	6.06	U/L	< 38
Alkaline Phosphatase (SAP) (Serum/ <i>Modified IFCC</i> )	59.7	U/L	42 - 98
Total Protein (Serum/ <i>Biuret</i> )	6.84	gm/dl	6.0 - 8.0
Albumin (Serum/Bromocresol green)	3.91	gm/dl	3.5 - 5.2
Globulin (Serum/Derived)	2.93	gm/dL	2.3 - 3.6
A : G RATIO (Serum/Derived)	1.33		1.1 - 2.2





APPROVED BY

Name	: Ms. DASARI SRIVIDYA	
PID No.	: MED111534796	Register On : 11/03/2023 9:04 AM
SID No.	: 423014225	Collection On : 11/03/2023 9:40 AM
Age / Sex	: 35 Year(s) / Female	Report On : 11/03/2023 6:19 PM
Туре	: OP	Printed On : 13/03/2023 11:10 AM
Ref. Dr	: MediWheel	

Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	<u>Biological</u> Reference Interval
<u>Lipid Profile</u>			
Cholesterol Total (Serum/CHOD-PAP with ATCS)	147.94	mg/dL	Optimal: < 200 Borderline: 200 - 239 High Risk: >= 240
Triglycerides (Serum/ <i>GPO-PAP with ATCS</i> )	58.05	mg/dL	Optimal: < 150 Borderline: 150 - 199 High: 200 - 499 Very High: >= 500

**INTERPRETATION:** The reference ranges are based on fasting condition. Triglyceride levels change drastically in response to food, increasing as much as 5 to 10 times the fasting levels, just a few hours after eating. Fasting triglyceride levels show considerable diurnal variation too. There is evidence recommending triglycerides estimation in non-fasting condition for evaluating the risk of heart disease and screening for metabolic syndrome, as non-fasting sample is more representative of the `usual\_circulating level of triglycerides during most part of the day.

HDL Cholesterol (Serum/Immunoinhibition)	60.36	mg/dL	Optimal(Negative Risk Factor): >= 60 Borderline: 50 - 59 High Risk: < 50
LDL Cholesterol (Serum/ <i>Calculated</i> )	76	mg/dL	Optimal: < 100 Above Optimal: 100 - 129 Borderline: 130 - 159 High: 160 - 189 Very High: >= 190
VLDL Cholesterol (Serum/Calculated)	11.6	mg/dL	< 30
Non HDL Cholesterol (Serum/ <i>Calculated</i> )	87.6	mg/dL	Optimal: < 130 Above Optimal: 130 - 159 Borderline High: 160 - 189 High: 190 - 219 Very High: >=220

**INTERPRETATION:** 1.Non-HDL Cholesterol is now proven to be a better cardiovascular risk marker than LDL Cholesterol. 2.It is the sum of all potentially atherogenic proteins including LDL, IDL, VLDL and chylomicrons and it is the "new bad cholesterol" and is a co-primary target for cholesterol lowering therapy.





Name	: Ms. DASARI SRIVIDYA	
PID No.	: MED111534796	Register On : 11/03/2023 9:04 AM
SID No.	: 423014225	Collection On : 11/03/2023 9:40 AM
Age / Sex	: 35 Year(s) / Female	Report On : 11/03/2023 6:19 PM
Туре	: OP	Printed On : 13/03/2023 11:10 AM
Ref. Dr	: MediWheel	

Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	Biological Reference Interval
Total Cholesterol/HDL Cholesterol Ratio (Serum/Calculated)	2.5		Optimal: < 3.3 Low Risk: 3.4 - 4.4 Average Risk: 4.5 - 7.1 Moderate Risk: 7.2 - 11.0 High Risk: > 11.0
Triglyceride/HDL Cholesterol Ratio (TG/HDL) (Serum/ <i>Calculated</i> )	1		Optimal: < 2.5 Mild to moderate risk: 2.5 - 5.0 High Risk: > 5.0
LDL/HDL Cholesterol Ratio (Serum/ <i>Calculated</i> )	1.3		Optimal: 0.5 - 3.0 Borderline: 3.1 - 6.0 High Risk: > 6.0





APPROVED BY

Name	: Ms. DASARI SRIVIDYA	
PID No.	: MED111534796	Register On : 11/03/2023 9:04 AM
SID No.	: 423014225	Collection On : 11/03/2023 9:40 AM
Age / Sex	: 35 Year(s) / Female	Report On : 11/03/2023 6:19 PM
Туре	: OP	Printed On : 13/03/2023 11:10 AM
Ref. Dr	: MediWheel	

Investigation	<u>Observed</u>	<u>Unit</u>	<u>Biological</u>
Glycosylated Haemoglobin (HbA1c)	<u>Value</u>		<u>Reference Interval</u>
HbA1C (Whole Blood/ <i>HPLC</i> )	5.7	%	Normal: 4.5 - 5.6 Prediabetes: 5.7 - 6.4 Diabetic: >= 6.5

INTERPRETATION: If Diabetes - Good control: 6.1 - 7.0 %, Fair control: 7.1 - 8.0 %, Poor control >= 8.1 %

Estimated Average Glucose	116.89	mg/dL
Estimated i i erage Statoste	110107	

(Whole Blood)

### **INTERPRETATION:** Comments

HbA1c provides an index of Average Blood Glucose levels over the past8 - 12 weeks and is a much better indicator of long term glycemic control as compared to blood and urinary glucose determinations.

Conditions that prolong RBC life span like Iron deficiency anemia, Vitamin B12 & Folate deficiency,

hypertriglyceridemia, hyperbilirubinemia, Drugs, Alcohol, Lead Poisoning, Asplenia can give falsely elevated HbA1C values. Conditions that shorten RBC survival like acute or chronic blood loss, hemolytic anemia, Hemoglobinopathies, Splenomegaly, Vitamin E ingestion, Pregnancy, End stage Renal disease can cause falsely low HbA1c.



CONSULTANT BIOCHEMIST Reg No : 78771

APPROVED BY

Name	: Ms. DASARI SRIVIDYA	
PID No.	: MED111534796	Register On : 11/03/2023 9:04 AM
SID No.	: 423014225	Collection On : 11/03/2023 9:40 AM
Age / Sex	: 35 Year(s) / Female	Report On : 11/03/2023 6:19 PM
Туре	: OP	Printed On : 13/03/2023 11:10 AM
Ref. Dr	: MediWheel	

Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	Biological Reference Interval
<b>IMMUNOASSAY</b>			
THYROID PROFILE / TFT			
T3 (Triiodothyronine) - Total (Serum/ <i>ECLIA)</i> <b>INTERPRETATION:</b> <b>Comment :</b> Total T3 variation can be seen in other condition like preg Metabolically active.	1.33 gnancy, drugs, neph	ng/ml rrosis etc. In such case	0.7 - 2.04 es, Free T3 is recommended as it is
T4 (Tyroxine) - Total (Serum/ECLIA) INTERPRETATION: Comment : Total T4 variation can be seen in other condition like preg Metabolically active.	8.08 gnancy, drugs, neph	µg/dl trosis etc. In such case	4.2 - 12.0 es, Free T4 is recommended as it is
TSH (Thyroid Stimulating Hormone) (Serum/ECLIA)	2.27	µIU/mL	0.35 - 5.50
INTERPRETATION: Reference range for cord blood - upto 20 1 st trimester: 0.1-2.5 2 nd trimester 0.2-3.0 3 rd trimester : 0.3-3.0 (Indian Thyroid Society Guidelines) Comment : 1.TSH reference range during pregnancy depends on Iodi 2.TSH Levels are subject to circadian variation, reaching of the order of 50%,hence time of the day has influence o 3.Values&amplt0.03 μIU/mL need to be clinically correl	peak levels betwee n the measured ser	n 2-4am and at a mini um TSH concentration	mum between 6-10PM. The variation can be ns.





Name	: Ms. DASARI SRIVIDYA	
PID No.	: MED111534796	Register On : 11/03/2023 9:04 AM
SID No.	: 423014225	Collection On : 11/03/2023 9:40 AM
Age / Sex	: 35 Year(s) / Female	Report On : 11/03/2023 6:19 PM
Туре	: OP	Printed On : 13/03/2023 11:10 AM
Ref. Dr	: MediWheel	

Investigation CLINICAL PATHOLOGY PHYSICAL EXAMINATION (URINE	<u>Observed</u> <u>Unit</u> <u>Value</u>	<u>Biological</u> <u>Reference Interval</u>
<u>COMPLETE)</u>		
Colour (Urine)	Pale yellow	Yellow to Amber
Appearance (Urine)	Clear	Clear
Volume(CLU) (Urine)	25	
<u>CHEMICAL EXAMINATION (URINE</u> <u>COMPLETE)</u>		
pH (Urine)	5	4.5 - 8.0
Specific Gravity (Urine)	1.006	1.002 - 1.035
Ketone (Urine)	Negative	Negative
Urobilinogen (Urine)	Normal	Normal
Blood (Urine)	Negative	Negative
Nitrite (Urine)	Negative	Negative
Bilirubin (Urine)	Negative	Negative
Protein (Urine)	Negative	Negative
Glucose (Urine/GOD - POD)	Negative	Negative





Name	: Ms. DASARI SRIVIDYA	
PID No.	: MED111534796	Register On : 11/03/2023 9:04 AM
SID No.	: 423014225	Collection On : 11/03/2023 9:40 AM
Age / Sex	: 35 Year(s) / Female	Report On : 11/03/2023 6:19 PM
Туре	: OP	Printed On : 13/03/2023 11:10 AM
Ref. Dr	: MediWheel	

Investigation	Observed Value	<u>Unit</u>	Biological Reference Interval
Leukocytes(CP) (Urine)	Positive(+)		
<u>MICROSCOPIC EXAMINATION</u> (URINE COMPLETE)			
Pus Cells (Urine)	2-5	/hpf	NIL
Epithelial Cells (Urine)	0-2	/hpf	NIL
RBCs (Urine)	NIL	/HPF	NIL
Others (Urine)	Bacteria Present		

**INTERPRETATION:** Note: Done with Automated Urine Analyser & Automated urine sedimentation analyser. All abnormal reports are reviewed and confirmed microscopically.

Casts (Urine)	NIL	/hpf	NIL
Crystals (Urine)	NIL	/hpf	NIL





APPROVED BY

Name	: Ms. DASARI SRIVIDYA		
PID No.	: MED111534796	Register On	: 11/03/2023 9:04 AM
SID No.	: 423014225	<b>Collection On</b>	: 11/03/2023 9:40 AM
Age / Sex	: 35 Year(s) / Female	Report On	: 11/03/2023 6:19 PM
Туре	: OP	Printed On	: 13/03/2023 11:10 AM
Ref. Dr	: MediWheel		

Investigation

**IMMUNOHAEMATOLOGY** 

BLOOD GROUPING AND Rh TYPING (EDTA Blood/Agglutination)

<u>Observed</u> <u>Value</u>

<u>Unit</u>

Biological Reference Interval

'A' 'Positive'



Dr Anusha.K.S Sr.Consultant Pathologist Reg No : 100674 APPROVED BY

Name	: Ms. DASARI SRIVIDYA	
PID No.	: MED111534796	Register On : 11/03/2023 9:04 AM
SID No.	: 423014225	Collection On : 11/03/2023 9:40 AM
Age / Sex	: 35 Year(s) / Female	Report On : 11/03/2023 6:19 PM
Туре	: OP	Printed On : 13/03/2023 11:10 AM
Ref. Dr	: MediWheel	

Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
<b>BIOCHEMISTRY</b>			
BUN / Creatinine Ratio	12.4		6.0 - 22.0
Glucose Fasting (FBS) (Plasma - F/GOD-PAP)	80.19	mg/dL	Normal: < 100 Pre Diabetic: 100 - 125 Diabetic: >= 126

**INTERPRETATION:** Factors such as type, quantity and time of food intake, Physical activity, Psychological stress, and drugs can influence blood glucose level.

Glucose, Fasting (Urine) (Urine - F/GOD - POD)	Negative		Negative
Glucose Postprandial (PPBS) (Plasma - PP/GOD-PAP)	78.24	mg/dL	70 - 140

#### **INTERPRETATION:**

Factors such as type, quantity and time of food intake, Physical activity, Psychological stress, and drugs can influence blood glucose level. Fasting blood glucose level may be higher than Postprandial glucose, because of physiological surge in Postprandial Insulin secretion, Insulin resistance, Exercise or Stress, Dawn Phenomenon, Somogyi Phenomenon, Anti- diabetic medication during treatment for Diabetes.

Blood Urea Nitrogen (BUN)	9.1	mg/dL	7.0 - 21
(Serum/Urease UV / derived)			
Creatinine	0.73	mg/dL	0.6 - 1.1

#### (Serum/Modified Jaffe)

**INTERPRETATION:** Elevated Creatinine values are encountered in increased muscle mass, severe dehydration, Pre-eclampsia, increased ingestion of cooked meat, consuming Protein/ Creatine supplements, Diabetic Ketoacidosis, prolonged fasting, renal dysfunction and drugs such as cefoxitin ,cefazolin, ACE inhibitors ,angiotensin II receptor antagonists,N-acetylcyteine , chemotherapeutic agent such as flucytosine etc.

Uric Acid	4.00	mg/dL	2.6 - 6.0
(Serum/Enzymatic)			






**APPROVED BY** 

-- End of Report --

~	<del>بر</del> SR	-		ರ್ವತಿ ( ATHI	66	ಕ್ಸ್	:8618 9901	1ahesh 385220 569756
	<			ed Optic				
# 333	3.8th Ma lehind Vis	in 5th Cro hveshvari	oss Near ah Park	Cambridge New Thippe Ogmail.com	& Mirc	nda Scho , Bangalo	ol HAL 3 ore - 560	Brd Stage 1075,
				CLE PR				
lame Iobil		Sari	St. 11	vidya		No. 2 Date :		3/2023
		359	18			Ref. No		
		RIGHT	EYE		-	LEF	T EYE	
	SPH	CYL	AXIS	VISION	SPH	CYL	AXIS	VISION
NEAR	175	0.25	82	6/8	1.75	5.75	87	6/6
	STANCE		& NEAF	R 🗌 REAL	DING [	] сомр	UTER PU	RFOSE

We Care Your Eyes

SRI PARVATHI OPTICS NEW THIPPASANDRA




# Package Name : Mediwheel Full Body Health Checkup Female Below 40

S.No	Modality	Study	Accession No	Time	Seq	Signature
1	LAB	BLOOD UREA NITROGEN				- Chief
		(BUN)				
2	LAB	CREATININE				
3	LAB	GLUCOSE - FASTING		P. C. LAND		
4	LAB	GLUCOSE - POSTPRANDIAL				
		(2 HRS)	and the second			
5	LAB	GLYCOSYLATED				
		HAEMOGLOBIN (HbA1c)				
6	LAB	URIC ACID				
7	LAB	LIPID PROFILE				
8	LAB	LIVER FUNCTION TEST (LFT)				AT STORE
9	LAB	THYROID PROFILE/ TFT( T3,				
		T4, TSH)				
10	LAB	URINE GLUCOSE - FASTING				
11	LAB	URINE GLUCOSE -				
		POSTPRANDIAL (2 Hrs)				
12	LAB	COMPLETE BLOOD COUNT				0 0
		WITH ESR				
13	LAB	STOOL ANALYSIS - ROUTINE				
14	LAB	URINE ROUTINE				

15.	LAB	BUN/CREATININE RATIO				
16	LAB	BLOOD GROUP & RH TYPE				
	1	(Forward Reverse)		Sand Sand		
17	ECG	ECG 1	IND13745161138	-		
18	OTHERS	Treadmill / 2D Echo -9	IND137451614690			-
19	OTHERS	physical examination	IND137451615279			
20	US	ULTRASOUND ABDOMEN	IND137451615292	Vizier Course of the	an and an in the second se	
21	OTHERS	EYE CHECKUP	IND137451617756		0	9.2
22	X-RAY	X RAY CHEST	IND137451618659		d.	10
23	OTHERS	Consultation Physician	IND137451618736			1

Registerd By

(HARI.O)



Name	MS. DASARI SRIVIDYA	ID	MED111534796
Age & Gender	35Y/FEMALE	Visit Date	11 Mar 2023
Ref Doctor Name	MediWheel		

# **2 D ECHOCARDIOGRAPHIC STUDY**

# M mode measurement:

AORTA			: 2.9cms
LEFT ATRIUM			: 3.3cms
AVS			:
LEFT VENTRICLE	(DIASTOLE)	)	: 3.3cms
(SYS'	TOLE)	: 2.2cm	ns
VENTRICULAR SEPTUM	(DIASTOLE)		: 0.8cms
(SYS'	TOLE)	: 1.1cm	ns
POSTERIOR WALL	(DIASTOLE)		: 0.8cms
(SYST	TOLE)	: 1.2cm	ns
EDV			: 43ml
ESV			: 17ml
FRACTIONAL SHORTENII	NG		: 32%
EJECTION FRACTION			: 62%
EPSS			:
RVID			: 1.9cms

# **DOPPLER MEASUREMENTS:**

MITRAL VALVE	: E' 1.12 m/s	A' 0.55 m/s	NO MR
AORTIC VALVE	: 1.13 m/s		NO AR
TRICUSPID VALVE	: E' - m/s	A' - m/s	NO TR
PULMONARY VALVE	: 0.84 m/s		NO PR

Name	MS. DASARI SRIVIDYA	ID	MED111534796
Age & Gender	35Y/FEMALE	Visit Date	11 Mar 2023
Ref Doctor Name	MediWheel		

# **2D ECHOCARDIOGRAPHY FINDINGS:**

Left ventricle : Normal size, Normal systolic function. No regional wall motion abnormalities.

Left Atrium	: Normal.
Right Ventricle	: Normal.
Right Atrium	: Normal.
Mitral valve	: Normal, No mitral valve prolapsed.
Aortic valve	: Normal, Trileaflet.
Tricuspid valve	: Normal.
Tricuspid valve Pulmonary valve	: Normal. : Normal.
Pulmonary valve	: Normal.

### **IMPRESSION:**

- ▶ NORMAL LV SYSTOLIC FUNCTION. EF: 62%.
- > NO REGIONAL WALL MOTION ABNORMALITIES.
- > NORMAL VALVES.
- > NO CLOTS / PERICARDIAL EFFUSION / VEGETATION.

**DR. K.S. SUBRAMANI.** mbbs, md, dm (cardiology) fesc, ficc senior consultant interventional cardiologist Kss/vp

Note:

\* Report to be interpreted by qualified medical professional. \* To be correlated with other clinical findings.

<sup>&</sup>gt; NORMAL SIZED CARDIAC CHAMBERS.

Name	MS. DASARI SRIVIDYA	ID	MED111534796
Age & Gender	35Y/FEMALE	Visit Date	11 Mar 2023
Ref Doctor Name	MediWheel		

\* Parameters may be subjected to inter and intra observer variations.
\* Any discrepancy in reports due to typing errors should be corrected as soon as possible.

Name	MS. DASARI SRIVIDYA	ID	MED111534796
Age & Gender	35Y/FEMALE	Visit Date	11 Mar 2023
Ref Doctor Name	MediWheel		

### ABDOMINO-PELVIC ULTRASONOGRAPHY

**LIVER** shows normal in shape, size and has uniform echopattern. No evidence of focal lesion or intrahepatic biliary ductal dilatation. Hepatic and portal vein radicals are normal.

**GALL BLADDER** shows normal shape and has clear contents. Gall bladder wall is of normal thickness. CBD is of normal calibre.

**PANCREAS** has normal shape, size and uniform echopattern. No evidence of ductal dilatation or calcification.

**SPLEEN** shows normal shape, size and echopattern. No demonstrable Para -aortic lymphadenopathy.

**KIDNEYS** move well with respiration and have normal shape, size and echopattern. Cortico- medullary differentiations are well madeout. No evidence of calculus or hydronephrosis.

The kidney measures as follows:

•	Bipolar length (cms)	Parenchymal thickness (cms)
Right Kidney	9.3	1.0
Left Kidney	8.0	1.3

**URINARY BLADDER** shows normal shape and wall thickness. It has clear contents. No evidence of diverticula.

UTERUS is anteverted and normal in size. It has uniform myometrial echopattern. Endometrial thickness measures 9mm Uterus measures as follows: LS: 6.9cms AP: 3.7cms TS: 4.3cms.

**OVARIES** are normal in size, shape and echotexture. No focal lesion seen. Ovaries measure as follows: **Right ovary**: 2.3 x 1.0cms **Left ovary**: 2.9 x 1.4cms

POD & adnexae are free.

No evidence of ascites/pleural effusion.

### **IMPRESSION**:

### > NO SIGNIFICANT ABNORMALITY DETECTED.

DR. APARNA CONSULTANT RADIOLOGIST

Name	MS. DASARI SRIVIDYA	ID	MED111534796
Age & Gender	35Y/FEMALE	Visit Date	11 Mar 2023
Ref Doctor Name	MediWheel		

A/da

Name	DASARI SRIVIDYA	Customer ID	MED111534796
Age & Gender	35Y/F	Visit Date	Mar 11 2023 9:03AM
Ref Doctor	MediWheel	-	

# X - RAY CHEST PA VIEW

Bilateral lung fields appear normal.

Cardiac size is within normal limits.

Bilateral hilar regions appear normal.

Bilateral domes of diaphragm and costophrenic angles are normal.

Visualised bones and soft tissues appear normal.

Impression: Essentially normal study.

DR. APARNA CONSULTANT RADIOLOGIST