



॥ ॐ गणेशाय नमः ॥

# GANESH DIAGNOSTIC

**DR. LOKESH GOYAL**

MBBS (K GMC), MD (RADIOLOGY)

CONSULTANT INTERVENTIONAL RADIOLOGIST  
FORMER SR. REGISTRAR - APOLLO HOSPITAL, NEW DELHI  
LIFE MEMBER OF IRIA

Timings : 9:00 am to 9:00 pm, Sunday 9.00 am to 3.00 pm ☎ 8392957683, 6395228718

MR. CHANDAN KUMAR  
DR. NITIN AGARWAL, DM

08-04-2023

## REPORT

EXAMINATION PERFORMED: X-RAY CHEST

B/L lung fields are clear

Both of the CP angles are clear.

Both hila show a normal pattern .

Cardiac and mediastinal borders appear normal.

Visualized bony thorax and soft tissue of the chest wall appear normal.

IMPRESSION ---NO SIGNIFICANT ABNORMALITY IS SEEN


Not for medico-legal purpose


DR LOKESH GOYAL  
M.D.  
RADIOLOGIST

डिजिटल एक्स-रे, मल्टी स्लाइस  
सी. टी. स्कैन सुविधा उपलब्ध है।



NOT VALID FOR  
MEDICO LEGAL PURPOSE





KUMAR SHARMA 35Y Male CHEST 08-04-2023 DR. NITIN AGARWAL  
GANESH DIAGNOSTIC  
A 7 EKTA NAGAR, STADIUM ROAD, BARILLY (II), MOB. 950825003



# GANESH DIAGNOSTIC

DR. LOKESH GOYAL

MBBS (K GMC), MD (RADIOLOGY)

CONSULTANT INTERVENTIONAL RADIOLOGIST  
FORMER SR. REGISTRAR - APOLLO HOSPITAL, NEW DELHI  
LIFE MEMBER OF IRIA

Timings : 9:00 am to 9:00 pm, Sunday 9.00 am to 3.00 pm ☎ 8392957683, 6395228718

MR. CHANDAN KUMAR  
DR. NITIN AGARWAL, DM

08-04-2023

## EXAMINATION PERFORMED ULTRASOUND WHOLE ABDOMEN MALE

The Liver is normal in size and outline. It shows uniform echopattern. No obvious focal pathology is seen. The intra and extra hepatic biliary passages are not dilated.

The Gall Bladder is normal in size, with no evidence of calculi. Walls are thin. The CBD appears normal.

The Pancreas is normal in size and echogenicity. Its outlines are distinct. No obvious focal lesion, calcification or ductal dilatation is seen.

Spleen is normal in size and echogenicity. There is no evidence of collaterals.

B/L Kidneys are normal in position, outline and echogenicity. No evidence of calculi or calyceal dilatation is seen. Renal mobility is not impaired. Perinephric space is clear.

**No ascitis or pleural effusion. No retroperitoneal adenopathy.**

The Urinary Bladder is normal in size and outline. Walls are thin & smooth. There is no evidence of any obvious intraluminal or perivesical pathology.

The Prostate is normal in size and volume. Homogenous parenchyma. Median lobe is not projecting. The Seminal Vesicles are normally visualized.

Bowel loops are non-dilated; gas filled & show normal peristaltic activity.

IMPRESSION: - NO SIGNIFICANT ABNORMALITY DETECTED

ADV—clinical correlation for bowel disorder

DR LOKESH GOYAL  
MD  
RADIOLOGIST

कोरोना से बचाव हेतु निर्देश

सभी मरीजो / स्टाफ से अनुरोध है कि अस्पताल / क्लीनिक से घर जाने के बाद अच्छी तरह नहाये, नमक के पानी से गरारे करे एवं भाप का सेवन करें ( STEAM INHALATION ) ।

Every imaging has its limitations. This is a professional opinion, not a final diagnosis. For further confirmation of diagnosis, clinical-pathological correlation & relevant next line investigation (TVS for gynecological disorders) (endoscopy / CT scan for bowel pathologies) are required. In case of clinical discrepancy with the report or confusion, reexamination / reevaluation are suggested. Esp. for the surgical cases 2<sup>nd</sup> opinion is must. Your positive as well as negative feedbacks are most welcome for better results

## REVISED TIMINGS

9:00 AM – 7:00 PM / SUNDAY OPEN ---9:00AM—3:00PM

डिजिटल एक्स-रे, मल्टी स्लाइस  
सी. टी. स्कैन सुविधा उपलब्ध है।



NOT VALID FOR  
MEDICO LEGAL PURPOSE



Scanned with OKEN Scanner

## A Venture of Apple Cardiac Care

A-3, Ekta Nagar, Stadium Road,  
(Opp. Care Hospital),  
Bareilly - 243 122 (U.P.) India  
Tel. : 07599031977, 09458888448



Reg.NO. : 216  
NAME : **Mr. CHANDAN KUMAR SHARMA**  
REFERRED BY : Dr.Nitin Agarwal (D M)  
SAMPLE : BLOOD

DATE : **08/04/2023**  
AGE : 32 Yrs.  
SEX : MALE

<u>TEST NAME</u>	<u>RESULTS</u>	<u>UNITS</u>	<u>BIOLOGICAL REF. RANGE</u>
------------------	----------------	--------------	------------------------------

### HAEMATOLOGY

#### COMPLETE BLOOD COUNT (CBC)

HAEMOGLOBIN	14.5	gm/dl	12.0-18.0
TOTAL LEUCOCYTE COUNT	7,600	/cumm	4,000-11,000

#### DIFFERENTIAL LEUCOCYTE COUNT(DLC)

Neutrophils	67	%	40-75
Lymphocytes	30	%	20-45
Eosinophils	03	%	01-08
Monocytes	00	%	01-06
Basophils	00	%	00-02

TOTAL R.B.C. COUNT	5.01	million/cumm	3.5-6.5
--------------------	------	--------------	---------

P.C.V./ Haematocrit value	43.6	%	35-54
---------------------------	------	---	-------

M C V	87.0	fL	76-96
-------	------	----	-------

M C H	28.9	pg	27.00-32.00
-------	------	----	-------------

M C H C	33.3	g/dl	30.50-34.50
---------	------	------	-------------

PLATELET COUNT	2.19	lacs/mm <sup>3</sup>	1.50 - 4.50
----------------	------	----------------------	-------------

#### E.S:R (WINTROBE METHOD)

-in First hour	15	mm	00 - 15
----------------	----	----	---------

### BIOCHEMISTRY

Gamma Glutamyl Transferase (GGT)	18	U/L	7-32
----------------------------------	----	-----	------

### HAEMATOLOGY

**Report is not valid for medicolegal purpose**

**A Venture of Apple Cardiac Care**

A-3, Ekta Nagar, Stadium Road,  
(Opp. Care Hospital),  
Bareilly - 243 122 (U.P.) India  
Tel. : 07599031977, 09458888448



Reg.NO. : 216  
NAME : **Mr. CHANDAN KUMAR SHARMA**  
DATE : **08/04/2023**  
REFERRED BY : Dr.Nitin Agarwal (D M)  
AGE : 32 Yrs.  
SAMPLE : BLOOD  
SEX : MALE

<u>TEST NAME</u>	<u>RESULTS</u>	<u>UNITS</u>	<u>BIOLOGICAL REF. RANGE</u>
------------------	----------------	--------------	------------------------------

**BLOOD GROUP**

Blood Group

B+

Rh

POSITIVE

**BIOCHEMISTRY**

BLOOD SUGAR F.

87

mg/dl

60-100

**HAEMATATOLOGY**

GLYCOSYLATED HAEMOGLOBIN

5.5

ESTIMATED AVERAGE GLUCOSE

**5-5**

mg/dl

70 - 140

**EXPECTED RESULTS :**

-----  
Non diabetic patients : 4.0% to 6.0%  
Good Control : 6.0% to 7.0%  
Fair Control : 7.0% to -8%  
Poor Control : Above 8%

**\*ADA: American Diabetes Association**

The glycosylated hemoglobin assay has been validated as a reliable indicator of mean blood glucose levels for a period of 8-12 week period prior to HBA1C determination.ADA recommends the testing twice a year in patients with stable blood glucose, and quarterly, if treatment changes, or if blood glucose levels are unstable.

METHOD : ADVANCED IMMUNO ASSAY.

**BIOCHEMISTRY**

BLOOD UREA NITROGEN

20

mg/dL.

5 - 25

SERUM CREATININE

0.9

mg/dL.

0.5-1.4

**Report is not valid for medicolegal purpose**



# A Venture of Apple Cardiac Care

A-3, Ekta Nagar, Stadium Road,  
(Opp. Care Hospital),  
Bareilly - 243 122 (U.P.) India  
Tel. : 07599031977, 09458888448



Reg.NO. : 216  
NAME : **Mr. CHANDAN KUMAR SHARMA**  
REFERRED BY : Dr.Nitin Agarwal (D M)  
SAMPLE : BLOOD

DATE : **08/04/2023**  
AGE : 32 Yrs.  
SEX : MALE

<u>TEST NAME</u>	<u>RESULTS</u>	<u>UNITS</u>	<u>BIOLOGICAL REF. RANGE</u>
URIC ACID	<b>8.5</b>	mg/dl	3.5-8.0

## CLINICAL SIGNIFICANCE:

Analysis of synovial fluid plays a major role in the diagnosis of joint disease.

SERUM SODIUM (Na)	138	m Eq/litre.	135 - 155
SERUM POTASSIUM (K)	4.6	m Eq/litre.	3.5 - 5.5
SERUM CALCIUM	9.0	mg/dl	8.5 - 10.5
<b>LIVER PROFILE</b>			
SERUM BILIRUBIN			
TOTAL	0.8	mg/dL	0.3-1.2
DIRECT	0.5	mg/dL	0.2-0.6
INDIRECT	0.3	mg/dL	0.1-0.4
SERUM PROTEINS			
Total Proteins	6.8	Gm/dL	6.4 - 8.3
Albumin	4.2	Gm/dL	3.5 - 5.5
Globulin	2.6	Gm/dL	2.3 - 3.5
A : G Ratio	1.62		0.0-2.0
SGOT	<b>118</b>	IU/L	0-40
SGPT	<b>129</b>	IU/L	0-40
SERUM ALK.PHOSPHATASE	101	IU/L	00-115

## NORMAL RANGE : BILIRUBIN TOTAL

Premature infants. 0 to 1 day: <8 mg/dL    Premature infants. 1 to 2 days: <12 mg/dL    Adults: 0.3-1 mg/dL.

Premature infants. 3 to 5 days: <16 mg/dL    Neonates, 0 to 1 day: 1.4-8.7 mg/dL

Neonates, 1 to 2 days: 3.4-11.5 mg/dL    Neonates, 3 to 5 days: 1.5-12 mg/dL    Children 6 days to 18 years: 0.3-1.2 mg/dL

## COMMENTS-

Total and direct bilirubin determination in serum is used for the diagnosis, differentiation and follow-up of jaundice. Elevation of SGPT is found in liver and kidney diseases such as infectious or toxic hepatitis, IM and cirrhosis. Organs rich in SGOT are heart, liver and skeletal muscles. When any of these organs are damaged, the serum SGOT level rises in proportion to the severity of damage. Elevation of Alkaline Phosphatase in serum or plasma is found in hepatitis, biliary obstructions, hyperparathyroidism, steatorrhea and bone diseases.

**Report is not valid for medicolegal purpose**

**A Venture of Apple Cardiac Care**

A-3, Ekta Nagar, Stadium Road,  
(Opp. Care Hospital),  
Bareilly - 243 122 (U.P.) India  
Tel. : 07599031977, 09458888448



Reg.NO. : 216  
NAME : **Mr. CHANDAN KUMAR SHARMA**  
REFERRED BY : Dr.Nitin Agarwal (D M)  
SAMPLE : BLOOD

DATE : **08/04/2023**  
AGE : 32 Yrs.  
SEX : MALE

<u>TEST NAME</u>	<u>RESULTS</u>	<u>UNITS</u>	<u>BIOLOGICAL REF. RANGE</u>
<b>LIPID PROFILE</b>			
SERUM CHOLESTEROL	<b>258</b>	mg/dL.	130 - 200
SERUM TRIGLYCERIDE	<b>279</b>	mg/dl.	30 - 160
HDL CHOLESTEROL	49	mg/dL.	30-70
VLDL CHOLESTEROL	<b>55.8</b>	mg/dL.	15 - 40
LDL CHOLESTEROL	<b>153.20</b>	mg/dL.	00-130
CHOL/HDL CHOLESTEROL RATIO	5.27	mg/dl	
LDL/HDL CHOLESTEROL RATIO	3.13	mg/dl	

**INTERPRETATION**

TRIGLYCERIDE level > 250mg/dL is associated with an approximately 2-fold greater risk of coronary vascular disease. Elevation of triglycerides can be seen with obesity, medication, fast less than 12 hrs., alcohol intake, diabetes melitus, and pancreatitis. CHOLESTEROL, its fractions and triglycerides are the important plasma lipids in defining cardiovascular risk factors and in the management of cardiovascular disease. Highest acceptable and optimum values of cholesterol values of cholesterol vary with age. Values above 220 mgm/dl are associated with increased risk of CHD regardless of HDL & LDL values. HDL-CHOLESTEROL level <35 mg/dL is associated with an increased risk of coronary vascular disease even in the face of desirable levels of cholesterol and LDL - cholesterol. LDL - CHOLESTEROL & TOTAL CHOLESTEROL levels can be strikingly altered by thyroid, renal and liver disease as well as hereditary factors. Based on total cholesterol, LDL- cholesterol, and total cholesterol/HDL - cholesterol ratio, patients may be divided into the three risk categories.

**URINE EXAMINATION**

**Report is not valid for medicolegal purpose**



**A Venture of Apple Cardiac Care**

A-3, Ekta Nagar, Stadium Road,  
(Opp. Care Hospital),  
Bareilly - 243 122 (U.P.) India  
Tel. : 07599031977, 09458888448



**APPLE**  
**PATHOLOGY**  
TRUSTED RESULT

Reg.NO. : 216  
NAME : **Mr. CHANDAN KUMAR SHARMA**  
REFERRED BY : Dr.Nitin Agarwal (D M)  
SAMPLE : BLOOD

DATE : **08/04/2023**  
AGE : 32 Yrs.  
SEX : MALE

<u>TEST NAME</u>	<u>RESULTS</u>	<u>UNITS</u>	<u>BIOLOGICAL REF. RANGE</u>
<b>URINE EXAMINATION</b>			
<b>URINE EXAMINATION REPORT</b>			
<b>PHYSICAL EXAMINATION</b>			
pH	6.0		
TRANSPARENCY			
Volume	25	ml	
Colour	Light Yellow		
Appearance	Clear		Nil
Sediments	Nil		
Specific Gravity	1.020		1.015-1.025
Reaction	Acidic		
<b>BIOCHEMICAL EXAMINATION</b>			
UROBILINOGEN	Nil		NIL
BILIRUBIN	Nil		NEGATIVE
URINE KETONE	Nil		NEGATIVE
Sugar	Nil		Nil
Albumin	Nil		Nil
Phosphates	Absent		Nil
<b>MICROSCOPIC EXAMINATION</b>			
Red Blood Cells	Nil	/H.P.F.	
Pus Cells	3-5	/H.P.F.	
Epithelial Cells	4-6	/H.P.F.	
Crystals	NIL		NIL
Casts	NIL	/H.P.F.	
Bacteria	NIL		
Other	NIL		

**Report is not valid for medicolegal purpose**





Reg.NO. : 216  
NAME : **Mr. CHANDAN KUMAR SHARMA**  
REFERRED BY : Dr.Nitin Agarwal (D M)  
SAMPLE : BLOOD

DATE : **08/04/2023**  
AGE : 32 Yrs.  
SEX : MALE

<u>TEST NAME</u>	<u>RESULTS</u>	<u>UNITS</u>	<u>BIOLOGICAL REF. RANGE</u>
BLOOD SUGAR P.P.	118	mg/dl	80-160

--(End of Report)--

Dr. Shweta Agarwal  
MD(Pathology), Apple Pathology  
Bareilly (UP)

**Report is not valid for medicolegal purpose**

**Dr. Nitin Agarwal**

MD, DM (Cardiology)  
Consultant Interventional Cardiologist  
Cell : +91-94578 33777

Formerly at :  
Escorts Heart Institute & Research Centre, Delhi  
Dr. Ram Manohar Lohia Hospital, Delhi



**APPLE  
CARDIAC CARE**  
DR. NITIN AGARWAL'S HEART CLINIC

8/4/23

120/80  
80/L  
96  
-

602-153

Cholesterol  
LDL

Discharge

7. Longest F

7. us... w

0

mm



A-3, EKTA NAGAR, (OPP. CARE HOSPITAL) STADIUM ROAD, NEAR DELAPEER CHAURAHA, BAREILLY - 243 122 (U.P.)

OPD Timings : 12.00 Noon to 04.00 pm, Sunday : 12.00 Noon to 3.00 pm

नम्बर लगाने के लिए फोन करें : 09458888448, 07599031977

**VALID FOR 5 DAYS.**

**पचाँच दिन के लिये मान्य**






<b>NAME</b>	Mr. CHANDAN KUMAR SHARMA	<b>AGE/SEX</b>	32 Y/M
<b>Reff. By</b>	Dr. NITIN AGARWAL (DM)	<b>DATE</b>	08/04/2023

**ECHOCARDIOGRAPHY AND COLOUR DOPPLER STUDY**

<u>MEASUREMENTS</u>	<u>VALUE</u>	<u>NORMAL DIMENSIONS</u>
LVID (d)	4.5 cm	( 3.7 –5.6 cm)
LVID (s)	2.5 cm	( 2.2 –3.9 cm)
RVID (d)	2.4 cm	( 0.7 –2.5 cm)
IVS (ed)	1.0 cm	( 0.6 –1.1 cm)
LVPW (ed)	1.0 cm	( 0.6 –1.1 cm)
AO	2.2 cm	( 2.2 –3.7 cm)
LA	3.0 cm	( 1.9 –4.0 cm)
<b><u>LV FUNCTION</u></b>		
EF	60 %	( 54 –76 % )
FS	30 %	( 25 –44 % )

- LEFT VENTRICLE** : No regional wall motion abnormality  
No concentric left Ventricle Hypertrophy
- MITRAL VALVE** : Thin, PML moves posteriorly during Diastole  
No SAM, No Subvalvular pathology seen.  
No mitral valve prolapse calcification .
- TRICUSPID VALVE** : Thin, opening wells. No calcification, No doming .  
No Prolapse.  
Tricuspid inflow velocity= 0.7 m/sec
- AORTIC VALVE** : Thin, tricuspid, opening well, central closer,  
no flutter.  
No calcification  
Aortic velocity = 1.3 m/sec
- PULMONARY VALVE** : Thin, opening well, Pulmonary artery is normal  
EF slope is normal.  
Pulmonary Velocity = 0.9 m /sec



FACILITIES : ECG | COLOUR DOPPLER | ECHO CARDIOGRAPHY  
 TMT | HOLTER MONITORING | PATHOLOGY

**ON DOPPLER INTERROGATION THERE WAS :**

- No mitral regurgitation
- No tricuspid regurgitation
- No aortic regurgitation
- No pulmonary regurgitation

MITRAL FLOW

E= 0.8 m/sec

A= 0.6 m/sec

**ON COLOUR FLOW:**

- No mitral regurgitation
- No tricuspid regurgitation
- No aortic regurgitation
- No pulmonary regurgitation

**COMMENTS:**






- No LA /LV clot
- No pericardial effusion
- No intracardiac mass
- IAS/IVS Intact
- Inferior vena cava – normal in size with normal respiratory variation

**FINAL IMPRESSION**

- NO REGIONAL WALL MOTION ABNORMALITY
- NORMAL LV DIASTOLIC FUNCTION
- NORMAL LV SYSTOLIC FUNCTION (LVEF~60%)
- NORMAL CARDIAC CHAMBER DIMENSIONS
- NORMAL VALVULAR COLOUR FLOW PATTERN

  
DR. NITIN AGARWAL  
DM (Cardiology)  
Consultant Cardiologist

This opinion is to be correlated with the clinically findings and if required, please re-evaluate / reconfirm with further investigation.



<b>Visit ID</b> : <b>MBAR42741</b>	Registration : 08/Apr/2023 04:34PM
UHID/MR No : ABAR.0000042729	Collected : 08/Apr/2023 04:46PM
<b>Patient Name</b> : <b>Mr.CHANDAN</b>	Received : 08/Apr/2023 04:48PM
Age/Gender : 32 Y 0 M 0 D /M	Reported : 08/Apr/2023 05:37PM
Ref Doctor : Dr.NITIN AGARWAL	Status : Final Report
Client Name : MODERN PATH SERVICES, BAREILLY	Client Code : 2423
Client Add : 240,Sanjay Nagar Bareilly (UP)	Barcode No : A3668439

## DEPARTMENT OF HORMONE ASSAYS

Test Name	Result	Unit	Bio. Ref. Range	Method
-----------	--------	------	-----------------	--------

## THYROID PROFILE (T3,T4,ULTRASENSITIVE TSH)

Sample Type : SERUM

Test Name	Result	Unit	Bio. Ref. Range	Method
T3	1.30	ng/ml	0.61-1.81	CLIA
T4	10.5	ug/dl	5.01-12.45	CLIA
Ultrasensitive TSH	4.62	uIU/mL	0.55-4.78	CLIA

## INTERPRETATION:

- Serum T3, T4 and TSH are the measurements form three components of thyroid screening panel and are useful in diagnosing various disorders of thyroid gland function.
- Primary hyperthyroidism is accompanied by elevated serum T3 and T4 values along with depressed TSH levels.
- Primary hypothyroidism is accompanied by depressed serum T3 and T4 values and elevated serum TSH levels.
- Normal T4 levels accompanied by high T3 levels are seen in patients with T3 thyrotoxicosis. Slightly elevated T3 levels may be found in pregnancy and in estrogen therapy while depressed levels may be encountered in severe illness, malnutrition, renal failure and during therapy with drugs like propanolol and propylthiouracil.
- Although elevated TSH levels are nearly always indicative of primary hypothyroidism, rarely they can result from TSH secreting pituitary tumors (secondary hyperthyroidism).
- Low levels of Thyroid hormones (T3, T4 & FT3, FT4) are seen in cases of primary, secondary and tertiary hypothyroidism and sometimes in non-thyroidal illness also.
- Increased levels are found in Grave's disease, hyperthyroidism and thyroid hormone resistance.
- TSH levels are raised in primary hypothyroidism and are low in hyperthyroidism and secondary hypothyroidism.

## REFERENCE RANGE:

PREGNANCY	Ultrasensitive TSH in uIU/mL
1st Trimester	0.100 – 2.500
2nd Trimester	0.200 – 3.000
3rd Trimester	0.300 – 3.000

( Reference range recommended by the American Thyroid Association )

## Comments :

- During pregnancy, Free thyroid profile (FT3, FT4 & Ultra-TSH) is recommended.
- TSH levels are subject to circadian variation, reaches peak levels between 2-4 AM and at a minimum between 6-10 PM. The variation of the day has influence on the measured serum TSH concentrations.

\*\*\* End Of Report \*\*\*



 Dr. Miti Gupta  
 DNB ; MD [Pathology]
