
Chandan Diagnostic



Age / Gender:45/MaleDate and Time:15th Oct 23 10:50 AMPatient ID:IDUN0258972324Patient Name:Mr.NEERAJ KUMAR SHARMA-31700





Add: Armelia,1St Floor,56New Road, M.K.P Chowk,Dehradun Ph: 9235501532,01352710192 CIN : U85110DL2003PLC308206



Patient Name	: Mr.NEERAJ KUMAR SHARMA-31700	Registered On	: 15/Oct/2023 10:07:34
Age/Gender	: 45 Y 0 M 0 D /M	Collected	: 15/Oct/2023 10:18:29
UHID/MR NO	: IDUN.0000212673	Received	: 15/Oct/2023 10:57:00
Visit ID	: IDUN0258972324	Reported	: 15/Oct/2023 12:14:43
Ref Doctor	: Dr.MEDIWHEEL ACROFEMI HEALTHCARE LTD.DDN -	Status	: Final Report
	DEPARTME	NT OF HAEM ATOL	OGY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS						
Test Name	Result	Unit	Bio. Ref. Interval	Method		
Blood Group (ABO & Rh typing) * , Blood	1					
Blood Group	0			ERYTHROCYTE		
				MAGNETIZED TECHNOLOGY / TUBE AGGLUTINA		
Rh (Anti-D)	POSITIVE	2		ERYTHROCYTE		
				MAGNETIZED		
				TECHNOLOGY / TUBE		
				AGGLUTINA		
Complete Blood Count (CBC) * , Whole Blood	ood					
Haemoglobin	16.10	g/dl	1 Day- 14.5-22.5 g/dl			
			1 Wk- 13.5-19.5 g/dl			
		N. YY	1 Mo- 10.0-18.0 g/dl			
			3-6 Mo- 9.5-13.5 g/dl			
	A A A		0.5-2 Yr- 10.5-13.5 g/dl			
			2-6 Yr- 11.5-15.5 g/dl 6-12 Yr- 11.5-15.5 g/dl			
			12-18 Yr 13.0-16.0 g/dl			
			Male- 13.5-17.5 g/dl			
			Female- 12.0-15.5 g/dl			
TLC (WBC)	5,250.00	/Cu mm	4000-10000	ELECTRONIC IMPEDANCE		
DLC						
Polymorphs (Neutrophils)	61.70	%	55-70	ELECTRONIC IMPEDANCE		
Lymphocytes	30.10	%	25-40	ELECTRONIC IMPEDANCE		
Monocytes	5.20	%	3-5	ELECTRONIC IMPEDANCE		
Eosinophils	2.80	%	1-6	ELECTRONIC IMPEDANCE		
Basophils	0.20	%	<1	ELECTRONIC IMPEDANCE		
ESR						
Observed	6.00	Mm for 1st hr.				
Corrected		Mm for 1st hr.	<9			
PCV (HCT)	48.00	%	40-54			
Platelet count						
Platelet Count	2.29	LACS/cu mm	1.5-4.0	ELECTRONIC IMPEDANCE/MICROSCOPIC		
PDW (Platelet Distribution width)	13.30	fL	9-17	ELECTRONIC IMPEDANCE		
P-LCR (Platelet Large Cell Ratio)	29.20	%	35-60	ELECTRONIC IMPEDANCE		





Add: Armelia,1St Floor,56New Road, M.K.P Chowk,Dehradun Ph: 9235501532,01352710192 CIN : U85110DL2003PLC308206



Patient Name	: Mr.NEERAJ KUMAR SHARMA-31700	Registered On	: 15/Oct/2023 10:07:34
Age/Gender	: 45 Y 0 M 0 D /M	Collected	: 15/Oct/2023 10:18:29
UHID/MR NO	: IDUN.0000212673	Received	: 15/Oct/2023 10:57:00
Visit ID	: IDUN0258972324	Reported	: 15/Oct/2023 12:14:43
Ref Doctor	: Dr.MEDIWHEEL ACROFEMI HEALTHCARE LTD.DDN -	Status	: Final Report

DEPARTMENT OF HAEM ATOLOGY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
PCT (Platelet Hematocrit)	0.24	%	0.108-0.282	ELECTRONIC IMPEDANCE
MPV (Mean Platelet Volume) RBCCount	10.30	fL	6.5-12.0	ELECTRONIC IMPEDANCE
RBC Count	5.22	Mill./cu mm	4.2-5.5	ELECTRONIC IMPEDANCE
Blood Indices (MCV, MCH, MCHC)				
MCV	91.90	fl	80-100	CALCULATED PARAMETER
MCH	30.80	pg	28-35	CALCULATED PARAMETER
МСНС	33.60	%	30-38	CALCULATED PARAMETER
RDW-CV	14.30	%	11-16	ELECTRONIC IMPEDANCE
RDW-SD	47.40	fL	35-60	ELECTRONIC IMPEDANCE
Absolute Neutrophils Count	3,240.00	/cu mm	3000-7000	
Absolute Eosinophils Count (AEC)	140.00	/cu mm	40-440	

DR. RITU BHATIA MD (Pathology)

Page 2 of 10



Add: Armelia,1St Floor,56New Road, M.K.P Chowk,Dehradun Ph: 9235501532,01352710192 CIN : U85110DL2003PLC308206



: Mr.NEERAJ KUMAR SHARMA-31700	Registered On	: 15/Oct/2023 10:07:36
: 45 Y 0 M 0 D /M	Collected	: 15/Oct/2023 10:18:28
: IDUN.0000212673	Received	: 15/Oct/2023 10:57:00
: IDUN0258972324	Reported	: 15/Oct/2023 14:40:06
: Dr.MEDIWHEEL ACROFEMI HEALTHCARE LTD.DDN -	Status	: Final Report
	: 45 Y 0 M 0 D /M : IDUN.0000212673 : IDUN0258972324 : Dr.MEDIWHEEL ACROFEMI	: 45 Y 0 M 0 D /M Collected : IDUN.0000212673 Received : IDUN0258972324 Reported : Dr.MEDIWHEEL ACROFEMI Status

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interva	al Method
GLUCOSE FASTING, Plasma				
Glucose Fasting	125.09	0,	< 100 Normal 100-125 Pre-diabetes ≥ 126 Diabetes	GOD POD

Interpretation:

a) Kindly correlate clinically with intake of hypoglycemic agents, drug dosage variations and other drug interactions.b) A negative test result only shows that the person does not have diabetes at the time of testing. It does not mean that the person will never get diabetics in future, which is why an Annual Health Check up is essential.c) I.G.T = Impared Glucose Tolerance.

GLYCOSYLATED HAEM OGLOBIN (HBA1C) * , EDTA BLOOD

	, 12 11 122002		
Glycosylated Haemoglobin (HbA1c)	6.10	% NGSP	HPLC (NGSP)
Glycosylated Haemoglobin (HbA1c)	43.00	mmol/mol/IFCC	
Estimated Average Glucose (eAG)	129	mg/dl	

Interpretation:

NOTE:-

- eAG is directly related to A1c.
- An A1c of 7% -the goal for most people with diabetes-is the equivalent of an eAG of 154 mg/dl.
- eAG may help facilitate a better understanding of actual daily control helping you and your health care provider to make necessary changes to your diet and physical activity to improve overall diabetes mnagement.

The following ranges may be used for interpretation of results. However, factors such as duration of diabetes, adherence to therapy and the age of the patient should also be considered in assessing the degree of blood glucose control.

Haemoglobin A1C (%)NGSP	mmol/mol / IFCC Unit	eAG (mg/dl)	Degree of Glucose Control Unit
> 8	>63.9	>183	Action Suggested*
7-8	53.0 -63.9	154-183	Fair Control
< 7	<63.9	<154	Goal**
6-7	42.1 -63.9	126-154	Near-normal glycemia
< 6%	<42.1	<126	Non-diabetic level





Add: Armelia,1St Floor,56New Road, M.K.P Chowk,Dehradun Ph: 9235501532,01352710192 CIN : U85110DL2003PLC308206



Patient Name	: Mr.NEERAJ KUMAR SHARMA-31700	Registered On	: 15/Oct/2023 10:07:36
Age/Gender	: 45 Y 0 M 0 D /M	Collected	: 15/Oct/2023 10:18:28
UHID/MR NO	: IDUN.0000212673	Received	: 15/Oct/2023 10:57:00
Visit ID	: IDUN0258972324	Reported	: 15/Oct/2023 14:40:06
Ref Doctor	: Dr.MEDIWHEEL ACROFEMI HEALTHCARE LTD.DDN -	Status	: Final Report

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method	

*High risk of developing long term complications such as Retinopathy, Nephropathy, Neuropathy, Cardiopathy, etc. **Some danger of hypoglycemic reaction in Type 1 diabetics. Some glucose intolerant individuals and "subclinical" diabetics may demonstrate HbA1C levels in this area.

N.B.: Test carried out on Automated VARIANT II TURBO HPLC Analyser.

<u>Clinical Implications:</u>

*Values are frequently increased in persons with poorly controlled or newly diagnosed diabetes.

*With optimal control, the HbA 1c moves toward normal levels.

*A diabetic patient who recently comes under good control may still show higher concentrations of glycosylated hemoglobin. This level declines gradually over several months as nearly normal glycosylated *Increases in glycosylated hemoglobin occur in the following non-diabetic conditions: a. Iron-deficiency anemia b. Splenectomy

c. Alcohol toxicity d. Lead toxicity

*Decreases in A 1c occur in the following non-diabetic conditions: a. Hemolytic anemia b. chronic blood loss

*Pregnancy d. chronic renal failure. Interfering Factors:

*Presence of Hb F and H causes falsely elevated values. 2. Presence of Hb S, C, E, D, G, and Lepore (autosomal recessive mutation resulting in a hemoglobinopathy) causes falsely decreased values.

BUN (Blood Urea Nitrogen) * Sample:Serum	6.85	mg/dL	7.0-23.0	CALCULATED
Creatinine Sample:Serum	0.70	mg/dl	0.6-1.30	MODIFIED JAFFES
Uric Acid Sample:Serum	6.57	mg/dl	3.4-7.0	URICASE
LFT (WITH GAMMA GT) * , Serum				
SGOT / Aspartate Aminotransferase (AST)	47.76	U/L	< 35	IFCC WITHOUT P5P
SGPT / Alanine Aminotransferase (ALT)	54.19	U/L	< 40	IFCC WITHOUT P5P
Gamma GT (GGT)	132.56	IU/L	11-50	OPTIMIZED SZAZING
Protein	7.50	gm/dl	6.2-8.0	BIURET
Albumin	4.85	gm/dl	3.4-5.4	B.C.G.
Globulin	2.65	gm/dl	1.8-3.6	CALCULATED
A:G Ratio	1.83		1.1-2.0	CALCULATED
Alkaline Phosphatase (Total)	160.01	U/L	42.0-165.0	IFCC METHOD
Bilirubin (Total)	1.20	mg/dl	0.3-1.2	JENDRASSIK & GROF
Bilirubin (Direct)	0.46	mg/dl	< 0.30	JENDRASSIK & GROF
Bilirubin (Indirect)	0.74	mg/dl	< 0.8	JENDRASSIK & GROF





Add: Armelia,1St Floor,56New Road, M.K.P Chowk,Dehradun Ph: 9235501532,01352710192 CIN : U85110DL2003PLC308206



Patient Name	: Mr.NEERAJ KUMAR SHARMA-31700	Registered On	: 15/Oct/2023 10:07:36
Age/Gender	: 45 Y 0 M 0 D /M	Collected	: 15/Oct/2023 10:18:28
UHID/MR NO	: IDUN.0000212673	Received	: 15/Oct/2023 10:57:00
Visit ID	: IDUN0258972324	Reported	: 15/Oct/2023 14:40:06
Ref Doctor	: Dr.MEDIWHEEL ACROFEMI HEALTHCARE LTD.DDN -	Status	: Final Report

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	U	nit Bio. Ref. Inter	val Method
LIPID PROFILE (MINI) * , Serum				
Cholesterol (Total)	203.80	mg/dl	<200 Desirable 200-239 Borderline Hi _l > 240 High	CHOD-PAP gh
HDL Cholesterol (Good Cholesterol)	59.66	mg/dl	30-70	DIRECT ENZYMATIC
LDL Cholesterol (Bad Cholesterol)	97	mg/dl	< 100 Optimal 100-129 Nr. Optimal/Above Optim 130-159 Borderline Hig 160-189 High > 190 Very High	
VLDL	46.92	mg/dl	10-33	CALCULATED
Triglycerides	234.60	mg/dl	< 150 Normal 150-199 Borderline Hig 200-499 High >500 Very High	GPO-PAP gh

DR. RITU BHATIA MD (Pathology)

Page 5 of 10



Add: Armelia,1St Floor,56New Road, M.K.P Chowk,Dehradun Ph: 9235501532,01352710192 CIN : U85110DL2003PLC308206



Patient Name	: Mr.NEERAJ KUMAR SHARMA-31700	Registered On	: 15/Oct/2023 10:07:36
Age/Gender	: 45 Y 0 M 0 D /M	Collected	: 15/Oct/2023 10:18:29
UHID/MR NO	: IDUN.0000212673	Received	: 15/Oct/2023 10:57:00
Visit ID	: IDUN0258972324	Reported	: 15/Oct/2023 17:31:56
Ref Doctor	: Dr.MEDIWHEEL ACROFEMI HEALTHCARE LTD.DDN -	Status	: Final Report

DEPARTMENT OF CLINICAL PATHOLOGY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

est Name	Result	Unit	Bio. Ref. Interval	Method
RINE EXAMINATION, ROUTINE*,	Urine			
Color	PALE YELLOW			
Specific Gravity	1.025			
Reaction PH	Acidic (6.5)			DIPSTICK
Protein	ABSENT	mg %	< 10 Absent	DIPSTICK
			10-40 (+)	
			40-200 (++) 200-500 (+++)	
			>500 (++++)	
Sugar	ABSENT	gms%	< 0.5 (+)	DIPSTICK
			0.5-1.0 (++)	
			1-2 (+++)	
	8 P N 18		>2 (++++)	
Ketone	ABSENT	mg/dl	0.1-3.0	BIOCHEMISTRY
Bile Salts	ABSENT			
Bile Pigments Urobilinogen(1:20 dilution)	ABSENT			
Microscopic Examination:	ADSEINT		and a set of the	
	1.2/4 f			MICROSCODIC
Epithelial cells	1-2/h.p.f			MICROSCOPIC EXAMINATION
Puscells	ABSENT			LANNINATION
RBCs	ABSENT			MICROSCOPIC
				EXAMINATION
Cast	ABSENT			
Crystals	ABSENT			MICROSCOPIC
				EXAMINATION
Others	ABSENT			
UGAR, FASTING STAGE*, Urine				
Sugar, Fasting stage	ABSENT	gms%		
Interpretation:				Kedrie
(+) < 0.5				Kom
(++) 0.5-1.0				V.

DR. RITU BHATIA MD (Pathology)



(+++) 1-2 (++++) > 2



Add: Armelia,1St Floor,56New Road, M.K.P Chowk,Dehradun Ph: 9235501532,01352710192 CIN : U85110DL2003PLC308206



Patient Name	: Mr.NEERAJ KUMAR SHARMA-31700	Registered On	: 15/Oct/2023 10:07:36
Age/Gender	: 45 Y 0 M 0 D /M	Collected	: 15/Oct/2023 10:18:28
UHID/MR NO	: IDUN.0000212673	Received	: 16/Oct/2023 12:35:35
Visit ID	: IDUN0258972324	Reported	: 16/Oct/2023 15:01:16
Ref Doctor	: Dr.MEDIWHEEL ACROFEMI HEALTHCARE LTD.DDN -	Status	: Final Report

DEPARTMENT OF IMMUNOLOGY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method	
PSA (Prostate Specific Antigen), Total **	0.880	ng/mL	< 2.0	CLIA	
PSA (Prostate Specific Antigen), Total ** Sample:Serum	0.880	ng/mL	< 2.0	CLIA	

Interpretation:

- 1. PSA is detected in the serum of males with normal, benign hypertrophic, and malignant prostate tissue.
- 2. Measurement of serum PSA levels is not recommended as a screening procedure for the diagnosis of cancer because elevated PSA levels also are observed in patients with benign prostatic hypertrophy. However, studies suggest that the measurement of PSA in conjunction with digital rectal examination (DRE) and ultrasound provide a better method of detecting prostate cancer than DRE alone⁻
- 3. PSA levels increase in men with cancer of the prostate, and after radical prostatectomy PSA levels routinely fall to the undetectable range.
- 4. If prostatic tissue remains after surgery or metastasis has occurred, PSA appears to be useful in detecting residual and early recurrence of tumor.
- 5. Therefore, serial PSA levels can help determine the success of prostatectomy, and the need for further treatment, such as radiation, endocrine or chemotherapy, and in the monitoring of the effectiveness of therapy.

THYROID PROFILE - TOTAL ** , Serum

T3, Total (tri-iodothyronine)	124.52	ng/dl	84.61–201.7	CLIA
T4, Total (Thyroxine)	8.60	ug/dl	3.2-12.6	CLIA
TSH (Thyroid Stimulating Hormone)	1.090	µIU/mL	0.27 - 5.5	CLIA

Interpretation:

0.3-4.5	µIU/mL	First Trimest	ter
0.5-4.6	µIU/mL	Second Trim	ester
0.8-5.2	µIU/mL	Third Trimes	ster
0.5-8.9	µIU/mL	Adults	55-87 Years
0.7-27	µIU/mL	Premature	28-36 Week
2.3-13.2	µIU/mL	Cord Blood	> 37Week
0.7-64	µIU/mL	Child(21 wk	- 20 Yrs.)
1-39	µIU/mL	Child	0-4 Days
1.7-9.1	µIU/mL	Child	2-20 Week

1) Patients having low T3 and T4 levels but high TSH levels suffer from primary hypothyroidism, cretinism, juvenile myxedema or autoimmune disorders.





Add: Armelia,1St Floor,56New Road, M.K.P Chowk,Dehradun Ph: 9235501532,01352710192 CIN : U85110DL2003PLC308206



Patient Name	: Mr.NEERAJ KUMAR SHARMA-31700	Registered On	: 15/Oct/2023 10:07:36
Age/Gender	: 45 Y 0 M 0 D /M	Collected	: 15/Oct/2023 10:18:28
UHID/MR NO	: IDUN.0000212673	Received	: 16/Oct/2023 12:35:35
Visit ID	: IDUN0258972324	Reported	: 16/Oct/2023 15:01:16
Ref Doctor	: Dr.MEDIWHEEL ACROFEMI HEALTHCARE LTD.DDN -	Status	: Final Report

DEPARTMENT OF IMMUNOLOGY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method

2) Patients having high T3 and T4 levels but low TSH levels suffer from Grave's disease, toxic adenoma or sub-acute thyroiditis.3) Patients having either low or normal T3 and T4 levels but low TSH values suffer from iodine deficiency or secondary hypothyroidism.

4) Patients having high T3 and T4 levels but normal TSH levels may suffer from toxic multinodular goiter. This condition is mostly a symptomatic and may cause transient hyperthyroidism but no persistent symptoms.

5) Patients with high or normal T3 and T4 levels and low or normal TSH levels suffer either from T3 toxicosis or T4 toxicosis respectively.

6) In patients with non thyroidal illness abnormal test results are not necessarily indicative of thyroidism but may be due to adaptation to the catabolic state and may revert to normal when the patient recovers.

7) There are many drugs for eg. Glucocorticoids, Dopamine, Lithium, Iodides, Oral radiographic dyes, etc. which may affect the thyroid function tests.

8) Generally when total T3 and total T4 results are indecisive then Free T3 and Free T4 tests are recommended for further confirmation along with TSH levels.

Dr. Anupam Singh (MBBS MD Pathology)

Page 8 of 10





Add: Armelia,1St Floor,56New Road, M.K.P Chowk,Dehradun Ph: 9235501532,01352710192 CIN : U85110DL2003PLC308206



Patient Name	: Mr.NEERAJ KUMAR SHARMA-31700	Registered On	: 15/Oct/2023 10:07:38
Age/Gender	: 45 Y 0 M 0 D /M	Collected	: N/A
UHID/MR NO	: IDUN.0000212673	Received	: N/A
Visit ID	: IDUN0258972324	Reported	: 15/Oct/2023 13:26:47
Ref Doctor	: Dr.MEDIWHEEL ACROFEMI HEALTHCARE LTD.DDN -	Status	: Final Report

DEPARTMENT OF X-RAY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

X-RAY DIGITAL CHEST PA *

(500 mA COM PUTERISED UNIT SPOT FILM DEVICE)

DIGITAL CHEST P-A VIEW

- Pulmonary parenchyma did not reveal any significant lesion.
- Costo-phrenic angles are bilaterally clear.
- Diaphragmatic shadows are normal on both sides.
- Trachea is central in position.
- Cardiac size & contours are normal.
- Hilar shadows are normal.
- Bony cage is normal.

IMPRESSION: NO SIGNIFICANT ABNORMALITY DETECTED

Dr. Amit Bhandari MBBS MD RADIOLOGY

Page 9 of 10







Add: Armelia,1St Floor,56New Road, M.K.P Chowk,Dehradun Ph: 9235501532,01352710192 CIN: U85110DL2003PLC308206



Iome Sample Coll 1800-419-0002

Patient Name	: Mr.NEERAJ KUMAR SHARMA-31700	Registered On	: 15/Oct/2023 10:07:38
Age/Gender	: 45 Y 0 M 0 D /M	Collected	: N/A
UHID/MR NO	: IDUN.0000212673	Received	: N/A
Visit ID	: IDUN0258972324	Reported	: 15/Oct/2023 10:39:02
Ref Doctor	: Dr.MEDIWHEEL ACROFEMI HEALTHCARE LTD.DDN -	Status	: Final Report

DEPARTMENT OF ULTRASOUND

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

ULTRASOUND WHOLE ABDOM EN (UPPER & LOWER) *

UVER :measures approx 14.5 cm . It shows diffuse increase in echogenicity. No focal lesion is seen.

PORTAL VEIN: is normal at porta .

Common bile duct is normal. Intra Hepatic biliary radicles are not dilated.

GALL BLADDER :seen in distended state with echofree lumen. Wall thickness is normal.

SPLEEN : is normal in size, shape and echotexture. No focal lesion seen.

PANCREAS: Head and body appear normal. Tail is obscured by bowel gases.

RIGHT KIDNEY: is normal in size (11.3 cm), shape and echotexture. Cortico-medullary differentiation is maintained. Parenchymal thickness is normal. No mass/calculus/hydronephrosis seen.

LEFT KIDNEY : is normal in size (10.3 cm), shape and echotexture. Cortico-medullary differentiation is maintained. Parenchymal thickness is normal. No mass/calculus/hydronephrosis seen.

LYM PHNODES: No pre-or-para aortic lymph node mass is seen.

URINARY BLADDER: seen in distended state with echofree lumen. Wall thickness is normal.

PROSTATE: is normal in size and echotexture.

FLUID : No significant free fluid seen in peritoneal cavity.

IMPRESSION : - GRADE I DIFFUSE FATTY CHANGE OF LIVER

Ν

*** End Of Report ***	
(**) Test Performed at Chandan Speciality Lab. ST COMPARENT EXAMINATION, GLUCOSE PP, SUGAR, PP STAGE, ECG / EKG, Tread Mill Test (TMT)	Dr. Amit Bhandari MBBS MD RADIOLOGY
This report is not for medico legal purpose. If clinical correlation is not established, kindly repeat the test at no addition	onal cost within seven days.
Facilities: Pathology, Bedside Sample Collection, Health Check-ups, Digital X-Ray, ECG (Bedside also), Allergy Testing, Test And Health C Bone Mineral Density (BMD), Doppler Studies, 2D Echo, CT Scan, MRI, Blood Bank, TMT, EEG, PFT, OPG, Endoscopy, Digital Mammo Velocity (NCV), Audiometry, Brainstem Evoked Response Audiometry (BERA), Colonoscopy, Ambulance Services, Online Booking Facilitie 365 Days Open	ography, Electromyography (EMG), Nerve Condition
	Page 10 of 10
180 8001:2018	

