

Aakriti Labs

3, Mahatma Gandhi Marg, Gandhi Nagar Mod, Tonk Road, Jaipur (Raj.) Ph.: 0141-2710661 www.aakritilabs.com CIN No. U85195RJ2004PTC019563

PATIENT: MR. AMIT KUMAR SHARMA	AGE &SEX : 37Y/ M
REF: BY: MEDI WHEEL	DATE: 19/03/2023

REPORT: DIGITAL X-RAY CHEST PA VIEW

Soft tissue shadow and bony cages are normal.

Trachea is central.

Bilateral lung field and both CP angle is clear.

Domes of diaphragm are normally placed.

Transverse diameter of hear appear with normal limits.


IMPRESSION:-NO OBIVIOUS ABNORMALITY DETECTED.

DR. NEERA MEHTA MBBS, DMRD

AAKRITI LABS PVT.LTD. 3 MAHATMA GANDHI MARG, TONK ROAD JAIPUR-15 47553 / MR AMIT KUMAR SHARMA / 37 Yrs / M/ Non Smoker

ECG

Heart Rate : 77 bpm / Tested On : 19-Mar-23 10:10:04 / HF 0.05 Hz - LF 100 Hz / Notch 50 Hz / Sn 1.00 Cm/mV / Sw 25 mm/s Dr.: DR NITIZ GOYAL / Refd By.: MEDIWHEEL





Aakriti Labs

3, Mahatma Gandhi Marg, Gandhi Nagar Mod, Tonk Road, Jaipur (Raj.) Ph.: 0141-2710661 www.aakritilabs.com

CIN No.	U851	95RJ2004F	PTC019563

NAME	MR AMIT KUMAR SHARMA	AGE	37Y	SEX	MALE
REF BY	MEDI WHEEL	DATE	19/03/2023	REG NO	

ECHOCARDIOGRAM REPORT

	Committee of the second second	Company of the State of the Sta	at any time and the second second second second
WINDOW-	POOR/A	DEOUATE	GOODVALVE

MITRAL	NORMAL	TRICUSPID	NORMAL	
AORTIC	NORMAL	PULMONARY	NORMAL	
2D/M-MOD	0.00			

IVSD mm	9.5	IVSS mm	14.9	AORTA mm	23.3
LVID mm	40.6	LVIS mm	24.7	LA mm	22.7
LVPWD mm	8.8	LVPWS mm	12.5	EF%	60%

CHAMBERS

LA	NORMAL	RA	NORMAL
LV	NORMAL	RV	NORMAL
PERICARDIUM	NORMAL		

DOPPLER STUDY MITRAL

PEAK VELOCITY m/s E/A	0.85/0.92	PEAK GRADIANT MmHg	
MEAN VELOCITY m/s	0.03/0.32	MEAN GRADIANT MmHg	
MVA cm2 (PLANITMETERY)		MVA cm2 (PHT)	
MR			

AORTIC

PEAK VELOCITY m/s	1.74	PEAK GRADIANT MmHg	
MEAN VELOCITY m/s		MEAN GRADIANT MmHg	
AR			

TRICUSPID

PEAK VELOCITY m/s	0.79	PEAK GRADIANT MmHg
MEAN VELOCITY m/s		MEAN GRADIANT MmHg
TR		PASP mmHg
PULMONARY		nace

PULMONARY

IMPRESSION			
PR		RVEDP mmHg	
MEAN VELOCITY m/s		MEAN GRADIANT MmHg	
PEAK VELOCITY m/s	1.42	PEAK GRADIANT MmHg	
		Maria Maria de Caracteria de C	

IMPRESSION

- LV DIASTOLIC DYSFUNCTION GRADE -1
- NORMAL LV SYSTOLIC FUNCTION
- NO RWMA LVEF 60%
- NORMAL RV FUNCTION
- NORMAL CHAMBER DIMENSIONS
- NORMAL VALVULAR ECHO
- INTACT IAS / IVS
- NO THROMBUS, NO VEGETATION, NORMAL PERICARDIUM.
- IVC NORMAL

CONCLUSION: DIASTOLIC DYSFUNCTION, FAIR LV FUNCTION.

Cardiologist



Aakriti Labs

3, Mahatma Gandhi Marq, Gandhi Nagar Mod, Tonk Road, Jaipur (Raj.) Ph.: 0141-2710661 www.aakritilabs.com CIN No. U85195RJ2004PTC019563

PATIENT NAME: MR AMIT KUMAR SHARMA	AGE & SEX: 37 Y/M
REF. by: MEDIWHEEL	DATE: 19.03.2023

USG: WHOLE ABDOMEN (Male)

LIVER

: Is normal in size with mild bright echogenecity. The IHBR and hepatic radicals are not dilated. No evidence of focal echopoor/echorich lesion seen. Portal vein diameter and common bile duct appear normal.

GALL

: Is normal in size, shape and echotexture. Walls are smooth and BLADDER regular with normal thickness. There is no evidence of cholelithiasis.

PANCREAS: Is normal in size, shape and echotexture. Pancreatic duct is not dilated. : Is normal in size, shape and echogenecity. Spleenic hilum is not dilated.

KIDNEYS: Right Kidney:-Size: 106x37 mm, Left Kidney:-Size: 103x45 mm.

Bilateral Kidneys are normal in size, shape and echotexture, corticomedullary differentiation is fair and ratio appears normal.

Pelvi calyceal system is normal. No evidence of hydronephrosis/ nephrolithiasis.

URINARY: Bladder walls are smooth, regular and normal thickness.

BLADDER: No evidence of mass or stone in bladder lumen.

PROSTATE: Is normal in size, shape and echotexture.

measures: 30x29x25 mm, wt: 11 gms. Its capsule is intact and no evidence of focal lesion.

SPECIFIC: No evidence of retroperitoneal mass or free fluid seen in peritoneal cavity. : NO evidence of lymphadenopathy or mass lesion in retroperitoneum.

: Visualized bowel loop appear normal. Great vessels appear normal.

IMPRESSION: - Mild fatty liver

DR NEERA MEHTA MBBS, DMRD RMCNO.005807/14853





PATIENT NAME: AMIT KUMAR SHARMA

CODE/NAME & ADDRESS: C000049066

SRL JAIPUR WELLNESS CORPORATE WALK IN
AAKRITI LABS PVT LTD. A-430, AGRASEN MARG

JAIPUR 302017 9314660100 REF. DOCTOR: SELF
ACCESSION NO: 0251WC001795 AGE

PATIENT ID : AMITM190386251 CLIENT PATIENT ID: 012303190019

ABHA NO :

AGE/SEX :37 Years Male
DRAWN :19/03/2023 09:22:00
RECEIVED :19/03/2023 12:08:40
REPORTED :19/03/2023 16:14:13

Test Report Status <u>Preliminary</u> Results Biological Reference Interval Units

F-	IAEMATOLOGY - CBC		
MEDI WHEEL FULL BODY HEALTH CHECK UP B			
BLOOD COUNTS,EDTA WHOLE BLOOD			
HEMOGLOBIN (HB) METHOD: CYANIDE FREE DETERMINATION	14.8	13.0 - 17.0	g/dL
RED BLOOD CELL (RBC) COUNT METHOD: ELECTRICAL IMPEDANCE	4.90	4.5 - 5.5	mi l /μL
WHITE BLOOD CELL (WBC) COUNT METHOD: ELECTRICAL IMPEDANCE	7.00	4.0 - 10.0	thou/µL
PLATELET COUNT METHOD: ELECTRONIC IMPEDANCE	253	150 - 410	thou/µL
RBC AND PLATELET INDICES			
HEMATOCRIT (PCV) METHOD: CALCULATED PARAMETER	43.0	40 - 50	%
MEAN CORPUSCULAR VOLUME (MCV) METHOD: CALCULATED PARAMETER	88.0	83 - 101	fL
MEAN CORPUSCULAR HEMOGLOBIN (MCH) METHOD: CALCULATED PARAMETER	30.2	27.0 - 32.0	pg
MEAN CORPUSCULAR HEMOGLOBIN CONCENTRATION (MCHC) METHOD: CALCULATED PARAMETER	34.4	31.5 - 34.5	g/dL
RED CELL DISTRIBUTION WIDTH (RDW) METHOD: CALCULATED PARAMETER	12.4	11.6 - 14.0	%
MENTZER INDEX	18.0		
MEAN PLATELET VOLUME (MPV) METHOD: CALCULATED PARAMETER	10.2	6.8 - 10.9	fL
WBC DIFFERENTIAL COUNT			
NEUTROPHILS METHOD: IMPEDANCE WITH HYDRO FOCUS AND MICROSCOPY	50	40 - 80	%
LYMPHOCYTES METHOD: IMPEDANCE WITH HYDRO FOCUS AND MICROSCOPY	40	20 - 40	%
MONOCYTES METHOD: IMPEDANCE WITH HYDRO FOCUS AND MICROSCOPY	05	2 - 10	%
EOSINOPHILS METHOD: IMPEDANCE WITH HYDRO FOCUS AND MICROSCOPY	05	1 - 6	%

Dr. Akansha Jain Consultant Pathologist





Page 1 Of 12

View Repor





REF. DOCTOR: SELF



PATIENT NAME: AMIT KUMAR SHARMA

CODE/NAME & ADDRESS: C000049066 SRL JAIPUR WELLNESS CORPORATE WALK IN AAKRITI LABS PVT LTD. A-430, AGRASEN MARG

JAIPUR 302017 9314660100

ACCESSION NO: 0251WC001795

PATIENT ID : AMITM190386251

CLIENT PATIENT ID: 012303190019

ABHA NO

AGE/SEX :37 Years Male DRAWN :19/03/2023 09:22:00 RECEIVED: 19/03/2023 12:08:40 REPORTED :19/03/2023 16:14:13

	1		
Test Report Status <u>Preliminary</u>	Results	Biological Reference Interval Units	
BASOPHILS	00	0 - 2	%
METHOD: IMPEDANCE WITH HYDRO FOCUS AND MICROSCOPY			
ABSOLUTE NEUTROPHIL COUNT	3.5	2.0 - 7.0	thou/µL
METHOD: CALCULATED PARAMETER			
ABSOLUTE LYMPHOCYTE COUNT	2.8	1.0 - 3.0	thou/µL
METHOD: CALCULATED PARAMETER			
ABSOLUTE MONOCYTE COUNT	0.35	0.2 - 1.0	thou/µL
METHOD : CALCULATED PARAMETER			
ABSOLUTE EOSINOPHIL COUNT	0.35	0.02 - 0.50	thou/µL
METHOD: CALCULATED PARAMETER			
ABSOLUTE BASOPHIL COUNT	0 Low	0.02 - 0.10	thou/µL
NEUTROPHIL LYMPHOCYTE RATIO (NLR)	1.2		

Interpretation(s)
BLOOD COUNTS,EDTA WHOLE BLOOD-The cell morphology is well preserved for 24hrs. However after 24-48 hrs a progressive increase in MCV and HCT is observed leading to a decrease in MCHC. A direct smear is recommended for an accurate differential count and for examination of RBC morphology.

RBC AND PLATELET INDICES-Mentzer index (MCV/RBC) is an automated cell-counter based calculated screen tool to differentiate cases of Iron deficiency anaemia(>13) from Beta thalassaemia trait

(<13) in patients with microcytic anaemia. This needs to be interpreted in line with clinical correlation and suspicion. Estimation of HbA2 remains the gold standard for diagnosing a case of beta thalassaemia trait.

WBC DIFFERENTIAL COUNT-The optimal threshold of 3.3 for NLR showed a prognostic possibility of clinical symptoms to change from mild to severe in COVID positive patients. When age = 49.5 years old and NLR = 3.3, 46.1% COVID-19 patients with mild disease might become severe. By contrast, when age < 49.5 years old and NLR < 3.3, COVID-19 patients tend to show mild disease.

(Reference to - The diagnostic and predictive role of NLR, d-NLR and PLR in COVID-19 patients; A.-P. Yang, et al.; International Immunopharmacology 84 (2020) 106504 This ratio element is a calculated parameter and out of NABL scope.

Dr. Akansha Jain Consultant Pathologist





Page 2 Of 12



View Report



REF. DOCTOR: SELF **PATIENT NAME: AMIT KUMAR SHARMA**

CODE/NAME & ADDRESS: C000049066 SRL JAIPUR WELLNESS CORPORATE WALK IN AAKRITI LABS PVT LTD. A-430, AGRASEN MARG

JAIPUR 302017 9314660100

ACCESSION NO: 0251WC001795 PATIENT ID : AMITM190386251

CLIENT PATIENT ID: 012303190019

ABHA NO

AGE/SEX :37 Years Male :19/03/2023 09:22:00 DRAWN RECEIVED: 19/03/2023 12:08:40

REPORTED :19/03/2023 16:14:13

Test Report Status Results **Biological Reference Interval** Units **Preliminary**

HAEMATOLOGY

MEDI WHEEL FULL BODY HEALTH CHECK UP BELOW 40 MALE

ERYTHROCYTE SEDIMENTATION RATE (ESR), WHOLE BLOOD

E.S.R 0 - 14mm at 1 hr

METHOD: AUTOMATED (PHOTOMETRICAL CAPILLARY STOPPED FLOW KINETIC ANALYSIS)"

Interpretation(s)

ERYTHROCYTE SEDIMENTATION RATE (ESR), WHOLE BLOOD-TEST DESCRIPTION :-

Erythrocyte sedimentation rate (ESR) is a test that indirectly measures the degree of inflammation present in the body. The test actually measures the rate of fall (sedimentation) of erythrocytes in a sample of blood that has been placed into a tall, thin, vertical tube. Results are reported as the millimetres of clear fluid (plasma) that are present at the top portion of the tube after one hour. Nowadays fully automated instruments are available to measure ESR.

ESR is not diagnostic; it is a non-specific test that may be elevated in a number of different conditions. It provides general information about the presence of an inflammatory condition.CRP is superior to ESR because it is more sensitive and reflects a more rapid change. **TEST INTERPRETATION**

Increase in: Infections, Vasculities, Inflammatory arthritis, Renal disease, Anemia, Malignancies and plasma cell dyscrasias, Acute allergy Tissue injury, Pregnancy, Estrogen medication, Aging.

Finding a very accelerated ESR(>100 mm/hour) in patients with ill-defined symptoms directs the physician to search for a systemic disease (Paraproteinemias,

Disseminated malignancies, connective tissue disease, severe infections such as bacterial endocarditis). In pregnancy BRI in first trimester is 0-48 mm/hr(62 if anemic) and in second trimester (0-70 mm /hr(95 if anemic). ESR returns to normal 4th week post partum. Decreased in: Polycythermia vera, Sickle cell anemia

False elevated ESR: Increased fibrinogen, Drugs(Vitamin A, Dextran etc), Hypercholesterolemia
False Decreased: Poikilocytosis, (SickleCells, spherocytes), Microcytosis, Low fibrinogen, Very high WBC counts, Drugs(Quinine, salicylates)

1. Nathan and Oski's Haematology of Infancy and Childhood, 5th edition; 2. Paediatric reference intervals. AACC Press, 7th edition. Edited by S. Soldin; 3. The reference for the adult reference range is "Practical Haematology by Dacie and Lewis, 10th edition.

Dr. Akansha Jain Consultant Pathologist



Page 3 Of 12





Create PDF without Trial Waterm Diagnostics

REF. DOCTOR: SELF

CODE/NAME & ADDRESS: C000049066 SRL JAIPUR WELLNESS CORPORATE WALK IN AAKRITI LABS PVT LTD. A-430, AGRASEN MARG

PATIENT NAME: AMIT KUMAR SHARMA

JAIPUR 302017 9314660100

ACCESSION NO: 0251WC001795 PATIENT ID : AMITM190386251

CLIENT PATIENT ID: 012303190019

ABHA NO

AGE/SEX :37 Years Male DRAWN :19/03/2023 09:22:00 RECEIVED: 19/03/2023 12:08:40 REPORTED :19/03/2023 16:14:13

Test Report Status Results **Biological Reference Interval** Units **Preliminary**

IMMUNOHAEMATOLOGY

MEDI WHEEL FULL BODY HEALTH CHECK UP BELOW 40 MALE

ABO GROUP & RH TYPE, EDTA WHOLE BLOOD

ABO GROUP TYPE A

METHOD: TUBE AGGLUTINATION

POSITIVE RH TYPE

METHOD: TUBE AGGLUTINATION

Interpretation(s)

ABO GROUP & RH TYPE, EDTA WHOLE BLOOD-Blood group is identified by antigens and antibodies present in the blood. Antigens are protein molecules found on the surface of red blood cells. Antibodies are found in plasma. To determine blood group, red cells are mixed with different antibody solutions to give A,B,O or AB.

Disclaimer: "Please note, as the results of previous ABO and Rh group (Blood Group) for pregnant women are not available, please check with the patient records for availability of the same."

The test is performed by both forward as well as reverse grouping methods.

Dr. Akansha Jain Consultant Pathologist Page 4 Of 12





MC-5333

PATIENT NAME: AMIT KUMAR SHARMA

CODE/NAME & ADDRESS: C000049066

SRL JAIPUR WELLNESS CORPORATE WALK IN
AAKRITI LABS PVT LTD. A-430, AGRASEN MARG

JAIPUR 302017 9314660100 REF. DOCTOR: SELF
ACCESSION NO: 0251WC001795 AGE

PATIENT ID : AMITM190386251

CLIENT PATIENT ID: 012303190019

ABHA NO :

AGE/SEX :37 Years Male
DRAWN :19/03/2023 09:22:00
RECEIVED :19/03/2023 12:08:40

REPORTED :19/03/2023 16:14:13

mg/dL

Test Report Status <u>Preliminary</u> Results Biological Reference Interval Units

BIOCHEMISTRY

MEDI WHEEL FULL BODY HEALTH CHECK UP BELOW 40 MALE

GLUCOSE FASTING, FLUORIDE PLASMA

FBS (FASTING BLOOD SUGAR) 99 74 - 99

METHOD: GLUCOSE OXIDASE

GLYCOSYLATED HEMOGLOBIN(HBA1C), EDTA WHOLE BLOOD

HBA1C **6.0 High** Non-diabetic: < 5.7 %

Pre-diabetics: 5.7 - 6.4 Diabetics: > or = 6.5 Therapeutic goals: < 7.0 Action suggested: > 8.0 (ADA Guideline 2021)

METHOD: HIGH PERFORMANCE LIQUID CHROMATOGRAPHY (HPLC)

ESTIMATED AVERAGE GLUCOSE(EAG) 125.5 High < 116.0 mg/dL

METHOD: CALCULATED PARAMETER

GLUCOSE, POST-PRANDIAL, PLASMA

PPBS(POST PRANDIAL BLOOD SUGAR) 104 70 - 140 mg/dL

METHOD : GLUCOSE OXIDASE

LIPID PROFILE, SERUM

METHOD: CHOLESTEROL OXIDASE

CHOLESTEROL, TOTAL **237 High** < 200 Desirable mg/dL

200 - 239 Borderline High

>/= 240 High

TRIGLYCERIDES 93 < 150 Normal mg/dL

150 - 199 Borderline High

200 - 499 High >/=500 Very High

METHOD: LIPASE/GPO-PAP NO CORRECTION

HDL CHOLESTEROL 55 < 40 Low mg/dL

>/=60 High

METHOD : DIRECT CLEARANCE METHOD

Dr. Akansha Jain Consultant Pathologist Page 5 Of 12





REF. DOCTOR: SELF

CODE/NAME & ADDRESS: C000049066 SRL JAIPUR WELLNESS CORPORATE WALK IN AAKRITI LABS PVT LTD. A-430, AGRASEN MARG

PATIENT NAME: AMIT KUMAR SHARMA

JAIPUR 302017 9314660100

ACCESSION NO: 0251WC001795 PATIENT ID : AMITM190386251

CLIENT PATIENT ID: 012303190019

ABHA NO

AGE/SEX :37 Years Male :19/03/2023 09:22:00 DRAWN RECEIVED: 19/03/2023 12:08:40 REPORTED :19/03/2023 16:14:13

Test Report Status <u>Preliminary</u>	Results	Biological Reference Int	Biological Reference Interval Units	
CHOLESTEROL LDL	163 High	< 100 Optimal 100 - 129 Near optimal/ above op 130 - 159 Borderline High 160 - 189 High >/= 190 Very High	mg/dL timal	
NON HDL CHOLESTEROL	182 High	Desirable: Less than 13 Above Desirable: 130 - Borderline High: 160 -: High: 190 - 219 Very high: > or = 220	159	
METHOD: CALCULATED PARAMETER				
VERY LOW DENSITY LIPOPROTEIN	18.6	= 30.0</td <td>mg/dL</td>	mg/dL	
CHOL/HDL RATIO	4.3	3.3 - 4.4 Low Risk 4.5 - 7.0 Average Risk 7.1 - 11.0 Moderate Risk > 11.0 High Risk		
LDL/HDL RATIO Interpretation(s)	3.0	0.5 - 3.0 Desirable/Low Risk 3.1 - 6.0 Borderline/Moderate Risk >6.0 High Risk		
Title pretation(s)				
LIVER FUNCTION PROFILE, SERUM				
BILIRUBIN, TOTAL METHOD: DIAZO WITH SULPHANILIC ACID	0.41	0 - 1	mg/dL	
BILIRUBIN, DIRECT METHOD: DIAZO WITH SULPHANILIC ACID	0.08	0.00 - 0.25	mg/dL	
BILIRUBIN, INDIRECT METHOD: CALCULATED PARAMETER	0.33	0.1 - 1.0	mg/dL	
TOTAL PROTEIN METHOD: BIURET REACTION, END POINT	7.9	6.4 - 8.2	g/dL	
ALBUMIN	5.0 High	3.8 - 4.4	g/dL	

Dr. Akansha Jain **Consultant Pathologist**





Page 6 Of 12







REF. DOCTOR: SELF

CODE/NAME & ADDRESS: C000049066

SRL JAIPUR WELLNESS CORPORATE WALK IN
AAKRITI LABS PVT LTD. A-430, AGRASEN MARG

PATIENT NAME: AMIT KUMAR SHARMA

JAIPUR 302017 9314660100 ACCESSION NO: **0251WC001795**PATIENT ID : AMITM190386251

CLIENT PATIENT ID: 012303190019

ABHA NO :

AGE/SEX :37 Years Male
DRAWN :19/03/2023 09:22:00
RECEIVED :19/03/2023 12:08:40
REPORTED :19/03/2023 16:14:13

Diagnostics

Test Report Status	<u>Preliminary</u>	Results	Biological Reference Interval Units	
METIOD - PROMOCRESOL S	DEEN			
METHOD : BROMOCRESOL G	KEEN	2.9	2.0 - 4.1	g/dL
GLOBULIN METHOD: CALCULATED PARA	∆METER	2.9	2.0 - 4.1	g/uL
ALBUMIN/GLOBULIN		1.7	1.0 - 2.1	RATIO
METHOD : CALCULATED PARA		1.7	1.0 2.1	
ASPARTATE AMINOTO (AST/SGOT) METHOD: TRIS BUFFER NO F		63 High	0 - 37	U/L
ALANINE AMINOTRAI	NSFERASE (ALT/SGPT) PSP IFCC / SFBC 37° C	90 High	0 - 40	U/L
ALKALINE PHOSPHATE METHOD: AMP OPTIMISED T		82	39 - 117	U/L
GAMMA GLUTAMYL T METHOD : GAMMA GLUTAMYI	RANSFERASE (GGT) 3 CARBOXY-4 NITROANILIDE (IFCC	102 High) 37° C	11 - 50	U/L
LACTATE DEHYDROG	ENASE	396	230 - 460	U/L
BLOOD UREA NITRO	GEN (BUN), SERUM			
BLOOD UREA NITRO	GEN	13	5.0 - 18.0	mg/dL
METHOD : UREASE KINETIC				
CREATININE, SERUM				
CREATININE		0.89	0.8 - 1.3	mg/dL
METHOD : ALKALINE PICRATI	E NO DEPROTEINIZATION			
BUN/CREAT RATIO				
BUN/CREAT RATIO METHOD: CALCULATED PARA	AMETER	14.61		
URIC ACID, SERUM	AMETER			
URIC ACID		7.8 High	3.4 - 7.0	mg/dL
	DASE WITH ASCORBATE OXIDASE	/10 mgm	5.4 - 7.0	mg/ dE
TOTAL PROTEIN, SER	RUM			
TOTAL PROTEIN		7.9	6.4 - 8.3	g/dL
METHOD : BIURET REACTION	, END POINT	7.10	31. 313	J ,
ALBUMIN, SERUM				
ALBUMIN		5.0 High	3.8 - 4.4	g/dL
METHOD : BROMOCRESOL G	REEN			
GLOBULIN				
GLOBULIN		2.9	2.0 - 4.1	g/dL

Dr. Akansha Jain Consultant Pathologist



Page 7 Of 12

MC-5333 **REF. DOCTOR: SELF**

PATIENT NAME: AMIT KUMAR SHARMA

CODE/NAME & ADDRESS: C000049066 SRL JAIPUR WELLNESS CORPORATE WALK IN AAKRITI LABS PVT LTD. A-430, AGRASEN MARG

1ATPUR 302017 9314660100

ACCESSION NO: 0251WC001795

: AMITM190386251

CLIENT PATIENT ID: 012303190019

ABHA NO

PATIENT ID

AGE/SEX :37 Years Male DRAWN :19/03/2023 09:22:00 RECEIVED: 19/03/2023 12:08:40 REPORTED: 19/03/2023 16:14:13

Test Report Status	<u>Preliminary</u> Results Biological Reference Interval Units		ce Interval Units	
ELECTROLYTES (NA/k	(/CL) SERUM			
•	k, CL), SEROH	1.15.0	127 115	
SODIUM, SERUM METHOD: ION-SELECTIVE ELE	ECTRODE	145.0	137 - 145	mmo l /L
POTASSIUM, SERUM		4.48	3.6 - 5.0	mmo l /L
METHOD : ION-SELECTIVE ELE	ECTRODE			
CHLORIDE, SERUM METHOD: ION-SELECTIVE ELE	ECTRODE	102.2	98 - 107	mmol/L

Interpretation(s)

Interpretation(s)

GLUCOSE FASTING, FLUORIDE PLASMA-TEST DESCRIPTION

Normally, the glucose concentration in extracellular fluid is closely regulated so that a source of energy is readily available to tissues and sothat no glucose is excreted in the urine.

Increased in

Diabetes mellitus, Cushing's syndrome (10 – 15%), chronic pancreatitis (30%). Drugs:corticosteroids,phenytoin, estrogen, thiazides.

Decreased in

Pancreatic islet cell disease with increased insulin,insulinoma,adrenocortical insufficiency, hypopituitarism,diffuse liver disease, malignancy (adrenocortical, stomach,fibrosarcoma), infant of a diabetic mother, enzyme deficiency diseases(e.g., galactosemia),Drugs- insulin, ethanol, propranolol; sulfonylureas,tolbutamide, and other oral hypoglycemic agents.

NOTE: While random serum glucose levels correlate with home glucose monitoring results (weekly mean capillary glucose values), there is wide fluctuation within individuals. Thus, glycosylated hemoglobin(HbA1c) levels are favored to monitor glycemic control.

High fasting glucose level in comparison to post prandial glucose level may be seen due to effect of Oral Hypoglycaemics & Insulin treatment, Renal Glyosuria, Glycaemic index & response to food consumed, Alimentary Hypoglycemia, Increased insulin response & sensitivity etc.

GLYCOSYLATED HEMOGLOBIN(HBA1C), EDTA WHOLE BLOOD-**Used For**:

- 1. Evaluating the long-term control of blood glucose concentrations in diabetic patients.
- 2.Diagnosing diabetes.
 3.Identifying patients at increased risk for diabetes (prediabetes).

The ADA recommends measurement of HbA1c (typically 3-4 times per year for type 1 and poorly controlled type 2 diabetic patients, and 2 times per year for well-controlled type 2 diabetic patients) to determine whether a patients metabolic control has remained continuously within the target range.

1.eAG (Estimated average glucose) converts percentage HbA1c to md/dl, to compare blood glucose levels.

- 2. eAG gives an evaluation of blood glucose levels for the last couple of months.
 3. eAG is calculated as eAG (mg/dl) = 28.7 * HbA1c 46.7

HbA1c Estimation can get affected due to:

I.Shortened Erythrocyte survival: Any condition that shortens erythrocyte survival or decreases mean erythrocyte age (e.g. recovery from acute blood loss, hemolytic anemia) will falsely lower HbA1c test results. Fructosamine is recommended in these patients which indicates diabetes control over 15 days.

II. Vitamin C & E are reported to falsely lower test results. (possibly by inhibiting glycation of hemoglobin.

III. Iron deficiency anemia is reported to increase test results. Hypertriglyceridemia, uremia, hyperbilirubinemia, chronic alcoholism, chronic ingestion of salicylates & opiates

addiction are reported to interfere with some assay methods, falsely increasing results. IV Interference of hemoglobinopathies in HbA1c estimation is seen in

a.Homozygous hemoglobinopathy. Fructosamine is recommended for testing of HbA1c. b.Heterozygous state detected (D10 is corrected for HbS & HbC trait.)

c.HbF > 25% on alternate paltform (Boronate affinity chromatography) is recommended for testing of HbA1c.Abnormal Hemoglobin electrophoresis (HPLC method) is

recommended for detecting a hemoglobinopathy GLUCOSE, POST-PRANDIAL, PLASMA-High fasting glucose level in comparison to post prandial glucose level may be seen due to effect of Oral Hypoglycaemics & Insulin treatment, Renal Glyosuria, Glycaemic index & response to food consumed, Alimentary Hypoglycemia, Increased insulin response & sensitivity etc.Additional test HbA1c LIVER FUNCTION PROFILE, SERUM-LIVER FUNCTION PROFILE

Bilirubin is a yellowish pigment found in bile and is a breakdown product of normal heme catabolism. Bilirubin is excreted in bile and urine, and elevated levels may give



Consultant Pathologist





Page 8 Of 12

View Report

PERFORMED AT:



MC-5333

PATIENT NAME: AMIT KUMAR SHARMA

CODE/NAME & ADDRESS: C000049066 SRL JAIPUR WELLNESS CORPORATE WALK IN AAKRITI LABS PVT LTD. A-430, AGRASEN MARG

JAIPUR 302017 9314660100

REF. DOCTOR: SELF ACCESSION NO: 0251WC001795 AGE/SEX

PATIENT ID : AMITM190386251

CLIENT PATIENT ID: 012303190019

ABHA NO

:37 Years Male DRAWN :19/03/2023 09:22:00 RECEIVED: 19/03/2023 12:08:40

REPORTED: 19/03/2023 16:14:13

Test Report Status Preliminary Results

Biological Reference Interval Units

yellow discoloration in jaundice. Elevated levels results from increased bilirubin production (eg, hemolysis and ineffective erythropoiesis), decreased bilirubin excretion (eg, obstruction and hepatitis), and abnormal bilirubin metabolism (eg, hereditary and neonatal jaundice). Conjugated (direct) bilirubin is elevated more than unconjugated (indirect) bilirubin in Viral hepatitis, Drug reactions, Alcoholic liver disease Conjugated (direct) bilirubin is also elevated more than unconjugated (indirect) bilirubin when there is some kind of blockage of the bile ducts like in Gallstones getting into the bile ducts. Lumors &Scarring of the bile ducts. Increased unconjugated (indirect) bilirubin may be a result of Hemolytic or pernicious anemia, Transfusion reaction & a common metabolic condition termed Gilbert syndrome, due to low levels of the enzyme that attaches sugar molecules to bilirubin.

AST is an enzyme found in various parts of the body. AST is found in the liver, heart, skeletal muscle, kidneys, brain, and red blood cells, and it is commonly measured clinically as a marker for liver health. AST levels increase during chronic viral hepatitis, blockage of the bile duct, cirrhosis of the liver, liver cancer, kidney failure, hemolytic anemia, pancreatitis, hemochromatosis. AST levels may also increase after a heart attack or strenuous activity ALT test measures the amount of this enzyme in the blood. ALT is found mainly in the liver, but also in smaller amounts in the kidneys, heart, muscles, and pancreas. It is commonly measured as a part of a diagnostic evaluation of hepatocellular injury, to determine liver health AST levels increase during acute hepatitis, sometimes due to a viral infection, is chemia to the liver, chronic

hepatitis, obstruction of bile ducts, cirrhosis.

ALP is a protein found in almost all body tissues Tissues with higher amounts of ALP include the liver, bile ducts and bone Elevated ALP levels are seen in Biliary obstruction, Osteoblastic bone tumors, osteomalacia, hepatitis, Hyperparathyroidism, Leukemia, Lymphoma, Paget''''''s disease, Rickets, Sarcoidosis etc. Lower-than-normal ALP levels seen in Hypophosphatasia, Malnutrition, Protein deficiency, Wilson'''''''s disease. GGT is an enzyme found in cell membranes of many tissues mainly in the liver, kidney and pancreas. It is also found in other tissues including intestine, spleen, heart, brain and seminal vesicles. The highest concentration is in the kidney, but the liver is considered the source of normal enzyme activity. Serum GGT has been widely used as an index of liver dysfunction. Elevated serum GGT activity can be found in diseases of the liver, biliary system and pancreas. Conditions that increase serum GGT are obstructive liver disease, high alcohol consumption and use of enzyme-inducing drugs etc. Serum total protein, also known as total protein, is a biochemical test for measuring the total amount of protein in serum Protein in the plasma is made up of albumin and globulin Higher-than-normal levels may be due to: Chronic inflammation or infection, including HIV and hepatitis B or C, Multiple myeloma, Waldenstrom disease Lower-than-normal levels may be due to: Agammaglobulinemia, Bleeding (hemorrhage), Burns, Glomerulonephritis, Liver disease, Malabsorption, Malnutrition, Nephrotic syndrome, Protein-losing enteropathy etc. Human serum albumin is the most abundant protein in human blood plasma. It is produced in the liver Albumin constitutes about half of the blood serum protein Low blood albumin levels (hypoalbuminemia) can be caused by: Liver disease like cirrhosis of the liver, nephrotic syndrome, protein-losing enteropathy,Burns,hemodilution,increased vascular permeability or decreased lymphatic clearance,malnutrition and wasting etc BLOOD UREA NITROGEN (BUN), SERUM-Causes of Increased levels include Pre renal (High protein diet, Increased protein catabolism, GI haemorrhage, Cortisol,

Dehydration, CHF Renal), Renal Failure, Post Renal (Malignancy, Nephrolithiasis, Prostatism)

Causes of decreased level include Liver disease, SIADH. CREATININE, SERUM-Higher than normal level may be due to:

- Blockage in the urinary tract
- Kidney problems, such as kidney damage or failure, infection, or reduced blood flow
 Loss of body fluid (dehydration)
- Muscle problems, such as breakdown of muscle fibers
- Problems during pregnancy, such as seizures (eclampsia)), or high blood pressure caused by pregnancy (preeclampsia)

Lower than normal level may be due to:

- Myasthenia Gravis

• Muscular dystrophy
URIC ACID, SERUM-Causes of Increased levels:-Dietary(High Protein Intake,Prolonged Fasting,Rapid weight loss),Gout,Lesch nyhan syndrome,Type 2 DM,Metabolic syndrome

Causes of decreased levels-Low Zinc intake, OCP, Multiple Sclerosis

TOTAL PROTEIN, SERUM-Serum total protein, also known as total protein, is a biochemical test for measuring the total amount of protein in serum. Protein in the plasma is made up of albumin and globulin

Higher-than-normal levels may be due to: Chronic inflammation or infection, including HIV and hepatitis B or C, Multiple myeloma, Waldenstrom"""""""" disease Lower-than-normal levels may be due to: Agammaglobulinemia, Bleeding (hemorrhage),Burns,Glomerulonephritis, Liver disease, Malabsorption, Malnutrition, Nephrotic syndrome, Protein-losing enteropathy etc.

ALBUMIN, SERUM-Human serum albumin is the most abundant protein in human blood plasma. It is produced in the liver. Albumin constitutes about half of the blood serum protein. Low blood albumin levels (hypoalbuminemia) can be caused by: Liver disease like cirrhosis of the liver, nephrotic syndrome, protein-losing enteropathy, Burns, hemodilution, increased vascular permeability or decreased lymphatic clearance,malnutrition and wasting etc.

Dr. Akansha Jain Consultant Pathologist Page 9 Of 12





View Report



PATIENT NAME: AMIT KUMAR SHARMA

CODE/NAME & ADDRESS : C000049066

SRL JAIPUR WELLNESS CORPORATE WALK IN
AAKRITI LABS PVT LTD. A-430, AGRASEN MARG

JAIPUR 302017 9314660100 REF. DOCTOR: SELF

ACCESSION NO: **0251WC001795** AGE/SEX : 37 Years
PATIENT ID : AMITM190386251 DRAWN : 19/03/20

CLIENT PATIENT ID: 012303190019

ABHA NO :

DRAWN :19/03/2023 09:22:00
RECEIVED :19/03/2023 12:08:40
REPORTED :19/03/2023 16:14:13

Male

Test Report Status <u>Preliminary</u> Results Biological Reference Interval Units

CLINICAL PATH - URINALYSIS

MEDI WHEEL FULL BODY HEALTH CHECK UP BELOW 40 MALE

PHYSICAL EXAMINATION, URINE

COLOR PALE YELLOW

APPEARANCE CLEAR

CHEMICAL EXAMINATION, URINE

PH 6.0 4.7 - 7.5SPECIFIC GRAVITY 1.020 1.003 - 1.035 **PROTEIN NOT DETECTED NOT DETECTED GLUCOSE** NOT DETECTED NOT DETECTED **KETONES NOT DETECTED NOT DETECTED BLOOD** NOT DETECTED NOT DETECTED **BILIRUBIN** NOT DETECTED NOT DETECTED **UROBILINOGEN NORMAL NORMAL NITRITE NOT DETECTED NOT DETECTED** LEUKOCYTE ESTERASE **NOT DETECTED NOT DETECTED**

MICROSCOPIC EXAMINATION, URINE

RED BLOOD CELLS

NOT DETECTED

NOT DETECTED

/HPF

PUS CELL (WBC'S)

2-3

0-5

/HPF

EPITHELIAL CELLS

0-1

0-5

/HPF

CASTS NOT DETECTED CRYSTALS NOT DETECTED

BACTERIA NOT DETECTED NOT DETECTED
YEAST NOT DETECTED NOT DETECTED

Interpretation(s)

Dr. Akansha Jain Consultant Pathologist



Page 10 Of 12











PATIENT NAME: AMIT KUMAR SHARMA REF. DOCTOR: SELF

CODE/NAME & ADDRESS : C000049066

SRL JAIPUR WELLNESS CORPORATE WALK IN
AAKRITI LABS PVT LTD. A-430, AGRASEN MARG

JAIPUR 302017 9314660100 ACCESSION NO: **0251WC001795**PATIENT ID: AMITM190386251

CLIENT PATIENT ID: 012303190019

ABHA NO :

AGE/SEX :37 Years Male
DRAWN :19/03/2023 09:22:00
RECEIVED :19/03/2023 12:08:40
REPORTED :19/03/2023 16:14:13

Test Report Status <u>Preliminary</u> Results Biological Reference Interval Units

CLINICAL PATH - STOOL ANALYSIS

MEDI WHEEL FULL BODY HEALTH CHECK UP BELOWESD MARES DINGPHYSICAL EXAMINATION,STOOLRESULT PENDINGCHEMICAL EXAMINATION,STOOLRESULT PENDINGMICROSCOPIC EXAMINATION,STOOLRESULT PENDING

Page 11 Of 12





View Details

View Report





PATIENT NAME: AMIT KUMAR SHARMA REF. DOCTOR: SELF

CODE/NAME & ADDRESS: C000049066

SRL JAIPUR WELLNESS CORPORATE WALK IN
AAKRITI LABS PVT LTD. A-430, AGRASEN MARG

JAIPUR 302017 9314660100 ACCESSION NO: **0251WC001795**PATIENT ID : AMITM190386251

CLIENT PATIENT ID: 012303190019

ABHA NO :

AGE/SEX :37 Years Male
DRAWN :19/03/2023 09:22:00
RECEIVED :19/03/2023 12:08:40
REPORTED :19/03/2023 16:14:13

Test Report Status <u>Preliminary</u> Results Biological Reference Interval Units

SPECIALISED CHEMISTRY - HORMONE

MEDI WHEEL FULL BODY HEALTH CHECK UP BELOW 40 MALE

THYROID PANEL, SERUM

T3 132.60 60.0 - 181.0 ng/dL
T4 8.70 4.5 - 10.9 μg/dL
TSH (ULTRASENSITIVE) 3.078 0.550 - 4.780 μIU/mL

End Of Report
Please visit www.sr|wor|d.com for related Test Information for this accession

CONDITIONS OF LABORATORY TESTING & REPORTING

- 1. It is presumed that the test sample belongs to the patient named or identified in the test requisition form.
- 2. All tests are performed and reported as per the turnaround time stated in the SRL Directory of Services.
- 3. Result delays could occur due to unforeseen circumstances such as non-availability of kits / equipment breakdown / natural calamities / technical downtime or any other unforeseen event.
- 4. A requested test might not be performed if:
 - i. Specimen received is insufficient or inappropriate
 - ii. Specimen quality is unsatisfactory
 - iii. Incorrect specimen type
 - iv. Discrepancy between identification on specimen container label and test requisition form

- 5. SRL confirms that all tests have been performed or assayed with highest quality standards, clinical safety & technical integrity.
- 6. Laboratory results should not be interpreted in isolation; it must be correlated with clinical information and be interpreted by registered medical practitioners only to determine final diagnosis.
- 7. Test results may vary based on time of collection, physiological condition of the patient, current medication or nutritional and dietary changes. Please consult your doctor or call us for any clarification.
- 8. Test results cannot be used for Medico legal purposes.
- 9. In case of queries please call customer care (91115 91115) within 48 hours of the report.

SRL Limited

Fortis Hospital, Sector 62, Phase VIII, Mohali 160062

Dr. Akansha la

Dr. Akansha Jain Consultant Pathologist





Page 12 Of 12

View Report

