SUBURBAN DIAGNOSTICS - BORIVALI WEST



Η

III

Η

Patient Name: FORAM RAJPUT

Patient ID: 2217635019

aVR

aVL

aVF

Date and Time: 25th Jun 22 10:23 AM

V6




Gender Female

Heart Rate 59bpm

Patient Vitals

BP: NA Weight: NA Height: NA Pulse: NA Spo2: NA Resp: Others:



Measurements

QRSD: 94ms QT: 398ms QTc: 394ms PR: 134ms

P-R-T: 47° 52° 26°

ECG Within Normal Limits: Sinus Bradycardia. Please correlate clinically.

25.0 mm/s 10.0 mm/mV

REPORTED BY

Dr Nitin Sonavane M.B.B.S.AFLH, D.DIAB, D.CARD **Consultant Cardiologist** 87714

Disclaimer: 1) Analysis in this report is based on ECG alone and should be used as an adjunct to clinical history, symptoms, and results of other invasive and non-invasive tests and must be interpreted by a qualified physician. 2) Patient vitals are as entered by the clinician and not derived from the ECG.

V3



Use a OR Code Scanner

Application To Scan the Code

CID : 2217635019

Name : Ms FORAM RAJPUT

Age / Sex : 33 Years/Female

Ref. Dr : Reg. Date : 25-Jun-2022

Reg. Location : Borivali West Reported : 25-Jun-2022 / 15:14

USG WHOLE ABDOMEN

<u>LIVER:</u> Liver is normal in size, shape and echotexture. There is no intra-hepatic biliary radical dilatation. No evidence of any obvious focal lesion.

GALL BLADDER: Gall bladder is distended and appears normal. No obvious wall thickening is noted. There is no evidence of any calculus.

PORTAL VEIN: Portal vein is normal. **CBD:** CBD is normal.

<u>PANCREAS:</u> Pancreas head and partial body is visualized and appears normal. There is no evidence of any focal lesion or calcification. Rest of the pancreas is obscured due to bowel gas shadows.

<u>KIDNEYS:</u> Right kidney measures 9.6 x 4.8 cm. Left kidney measures 10.8 x 4.1 cm.

Both kidneys are normal in shape and echotexture. Corticomedullary differentiation is maintained. There is no evidence of any hydronephrosis, hydroureter or calculus.

SPLEEN: Spleen is normal in size, shape and echotexture. No focal lesion is seen.

URINARY BLADDER: Urinary bladder is distended and normal. Wall thickness is within normal limits.

<u>UTERUS:</u> Uterus is anteverted, normal and measures 7.6 x 3.1 x 4.6 cm. Uterine myometrium shows homogenous echotexture. Endometrium is normal in thickness and measures 7.7 mm. Cervix appears normal.

<u>OVARIES:</u> Both ovaries are bulky in size and shows multiple follicles arranged at the periphery with bright central echotexture suggestive of polycystic morphology.

The right ovary measures 3.4 x 3.8 x 1.7 cm (volume 11.9 cc).

The left ovary measures 3.8 x 3.4 x 2.3 cm (volume 15.6 cc).

Bilateral adnexa is clear.

No free fluid or obvious significant lymphadenopathy is seen.



Use a OR Code Scanner

Application To Scan the Code

CID : 2217635019

Name : Ms FORAM RAJPUT

Age / Sex : 33 Years/Female

Ref. Dr : Reg. Date : 25-Jun-2022

Reg. Location : Borivali West Reported : 25-Jun-2022 / 15:14

Opinion:

Polycystic ovarian morphology.

Suggest- clinical and hormonal evaluation for PCOS.

Investigations have their limitations. They only help in diagnosing the disease in correlation to clinical symptoms and other related tests. Please interpret accordingly.

-----End of Report-----

This report is prepared and physically checked by Dr Vivek Singh before dispatch.

Dr.Vivek Singh

MD Radiodiagnosis

Reg No: 2013/03/0388



Name : Ms FORAM RAJPUT

Age / Sex : 33 Years/Female

Ref. Dr :

Reg. Location: Borivali West



R

Use a QR Code Scanner Application To Scan the Code

Reg. Date : 25-Jun-2022

Reported : 25-Jun-2022/17:31

X-RAY CHEST PA VIEW

Both lung fields are clear.

Both costo-phrenic angles are clear.

The cardiac size and shape are within normal limits.

The domes of diaphragm are normal in position and outlines.

The skeleton under review appears normal.

IMPRESSION:

NO SIGNIFICANT ABNORMALITY IS DETECTED.

	End	of	Report
--	-----	----	--------

This report is prepared and physically checked by Dr Rohit before dispatch.

DR. ROHIT MALIK

DNB, DMRD, DMRE (MUM)

Rushila

RADIO DIAGNOSIS REG. No. 82356



Name : Ms FORAM RAJPUT

Age / Sex : 33 Years/Female

Ref. Dr :

Reg. Location: Borivali West

Authenticity Check

R



Use a QR Code Scanner Application To Scan the Code

Reg. Date : 25-Jun-2022

Reported : 25-Jun-2022/17:31



Name : MS.FORAM RAJPUT

Age / Gender : 32 Years / Female

Consulting Dr. : -

Reg. Location

: Borivali West (Main Centre)

Authenticity Check

Use a QR Code Scanner Application To Scan the Code

Collected : 25-Jun-2022 / 09:27

Reported

:25-Jun-2022 / 12:14

Calculated

AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE

	CBC (Complete Blood	d Count), Blood	
<u>PARAMETER</u>	RESULTS	BIOLOGICAL REF RANGE	<u>METHOD</u>
RBC PARAMETERS			
Haemoglobin	13.1	12.0-15.0 g/dL	Spectrophotometric
RBC	4.58	3.8-4.8 mil/cmm	Elect. Impedance
PCV	39.7	36-46 %	Measured
MCV	87	80-100 fl	Calculated
MCH	28.6	27-32 pg	Calculated
MCHC	33.1	31.5-34.5 g/dL	Calculated
RDW	12.4	11.6-14.0 %	Calculated
WBC PARAMETERS			
WBC Total Count	7840	4000-10000 /cmm	Elect. Impedance
WBC DIFFERENTIAL AND ABS	OLUTE COUNTS		
Lymphocytes	35.2	20-40 %	
Absolute Lymphocytes	2759.7	1000-3000 /cmm	Calculated
Monocytes	8.3	2-10 %	
Absolute Monocytes	650.7	200-1000 /cmm	Calculated
Neutrophils	53.9	40-80 %	
Absolute Neutrophils	4225.8	2000-7000 /cmm	Calculated
Eosinophils	2.0	1-6 %	
Absolute Eosinophils	156.8	20-500 /cmm	Calculated

WBC Differential Count by Absorbance & Impedance method/Microscopy.

0.6 47.0

PLATELET PARAMETERS

Platelet Count	276000	150000-400000 /cmm	Elect. Impedance
MPV	8.8	6-11 fl	Calculated
PDW	14.8	11-18 %	Calculated

0.1-2 %

20-100 /cmm

RBC MORPHOLOGY

Basophils

Absolute Basophils

Immature Leukocytes

Hypochromia	-
Microcytosis	-

Page 1 of 10

ADDRESS: 2nd Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053



Name : MS.FORAM RAJPUT

: 32 Years / Female Age / Gender

Consulting Dr. Collected : 25-Jun-2022 / 09:27

:25-Jun-2022 / 10:51 Reported : Borivali West (Main Centre) Reg. Location

Macrocytosis

Anisocytosis

Poikilocytosis

Polychromasia

Target Cells

Basophilic Stippling

Normoblasts

Others Normocytic, Normochromic

WBC MORPHOLOGY

PLATELET MORPHOLOGY

COMMENT

Specimen: EDTA Whole Blood

ESR, EDTA WB 11 2-20 mm at 1 hr. Westergren

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West *** End Of Report ***









Page 2 of 10

ADDRESS: 2nd Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053

HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343

For Feedback - customerservice@suburbandiagnostics.com | www.suburbandiagnostics.com

Authenticity Check

Use a OR Code Scanner

Application To Scan the Code



Name : MS.FORAM RAJPUT

Age / Gender : 32 Years / Female

Consulting Dr. :

Reg. Location

: Borivali West (Main Centre)

Authenticity Check

Use a QR Code Scanner Application To Scan the Code

Collected : 25-Jun-2022 / 09:27

Reported :25-Jun-2022 / 12:21

AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE

<u>PARAMETER</u>	<u>RESULTS</u>	BIOLOGICAL REF RANGE	<u>METHOD</u>
GLUCOSE (SUGAR) FASTING, Fluoride Plasma	86.3	Non-Diabetic: < 100 mg/dl Impaired Fasting Glucose: 100-125 mg/dl Diabetic: >/= 126 mg/dl	Hexokinase
GLUCOSE (SUGAR) PP, Fluoride Plasma PP/R	94.4	Non-Diabetic: < 140 mg/dl Impaired Glucose Tolerance: 140-199 mg/dl Diabetic: >/= 200 mg/dl	Hexokinase
BILIRUBIN (TOTAL), Serum	0.46	0.1-1.2 mg/dl	Colorimetric
BILIRUBIN (DIRECT), Serum	0.21	0-0.3 mg/dl	Diazo
BILIRUBIN (INDIRECT), Serum	0.25	0.1-1.0 mg/dl	Calculated
TOTAL PROTEINS, Serum	7.7	6.4-8.3 g/dL	Biuret
ALBUMIN, Serum	5.0	3.5-5.2 g/dL	BCG
GLOBULIN, Serum	2.7	2.3-3.5 g/dL	Calculated
A/G RATIO, Serum	1.9	1 - 2	Calculated
SGOT (AST), Serum	17.9	5-32 U/L	NADH (w/o P-5-P)
SGPT (ALT), Serum	16.2	5-33 U/L	NADH (w/o P-5-P)
GAMMA GT, Serum	13.1	3-40 U/L	Enzymatic
ALKALINE PHOSPHATASE, Serum	36.9	35-105 U/L	Colorimetric
BLOOD UREA, Serum	23.1	12.8-42.8 mg/dl	Kinetic
BUN, Serum	10.8	6-20 mg/dl	Calculated
CREATININE, Serum	0.67	0.51-0.95 mg/dl	Enzymatic
eGFR, Serum	108	>60 ml/min/1.73sqm	Calculated
URIC ACID, Serum	4.6	2.4-5.7 mg/dl	Enzymatic

Page 3 of 10

ADDRESS: 2nd Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053



Name : MS.FORAM RAJPUT

Age / Gender : 32 Years / Female

Consulting Dr. : -

Reg. Location : Borivali West (Main Centre)

Authenticity Check

Use a QR Code Scanner Application To Scan the Code

Collected

Reported

: 25-Jun-2022 / 13:21

:25-Jun-2022 / 16:41

Urine Sugar (Fasting) Absent Absent
Urine Ketones (Fasting) Absent Absent

Urine Sugar (PP) Absent Absent Urine Ketones (PP) Absent Absent

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West
*** End Of Report ***







Dr.ANUPA DIXIT
M.D.(PATH)
Consultant Pathologist & Lab
Director

ADDRESS: 2nd Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053

HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343

For Feedback - customerservice@suburbandiagnostics.com | www.suburbandiagnostics.com

Page 4 of 10



Name : MS.FORAM RAJPUT

Age / Gender : 32 Years / Female

Consulting Dr. Collected : 25-Jun-2022 / 09:27

Reported :25-Jun-2022 / 16:34 Reg. Location : Borivali West (Main Centre)



Use a OR Code Scanner Application To Scan the Code

AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE GLYCOSYLATED HEMOGLOBIN (HbA1c)

BIOLOGICAL REF RANGE METHOD PARAMETER RESULTS

Glycosylated Hemoglobin 5.6 **HPLC** Non-Diabetic Level: < 5.7 % (HbA1c), EDTA WB - CC

Prediabetic Level: 5.7-6.4 % Diabetic Level: >/= 6.5 %

Estimated Average Glucose 114.0 mg/dl Calculated

(eAG), EDTA WB - CC

Intended use:

- In patients who are meeting treatment goals, HbA1c test should be performed at least 2 times a year
- In patients whose therapy has changed or who are not meeting glycemic goals, it should be performed quarterly
- For microvascular disease prevention, the HbA1C goal for non pregnant adults in general is Less than 7%.

Clinical Significance:

- HbA1c, Glycosylated hemoglobin or glycated hemoglobin, is hemoglobin with glucose molecule attached to it.
- The HbA1c test evaluates the average amount of glucose in the blood over the last 2 to 3 months by measuring the percentage of glycosylated hemoglobin in the blood.

Test Interpretation:

- The HbA1c test evaluates the average amount of glucose in the blood over the last 2 to 3 months by measuring the percentage of Glycosylated hemoglobin in the blood.
- HbA1c test may be used to screen for and diagnose diabetes or risk of developing diabetes.
- To monitor compliance and long term blood glucose level control in patients with diabetes.
- Index of diabetic control, predicting development and progression of diabetic micro vascular complications.

Factors affecting HbA1c results:

Increased in: High fetal hemoglobin, Chronic renal failure, Iron deficiency anemia, Splenectomy, Increased serum triglycerides, Alcohol ingestion, Lead/opiate poisoning and Salicylate treatment.

Decreased in: Shortened RBC lifespan (Hemolytic anemia, blood loss), following transfusions, pregnancy, ingestion of large amount of Vitamin E or Vitamin C and Hemoglobinopathies

Reflex tests: Blood glucose levels, CGM (Continuous Glucose monitoring)

References: ADA recommendations, AACC, Wallach's interpretation of diagnostic tests 10th edition.

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD CPL, Andheri West *** End Of Report ***







Dr.ANUPA DIXIT M.D.(PATH) **Consultant Pathologist & Lab** Director

ADDRESS: 2nd Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053

HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343

For Feedback - customerservice@suburbandiagnostics.com | www.suburbandiagnostics.com

Page 5 of 10



Name : MS.FORAM RAJPUT

: 32 Years / Female Age / Gender

Consulting Dr.

Reg. Location : Borivali West (Main Centre)



Use a OR Code Scanner Application To Scan the Code

: 25-Jun-2022 / 09:27

Collected Reported :25-Jun-2022 / 14:20

AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE LIRINF FXAMINATION REPORT

	ONINE EXAMINAT		
<u>PARAMETER</u>	<u>RESULTS</u>	BIOLOGICAL REF RANGE	<u>METHOD</u>
PHYSICAL EXAMINATION			
Color	Pale yellow	Pale Yellow	-
Reaction (pH)	5.0	4.5 - 8.0	Chemical Indicator
Specific Gravity	1.015	1.001-1.030	Chemical Indicator
Transparency	Clear	Clear	-
Volume (ml)	40	-	-
CHEMICAL EXAMINATION			
Proteins	Absent	Absent	pH Indicator
Glucose	Absent	Absent	GOD-POD
Ketones	Absent	Absent	Legals Test
Blood	Absent	Absent	Peroxidase
Bilirubin	Absent	Absent	Diazonium Salt
Urobilinogen	Normal	Normal	Diazonium Salt
Nitrite	Absent	Absent	Griess Test
MICROSCOPIC EXAMINATION			
Leukocytes(Pus cells)/hpf	1-2	0-5/hpf	

Red Blood Cells / hpf 0-2/hpf Absent

Epithelial Cells / hpf 0-1

Casts Absent Absent Crystals **Absent Absent** Amorphous debris Absent Absent

Bacteria / hpf 2-3 Less than 20/hpf

Others









Page 6 of 10

ADDRESS: 2nd Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053

HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343

^{*}Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West *** End Of Report **



Name : MS.FORAM RAJPUT

Age / Gender : 32 Years / Female

Consulting Dr.

: Borivali West (Main Centre) Reg. Location



Authenticity Check

Use a OR Code Scanner Application To Scan the Code

Collected

Reported

: 25-Jun-2022 / 09:27 :25-Jun-2022 / 15:07

AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE BLOOD GROUPING & Rh TYPING

PARAMETER RESULTS

ABO GROUP Α

Rh TYPING **POSITIVE**

NOTE: Test performed by automated column agglutination technology (CAT) which is more sensitive than conventional methods.

Specimen: EDTA Whole Blood and/or serum

Clinical significance:

ABO system is most important of all blood group in transfusion medicine

Limitations:

- ABO blood group of new born is performed only by cell (forward) grouping because allo antibodies in cord blood are of maternal origin.
- Since A & B antigens are not fully developed at birth, both Anti-A & Anti-B antibodies appear after the first 4 to 6 months of life. As a result, weaker reactions may occur with red cells of newborns than of adults.
- Confirmation of newborn's blood group is indicated when A & B antigen expression and the isoagglutinins are fully developed at 2 to 4 years of age & remains constant throughout life.
- Cord blood is contaminated with Wharton's jelly that causes red cell aggregation leading to false positive result
- The Hh blood group also known as Oh or Bombay blood group is rare blood group type. The term Bombay is used to refer the phenotype that lacks normal expression of ABH antigens because of inheritance of hh genotype.

Refernces:

- Denise M Harmening, Modern Blood Banking and Transfusion Practices- 6th Edition 2012. F.A. Davis company. Philadelphia
- AABB technical manual

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD CPL, Andheri West *** End Of Report **







Dr.VRUSHALI SHROFF M.D.(PATH) **Pathologist**

Page 7 of 10

ADDRESS: 2nd Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053

HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343



Name : MS.FORAM RAJPUT

: 32 Years / Female Age / Gender

Consulting Dr.

Reg. Location

: Borivali West (Main Centre)

Authenticity Check

Use a OR Code Scanner Application To Scan the Code

:25-Jun-2022 / 09:27

Collected

Reported

:25-Jun-2022 / 12:36

AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE LIPID PROFILE

<u>PARAMETER</u>	RESULTS	BIOLOGICAL REF RANGE	<u>METHOD</u>
CHOLESTEROL, Serum	178.3	Desirable: <200 mg/dl Borderline High: 200-239mg/dl High: >/=240 mg/dl	CHOD-POD
TRIGLYCERIDES, Serum	86.1	Normal: <150 mg/dl Borderline-high: 150 - 199 mg/dl High: 200 - 499 mg/dl Very high:>/=500 mg/dl	GPO-POD
HDL CHOLESTEROL, Serum	55.9	Desirable: >60 mg/dl Borderline: 40 - 60 mg/dl Low (High risk): <40 mg/dl	Homogeneous enzymatic colorimetric assay
NON HDL CHOLESTEROL, Serum	122.4	Desirable: <130 mg/dl Borderline-high:130 - 159 mg/dl High:160 - 189 mg/dl Very high: >/=190 mg/dl	Calculated
LDL CHOLESTEROL, Serum	105.0	Optimal: <100 mg/dl Near Optimal: 100 - 129 mg/dl Borderline High: 130 - 159 mg/dl High: 160 - 189 mg/dl Very High: >/= 190 mg/dl	Calculated
VLDL CHOLESTEROL, Serum	17.4	< /= 30 mg/dl	Calculated
CHOL / HDL CHOL RATIO, Serum	3.2	0-4.5 Ratio	Calculated
LDL CHOL / HDL CHOL RATIO,	1.9	0-3.5 Ratio	Calculated

^{*}Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West
*** End Of Report ***



over the page or visit our website.







Page 8 of 10

ADDRESS: 2nd Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053

HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343



Name : MS.FORAM RAJPUT

Age / Gender : 32 Years / Female

Consulting Dr. :

Reg. Location

: Borivali West (Main Centre)

Authenticity Check

Use a QR Code Scanner Application To Scan the Code

Collected: 25-Jun

Reported

: 25-Jun-2022 / 09:27 : 25-Jun-2022 / 11:12

AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE THYROID FUNCTION TESTS

<u>PARAMETER</u>	<u>RESULTS</u>	BIOLOGICAL REF RANGE	<u>METHOD</u>
Free T3, Serum	4.6	3.5-6.5 pmol/L	ECLIA
Free T4, Serum	17.3	11.5-22.7 pmol/L First Trimester:9.0-24.7 Second Trimester:6.4-20.59 Third Trimester:6.4-20.59	ECLIA
sensitiveTSH, Serum	2.4	0.35-5.5 microIU/ml First Trimester:0.1-2.5 Second Trimester:0.2-3.0 Third Trimester:0.3-3.0	ECLIA



Name : MS.FORAM RAJPUT

Age / Gender : 32 Years / Female

Consulting Dr. : - Collected : 25-Jun-2022 / 09:27

Reg. Location : Borivali West (Main Centre) Reported :25-Jun-2022 / 11:12



A thyroid panel is used to evaluate thyroid function and/or help diagnose various thyroid disorders.

Clinical Significance:

- 1)TSH Values between 5.5 to 15 microIU/ml should be correlated clinically or repeat the test with new sample as physiological factors can give falsely high TSH.
- 2)TSH values may be trasiently altered becuase of non thyroidal illness like severe infections, liver disease, renal and heart severe burns, trauma and surgery etc.

TSH	FT4 / T4	FT3 / T3	Interpretation
High	Normal	Normal	Subclinical hypothyroidism, poor compliance with thyroxine, drugs like amiodarone, Recovery phase of non-thyroidal illness, TSH Resistance.
High	Low	Low	Hypothyroidism, Autoimmune thyroiditis, post radio iodine Rx, post thyroidectomy, Anti thyroid drugs, tyrosine kinase inhibitors & amiodarone, amyloid deposits in thyroid, thyroid tumors & congenital hypothyroidism.
Low	High	High	Hyperthyroidism, Graves disease, toxic multinodular goiter, toxic adenoma, excess iodine or thyroxine intake, pregnancy related (hyperemesis gravidarum, hydatiform mole)
Low	Normal	Normal	Subclinical Hyperthyroidism, recent Rx for Hyperthyroidism, drugs like steroids & dopamine), Non thyroidal illness.
Low	Low	Low	Central Hypothyroidism, Non Thyroidal Illness, Recent Rx for Hyperthyroidism.
High	High	High	Interfering anti TPO antibodies, Drug interference: Amiodarone, Heparin, Beta Blockers, steroids & anti epileptics.

Diurnal Variation:TSH follows a diurnal rhythm and is at maximum between 2 am and 4 am, and is at a minimum between 6 pm and 10 pm. The variation is on the order of 50 to 206%. Biological variation:19.7%(with in subject variation)

Reflex Tests: Anti thyroid Antibodies, USG Thyroid , TSH receptor Antibody. Thyroglobulin, Calcitonin

Limitations: Samples should not be taken from patients receiving therapy with high biotin doses (i.e. >5 mg/day) until atleast 8 hours following the last biotin administration.

Reference:

- 1.O.koulouri et al. / Best Practice and Research clinical Endocrinology and Metabolism 27(2013)
- 2.Interpretation of the thyroid function tests, Dayan et al. THE LANCET . Vol 357
- 3. Tietz , Text Book of Clinical Chemistry and Molecular Biology -5th Edition
- 4.Biological Variation:From principles to Practice-Callum G Fraser (AACC Press)

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West
*** End Of Report ***







Dr.ANUPA DIXIT
M.D.(PATH)
Consultant Pathologist & Lab
Director

Authenticity Check

Use a OR Code Scanner

Application To Scan the Code

ADDRESS: 2nd Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053

HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343

For Feedback - customerservice@suburbandiagnostics.com | www.suburbandiagnostics.com

Page 10 of 10



E

R

.

CID# : **2217635019** SID# : 177805286359

Name : MS.FORAM RAJPUT Registered : 25-Jun-2022 / 09:23

Age / Gender : 32 Years/Female Collected : 25-Jun-2022 / 09:23

Consulting Dr. : - Reported : 25-Jun-2022 / 15:28

Reg.Location : Borivali West (Main Centre) Printed : 25-Jun-2022 / 15:31

PHYSICAL EXAMINATION REPORT

History and Complaints:

Asymptomatic

EXAMINATION FINDINGS:

Height (cms):154 cmsWeight (kg):61kgTemp (0c):AfebrileSkin:NormalBlood Pressure (mm/hg):100/70 mmhgNails:Normal

Pulse: 78/min Lymph Node: Not palpable

Systems

Cardiovascular: S1S2 audible

Respiratory: AEBE **Genitourinary:** NAD

GI System: Liver & Spleen not palpable

CNS: NAD

IMPRESSION:

ADVICE:

CHIEF COMPLAINTS:

Hypertension: NO
 IHD NO
 Arrhythmia NO
 Diabetes Mellitus NO
 Tuberculosis NO

CENTRAL PROCESSING LAB: 2nd Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053

HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343



E

R

CID# : **2217635019** SID# : 177805286359

Name : MS.FORAM RAJPUT Registered : 25-Jun-2022 / 09:23

Age / Gender : 32 Years/Female Collected : 25-Jun-2022 / 09:23

Consulting Dr. : - Reported : 25-Jun-2022 / 15:28

Reg.Location : Borivali West (Main Centre) Printed : 25-Jun-2022 / 15:31

6) Asthama NO

7) Pulmonary Disease NO

8) Thyroid/ Endocrine disorders NO

9) Nervous disorders NO

10) **GI system** NO

11) Genital urinary disorder NO

12) Rheumatic joint diseases or symptoms NO

13) Blood disease or disorder NO

14) Cancer/lump growth/cystNO15) Congenital diseaseNO

16) **Surgeries** Right knee ACL ligament tear repair 2019

17) Musculoskeletal System NO

PERSONAL HISTORY:

Alcohol
 Smoking
 Diet
 Medication
 NO
 Mix

*** End Of Report ***

Dr.NITIN SONAVANE PHYSICIAN

CENTRAL PROCESSING LAB: 2nd Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053

HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343