



भारत सरकार
GOVERNMENT OF INDIA




बालू आनंदा चौधरी
Balu Ananda Chaudhari
जन्म वर्ष / Year of Birth : 1979
पुरुष / Male



4282 6088 5291

आधार — सामान्य माणसाचा अधिकार



Patient ID	: 022	UHID No.	:
Patient Name	: MR. BALU CHAUDHARI	Regn/Sample Date	: 10-Jul-2021 12.28 PM
Age / Sex	: 45 Years / Male	Report Date	: 10-Jul-2021 02.45 PM
Referred By	: SADGURU HOSPITAL	Sample Type	: Whole Blood
		Barcode	

COMPLETE BLOOD COUNT

Investigation	Result	Unit	Bio. Ref. Range
Haemoglobin (HB)	15.8	gm/dl	13-18
RBC	4.82	10 ⁶ /uL	4.7-6.0
PCV	47.0	%	42-52
MCV	97.5	fl	70-100
MCH	32.8	pg	27-31
MCHC	33.6	g/dl	32-36
RDW-CV	12.8	%	11.5-14.5
Platelet count	223000	/cumm	150000-450000
Total Leucocytes Count	6300	/cumm	4000-11000
DIFFERENTIAL LEUCOCYTES COUNT			
Neutrophils	45	%	44-76
Lymphocytes	50	%	20-40
Monocytes	02	%	2-10
Eosinophils	03	%	1-6
Basophils	00	%	0-2

END OF REPORT



P. P. Sawade
sadguru_Admin

Checked By
Page 1 of 7

Dr. Pravin Bagul

Dr. Pravin Bagul
(MD Path
Consulting Pathologist)

SADGURU PATHOLOGY LABORATORY

Patient ID	: 022	UHID No.	:
Patient Name	: MR. BALU CHAUDHARI	Regn/Sample Date	: 10-Jul-2021 12.28 PM
Age / Sex	: 45 Years / Male	Report Date	: 10-Jul-2021 02.45 PM
Referred By	: SADGURU HOSPITAL	Sample Type	: Whole Blood
		Barcode	 * 0 2 2 *

HAEMATOLOGY.

Investigation	Result
---------------	--------

BLOOD GROUP ABO & RH TYPING

(EDTA Whole Blood)

Blood group (ABO Typing)	A
RhD Factor (Rh typing)	POSITIVE
Method	Manual Slide Hemagglutination
Note	Kindly recheck Blood Group before blood transfusion
ESR (Wintrobe)	07 mm/1hr. 0-9


(EDTA Whole Blood)

END OF REPORT




sadguru_Admin

Checked By
Page 2 of 7



Dr. Pravin Bagul
(MD Path
Consulting Pathologist)

Patient ID	: 022	UHID No.	:
Patient Name	: MR. BALU CHAUDHARI	Regn/Sample Date	: 10-Jul-2021 12.28 PM
Age / Sex	: 45 Years / Male	Report Date	: 10-Jul-2021 02.45 PM
Referred By	: SADGURU HOSPITAL	Sample Type	: SERUM
		Barcode	

LIVER FUNCTION TEST

Investigation	Result	Unit	Bio. Ref. Range
LIVER FUNCTION TEST			
SGOT (AST) (Serum,IFCC)	20.1	U/L	Upto 40
SGPT (ALT) (Serum,IFCC)	19.8	U/L	Upto 40
Bilirubin-Total (Serum,Diazo)	0.80	mg/dL	0.1-1.2
Bilirubin-Direct (Serum,Diazo)	0.50	mg/dL	0.0-0.5
Bilirubin- Indirect	0.30	mg/dL	0.1-1.0
Alkaline Phosphatase (Serum, ALP-AMP)	155.6	U/L	54-306
Total Protein (Serum, Modified Biuret)	7.10	g/dl	6.0-8.5
Albumin (Serum,Bromocresol green)	4.20	g/dl	3.0-5.4
Globulin	2.90	g/dl	1.8-3.6
A/G Ratio (Calculated)	1.45		1.1-2.2

END OF REPORT



P. Pawar
sadguru_Admin

Checked By
Page 3 of 7

Dr. Pravin Bagul

Dr. Pravin Bagul
(MD Path
Consulting Pathologist)

Patient ID : 022	UHID No. :
Patient Name : MR. BALU CHAUDHARI	Regn/Sample Date : 10-Jul-2021 12.28 PM
Age / Sex : 45 Years / Male	Report Date : 10-Jul-2021 02.45 PM
Referred By : SADGURU HOSPITAL	Sample Type : PLASMA PP
	Barcode



BIOCHEMISTRY

Investigation	Result	Unit	Bio. Ref. Range
Postmeal Blood Glucose (Plasma-PM,GOD-POD)	111.5	mg/dL	Upto 140
Parallel Urine Glucose	NIL	.	
Sr. Creatinine (Serum,Picrate Alcalin)	0.90	mg/dL	0.5-1.3
Gamma GT (GGTP) (Serum, Enzymatic)	25.4	U/L	9-36
Fasting Blood Glucose (Plasma-F,GOD-POD)	86.7	mg/dL	60-110
Parallel Urine Glucose	NIL	.	
Sr. Uric Acid (Serum, Uricase Peroxidase)	4.2	mg/dL	3.5-7.2
BLOOD UREA NITROGEN (BUN)			
Sr. Blood Urea (Serum,Urease)	25.4	mg/dL	10-50
BUN-Blood Urea Nitrogen	12	mg/dL	8-23
Remark : In blood, Urea is usually reported as BUN and expressed in mg/dl. BUN mass units can be converted to urea mass units by multiplying by 2.14.			
Sr. Blood Urea (Serum,Urease)	25.4	mg/dL	10-50
Remark : In blood, Urea is usually reported as BUN and expressed in mg/dl. BUN mass units can be converted to urea mass units by multiplying by 2.14.			

END OF REPORT




P. Pawar
sadguru_Admin

Checked By
Page 4 of 7

P. Bagul

Dr. Pravin Bagul
(MD Path
Consulting Pathologist)

Patient ID : 022	UHID No. :
Patient Name : MR. BALU CHAUDHARI	Regn/Sample Date : 10-Jul-2021 12.28 PM
Age / Sex : 45 Years / Male	Report Date : 10-Jul-2021 02.45 PM
Referred By : SADGURU HOSPITAL	Sample Type : SERUM
	Barcode 


LIPID PROFILE

Investigation	Result	Unit	Bio. Ref. Range
Nature Of Sample (Serum, Enzymatic)	Fasting		
Serum Cholesterol -Total	220.5	mg/dL	Desirable - Upto 200 Borderline High - 200-239 High - Above 240
Serum Triglycerides	142.6	mg/dL	Normal: Below 150 Borderline High :150-199 High : 200-499 Very High : >= 500
HDL Cholesterol	40.0	mg/dL	Major risk factor for heart disease: < 40 Negative risk factor for heart disease: >=60
LDL Cholesterol	152	mg/dL	Optimal: < 100 Near Optimal/Above Optimal: 100-129 Borderline High: 130-159 High : 160-189 Very High : >= 190
VLDL Cholesterol	29	mg/dL	6-38
CHOL/HDL Ratio	5.51	Ratio	0-4.5
LDL / HDL Ratio	3.8	Ratio	1.5-3.5

Note: Reference Interval as per National Cholesterol Education Program (NCEP) Adult Treatment Panel III Report.


VLDL,CHOL/HDL Ratio, LDL/HDL Ratio, LDL Cholesterol,serum, are calculated parameter

END OF REPORT


sadguru_Admin

Checked By
Page 5 of 7





Dr. Pravin Bagul
(MD Path
Consulting Pathologist)

Patient ID	: 022	UHID No.	:
Patient Name	: MR. BALU CHAUDHARI	Regn/Sample Date	: 10-Jul-2021 12.28 PM
Age / Sex	: 45 Years / Male	Report Date	: 10-Jul-2021 02.45 PM
Referred By	: SADGURU HOSPITAL	Sample Type	: Whole Blood
		Barcode	

BIOCHEMISTRY.


Investigation	Result	Unit	Blo. Ref. Range
HbA1C	5.1	%	Non-diabetic: ≤ 5.8 Pre-diabetic: 5.9-6.4 Diabetic: ≥ 6.5
Mean Blood Glucose level	100	mg/dL	
Method	Nephelometry		

INTERPRETATION :


- HbA1c is used for monitoring diabetic control . It reflects the estimated average glucose (eAG) .
- HbA1c has been endorsed by clinical groups & ADA(American Diabetes Association) guidelines 2012 , for diagnosis of diabetes using a cut- off point of 6.5%. ADA defined biological reference range for HbA1c is 4% - 6%. Patient with HbA1c value between 6.0% to 6.5% are considered at risk for developing diabetes in the future .
- Trends in HbA1c are a better indicator of diabetes control than a solitary test .
- In known diabetic patients, following values can be considered as a tool for monitoring the glycemic control. Excellent Control - 6 to 7 % , Fair to Good Control - 7 to 8 % , Unsatisfactory Control - 8 to 10 % and Poor Control - More than 10 % .

----- END OF REPORT -----





sadguru_Admin

Checked By
Page 6 of 7



Dr. Pravin Bagul
(MD Path
Consulting Pathologist)

Patient ID	: 022	UHID No.	:
Patient Name	: MR. BALU CHAUDHARI	Regn/Sample Date	: 10-Jul-2021 12.28 PM
Age / Sex	: 45 Years / Male	Report Date	: 10-Jul-2021 02.45 PM
Referred By	: SADGURU HOSPITAL	Sample Type	: URINE
		Barcode	

REPORT ON URINE ROUTINE

Investigation	Result
Specimen Name	Urine
PHYSICAL EXAMINATION	
Nature of specimen	Random
Colour	Pale Yellow
Transparency (Appearance)	Clear
Reaction (pH)	Acidic
Quantity	10 ml
Deposits	Absent
Specific Gravity	1.020
CHEMICAL EXAMINATION	
Urine Protein (Albumin)	Absent
Urine Glucose (Sugar)	Absent
Urine Ketones (Acetone)	Absent
Bile pigments	Absent
Bile Salt	Absent
MICROSCOPIC EXAMINATION	
Red blood cells	Not Seen
Pus Cells (WBCs)	1-2/hpf
Epithelial cells	0-1/hpf
Crystals	Not seen
Cast	Not seen
Bacteria	Absent

END OF REPORT



P. H. Chauhan
sadguru_Admin

Checked By
Page 7 of 7

P. Pravin Bagul

Dr. Pravin Bagul
(MD Path
Consulting Pathologist)



TEST REPORT

Patient Name : Mr. Balu Chaudhari
Age/Sex : 45 Years / Male | **Regn. No.** : 168885
Reference By : Self | **Regn. Date** : 10/07/2021 17:00
Collection Center : Sadguru Hos./Lab (Panchavati) | **Report Date** : 10/07/2021 19:20

IMMUNO ASSAY

Test Name	Result	Units	Biological Reference Interval
Total Triiodothyronine (T3) :	124.3	ng/dl	[80 - 200 ng/dl] For Pregnancy: First Trimester: 81-190 Second Trimester: 100-260 Third Trimester: 100-260
Total Thyroxine (T4) :	7.12	µg/dl	[4.5 - 14.1 ug/dl]
Thyroid Stimulating Hormone (ultra TSH) :	<u>6.32</u>	µIU/ml	[0.270 - 4.2] For Pregnancy: First Trimester: 0.1-2.5 Second Trimester: 0.2-3.0

Method: Fully Automated ElectroChemiluminescence System


Test Done On Fully Automated Cobas e411_Japan

*Result relates only to the sample as received. Kindly correlate with clinical conditions.

NOTE:

1. Decreased T3 (normal T4 & TSH) have minimal clinical significance and are not recommended for diagnosis of hypothyroidism
2. Total T3 may be decreased by < 25% in healthy older individuals.
3. Total T3 & T4 values may also be altered under other conditions like pregnancy, drugs (androgens,estrogens, O C phenytoin) nephrosis etc. In such cases free T3 and Free T4 are preferred tests.
4. Clinically correlate the result or repeat the tests with fresh sample if TSH values are between 5 - 15 mIU/L as physiological factors may give falsely high TSH.

----- END OF REPORT -----


Dr. Pravin Bagul
M.D. (Pathology)
Consulting Pathologist





TEST REPORT

Patient Name : Mr. Balu Chaudhari
Age/Sex : 45 Years / Male | **Regn. No.** : 168885
Reference By : Self | **Regn. Date** : 10/07/2021 17:00
Collection Center : Sadguru Hos./Lab (Panchavati) | **Report Date** : 10/07/2021 19:20


Prostate specific antigen (PSA)

Test Name	Result	Units	Biological Ref. Interval
Prostate Specific Antigen (PSA):	0.167	ng/ml	[0.0 - 4.0] 40 -49 Years :0- 2.5 ng/ml 50 -59 Years :0- 3.5 ng/ml 60 -69 Years :0- 4.5 ng/ml 70 -79 Years :0- 6.5 ng/ml Above 80 yrs : 0-7.2 ng/ml

Test Done On Fully Automated Cobas e411

*Result relates only to the sample as received. Kindly correlate with clinical conditions.

----- END OF REPORT -----


Dr. Pravin Bagul
M.D. (Pathology)
Consulting Pathologist

