

Patient Name: Mr. PRAVANJAN DEY 33/M

Resting ECG Report





February 15, 2022
Time: 13:31:38

QT / QTc : 0.376 / 0.413 Sec
P-QRS-T Axis (26)-(33)-(34) deg

PR Interval: 0.14 sec
QRS Duration: 0.100 Sec

RR Interval: 0.83 sec

HR : 72 bpm
BP : 125 / 60 mmHg



Comments :-

Pravanjan Dey
10mm/mv, 25mm/sec NASANI (C) Simul-G BL U 4/3/13

NAME: MR.PRAVANJAN DEY	MR NO: FSIN-0000	DATE : 15.02.2022
AGE: 33YRS.	SEX:MALE	REF BY: SELF(CORPORATE)

ECG REPORT

HR : 72 b/min
 AXIS : NORMAL
 RHYTHM : SINUS
 PR INTERVAL : 0.14 sec
 QT INTERVAL : 0.376 sec
 QRS DURATION : 0.100 sec
 T-WAVE : NORMAL.

IMPRESSION:

● RESTING ECG IS WITHIN NORMAL LIMITS.



Dr. SIDDHARTHA KUNDU
 MBBS (Cal), PGDCC, CCEBDM
 Clinical Cardiologist
 Ex Sr Resident, Cardiology Dept
 B.R Singh Hospital, Eastern Railway

APOLLO CLINIC @ OM TOWER
 Opp. of Rabindra Bharati University
 Licensee : **Satyam Credit Pvt. Ltd.**

36C, B.T. Road, Kolkata - 700 002
 E-mail : sinthimor@theapolloclinic.com
satyamcreditpvtltd@gmail.com



033 2556 3333



033 2556 5555



+91 98521 66666



+91 74392 97827

PATIENT ID : HEIGHT : 0 Cm WEIGHT : 72.00 Kg

PATIENT NAME : PRAVANJAN DEY 33/M

PROTOCOL : BRUCE


STAGE : Pre-Test
ST Levels (mm) / ST Slope (mV/s) measured at 80 ms Post J

Linked Median Report

February 15, 2022 01:38 pm

Report time 01:39 pm

PHASE TIME : 00:43
STAGE DURATION : 00:00
HR : 83 bpm
ORs Lead : V5
SPEED : 0.0 kmph
GRADE : 0.0
BP : 125 / 60 mm
METs : 1.00




I 1.52 / 1.05

aVR -2.19 / -2.10

V1 -0.32 / -0.32

V4 2.19 / 1.29




II 2.77 / 1.21

aVL 0.19 / 0.32

V2 2.90 / 2.34

V5 2.22 / 0.64




III 1.26 / 0.24

aVF 1.97 / 0.73

V3 2.29 / 1.45

V6 1.77 / 0.64



V5

100 HZ

10mm/mv, 25mm/sec

NASAN (C) ST-Win Standard BL 6.91, Unit Ver 4.20

Pravanjan Dey

February 15, 2022 01:38 pm

Linked Median Report

Report time

01:52 pm

PATIENT NAME : PRAVANJAN DEY 33/M
HEIGHT : 0.0m WEIGHT : 72.00 KG
PROTOCOL : BRUCE
STAGE : Recovery
ST Levels (mm) / ST Slope (mV/s) measured at 80 ms Post J

PHASE TIME : 09:01 SPEED : 0.0 kmph
STAGE DURATION : 03:00 GRADE : 0.0
HR : 83 bpm BP : 140 / 75 mm
QRS Lead : V5 METs : 1.00




I 0.87/0.81

aVR -1.32/-1.77

V1 -0.45/-0.48

V4 1.68/1.45




II 1.97/1.69

aVL -0.10/-0.32

V2 1.97/1.61

V5 1.42/1.21




III 0.87/0.48

aVF 1.32/0.89

V3 1.87/1.93

V6 1.06/0.81



V5


100 Hz

10mm/mv, 25mm/sec

NASAN (C) ST-Win Standard BL 6.91 Unit Ver 4.20

PATIENT ID : HEIGHT : 0 Cm WEIGHT : 72.00 Kg
 CLIENT NAME : PRAVANJAN DEY 33/M
 PROTOCOL : BRUCE
 STAGE : Recovery
 ST Levels (mm) / ST Slope (mV/s) measured at 80 ms Post J

February 15, 2022 01:38 pm
 Report time : 01:51 pm
 PHASE TIME : 09:01 SPEED: 0.0 kmph
 STAGE DURATION : 02:00 GRADE: 0.0
 HR : 86 bpm BP : 140/75 mmHg
 QRS Lead : V5 METs : 1.00




I 1.06/1.05

aVR -1.55/-2.10

V1 -0.55/-0.48

V4 1.90/1.69




II 2.06/1.77

aVL -0.13/-0.32

V2 2.19/1.93

V5 1.61/1.37




III 0.90/0.56

aVF 1.48/0.97

V3 2.10/2.18

V6 1.19/0.89



V5

100 HZ





10mm/mv, 25mm/sec

NASAN (G) ST-Mir Standard BL 6.91, Unit Ver-4.20

Linked Median Report

PATIENT ID : HEIGHT : 0 Cm WEIGHT : 72.00 Kg
PATIENT NAME : PRAVANJAN DEY 33/M
PROTOCOL : BRUCE
PACER : Recovery
Lead Levels (mm) / ST Slope (mV/s) measured at 80 ms Post J

February 15, 2022 01:38 pm
Report time 01:50 pm
PHASE TIME 09:01
STAGE DURATION : 01:00
HR : 90 bpm
QRS Lead : V5
SPEED: 0.0 kmph
GRADE: 0.0
BP : 140 / 75 mm
METS : 1.00



HEIGHT : 0 Cm WEIGHT : 72.00 Kg

HT NAME : PRAVANJAN DEY 33/M

LOCAL BRUCE

Peak Exercise

(mV/s) / ST Slope (mV/s) measured at 80 ms Post J

Linked Median Report

February 15, 2022

01:38 pm

Report time

01:49 pm

PHASE TIME	09:01	SPEED	6.8 kmph
STAGE DURATION	00:01	GRADE	16.0
HR	118 bpm	BP	140 / 75 mm
QRS Lead	V5	METS	10.60




I 1.35 / 1.29 aVR -1.81 / -2.66 V1 -0.35 / -0.73 V4 2.35 / 2.10



II 2.39 / 1.53 aVL 0.19 / -0.16 V2 3.13 / 2.74 V5 1.93 / 1.61



III 0.97 / 0.32 aVF 1.71 / 0.97 V3 2.68 / 2.42 V6 1.42 / 1.37



PATIENT ID : HEIGHT : 0 Cm WEIGHT : 72.00 Kg
 PATIENT NAME : PRAVANJAN DEY 33/M
 PROTOCOL : BRUCE
 STAGE : Exercise Stage 3
 ST Levels (mm) / ST Slope (mV/s) measured at 60 ms Post J

February 15, 2022 01:38 pm
 Report time 01:49 pm
 PHASE TIME : 09:00 SPEED: 5.5 kmph
 STAGE DURATION : 03:00 GRADE: 14.0
 HR : 120 bpm BP : 140 / 75 mm
 QRS Lead : V5 METS : 10.60



I 1.35 / 1.29

aVR -1.77 / -2.58

V1 -0.29 / -0.64

V4 2.35 / 2.10




II 2.35 / 1.53

aVL 0.19 / -0.16

V2 3.13 / 2.74

V5 1.87 / 1.61




III 0.97 / 0.32

aVF 1.71 / 0.97

V3 2.61 / 2.42

V6 1.42 / 1.29



V5 1.42 / 1.29

100 HZ


10mm/mv, 25mm/sec

NASAN (G) ST Win Standard BL 6.91, Unit Ver 4.20

Linked Median Report

HEIGHT 0 Cm WEIGHT 72.00 Kg
 PHOTO COL BRUCE
 STAGE Exercise Stage 2
 BT Levels (mm) / ST Slope (mV/s) measured at 80 ms Post J

February 15, 2022 01:38 pm
 Report time 01:46 pm
 SPEED: 4.0 kmph
 GRADE: 12.0
 BP: 135 / 70 mm
 METS: 8.00
 PHASE TIME : 06:00
 STAGE DURATION : 03:00
 HR : 103 bpm
 QRS Lead : V5




100 Hz
 10mm/mv, 25mm/sec

February 15, 2022 01:38 pm
Report time 01:43 pm

HEIGHT : 0 Cm WEIGHT : 72.00 KG
PATIENT NAME : PRAVANJAN DEY 33/M
PROTOCOL : BRUCE
STAGE : Exercise Stage 1
ST Levels (mm) / ST Slope (mV/s) measured at 80 ms Post J

PHASE TIME : 03:00 SPEED : 2.7 kmph
STAGE DURATION : 03:00 GRADE : 10.0
HR : 93 bpm BP : 126 / 60 mm
GRS Lead : V5 METs : 5.70




I 1.45 / 1.05

aVR 2.00 / -2.01

V1 -0.19 / 0.40

V4 2.58 / 1.93




II 2.90 / 1.53

aVL 0.00 / 0.00

V2 2.97 / 2.01

V5 2.45 / 1.69




III 1.48 / 0.48

aVF 2.13 / 0.97

V3 2.58 / 2.26

V6 1.81 / 0.40



V5

100 Hz

10mm/iv, 25mm/sec

NASANT (C) ST-Win Standard BL 6.91 Unit Ver 4.20

PATIENT NAME : PRAVANJAN DEY 33M
 HEIGHT : 0 Cm WEIGHT : 72.00 Kg
 PROTOCOL : BRUCE
 STAGE : Wait For Exercise
 ST Levels (mm) / ST Slope (mV/s) measured at 80 ms Post J

February 16, 2022 01:38 pm
 Report time : 01:40 pm
 PHASE TIME : 01:39
 STAGE DURATION : 00:00
 HR : 80 bpm
 QRS Lead : V5
 SPEED : 0.0 kmph
 GRADE : 0.0
 BP : 125 / 60 mm
 METs : 3.40

I 1.35 / 0.97

aVR -2.03 / -1.85

V1 -0.39 / -0.40

V4 2.03 / 0.97

II 2.61 / 1.13

aVL 0.16 / 0.32

V2 2.64 / 2.01

V5 2.06 / 0.73

III 1.16 / 0.24

aVF 1.81 / 0.73

V3 2.10 / 1.53

V6 1.64 / 0.56

V5

100 HZ

10mm/1v, 25mm/sec

NASAN (C) ST-Win Standard BL 6.91, Unit Ver 4.20

February 15, 2022 01:38 pm

Report time 01:40 pm

PHASE TIME : 01:32 SPEED: 0.0 kmph
STAGE DURATION : 00:00 GRADE: 0.0
HR : 79 bpm BP : 125 / 60 mm
QRS Lead V5 METs : 1.00

HEIGHT: 0 Cm WEIGHT: 72.00 Kg

NAME: PRAVANJAN DEY 33/M

BRUCE

HyperVentilation

ST Slope (mV/s): measured at 80 ms Post J




I 1.35 / 0.97

aVR -2.00 / -1.85

V1 -0.39 / -0.40

V4 2.03 / 0.97




II 2.58 / 1.13

aVL 0.16 / 0.32

V2 2.64 / 2.01

V5 2.06 / 0.73




III 1.19 / 0.32

aVF 1.81 / 0.73

V3 2.10 / 1.53


V6 1.64 / 0.56



V5

PATIENT NAME : PRAVANJAN DEY 33/M
HEIGHT : 0 Cm WEIGHT : 72.00 Kg
PROTOCOL : BRUCE
STAGE : Standing
ST Levels (mm) / ST Slope (mV/s) measured at 80 ms Post J

February 15, 2022 01:38 pm
Report time 01:40 pm
PHASE TIME : 01:24 SPEED 0.0 kmph
STAGE DURATION : 00:00 GRADE 0.0
HR : 79 bpm BP : 125 / 60 mmHg
QRS Lead : V5 METS : 1.00




I 1.35 / 0.97

aVR -2.00 / -1.85

V1 -0.39 / -0.40

V4 2.03 / 0.97




II 2.58 / 1.13

aVL 0.16 / 0.32

V2 2.64 / 2.01

V5 2.06 / 0.73




III 1.19 / 0.32

aVF 1.81 / 0.73

V3 2.10 / 1.53

V6 1.64 / 0.56



V5

100 HZ

10mm/mV, 25mm/sec
NASAN (C) ST-Win Standard BL 6.91, Unit Ver 4.20

HEIGHT : 0.0m WEIGHT : 72.00 Kg

PATIENT NAME : PRAVANJAN DEY 33M

BRUCE

Supine

ST Levels (mm) / ST Slope (mV/s) measured at 80 ms Post J

Linked Median Report

February 15, 2022 01:38 pm

Report time 01:39 pm

PHASE TIME : 01:13 SPEED : 0.0 kmph
STAGE DURATION : 00:00 GRADE : 0.0
HR : 79 bpm BP : 125 / 60 mm
QRS Lead : V5 V6 METs : 1.00

I 1.35 / 0.97

aVR -2.00 / -1.85

V1 -0.39 / -0.40

V4 2.03 / 0.97

II 2.58 / 1.13

aVL 0.16 / 0.32

V2 2.64 / 2.01

V5 2.06 / 0.73


III 1.19 / 0.32

aVF 1.81 / 0.73

V3 2.10 / 1.53

V6 1.64 / 0.56

V5



10mm/mV 25mm/Sec

100 Hz

NASAN (G) ST-Win Standard BL 6.91, Unit Ver 4.20