



सत्यमेव जयते  
भारत सरकार



आधार

12

ভারত সরকার

Unique Identification Authority of India

Government of India

ভালিকাতুক্তির আই ডি / Enrollment No.: 1062/30117/33458

To  
সায়ন্তন মন্ডল  
Sayantan Mandal  
S/O: Biswasnath Mandal  
Gobindapur  
Gobindapur  
Goghat - I Hooghly  
West Bengal 712602  
8016118004

22/09/2015

291445360



MP914453601FT



আপনার আধার সংখ্যা / Your Aadhaar No. :

**9113 8805 5095**

আধার - সাধারণ মানুষের অধিকার

Dr. M.S. CHOUDARY, MBBS, DLO,  
Regd. No: 8747 (A.P. Med. Coun  
MACANTI CHIL... H.S.NOS'  
D.No: 4... no:107  
Sri Ranga Nagar, Ground F  
Kaleswara Rao Road, Govern  
WJAYAWADA-520 002. Ph: 66



ভারত সরকার  
Government of India



সায়ন্তন মন্ডল  
Sayantan Mandal  
পিতা : বিশ্বনাথ মন্ডল  
Father : Biswanath Mandal  
জন্মতারিখ / DOB : 12/02/1988  
পুরুষ / Male



**9113 8805 5095**

আধার - সাধারণ মানুষের অধিকার

*MChoudhary*

*Sayantan Mandal*





Government of India



## তথ্য

- আধার পরিচয়ের প্রমাণ, নাগরিকত্বের প্রমাণ নয়।
- পরিচয়ের প্রমাণ অনলাইন প্রমাণীকরণ দ্বারা লাভ করুন।

## INFORMATION

- Aadhaar is proof of identity, not of citizenship .
- To establish identity, authenticate online .

- আধার সারা দেশে মান্য।
- আধার ভবিষ্যতে সরকারী ও বেসরকারী পরিষেবা প্রাপ্তির সহায়ক হবে।
- Aadhaar is valid throughout the country .
- Aadhaar will be helpful in availing Government and Non-Government services in future .



আধার

ঠিকানা:  
এস/ও: বিস্বনাথ মন্ডল,  
গোবিন্দপুর, হুগলী, গোবিন্দপুর,  
পশ্চিম বঙ্গ, 712602

ভারতীয় বিশিষ্ট পরিচয় প্রাধিকরণ  
Unique Identification Authority of India

Address:  
S/O: Biswasnath Mandal,  
Gobindapur, Hooghly,  
Gobindapur, West Bengal, 712602

9113 8805 5095

1947  
1800 300 1947

help@uidai.gov.in

www  
www.uidai.gov.in

## CERTIFICATE OF MEDICAL FITNESS

This is to certify that I have conducted the clinical examination

of SAYANTAN MANDAL on 05/09/2022

After reviewing the medical history and on clinical examination it has been found that he/she is

	Tick
<ul style="list-style-type: none"> <li>• <input checked="" type="checkbox"/> Medically Fit</li> </ul>	<input checked="" type="checkbox"/>
<ul style="list-style-type: none"> <li>• Fit with restrictions/recommendations</li> </ul> <p>Though following restrictions have been revealed, in my opinion, these are not impediments to the job.</p> <p>1.....</p> <p>2.....</p> <p>3.....</p> <p>However the employee should follow the advice/medication that has been communicated to him/her.</p> <p>Review after _____</p>	
<ul style="list-style-type: none"> <li>• Currently Unfit.</li> </ul> <p>Review after _____ recommended</p>	
<ul style="list-style-type: none"> <li>• Unfit</li> </ul>	

Dr. N.S. Choudary

Medical Officer

The Apollo Clinic, (Location)

Dr. M.S. CHOUDARY, MBBS,DLO,MS

Reg. No: 6747 (A.P. Med. Council)

MAGANTI CLINIC, DIAGNOSTICS

D.No: 2017/102

Sri Ranga Nagar, 2nd Floor

Kaleswara Rao Road, Governorpet

VIJAYAWADA-520 002. Ph: 6664639

*This certificate is not meant for medico-legal purposes*

α

Sayantan Mandal.







# ADARSH DIAGNOSTICS

ISO 9001 : 2015 CERTIFIED

D.No. 29-3-23, Flat No : 102, Opp. I.V. Palace Road, Sri Ranga Heights,  
Ground Floor, Kaleswara Rao Road, Governorpet,  
VIJAYAWADA - 520 002. ☎ (0866) 6664639, Fax : 2431916

BOB

Name of the life to be Assured:-SAYANTAN MANDAL Age:-34/M

## BLOOD EXAMINATION REPORT

GLYCOSYLATED HEMOGLOBIN TEST :HbA1c  
(MEAN BLOOD GLUCOSE LEVEL FOR THE LAST 2 MONTHS)

RESULT	:	5.8 %
IMPRESSION	:	NON DIABETIC
INTERPRETATION OF TEST	:	
HbA1c		%OF GLUCOSE CONTROL
>10 %	:	POOR
9% - 10 %	:	FAIR
8% - 9%	:	GOOD
7% - 8%	:	CONTROL
6% - 7 %	:	NEAR NORMAL
<6	:	NON DIABETIC

Dated at Vijayawada on the 05<sup>TH</sup> day of September 2022

(Pathologist/DR.Incharge)

ADARSH DIAGNOSTICS  
D.No: 29-3-23, Flat No: 102  
SRI RANGA HEIGHTS, GROUND FLOOR  
Kaleswara Rao Road, Governorpet  
VIJAYAWADA-520 002. Ph: 6664639

X-RAY, ECG, E.E.G. PATHOLOGICAL, SEROLOGICAL, BIO-CHEMICAL, IMMUNOASSAY, BLOOD BANK,  
TREAD- MILL STRESS TEST : ULTRA SOUND SCAN WITH 2-D ECHO CARDIOGRAPHY, HOLTER RECORD,  
AUDIOMETRY AND 24 HOURS AMBULANCE, ENDOSCOPY





# ADARSH DIAGNOSTICS

ISO 9001 : 2015 CERTIFIED

D.No. 29-3-23, Flat No : 102, Opp. I.V. Palace Road, Sri Ranga Heights,  
Ground Floor, Kaleswara Rao Road, Governorpet,  
VIJAYAWADA - 520 002. © (0866) 6664639, Fax : 2431916

BOB

Name of the life to be Assured:-SAYANTAN MANDAL Age:-34/M

## BLOOD EXAMINATION REPORT

TEST	CBC	RESULT	NORMAL RANGE
HAEMOGLOBIN(HGB)	:	14.0 gm%	(12.0 – 16.0 g/100ml)
P C V ( HAEMATOCRIT)	:	42.0 gm%	( 36 - 48 %)
MCV	:	89.10 CU.MM	( 76 - 92 CU MM)
MCH	:	28.04 MM.G	( 27 - 32 MM G)
MCHC	:	32.0 %	( 30 - 35 %)
RDW	:	NORMAL	
M P V	:	NORMAL	
INDICES	:	NORMAL	
T R B C	:	4.66 miil/cumm	( 3.9 – 6.5miil/cumm)
PLATELET COUNT	:	2.2 lakhs/c.mm	( 1.5 - 4.0 lakhs/c.mm)
T W B C	:	8,300 cells/cumm	(4,000-10,000cells/cumm)
DIFFERENTIAL COUNT			
NEUTROPHILS	:	70 %	( 40 - 74 %)
LYMPHOCYTES	:	25 %	( 20 - 45%)
EOSINOPHILS	:	05 %	( 2 - 06 %)
MONOCYTES	:	---	( 00 - 02 %)
BASOPHILS	:	---	( < 1% )
E S R	:	16 mm/ 1st hour	( 02 - 12mm/1 st hour)
GROUP	:	" B"	
RH TYPE	:	POSITIVE(+VE)	

Dated at Vijayawada on the 05<sup>TH</sup> day of September 2022

  
(Pathologist/Dr. Incharge)

ADARSH DIAGNOSTICS  
D.No: 29-3-23, Flat No: 102  
SRI RANGA HEIGHTS, GROUND FLOOR  
Kaleswara Rao Road, Governorpet  
VIJAYAWADA-520 002. Ph: 6664639

X-RAY, ECG, E.E.G. PATHOLOGICAL, SEROLOGICAL, BIO-CHEMICAL, IMMUNOASSAY, BLOOD BANK,  
TREAD- MILL STRESS TEST : ULTRA SOUND SCAN WITH 2-D ECHO CARDIOGRAPHY, HOLTER RECORD,  
AUDIOMETRY AND 24 HOURS AMBULANCE, ENDOSCOPY



# ADARSH DIAGNOSTICS

ISO 9001 : 2015 CERTIFIED

D.No. 29-3-23, Flat No : 102, Opp. I.V. Palace Road, Sri Ranga Heights,  
Ground Floor, Kaleswara Rao Road, Governorpet,  
VIJAYAWADA - 520 002. ☎ (0866) 6664639, Fax : 2431916

BOB

Name of the life to be Assured:-SAYANTAN MANDAL Age:-34/M

## URINE EXAMINATION REPORT

### MACROSCOPY

QUANTITY	:	8.5ML
APPEARANCE	:	CLEAR
COLOUR	:	PALE YELLOW
SP GRAVITY	:	1.020
REACTION	:	ACIDIC

### CHEMICAL

BILE SALTS	:	NEGATIVE(-VE)
BILE PIGEMENTS	:	NEGATIVE(-VE)
UROBILINOGEN	:	NORMAL
ACETONE	:	NEGATIVE(-VE)
OCCULT BLOOD	:	NEGATIVE(-VE)
ALBUMIN	:	NIL
URINE SUGAR	:	NIL

### MICRO

R B C	:	NIL
CAST	:	NIL
PUS CELLS	:	2-3/HPF
E P CELLS	:	NIL
CRYSTALS	:	NIL
BACTERIA	:	NIL

Dated at Vijayawada on the 05<sup>TH</sup> day of September 2022

  
(Pathologist/Dr.Incharge)

ADARSH DIAGNOSTICS

D.No: 29-3-23, Flat No: 102  
SRI RANGA HEIGHTS, GROUND FLOOR  
Kaleswara Rao Road, Governorpet  
VIJAYAWADA-520 002. Ph: 6664639

X-RAY, ECG, E.E.G. PATHOLOGICAL, SEROLOGICAL, BIO-CHEMICAL, IMMUNOASSAY, BLOOD BANK,  
TREAD- MILL STRESS TEST : ULTRA SOUND SCAN WITH 2-D ECHO CARDIOGRAPHY, HOLTER RECORD,  
AUDIOMETRY AND 24 HOURS AMBULANCE, ENDOSCOPY





# ADARSH DIAGNOSTICS

ISO 9001 : 2015 CERTIFIED

D.No. 29-3-23, Flat No : 102, Opp. I.V. Palace Road, Sri Ranga Heights,  
Ground Floor, Kaleswara Rao Road, Governorpet,  
VIJAYAWADA - 520 002. © (0866) 6664639, Fax : 2431916

## BOB

Name of the life to be Assured:-SAYANTAN MANDAL Age:-34/M

### BLOOD EXAMINATION REPORT

FASTING BLOOD SUGAR(FBS):	82 mg%	(N.VALUE:60 – 100 mg%)
POST PRANDRLAL BLOOD SUGAR:	134 mg%	(N.VALUE:60-150 mg%)
S.CHOLESTEROL	: 185 mg%	(N.VALUE:130 – 250 mg%)
S.TRIGLY CERIDES	: 138 mg%	(N.VALUE:UP TO 175 mg%)
HDL	: 45.8mg%	(N.VALUE:35 – 55 mg%)
V L D L	: 26.2 mg%	(N.VALUE: UP TO 30 mg%)
LDL	: 114.9	(N.VALUE:UP TO 150 mg%)
UREA	: 32 mg%	(N.VALUE:10 – 50 mg%)
BUN	: 15 mg%	(N.VALUE:08 – 20 mg%)
S.CREATININE	: 0.9 mg%	(N.VALUE:0.5 – 1.6 mg%)
S.PROTEINS	: 7.2 gms%	(N.VALUE:6.0 – 8.0 gms%)
ALBUMIN	: 4.6 gms%	(N.VALUE:3.5 – 5.6 gms%)
GLOBULIN	: 2.6 gms%	(N.VALUE:2.0 – 3.6 gms%)
A.G. RATIO	: 1.76	
S.URIC ACID	: 5.0 mg%	(N.VALUE:2.5 – 7.0 mg%)
S.BILIRUBIN	: 0.6 mg%	(N.VALUE: 0.2 – 1.2 mg%)
DIRECT BILIRUBIN	: 0.1 mg%	(N.VALUE:0.0 – 0.2 mg%)
INDIRECT BILIRUBIN	: 0.5 mg%	
S G O T	: 23 IU/ML	(N.VALUE:8 – 35 IU/ML)
S G P T	: 26 IU/ML	(N.VALUE:13 – 40 IU/ML)
S.ALKLINE PHOSPHATESE	: 8.0 KA UNITES	(N.VALUE:4 – 11 KA UNITES)
GGTP	: 12 IU/ML	(N.VALUE:4 – 24 IU/ML)
Hbs Ag	: NEGATIVE(-VE)	

Dated at Vijayawada on the 05<sup>TH</sup> day of September 2022

  
(Pathologist/Dr.Inchrge)

ADARSH DIAGNOSTICS

D.No: 29-3-23 Flat No: 102  
SRI RANGA HEIGHTS, GROUND FLOOR  
Kaleswara Rao Road, Governorpet  
VIJAYAWADA-520 002. Ph: 6664639

X-RAY, ECG, E.E.G. PATHOLOGICAL, SEROLOGICAL, BIO-CHEMICAL, IMMUNOASSAY, BLOOD BANK,  
TREAD- MILL STRESS TEST : ULTRA SOUND SCAN WITH 2-D ECHO CARDIOGRAPHY, HOLTHER RECORD,  
AUDIOMETRY AND 24 HOURS AMBULANCE, ENDOSCOPY





# ADARSH DIAGNOSTICS

ISO 9001 : 2015 CERTIFIED

D.No. 29-3-23, Flat No : 102, Opp. I.V. Palace Road, Sri Ranga Heights,  
Ground Floor, Kaleswara Rao Road, Governorpet,  
VIJAYAWADA - 520 002. ☎ (0866) 6664639, Fax : 2431916


BOB

Name of the life to be Assured:- SAYANTAN MANDAL Age:- 34/M

## ECG REPORT

<b>RATE</b>	:	<b>65 bpm</b>
<b>RHYTHM</b>	:	<b>SINUS</b>
<b>P</b>	:	<b>NORMAL</b>
<b>P R INTERVAL</b>	:	<b>142 ms</b>
<b>Q R S INTERVAL</b>	:	<b>84 ms</b>
<b>S T SEGEMENT</b>	:	<b>ISO ELECTRIC</b>
<b>T WAVES</b>	:	<b>NORMAL</b>
<b>Q WAVES</b>	:	<b>NIL</b>
<b>HYPERTRPHY</b>	:	<b>NO</b>
<b>QT</b>	:	<b>359 ms</b>
<b>Q R S AXIS</b>	:	<b>13 Deg</b>
<b>IMPRESSION</b>	:	<b>NORMAL ECG</b>

Dated at Vijayawada on the 05<sup>th</sup> day of september 2022

  
**CONSULTANT CARDIOLOGIST**  
**Dr. MAGANTI S.V.R.K.V. PRASAD**  
M.B.B.S;PGDHS;DC(CARDIOLOGY)  
Regd.No:14414 (A.P.MED.COUNCIL)  
**CONSULTANT CARDIOLOGIST**  
**MAGANTI CLINIC**  
VIJAYAWADA.




Rate 65 Sinus rhythm.....normal P axis, V-rate 50-99  
 PR 142 ST elev, probable normal early repol pattern.....ST elevation, age<55  
 QRSd 84  
 QT 359  
 QTc 374

--AXIS--  
 P 4  
 QRS 13  
 T 31  
 12 Lead, Standard Placement

- NORMAL ECG -

Requested by: BOB  
 Unconfirmed Diagnosis

*Sayantana Mandal*



Dr. MAGANTI S.V.R.K.V. PRASAD  
 M.B.B.S;PGDHS;DC(CARDIOLOGY)  
 Regd.No:14414 (A.P.MED.COUNCIL)  
 CONSULTANT CARDIOLOGIST  
**MAGANTI CLINIC**  
 VIJAYAWADA.

Device: Speed: 25 mm/sec Lamb: 10 mm/mV Chest: 10.0 mm/mV F 60~ 0.15-100 Hz PH100B CL P?





# ADARSH DIAGNOSTICS

ISO 9001 : 2015 CERTIFIED

D.No. 29-3-23, Flat No : 102, Opp. I.V. Palace Road, Sri Ranga Heights,  
Ground Floor, Kaleswara Rao Road, Governorpet,  
VIJAYAWADA - 520 002. © (0866) 6664639, Fax : 2431916

BOB

Name of the life to be Assured:- SAYANTAN MANDAL Age:- 34/M

X-RAY CHEST AP VIEW

CARDIAC SIZE IS NORMAL.

LUNG FIELDS ARE CLEAR

BOTH HILA ARE NORMAL

C.P ANGLES ARE CLEAR

NO BONY LESION

IMPRESSION: NORMAL STUDY

Dated at Vijayawada on the 06th day of SEPTEMBER 2022

CONSULTANT RADIOLOGIST/Dr.Incharge

**DR. G. PRASADA RAU**

MBBS, DMRF

Rg. No: 1726 F

Consulting Radiologist



# ADARSH DIAGNOSTICS

ISO 9001 : 2015 CERTIFIED

D.No. 29-3-23, Flat No : 102, Opp. I.V. Palace Road, Sri Ranga Heights,  
Ground Floor, Kaleswara Rao Road, Governorpet,  
VIJAYAWADA - 520 002. © (0866) 6664639, Fax : 2431916

*BOB*

PATIENT NAME: SAYANTAN MANDAL

DATE:05/09/2022

REF. Dr. :

AGE:34 ; SEX:M

## ULTRASONOGRAM OF TOTAL ABDOMEN

LIVER	:	NORMAL IN SIZE WITH HOMOGENOUS PARENCHYMAL ECHOTEXTURE. NO MASS OR CYST IN LIVER.NO DILATATION OF INTRA HEPATIC BILIARY RADICLES.
GALL BLADDER	:	NORMAL. NO CALCULI. NO MASS LESION DISTENDED
PANCREAS	:	NORMAL. NO CALCULI. NO MASS LESION.
C B D	:	NORMAL. NO CALCULI.
PORTAL VEIN	:	NORMAL MEASURES 10 MM.
SPLEEN	:	NORMAL WITH HOMOGENOUS PARENCHYMAL ECHOTEXTURE MEASURED 98 MM.
DIAPHRAGM	:	BOTH DOMES MOVING WELL WITH RESPIRATION. NO SUB DIAPHRAGMATIC PATHOLOGY.
RIGHT KIDNEY	:	SIZE 9.2 X 5.1 CMS. NORMAL IN SIZE AND ECHOPATTERN, C.M.D MAINTAINED. P.C.S.NORMAL, NO CALCULI NO HYDRONEPHROSIS. URETER NOT DILATED.
LEFT KIDNEY	:	SIZE 9.9 X 4.9 CMS. NORMAL IN SIZE AND ECHOPATTERN.C.M.D.MAINTAINED. PCS NORMAL.NO CALCULI NO HYDRONEPHROSIS. URETER NOT DILATED.
URINARY BLADDER	:	NORMAL .NO CALCULI. NO MASS LESION.
PROSTATE	:	NORMAL IN SIZE AND ECHOTEXTURE .
OTHERS	:	NIL.
IMPRESSION	:	NORMAL STUDY. TO CORRELATE CLINICALLY.

*Abhi*  
RADIOLOGIST/Dr.Incharge

ADARSH DIAGNOSTICS

D.No: 29-3-23, Flat No: 102

SRI RANGA HEIGHTS, GROUND FLOOR

Kaleswara Rao Road, Governorpet,

VIJAYAWADA-520 002, Ph: 6664639

X-RAY, ECG, E.E.G. PATHOLOGICAL, SEROLOGICAL, BIO-CHEMICAL, IMMUNOASSAY, BLOOD BANK,  
TREAD- MILL STRESS TEST : ULTRA SOUND SCAN WITH 2-D ECHO CARDIOGRAPHY, HOLTER RECORD,  
AUDIOMETRY AND 24 HOURS AMBULANCE, ENDOSCOPY



ANTAN MANDAL, 34M,  
01-01-003517

Philips Healthcare

01/01/2005 PHILIPS

00:39:13

HD

+ Length 9.95 cm

X Length 4.98 cm



-NO PRESET  
C5-2  
MI 1.1  
<TIS 0.3  
F4 Gv 60  
232dB/C4  
G/2/3

-30Hz 16cm

P T R  
2.0 5.0

ANTAN MANDAL, 34M,  
01-01-003517

Philips Healthcare


01/01/2005 PHILIPS

00:38:00

HD

+ Length 9.21 cm

X Length 5.19 cm



-NO PRESET  
C5-2  
MI 1.1  
<TIS 0.3  
F4 Gv 60  
232dB/C4  
G/2/3

-30Hz 16cm

P T R  
2.0 5.0



# ADARSH DIAGNOSTICS

ISO 9001 : 2015 CERTIFIED

D.No. 29-3-23, Flat No : 102, Opp. I.V. Palace Road, Sri Ranga Heights,  
Ground Floor, Kaleswara Rao Road, Governorpet,  
VIJAYAWADA - 520 002. ☎ (0866) 6664639, Fax : 2431916

BOB

Name of the life to be Assured: SAYANTAN MANDAL Age: -34/M

## 2-D ECHOCARDIOGRAPHY

AORTA	:	3.0 CM	LEFT ATRIUM: 3.6 CMS
LEFT VENTRICLE	:	5.0 X 3.0 CM	IVS: 1.2 CM LVPW :1.4 CMS
			LVEF:64%
MITRAL VALVE	:	NORMAL	
AORTIC VALVE	:	NORMAL	
TRICUSPID VALVE	:	NORMAL	
PULMONARY VALVE	:	NORMAL	
RIGHT ATRIUM	:	NORMAL	
RIGHT VENTRICLE	:	NORMAL	
PULMONARY ARTERY	:	NORMAL	
PERICARDIUM	:	NORMAL	
IAS	:	INTACT	
IVS	:	INTACT	
OTHERS	:	NIL	
DOPPLER STUDY	:	MV :E<A /NO TR AJV:1.3M/SEC PJV:1.4M/SEC	
IMPRESSION	:	NO RWMA GOOD LV FUNCTION (EF :64%) NORMAL SIZED CHAMBERS.	

Dated at Vijayawada on the 05th day of SEPTEMBER 2022

  
CONSULTANT CARDIOLOGIST

Dr. MAGANTI S.V.R.K.V. PRASAD  
M.B,B.S;PGDHS:DC(CARDIOLOGY)  
Regd.No:1848 (REGISTERED COUNCIL)  
CONSULTANT CARDIOLOGIST  
MAGANTI CLINIC  
VIJAYAWADA.

X-RAY, ECG, E.E.G. PATHOLOGICAL, SEROLOGICAL, BIO-CHEMICAL, IMMUNOASSAY, BLOOD BANK,  
TREAD- MILL STRESS TEST : ULTRA SOUND SCAN WITH 2-D ECHO CARDIOGRAPHY, HOLTER RECORD,  
AUDIOMETRY AND 24 HOURS AMBULANCE, ENDOSCOPY



