





CODE: C000138400

NAME AND ADDRESS : ANKITA ANIL GAWDE Cert. No. MC-2010

SRL Ltd

PRIME SQUARE BUILDING, PLOT NO 1, GAIWADI INDUSTRIAL

ESTATE, S.V. ROAD, GOREGAON (W)

Mumbai, 400062 MAHARASHTRA, INDIA Tel: 9111591115, Fax:

CIN - U74899PB1995PLC045956

PATIENT NAME: ANKITA ANIL GAWDE PATIENT ID: ANKIF1304742

ACCESSION NO: 0002VK055346 AGE: 48 Years SEX: Female ABHA NO:

DRAWN: 26/11/2022 08:17:57 RECEIVED: 26/11/2022 08:19:12 REPORTED: 29/11/2022 12:34:24

REFERRING DOCTOR: SELF CLIENT PATIENT ID:

Test Report Status	<u>Final</u>	Results	Biological Reference Interva	l Units
	ODY HEALTH CHECKUP ABO	OVE 40FEMALE		
BLOOD COUNTS,EDT	A WHOLE BLOOD			
HEMOGLOBIN (HB)		12.1	12.0 - 15.0	g/dL
METHOD : PHOTOMETRIC ME				
RED BLOOD CELL (RBC) METHOD: COULTER PRINCIP	•	4.37	3.8 - 4.8	mil/μL
WHITE BLOOD CELL (W	BC) COUNT	5.70	4.0 - 10.0	thou/µL
METHOD : COULTER PRINCIP	LE			
PLATELET COUNT		267	150 - 410	thou/µL
METHOD : ELECTRONIC IMPE	DENCE & MICROSCOPY			
RBC AND PLATELET I	NDICES			
HEMATOCRIT (PCV)		36.8	36.0 - 46.0	%
METHOD : CALCULATED PARA	AMETER			
MEAN CORPUSCULAR V	OLUME (MCV)	84.3	83.0 - 101.0	fL
METHOD : DERIVED PARAMET	TER FROM RBC HISTOGRAM			
MEAN CORPUSCULAR H	EMOGLOBIN (MCH)	27.6	27.0 - 32.0	pg
METHOD : CALCULATED PARA	AMETER			
MEAN CORPUSCULAR H CONCENTRATION (MCH METHOD : CALCULATED PARA	IC)	32.7	31.5 - 34.5	g/dL
RED CELL DISTRIBUTIO	N WIDTH (RDW)	13.1	11.6 - 14.0	%
METHOD : DERIVED PARAMET	TER FROM RBC HISTOGRAM			
MENTZER INDEX		19.3		
MEAN PLATELET VOLUM	1E (MPV)	6.9	6.8 - 10.9	fL
METHOD : DERIVED PARAMET	TER FROM PLATELET HISTOGRAM			
WBC DIFFERENTIAL	COUNT			
NEUTROPHILS		52	40 - 80	%
METHOD: VCSN TECHNOLOG	GY/ MICROSCOPY			
LYMPHOCYTES		39	20 - 40	%
METHOD: VCSN TECHNOLOG	GY/ MICROSCOPY			
MONOCYTES		7	2.0 - 10.0	%
METHOD: VCSN TECHNOLOG	GY/ MICROSCOPY			
EOSINOPHILS		2	1.0 - 6.0	%
METHOD: VCSN TECHNOLOG	SY/ MICROSCOPY			
BASOPHILS		0	0 - 1	%
METHOD: VCSN TECHNOLOG	SY/ MICROSCOPY			



Page 1 Of 21







CODE: C000138400

NAME AND ADDRESS: ANKITA ANIL GAWDE

Cert. No. MC-2010

SRL Ltd

PRIME SQUARE BUILDING, PLOT NO 1, GAIWADI INDUSTRIAL

ESTATE, S.V. ROAD, GOREGAON (W)

Mumbai, 400062 MAHARASHTRA, INDIA Tel: 9111591115, Fax:

CIN - U74899PB1995PLC045956

PATIENT NAME: ANKITA ANIL GAWDE PATIENT ID: ANKIF1304742

ACCESSION NO: **0002VK055346** AGE: 48 Years SEX : Female ABHA NO:

RECEIVED: 26/11/2022 08:19:12 DRAWN: 26/11/2022 08:17:57 REPORTED: 29/11/2022 12:34:24

REFERRING DOCTOR: SELF CLIENT PATIENT ID:

Test Report Status	<u>Final</u>	Results		Biological Reference Interva	l Units
ABSOLUTE NEUTROPHI METHOD : CALCULATED PAR		2.96		2.0 - 7.0	thou/µL
ABSOLUTE LYMPHOCYT METHOD: CALCULATED PAR		2.22		1.0 - 3.0	thou/µL
ABSOLUTE MONOCYTE METHOD: CALCULATED PAR.		0.40		0.2 - 1.0	thou/µL
ABSOLUTE EOSINOPHI METHOD : CALCULATED PAR		0.11		0.02 - 0.50	thou/µL
ABSOLUTE BASOPHIL (0.00	Low	0.02 - 0.10	thou/µL
NEUTROPHIL LYMPHOC METHOD : CALCULATED	YTE RATIO (NLR)	1.3			
ERYTHROCYTE SEDII BLOOD	MENTATION RATE (ES	R),WHOLE			
E.S.R METHOD: AUTOMATED (PHO	OTOMETRICAL CAPILLARY STOPPE	21 ED FLOW KINETIC ANALYSIS)	High	0 - 20	mm at 1 hr
GLYCOSYLATED HEM BLOOD	OGLOBIN(HBA1C), E	OTA WHOLE			
HBA1C		5.5		Non-diabetic Adult < 5.7 Pre-diabetes 5.7 - 6.4 Diabetes diagnosis: > or = 6.5 Therapeutic goals: < 7.0 Action suggested: > 8.0 (ADA Guideline 2021)	%
METHOD : ION- EXCHANGE	HPLC			(,	
ESTIMATED AVERAGE (METHOD : CALCULATED PAR	` ,	111.2		< 116.0	mg/dL
GLUCOSE FASTING,F	LUORIDE PLASMA				
FBS (FASTING BLOOD	SUGAR)	86		Normal <100 Impaired fasting glucose:100 to 125 Diabetes mellitus: > = 126 (on more than 1 occassion) (ADA guidelines 2021)	mg/dL
METHOD CRECTROPHOTOM	ETD)/ LIEVOL(TALACE				

METHOD: SPECTROPHOTOMETRY HEXOKINASE **GLUCOSE, POST-PRANDIAL, PLASMA**











CODE: C000138400

NAME AND ADDRESS : ANKITA ANIL GAWDE Cert. No. MC-2010

SRL Ltd

PRIME SQUARE BUILDING, PLOT NO 1, GAIWADI INDUSTRIAL

ESTATE, S.V. ROAD, GOREGAON (W)

Mumbai, 400062 MAHARASHTRA, INDIA Tel: 9111591115, Fax: CIN - U74899PB1995PLC045956

PATIENT NAME: ANKITA ANIL GAWDE PATIENT ID: ANKIF1304742

ACCESSION NO: 0002VK055346 AGE: 48 Years SEX: Female ABHA NO:

DRAWN: 26/11/2022 08:17:57 RECEIVED: 26/11/2022 08:19:12 REPORTED: 29/11/2022 12:34:24

REFERRING DOCTOR: SELF CLIENT PATIENT ID:

Test Report Status <u>Final</u>	Results		Biological Reference Interv	al Units
PPBS(POST PRANDIAL BLOOD SUGAR)	104		Normal <140 Impaired glucose tolerance:140 to 199 Diabetes mellitus : > = 200 (on more than 1 occassion) ADA guideline 2021	mg/dL
METHOD: SPECTROPHOTOMETRY HEXOKINASE				
LIPID PROFILE, SERUM				
CHOLESTEROL, TOTAL METHOD: SPECTROPHOTOMETRY, ENZYMATIC COLORIME	213		Desirable : < 200 Borderline : 200 - 239 High : > / = 240	mg/dL
TRIGLYCERIDES	112	, , ,	Normal: < 150 Borderline high: 150 - 199 High: 200 - 499 Very High: >/= 500	mg/dL
METHOD: SPECTROPHOTOMETRY, ENZYMATIC ENDPOINT	WITH GLYCEROL BLANK			
HDL CHOLESTEROL	55		At Risk: < 40 Desirable: > or = 60	mg/dL
METHOD: SPECTROPHOTOMETRY, HOMOGENEOUS DIRECT	CT ENZYMATIC COLORIMETRIC			
CHOLESTEROL LDL	136	High	Optimal: < 100 Near optimal/above optimal: 129 Borderline high: 130-159 High: 160-189 Very high: = 190	mg/dL 100-
METHOD: CALCULATED PARAMETER			, 3	
NON HDL CHOLESTEROL	158	High	Desirable : < 130 Above Desirable : 130 -159 Borderline High : 160 - 189 High : 190 - 219 Very high : > / = 220	mg/dL
METHOD: CALCULATED PARAMETER			, , , ,	
CHOL/HDL RATIO	3.9		Low Risk: 3.3 - 4.4 Average Risk: 4.5 - 7.0 Moderate Risk: 7.1 - 11.0 High Risk: > 11.0	
METHOD: CALCULATED PARAMETER				
LDL/HDL RATIO	2.5		Desirable/Low Risk: 0.5 - 3.0 Borderline/Moderate Risk: 3.1 6.0 High Risk: > 6.0	
METHOD - CALCULATED DADAMETED				



METHOD: CALCULATED PARAMETER

Page 3 Of 21







CODE: C000138400

NAME AND ADDRESS: ANKITA ANIL GAWDE

Cert. No. MC-2010

SRL Ltd

PRIME SQUARE BUILDING, PLOT NO 1, GAIWADI INDUSTRIAL

ESTATE, S.V. ROAD, GOREGAON (W)

Mumbai, 400062 MAHARASHTRA, INDIA Tel: 9111591115, Fax:

CIN - U74899PB1995PLC045956

PATIENT NAME: ANKITA ANIL GAWDE PATIENT ID: ANKIF1304742

ACCESSION NO: **0002VK055346** AGE: 48 Years SEX: Female ABHA NO:

DRAWN: 26/11/2022 08:17:57 RECEIVED: 26/11/2022 08:19:12 29/11/2022 12:34:24 REPORTED:

REFERRING DOCTOR: SELF CLIENT PATIENT ID:

Test Report Status <u>Final</u>	Results	Biological Reference In	terval Units
VERY LOW DENSITY LIPOPROTEIN	22.0	< or = 30.0	mg/dL
METHOD: CALCULATED PARAMETER			
LIVER FUNCTION PROFILE, SERUM			
BILIRUBIN, TOTAL	0.36	Upto 1.2	mg/dL
METHOD: SPECTROPHOTOMETRY, COLORIMETRIC -DIAZO METHO	DD		
BILIRUBIN, DIRECT	0.13	0.0 - 0.2	mg/dL
METHOD: SPECTROPHOTOMETRY, JENDRASSIK & GROFF - DIAZO	OTIZATION		
BILIRUBIN, INDIRECT METHOD: CALCULATED PARAMETER	0.23	0.1 - 1.0	mg/dL
TOTAL PROTEIN	7.7	6.0 - 8.0	g/dL
METHOD: SPECTROPHOTOMETRY, COLORIMETRIC -BIURET, REAC	GENT BLANK, SERUM BLANK		
ALBUMIN	4.5	3.97 - 4.94	g/dL
METHOD: SPECTROPHOTOMETRY, BROMOCRESOL GREEN(BCG)	- DYE BINDING		
GLOBULIN	3.2	2.0 - 3.5	g/dL
METHOD: CALCULATED PARAMETER			
ALBUMIN/GLOBULIN RATIO	1.4	1.0 - 2.1	RATIO
METHOD: CALCULATED PARAMETER			
ASPARTATE AMINOTRANSFERASE (AST/SGOT)	17	Upto 32	U/L
METHOD: SPECTROPHOTOMETRY, WITHOUT PYRIDOXAL PHOSPH	ATE ACTIVATION(P5P) - IFCC		
ALANINE AMINOTRANSFERASE (ALT/SGPT)	13	Upto 33	U/L
METHOD: SPECTROPHOTOMETRY, WITHOUT PYRIDOXAL PHOSPH	ATE ACTIVATION(P5P) - IFCC		
ALKALINE PHOSPHATASE	113	High 35 - 104	U/L
METHOD: SPECTROPHOTOMETRY, PNPP, AMP BUFFER - IFCC			
GAMMA GLUTAMYL TRANSFERASE (GGT)	25	< 40	U/L
METHOD : SPECTROPHOTOMETRY, ENZYMATIC COLORIMETRIC -	G-GLUTAMYL-CARBOXY-NITRO	ANILIDE - IFCC	
LACTATE DEHYDROGENASE	151	< 223	U/L
METHOD: SPECTROPHOTOMETRY, LACTATE TO PYRUVATE - UV-IF	·cc		
BLOOD UREA NITROGEN (BUN), SERUM			
BLOOD UREA NITROGEN	11	6 - 20	mg/dL
METHOD: SPECTROPHOTOMETRY, UREASE -COLORIMETRIC			
CREATININE, SERUM			
CREATININE	0.84	0.60 - 1.10	mg/dL
METHOD: SPECTROPHOTOMETRY, JAFFE'S ALKALINE PICRATE KI	NETIC - RATE BLANKED - IFCC	-IDMS STANDARIZED	
BUN/CREAT RATIO			
BUN/CREAT RATIO	12.80	8 - 15	









CODE: C000138400

NAME AND ADDRESS : ANKITA ANIL GAWDE Cert. No. MC-2010

SRL Ltd

PRIME SQUARE BUILDING, PLOT NO 1, GAIWADI INDUSTRIAL

ESTATE, S.V. ROAD, GOREGAON (W)

Mumbai, 400062 MAHARASHTRA, INDIA Tel: 9111591115, Fax:

Tel: 9111591115, Fax: CIN - U74899PB1995PLC045956

PATIENT NAME: ANKITA ANIL GAWDE PATIENT ID: ANKIF1304742

ACCESSION NO: 0002VK055346 AGE: 48 Years SEX: Female ABHA NO:

DRAWN: 26/11/2022 08:17:57 RECEIVED: 26/11/2022 08:19:12 REPORTED: 29/11/2022 12:34:24

REFERRING DOCTOR: SELF CLIENT PATIENT ID:

Test Report Status	<u>Final</u>	Results		Biological Refere	ence Interval Units
METHOD : CALCULATED PAR	RAMETER				
URIC ACID, SERUM					
URIC ACID		6.7	High	2.4 - 5.7	mg/dL
METHOD : SPECTROPHOTOM	IETRY, ENZYMATIC COLO	DRIMETRIC- URICASE			
TOTAL PROTEIN, SE	RUM				
TOTAL PROTEIN		7.7		6.0 - 8.0	g/dL
METHOD : SPECTROPHOTOM	IETRY, COLORIMETRIC -	BIURET, REAGENT BLANK, SERUM BLANK			
ALBUMIN, SERUM					
ALBUMIN		4.5		3.97 - 4.94	g/dL
METHOD : SPECTROPHOTOM	IETRY, BROMOCRESOL (GREEN(BCG) - DYE BINDING			
GLOBULIN					
GLOBULIN		3.2		2.0 - 3.5	g/dL
METHOD : CALCULATED PAR	AMETER				
ELECTROLYTES (NA	K/CL), SERUM				
SODIUM, SERUM		143		136 - 145	mmol/L
METHOD : ISE INDIRECT					
POTASSIUM, SERUM		4.70		3.5 - 5.1	mmol/L
METHOD : ISE INDIRECT					
CHLORIDE, SERUM		105		98 - 106	mmol/L
METHOD : ISE INDIRECT					











CODE: C000138400

NAME AND ADDRESS: ANKITA ANIL GAWDE

Cert. No. MC-2010

SRL Ltd

PRIME SQUARE BUILDING, PLOT NO 1, GAIWADI INDUSTRIAL

ESTATE, S.V. ROAD, GOREGAON (W)

Mumbai, 400062 MAHARASHTRA, INDIA Tel: 9111591115, Fax:

CIN - U74899PB1995PLC045956

PATIENT NAME: ANKITA ANIL GAWDE PATIENT ID: **ANKIF1304742**

ACCESSION NO: **0002VK055346** AGE: 48 Years SEX : Female ABHA NO:

DRAWN: 26/11/2022 08:17:57 RECEIVED: 26/11/2022 08:19:12 29/11/2022 12:34:24 REPORTED:

REFERRING DOCTOR: SELF CLIENT PATIENT ID:

Biological Reference Interval Units Test Report Status Final Results

Interpretation(s)

Sodium	Potassium	Chloride
Decreased in:CCF, cirrhosis, vomiting, diarrhea, excessive sweating, salt-losing nephropathy, adrenal insufficiency, nephrotic syndrome, water intoxication, SIADH. Drugs: thiazides, diuretics, ACE inhibitors, chlorpropamide, carbamazepine, anti depressants (SSRI), antipsychotics.	Decreased in: Low potassium intake, prolonged vomiting or diarrhea, RTA types I and II, hyperaldosteronism, Cushing's syndrome, osmotic diuresis (e.g., hyperglycemia), alkalosis, familial periodic paralysis, trauma (transient). Drugs: Adrenergic agents, diuretics.	Decreased in: Vomiting, diarrhea, renal failure combined with salt deprivation, over-treatment with diuretics, chronic respiratory acidosis, diabetic ketoacidosis, excessive sweating, SIADH, salt-losing nephropathy, porphyria, expansion of extracellular fluid volume, adrenalinsufficiency, hyperaldosteronism, metabolic alkalosis. Drugs: chronic laxative, corticosteroids, diuretics.
Increased in: Dehydration (excessivesweating, severe vomiting or diarrhea), diabetes mellitus, diabetesinsipidus, hyperaldosteronism, inadequate water intake. Drugs: steroids, licorice, oral contraceptives.	Increased in: Massive hemolysis, severe tissue damage, rhabdomyolysis, acidosis, dehydration,renal failure, Addison's disease, RTA type IV, hyperkalemic familial periodic paralysis. Drugs: potassium salts, potassium- sparing diuretics,NSAIDs, beta-blockers, ACE inhibitors, highdose trimethoprim-sulfamethoxazole.	Increased in: Renal failure, nephrotic syndrome, RTA, dehydration, overtreatment with saline, hyperparathyroidism, diabetes insipidus, metabolic acidosis from diarrhea (Loss of HCO3-), respiratory alkalosis, hyperadrenocorticism. Drugs: acetazolamide, androgens, hydrochlorothiazide, salicylates.
Interferences: Severe lipemia or hyperproteinemi, if sodium analysis involves a dilution step can cause spurious results. The serum sodium falls about 1.6 mEq/L for each 100 mg/dL increase in blood glucose.	Interferences: Hemolysis of sample, delayed separation of serum, prolonged fist clenching during blood drawing, and prolonged tourniquet placement. Very high WBC/PLT counts may cause spurious. Plasma potassium levels are normal.	Interferences: Test is helpful in assessing normal and increased anion gap metabolic acidosis and in distinguishing hypercalcemia due to hyperparathyroidism (high serum chloride) from that due to malignancy (Normal serum chloride)

PHYSICAL EXAMINATION, URINE

COLOR	PALE YELLOW	
APPEARANCE	SLIGHTLY HAZY	
CHEMICAL EXAMINATION, URINE		
PH	6.0	5.00 - 7.50
SPECIFIC GRAVITY	1.020	1.010 - 1.030
PROTEIN	NOT DETECTED	NOT DETECTED
GLUCOSE	NOT DETECTED	NOT DETECTED
KETONES	NOT DETECTED	NOT DETECTED
BLOOD	NOT DETECTED	NOT DETECTED
BILIRUBIN	NOT DETECTED	NOT DETECTED
UROBILINOGEN	NOT DETECTED	
NITRITE	NOT DETECTED	NOT DETECTED











CODE: C000138400

NAME AND ADDRESS: ANKITA ANIL GAWDE

Cert. No. MC-2010

SRL Ltd

PRIME SQUARE BUILDING, PLOT NO 1, GAIWADI INDUSTRIAL

ESTATE, S.V. ROAD, GOREGAON (W)

Mumbai, 400062 MAHARASHTRA, INDIA Tel: 9111591115, Fax:

CIN - U74899PB1995PLC045956

PATIENT NAME: ANKITA ANIL GAWDE PATIENT ID: **ANKIF1304742**

ACCESSION NO: 0002VK055346 AGE: 48 Years SEX: Female ABHA NO:

DRAWN: 26/11/2022 08:17:57 RECEIVED: 26/11/2022 08:19:12 29/11/2022 12:34:24 REPORTED:

REFERRING DOCTOR: SELF CLIENT PATIENT ID:

Results	Biological Reference	Interval Units
NOT DETECTED	NOT DETECTED	
RINE		
NOT DETECTED	NOT DETECTED	/HPF
1-2	0-5	/HPF
10-15	0-5	/HPF
NOT DETECTED		
NOT DETECTED		
NOT DETECTED	NOT DETECTED	
NOT DETECTED	NOT DETECTED	
	NOT DETECTED NOT DETECTED 1-2 10-15 NOT DETECTED NOT DETECTED NOT DETECTED NOT DETECTED	NOT DETECTED NOT DETECTED NOT DETECTED 1-2 10-15 NOT DETECTED NOT DETECTED NOT DETECTED NOT DETECTED NOT DETECTED NOT DETECTED NOT DETECTED

METHOD: URINE ROUTINE & MICROSCOPY EXAMINATION BY INTEGRATED AUTOMATED SYSTEM

Comments

NOTE: KINDLY EXERT CAUTION DURING INTERPRETATION OF FINDINGS REPORTED IN URINALYSIS WHERE IN THE SAMPLE IS MORE THAN TWO HOURS OLD.





Page 7 Of 21







CODE: C000138400

NAME AND ADDRESS: ANKITA ANIL GAWDE

Cert. No. MC-2010

SRL Ltd

PRIME SQUARE BUILDING, PLOT NO 1, GAIWADI INDUSTRIAL

ESTATE, S.V. ROAD, GOREGAON (W)

Mumbai, 400062 MAHARASHTRA, INDIA Tel: 9111591115, Fax:

CIN - U74899PB1995PLC045956

PATIENT NAME: ANKITA ANIL GAWDE PATIENT ID: ANKIF1304742

ACCESSION NO: **0002VK055346** AGE: 48 Years SEX: Female ABHA NO:

DRAWN: 26/11/2022 08:17:57 RECEIVED: 26/11/2022 08:19:12 REPORTED: 29/11/2022 12:34:24

REFERRING DOCTOR: SELF CLIENT PATIENT ID:

Test Report Status **Final** Results **Biological Reference Interval Units**

Interpretation(s)

The following table describes the probable conditions, in which the analytes are present in urine

Presence of	Conditions
Proteins	Inflammation or immune illnesses
Pus (White Blood Cells)	Urinary tract infection, urinary tract or kidney stone, tumors or any kind
	of kidney impairment
Glucose	Diabetes or kidney disease
Ketones	Diabetic ketoacidosis (DKA), starvation or thirst
Urobilinogen	Liver disease such as hepatitis or cirrhosis
Blood	Renal or genital disorders/trauma
Bilirubin	Liver disease
Erythrocytes	Urological diseases (e.g. kidney and bladder cancer, urolithiasis), urinary
	tract infection and glomerular diseases
Leukocytes	Urinary tract infection, glomerulonephritis, interstitial nephritis either
	acute or chronic, polycystic kidney disease, urolithiasis, contamination by
	genital secretions
Epithelial cells	Urolithiasis, bladder carcinoma or hydronephrosis, ureteric stents or
***	bladder catheters for prolonged periods of time
Granular Casts	Low intratubular pH, high urine osmolality and sodium concentration, interaction with Bence-Jones protein
Hyaline casts	Physical stress, fever, dehydration, acute congestive heart failure, renal
	diseases
Calcium oxalate	Metabolic stone disease, primary or secondary hyperoxaluria, intravenous
	infusion of large doses of vitamin C, the use of vasodilator naftidrofuryl
	oxalate or the gastrointestinal lipase inhibitor orlistat, ingestion of
	ethylene glycol or of star fruit (Averrhoa carambola) or its juice
Uric acid	arthritis
Bacteria	Urinary infectionwhen present in significant numbers & with pus cells.
Trichomonas vaginalis	Vaginitis, cervicitis or salpingitis

THYROID PANEL, SERUM

Т3 113.0 Non-Pregnant Women ng/dL

80.0 - 200.0 Pregnant Women 1st Trimester105.0 - 230.0 2nd Trimester129.0 - 262.0 3rd Trimester135.0 - 262.0

METHOD: COMPETITIVE ELECTROCHEMILUMINESCENCE IMMUNOASSAY



Page 8 Of 21







CODE: C000138400

NAME AND ADDRESS: ANKITA ANIL GAWDE

Cert. No. MC-2010

SRL Ltd

PRIME SQUARE BUILDING, PLOT NO 1, GAIWADI INDUSTRIAL

3rd Trimester: 0.21 - 3.15

ESTATE, S.V. ROAD, GOREGAON (W)

Mumbai, 400062 MAHARASHTRA, INDIA Tel: 9111591115, Fax:

CIN - U74899PB1995PLC045956

PATIENT NAME: ANKITA ANIL GAWDE PATIENT ID: ANKIF1304742

ACCESSION NO: 0002VK055346 AGE: 48 Years SEX: Female ABHA NO:

RECEIVED: 26/11/2022 08:19:12 DRAWN: 26/11/2022 08:17:57 REPORTED: 29/11/2022 12:34:24

REFERRING DOCTOR: SELF CLIENT PATIENT ID:

Test Report Status Final Results Biological Reference Interval Units T4 7.19 Non-Pregnant Women μg/dL 5.10 - 14.10 Pregnant Women 1st Trimester: 7.33 - 14.80 2nd Trimester: 7.93 - 16.10 3rd Trimester: 6.95 - 15.70 METHOD: COMPETITIVE ELECTROCHEMILUMINESCENCE IMMUNOASSAY TSH (ULTRASENSITIVE) **High** Non Pregnant Women 5.620 μIU/mL 0.27 - 4.20Pregnant Women 1st Trimester: 0.33 - 4.59 2nd Trimester: 0.35 - 4.10

METHOD: SANDWICH ELECTROCHEMILUMINESCENCE IMMUNOASSAY











CODE: C000138400

NAME AND ADDRESS: ANKITA ANIL GAWDE

Cert. No. MC-2010

SRL Ltd

PRIME SQUARE BUILDING, PLOT NO 1, GAIWADI INDUSTRIAL

ESTATE, S.V. ROAD, GOREGAON (W)

Mumbai, 400062 MAHARASHTRA, INDIA Tel: 9111591115, Fax:

CIN - U74899PB1995PLC045956

PATIENT NAME: ANKITA ANIL GAWDE PATIENT ID: **ANKIF1304742**

ACCESSION NO: 0002VK055346 AGE: 48 Years SEX: Female ABHA NO:

DRAWN: 26/11/2022 08:17:57 RECEIVED: 26/11/2022 08:19:12 REPORTED: 29/11/2022 12:34:24

REFERRING DOCTOR: SELF CLIENT PATIENT ID:

Test Report Status **Final** Results Biological Reference Interval Units

Interpretation(s)

Triiodothyronine T3, Thyroxine T4, and Thyroid Stimulating Hormone TSH are thyroid hormones which affect almost every physiological process in the body, including growth, development, metabolism, body temperature, and heart rate.

Production of T3 and its prohormone thyroxine (T4) is activated by thyroid-stimulating hormone (TSH), which is released from the pituitary gland. Elevated concentrations of T3, and T4 in the blood inhibit the production of TSH.

Excessive secretion of thyroxine in the body is hyperthyroidism, and deficient secretion is called hypothyroidism.

In primary hypothyroidism, TSH levels are significantly elevated, while in secondary and tertiary hyporthyroidism, TSH levels are low. Below mentioned are the guidelines for Pregnancy related reference ranges for Total T4, TSH & Total T3. Measurement of the serum TT3 level is a more sensitive test for the diagnosis of hyperthyroidism, and measurement of TT4 is more useful in the diagnosis of hypothyroidism. Most of the thyroid hormone in blood is bound to transport proteins. Only a very small fraction of the circulating hormone is free and biologically active. It is advisable to detect Free T3, Free T4 along with TSH, instead of testing for albumin bound Total T3, Total T4.

Sr. No.	TSH	Total T4	FT4	Total T3	Possible Conditions
1	High	Low	Low	Low	(1) Primary Hypothyroidism (2) Chronic autoimmune Thyroiditis (3)
		1 85			Post Thyroidectomy (4) Post Radio-Iodine treatment
2	High	Normal	Normal	Normal	(1)Subclinical Hypothyroidism (2) Patient with insufficient thyroid
					hormone replacement therapy (3) In cases of Autoimmune/Hashimoto
					thyroiditis (4). Isolated increase in TSH levels can be due to Subclinical
					inflammation, drugs like amphetamines, Iodine containing drug and
					dopamine antagonist e.g. domperidone and other physiological reasons.
3	Normal/Low	Low	Low	Low	(1) Secondary and Tertiary Hypothyroidism
4	Low	High	High	High	(1) Primary Hyperthyroidism (Graves Disease) (2) Multinodular Goitre
					(3)Toxic Nodular Goitre (4) Thyroiditis (5) Over treatment of thyroid
					hormone (6) Drug effect e.g. Glucocorticoids, dopamine, T4
					replacement therapy (7) First trimester of Pregnancy
5	Low	Normal	Normal	Normal	(1) Subclinical Hyperthyroidism
6	High	High	High	High	(1) TSH secreting pituitary adenoma (2) TRH secreting tumor
7	Low	Low	Low	Low	(1) Central Hypothyroidism (2) Euthyroid sick syndrome (3) Recent
					treatment for Hyperthyroidism
8	Normal/Low	Normal	Normal	High	(1) T3 thyrotoxicosis (2) Non-Thyroidal illness
9	Low	High	High	Normal	(1) T4 Ingestion (2) Thyroiditis (3) Interfering Anti TPO antibodies

REF: 1. TIETZ Fundamentals of Clinical chemistry 2. Guidlines of the American Thyroid association during pregnancy and Postpartum, 2011. NOTE: It is advisable to detect Free T3, FreeT4 along with TSH, instead of testing for albumin bound Total T3, Total T4.TSH is not affected by variation in thyroid - binding protein. TSH has a diurnal rhythm, with peaks at 2:00 - 4:00 a.m. And troughs at 5:00 - 6:00 p.m. With ultradian variations.

PAPANICOLAOU SMEAR

TEST METHOD CONVENTIONAL GYNEC CYTOLOGY

ONE UNSTAINED VAULT SMEAR RECEIVED. SPECIMEN TYPE (2CV-27829)





Page 10 Of 21







CODE: C000138400

NAME AND ADDRESS: ANKITA ANIL GAWDE

Cert. No. MC-2010

SRL Ltd

PRIME SQUARE BUILDING, PLOT NO 1, GAIWADI INDUSTRIAL

ESTATE, S.V. ROAD, GOREGAON (W)

Mumbai, 400062 MAHARASHTRA, INDIA Tel: 9111591115, Fax:

CIN - U74899PB1995PLC045956

PATIENT NAME: ANKITA ANIL GAWDE PATIENT ID: ANKIF1304742

ACCESSION NO: 0002VK055346 AGE: 48 Years SEX: Female ABHA NO:

DRAWN: 26/11/2022 08:17:57 RECEIVED: 26/11/2022 08:19:12 REPORTED: 29/11/2022 12:34:24

REFERRING DOCTOR: SELF CLIENT PATIENT ID:

Test Report Status **Final** Results Biological Reference Interval Units REPORTING SYSTEM 2014 BETHESDA SYSTEM FOR REPORTING CERVICAL CYTOLOGY

SPECIMEN ADEQUACY SMEAR IS SATISFACTORY FOR EVALUATION.

MICROSCOPY

THE SMEAR SHOWS MAINLY INTERMEDIATE SQUAMOUS CELLS, FEW

SUPERFICIAL SQUMAOUS CELLS AND FEW POLYMORPHS.

INTERPRETATION / RESULT NEGATIVE FOR INTRAEPITHELIAL LESION OR MALIGNANCY

ENDOMETRIAL CELLS (IN A WOMAN >/= 45 YRS) **ABSENT**

Comments

Suggestions / Guidelines: (REF: THE BETHESDA SYSTEM FOR REPORTING CERVICAL CYTOLOGY, 2014, 3rd Edition) RE-TESTING AT 3 YEARS

- 1) Please note papanicolaou smear study is a screening procedure for cervical cancer with inherent false negative results, hence should be interpreted with caution.
- 2) No cytologic evidence of hpv infection in the smears studied.
- 3) Primary screening of papanicolaou smears is carried out by cytotechnologist with 100% rescreening and reporting by surgical pathologist.

STOOL: OVA & PARASITE

COLOUR	BROWN		
CONSISTENCY	SEMI FORMED		
ODOUR	FAECAL		
MUCUS	NOT DETECTED	NOT DETECTED	
VISIBLE BLOOD	ABSENT	ABSENT	
POLYMORPHONUCLEAR LEUKOCYTES	NOT DETECTED	0 - 5	/HPF
METHOD: MICROSCOPIC EXAMINATION			
RED BLOOD CELLS	NOT DETECTED	NOT DETECTED	/HPF
METHOD: MICROSCOPIC EXAMINATION			
MACROPHAGES	NOT DETECTED	NOT DETECTED	
METHOD: MICROSCOPIC EXAMINATION			
CHARCOT-LEYDEN CRYSTALS	NOT DETECTED	NOT DETECTED	
METHOD: MICROSCOPIC EXAMINATION			
TROPHOZOITES	NOT DETECTED	NOT DETECTED	
METHOD: MICROSCOPIC EXAMINATION			
CYSTS	NOT DETECTED	NOT DETECTED	
METHOD: MICROSCOPIC EXAMINATION			
OVA	NOT DETECTED		
METHOD: MICROSCOPIC EXAMINATION			
LARVAE	NOT DETECTED	NOT DETECTED	











CODE: C000138400

NAME AND ADDRESS: ANKITA ANIL GAWDE

Cert. No. MC-2010

SRL Ltd PRIME SQUARE BUILDING, PLOT NO 1, GAIWADI INDUSTRIAL

ESTATE, S.V. ROAD, GOREGAON (W)

Mumbai, 400062 MAHARASHTRA, INDIA Tel: 9111591115, Fax:

CIN - U74899PB1995PLC045956

PATIENT NAME: ANKITA ANIL GAWDE PATIENT ID: **ANKIF1304742**

ACCESSION NO: **0002VK055346** AGE: 48 Years SEX: Female ABHA NO:

DRAWN: 26/11/2022 08:17:57 RECEIVED: 26/11/2022 08:19:12 29/11/2022 12:34:24 REPORTED:

REFERRING DOCTOR: SELF CLIENT PATIENT ID:

Test Report Status **Final** Results **Biological Reference Interval Units**

METHOD: MICROSCOPIC EXAMINATION

ADULT PARASITE NOT DETECTED

METHOD: MICROSCOPIC EXAMINATION

OCCULT BLOOD NOT DETECTED NOT DETECTED

METHOD: MODIFIED GUAIAC METHOD



Page 12 Of 21







CODE: C000138400

NAME AND ADDRESS: ANKITA ANIL GAWDE

Cert. No. MC-2010

SRL Ltd

PRIME SQUARE BUILDING, PLOT NO 1, GAIWADI INDUSTRIAL

ESTATE, S.V. ROAD, GOREGAON (W)

Mumbai, 400062 MAHARASHTRA, INDIA Tel: 9111591115, Fax:

CIN - U74899PB1995PLC045956

PATIENT NAME: ANKITA ANIL GAWDE PATIENT ID: **ANKIF1304742**

ACCESSION NO: 0002VK055346 48 Years SEX: Female ABHA NO:

DRAWN: 26/11/2022 08:17:57 RECEIVED: 26/11/2022 08:19:12 REPORTED: 29/11/2022 12:34:24

REFERRING DOCTOR: SELF CLIENT PATIENT ID:

Test Report Status **Final** Results Biological Reference Interval Units

Interpretation(s)

Stool routine analysis is only a screening test for disorders of gastrointentestinal tract like infection, malabsorption, etc. The following table describes the probable conditions, in which the analytes are present in stool.

PRESENCE OF	CONDITION
Pus cells	Pus in the stool is an indication of infection
Red Blood cells	Parasitic or bacterial infection or an inflammatory bowel condition such as ulcerative colitis
Parasites	Infection of the digestive system. Stool examination for ova and parasite detects presence of parasitic infestation of gastrointestinal tract. Various forms of parasite that can be detected include cyst, trophozoite and larvae. One negative result does not rule out the possibility of parasitic infestation. Intermittent shedding of parasites warrants examinations of multiple specimens tested on consecutive days. Stool specimens for parasitic examination should be collected before initiation of antidiarrheal therapy or antiparasitic therapy. This test does not detect presence of opportunistic parasites like Cyclospora, Cryptosporidia and Isospora species. Examination of Ova and Parasite has been carried out by direct and concentration techniques.
Mucus	Mucus is a protective layer that lubricates, protects& reduces damage due to bacteria or viruses.
Charcot-Leyden crystal	Parasitic diseases.
Ova & cyst	Ova & cyst indicate parasitic infestation of intestine.
Frank blood	Bleeding in the rectum or colon.
Occult blood	Occult blood indicates upper GI bleeding.
Macrophages	Macrophages in stool are an indication of infection as they are protective cells.
Epithelial cells	Epithelial cells that normally line the body surface and internal organs show up in stool when there is inflammation or infection.
Fat	Increased fat in stool maybe seen in conditions like diarrhoea or malabsorption.
рН	Normal stool pH is slightly acidic to neutral. Breast-fed babies generally have an acidic stool.

ADDITIONAL STOOL TESTS:

- Stool Culture:- This test is done to find cause of GI infection, make decision about best treatment for GI infection & to find out if 1. treatment for GI infection worked.
- Fecal Calprotectin: It is a marker of intestinal inflammation. This test is done to differentiate Inflammatory Bowel Disease (IBD) 2. from Irritable Bowel Syndrome (IBS).
- Fecal Occult Blood Test(FOBT): This test is done to screen for colon cancer & to evaluate possible cause of unexplained anaemia. 3.
- 4. Clostridium Difficile Toxin Assay: This test is strongly recommended in healthcare associated bloody or waterydiarrhoea, due to overuse of broad spectrum antibiotics which alter the normal GI flora.
- 5. Biofire (Film Array) GI PANEL: In patients of Diarrhoea, Dysentry, Rice watery Stool, FDA approved, Biofire Film Array Test,(Real Time Multiplex PCR) is strongly recommended as it identifies organisms, bacteria, fungi, virus, parasite and other











CODE: C000138400

NAME AND ADDRESS : ANKITA ANIL GAWDE Cert. No. MC-2010

SRL Ltd

PRIME SQUARE BUILDING, PLOT NO 1, GAIWADI INDUSTRIAL

ESTATE, S.V. ROAD, GOREGAON (W)

Mumbai, 400062 MAHARASHTRA, INDIA Tel: 9111591115, Fax:

CIN - U74899PB1995PLC045956

PATIENT NAME: ANKITA ANIL GAWDE PATIENT ID: ANKIF1304742

ACCESSION NO: 0002VK055346 AGE: 48 Years SEX: Female ABHA NO:

DRAWN: 26/11/2022 08:17:57 RECEIVED: 26/11/2022 08:19:12 REPORTED: 29/11/2022 12:34:24

REFERRING DOCTOR: SELF CLIENT PATIENT ID:

Test Report Status <u>Final</u> Results Biological Reference Interval Units

opportunistic pathogens, Vibrio cholera infections only in 3 hours. Sensitivity 96% & Specificity 99%.

 Rota Virus Immunoassay: This test is recommended in severe gastroenteritis in infants & children associated with watery diarrhoea, vomitting& abdominal cramps. Adults are also affected. It is highly contagious in nature.

ABO GROUP & RH TYPE, EDTA WHOLE BLOOD

ABO GROUP O

METHOD: HAEMAGGLUTINATION (AUTOMATED)

RH TYPE POSITIVE

METHOD: HAEMAGGLUTINATION (AUTOMATED)

* XRAY-CHEST

IMPRESSION NO ABNORMALITY DETECTED

TMT OR ECHO

TMT OR ECHO NEGATIVE

* ECG

ECG WITHIN NORMAL LIMITS

* MAMOGRAPHY (BOTH BREASTS)

MAMOGRAPHY BOTH BREASTS NO FOCAL PARENCHYMAL LESION NOTED.

* MEDICAL HISTORY

RELEVANT PRESENT HISTORY ACIDITY ON AND OFF

BOTH KNEE AND NECK STIFFNESS WITH BACKACHE

RELEVANT PAST HISTORY OPERTAED HYSETECTOMY 2 YRS BACK

RELEVANT PERSONAL HISTORY

RELEVANT FAMILY HISTORY

HISTORY OF MEDICATIONS

NOT SIGNIFICANT

NOT SIGNIFICANT

* ANTHROPOMETRIC DATA & BMI

HEIGHT IN METERS1.56mtsWEIGHT IN KGS.60Kgs

BMI & Weight Status as follows: kg/sqmts

Below 18.5: Underweight 18.5 - 24.9: Normal 25.0 - 29.9: Overweight 30.0 and Above: Obese

* GENERAL EXAMINATION

MENTAL / EMOTIONAL STATE NORMAL
PHYSICAL ATTITUDE NORMAL
GENERAL APPEARANCE / NUTRITIONAL STATUS HEALTHY











CODE: C000138400

NAME AND ADDRESS : ANKITA ANIL GAWDE Cert. No. MC-2010

SRL Ltd

PRIME SQUARE BUILDING, PLOT NO 1, GAIWADI INDUSTRIAL

ESTATE, S.V. ROAD, GOREGAON (W)

Mumbai, 400062 MAHARASHTRA, INDIA Tel: 9111591115, Fax:

CIN - U74899PB1995PLC045956

PATIENT NAME: ANKITA ANIL GAWDE PATIENT ID: ANKIF1304742

ACCESSION NO: 0002VK055346 AGE: 48 Years SEX: Female ABHA NO:

DRAWN: 26/11/2022 08:17:57 RECEIVED: 26/11/2022 08:19:12 REPORTED: 29/11/2022 12:34:24

REFERRING DOCTOR: SELF CLIENT PATIENT ID:

Test Report Status <u>Final</u> Results Biological Reference Interval Units

BUILT / SKELETAL FRAMEWORK AVERAGE FACIAL APPEARANCE NORMAL

SKIN DRYNESS WITH PALE

UPPER LIMB NORMAL LOWER LIMB NORMAL NECK NORMAL

NECK LYMPHATICS / SALIVARY GLANDS NOT ENLARGED OR TENDER

THYROID GLAND NOT ENLARGED

CAROTID PULSATION NORMAL TEMPERATURE NORMAL

PULSE 68/MIN REGULAR, ALL PERIPHERAL PULSES WELL FELT, NO CAROTID

BRUIT

RESPIRATORY RATE NORMAL

* CARDIOVASCULAR SYSTEM

BP 120/84 MM HG mm/Hg

(SUPINE) NORMAL

PERICARDIUM NORMAL APEX BEAT NORMAL

HEART SOUNDS S1, S2 HEARD NORMALLY

MURMURS ABSENT

* RESPIRATORY SYSTEM

SIZE AND SHAPE OF CHEST

MOVEMENTS OF CHEST

BREATH SOUNDS INTENSITY

NORMAL

BREATH SOUNDS QUALITY VESICULAR (NORMAL)

ADDED SOUNDS ABSENT

* PER ABDOMEN

APPEARANCE NORMAL VENOUS PROMINENCE ABSENT

LIVER NOT PALPABLE
SPLEEN NOT PALPABLE
HERNIA ABSENT

* CENTRAL NERVOUS SYSTEM











CODE: C000138400

NAME AND ADDRESS: ANKITA ANIL GAWDE

Cert. No. MC-2010

SRL Ltd

PRIME SQUARE BUILDING, PLOT NO 1, GAIWADI INDUSTRIAL

ESTATE, S.V. ROAD, GOREGAON (W)

Mumbai, 400062 MAHARASHTRA, INDIA Tel: 9111591115, Fax:

CIN - U74899PB1995PLC045956

PATIENT NAME: ANKITA ANIL GAWDE PATIENT ID: **ANKIF1304742**

ACCESSION NO: 0002VK055346 AGE: 48 Years SEX: Female ABHA NO:

RECEIVED: 26/11/2022 08:19:12 DRAWN: 26/11/2022 08:17:57 REPORTED: 29/11/2022 12:34:24

DIGWIN: 20/11/2022 0011/10/	20,11,2022 00113112	KEI OKIED : 23/11/2022 1213 112	•
REFERRING DOCTOR: SELF	CLIENT PATIENT ID:		
Test Report Status <u>Final</u>	Results	Biological Reference Interval	Units
LIVELIED FUNCTIONS	NORMAL		
HIGHER FUNCTIONS	NORMAL		
CRANIAL NERVES	NORMAL		
CEREBELLAR FUNCTIONS	NORMAL		
SENSORY SYSTEM	NORMAL		
MOTOR SYSTEM	NORMAL		
REFLEXES	NORMAL		
* MUSCULOSKELETAL SYSTEM			
SPINE	NORMAL		
JOINTS	NORMAL		
* BASIC EYE EXAMINATION			
CONJUNCTIVA	NORMAL		
EYELIDS	NORMAL		
EYE MOVEMENTS	NORMAL		
CORNEA	NORMAL		
DISTANT VISION RIGHT EYE WITHOUT GLASSES	WITH GLASSES NORMAL	(6/6)	
DISTANT VISION LEFT EYE WITHOUT GLASSES	WITH GLASSES NORMAL	(6/6)	
NEAR VISION RIGHT EYE WITHOUT GLASSES	WITHIN NORMAL LIMIT (N6)	

NEAR VISION RIGHT EYE WITHOUT GLASSES WITHIN NORMAL LIMIT (N6) NEAR VISION LEFT EYE WITHOUT GLASSES WITHIN NORMAL LIMIT (N6) COLOUR VISION NORMAL (17/17)

* BASIC ENT EXAMINATION

EXTERNAL EAR CANAL **NORMAL** TYMPANIC MEMBRANE **NORMAL**

NOSE NO ABNORMALITY DETECTED

SINUSES NORMAL

THROAT NO ABNORMALITY DETECTED

TONSILS NOT ENLARGED

* BASIC DENTAL EXAMINATION

TEETH NORMAL **GUMS HEALTHY**

* SUMMARY

NOT SIGNIFICANT RELEVANT HISTORY RELEVANT GP EXAMINATION FINDINGS **NOT SIGNIFICANT**











CODE: C000138400

NAME AND ADDRESS: ANKITA ANIL GAWDE

Cert. No. MC-2010

SRL Ltd

PRIME SQUARE BUILDING, PLOT NO 1, GAIWADI INDUSTRIAL

ESTATE, S.V. ROAD, GOREGAON (W)

Mumbai, 400062 MAHARASHTRA, INDIA Tel: 9111591115, Fax:

CIN - U74899PB1995PLC045956

PATIENT NAME: ANKITA ANIL GAWDE PATIENT ID: ANKIF1304742

ACCESSION NO: **0002VK055346** AGE: 48 Years SEX: Female ABHA NO:

DRAWN: 26/11/2022 08:17:57 RECEIVED: 26/11/2022 08:19:12 REPORTED: 29/11/2022 12:34:24

REFERRING DOCTOR: SELF CLIENT PATIENT ID:

Test Report Status <u>Final</u> Results Biological Reference Interval Units RELEVANT LAB INVESTIGATIONS RAISED ESR (21) RAISED CHOLESTEROL (213) RAISED LDL (136)

RAISED ALP (113) RAISED URIC ACID (6.7) RAISED TSH (5.620) USG-GRADE I FATTY LIVER RELEVANT NON PATHOLOGY DIAGNOSTICS

REMARKS / RECOMMENDATIONS ALTERD BLOOD LIPIDS, RAISED TSH, RAISED ALP, RAISED URIC ACID

MONITOR TSH, URIC ACID

RAISED NON HDL (158)

REVIEW TMT REPORT WITH CARDIOLOGIST

FOLLOW UP WITH PHYSICIAN









CODE: C000138400

NAME AND ADDRESS: ANKITA ANIL GAWDE

Cert. No. MC-2010

SRL Ltd

PRIME SQUARE BUILDING, PLOT NO 1, GAIWADI INDUSTRIAL

ESTATE, S.V. ROAD, GOREGAON (W)

Mumbai, 400062 MAHARASHTRA, INDIA Tel: 9111591115, Fax:

CIN - U74899PB1995PLC045956

PATIENT NAME: ANKITA ANIL GAWDE PATIENT ID: **ANKIF1304742**

ACCESSION NO: 0002VK055346 AGE: 48 Years SEX: Female ABHA NO:

DRAWN: 26/11/2022 08:17:57 RECEIVED: 26/11/2022 08:19:12 29/11/2022 12:34:24 REPORTED:

REFERRING DOCTOR: SELF CLIENT PATIENT ID:

Test Report Status Results Units Final

MEDI WHEEL FULL BODY HEALTH CHECKUP ABOVE 40FEMALE

* ULTRASOUND ABDOMEN

ULTRASOUND ABDOMEN

- GRADE I FATTY LIVER.
- POST-HYSTERECTOMY STATUS (AS PER PATIENT'S HISTORY, OPERATIVE DETAILS NOT AVAILABLE).

BLOOD COUNTS, EDTA WHOLE BLOOD-The cell morphology is well preserved for 24hrs. However after 24-48 hrs a progressive increase in MCV and HCT is observed leading to a decrease in MCHC. A direct smear is recommended for an accurate differential count and for examination of RBC morphology.

RBC AND PLATELET INDICES-Mentzer index (MCV/RBC) is an automated cell-counter based calculated screen tool to differentiate cases of Iron deficiency anaemia(>13) from Beta thalassaemia trait

(<13) in patients with microcytic anaemia. This needs to be interpreted in line with clinical correlation and suspicion. Estimation of HbA2 remains the gold standard for

diagnosing a case of beta thalassaemia trait.

WBC DIFFERENTIAL COUNT-The optimal threshold of 3.3 for NLR showed a prognostic possibility of clinical symptoms to change from mild to severe in COVID positive patients. When age = 49.5 years old and NLR = 3.3, 46.1% COVID-19 patients with mild disease might become severe. By contrast, when age < 49.5 years old and NLR = 3.4 years old and NLR = 3.5 years old and NLR = 3.6 years old and N 3.3, COVID-19 patients tend to show mild disease.

(Reference to - The diagnostic and predictive role of NLR, d-NLR and PLR in COVID-19 patients; A.-P. Yang, et al.; International Immunopharmacology 84 (2020) 106504

This ratio element is a calculated parameter and out of NABL scope.

ERYTHROCYTE SEDIMENTATION RATE (ESR), WHOLE BLOOD-TEST DESCRIPTION:

Erythrocyte sedimentation rate (ESR) is a test that indirectly measures the degree of inflammation present in the body. The test actually measures the rate of fall (sedimentation) of erythrocytes in a sample of blood that has been placed into a tall, thin, vertical tube. Results are reported as the millimetres of clear fluid (plasma) that are present at the top portion of the tube after one hour. Nowadays fully automated instruments are available to measure ESR.

ESR is not diagnostic; it is a non-specific test that may be elevated in a number of different conditions. It provides general information about the presence of an inflammatory condition.CRP is superior to ESR because it is more sensitive and reflects a more rapid change. **TEST INTERPRETATION**

Increase in: Infections, Vasculities, Inflammatory arthritis, Renal disease, Anemia, Malignancies and plasma cell dyscrasias, Acute allergy Tissue injury, Pregnancy, Estrogen medication, Aging.
Finding a very accelerated ESR(>100 mm/hour) in patients with ill-defined symptoms directs the physician to search for a systemic disease (Paraproteinemias,

Disseminated malignancies, connective tissue disease, severe infections such as bacterial endocarditis).

In pregnancy BRI in first trimester is 0-48 mm/hr(62 if anemic) and in second trimester (0-70 mm /hr(95 if anemic). ESR returns to normal 4th week post partum.

Decreased in: Polycythermia vera, Sickle cell anemia

False elevated ESR: Increased fibrinogen, Drugs(Vitamin A, Dextran etc), Hypercholesterolemia

False Decreased: Poikilocytosis, (SickleCells, spherocytes), Microcytosis, Low fibrinogen, Very high WBC counts, Drugs (Quinine, salicylates)

REFERENCE :

1. Nathan and Oski's Haematology of Infancy and Childhood, 5th edition; 2. Paediatric reference intervals. AACC Press, 7th edition. Edited by S. Soldin; 3. The reference for the adult reference range is "Practical Haematology by Dacie and Lewis,10th edition. GLYCOSYLATED HEMOGLOBIN(HBA1C), EDTA WHOLE BLOOD-**Used For**:

- 1. Evaluating the long-term control of blood glucose concentrations in diabetic patients.

3.Identifying patients at increased risk for diabetes (prediabetes).

The ADA recommends measurement of HbA1c (typically 3-4 times per year for type 1 and poorly controlled type 2 diabetic patients, and 2 times per year for well-controlled type 2 diabetic patients) to determine whether a patients metabolic control has remained continuously within the target range.

- 1.eAG (Estimated average glucose) converts percentage HbA1c to md/dl, to compare blood glucose levels.
- 2. eAG gives an evaluation of blood glucose levels for the last couple of months.
 3. eAG is calculated as eAG (mg/dl) = 28.7 * HbA1c 46.7

HbA1c Estimation can get affected due to :

I.Shortened Erythrocyte survival: Any condition that shortens erythrocyte survival or decreases mean erythrocyte age (e.g. recovery from acute blood loss, hemolytic anemia) will falsely lower HbA1c test results. Fructosamine is recommended in these patients which indicates diabetes control over 15 days.











CODE: C000138400

NAME AND ADDRESS: ANKITA ANIL GAWDE

Cert. No. MC-2010

SRL Ltd

PRIME SQUARE BUILDING, PLOT NO 1, GAIWADI INDUSTRIAL

ESTATE, S.V. ROAD, GOREGAON (W)

Mumbai, 400062 MAHARASHTRA, INDIA Tel: 9111591115, Fax:

CIN - U74899PB1995PLC045956

PATIENT NAME: ANKITA ANIL GAWDE

PATIENT ID: **ANKIF1304742**

ACCESSION NO: 0002VK055346 AGE: 48 Years SEX: Female ABHA NO:

DRAWN: 26/11/2022 08:17:57 RECEIVED: 26/11/2022 08:19:12 29/11/2022 12:34:24 REPORTED:

REFERRING DOCTOR: SELF CLIENT PATIENT ID:

Test Report Status Results Units Final

II. Vitamin C & E are reported to falsely lower test results. (possibly by inhibiting glycation of hemoglobin.

III.Iron deficiency anemia is reported to increase test results. Hypertriglyceridemia, uremia, hyperbilirubinemia, chronic alcoholism, chronic ingestion of salicylates & opiates addiction are reported to interfere with some assay methods, falsely increasing results. IV.Interference of hemoglobinopathies in HbA1c estimation is seen in

a.Homozygous hemoglobinopathy. Fructosamine is recommended for testing of HbA1c.
b.Heterozygous state detected (D10 is corrected for HbS & HbC trait.)
c.HbF > 25% on alternate paltform (Boronate affinity chromatography) is recommended for testing of HbA1c.Abnormal Hemoglobin electrophoresis (HPLC method) is recommended for detecting a hemoglobinopathy

GLUCOSE FASTING, FLUORIDE PLASMA-TEST DESCRIPTION

Normally, the glucose concentration in extracellular fluid is closely regulated so that a source of energy is readily available to tissues and sothat no glucose is excreted in the

urine. Increased in

Diabetes mellitus, Cushing's syndrome (10 - 15%), chronic pancreatitis (30%). Drugs:corticosteroids, phenytoin, estrogen, thiazides.

Pancreatic islet cell disease with increased insulin,insulinoma,adrenocortical insufficiency, hypopituitarism,diffuse liver disease, malignancy (adrenocortical, stomach,fibrosarcoma), infant of a diabetic mother, enzyme deficiency diseases(e.g., galactosemia),Drugs- insulin, ethanol, propranolol; sulfonylureas,tolbutamide, and other oral hypoglycemic agents.

Hypoglycemia is defined as a glucoseof < 50 mg/dL in men and < 40 mg/dL in women.

while random serum glucose levels correlate with home glucose monitoring results (weekly mean capillary glucose values), there is wide fluctuation within individuals. Thus, glycosylated hemoglobin (HbA1c) levels are favored to monitor glycemic control.

High fasting glucose level in comparison to post prandial glucose level may be seen due to effect of Oral Hypoglycaemics & Insulin treatment, Renal Glyosuria, Glycaemic index & response to food consumed, Alimentary Hypoglycemia, Increased insulin response & sensitivity etc.

GLUCOSE, POST-PRANDIAL, PLASMA-High fasting glucose level in comparison to post prandial glucose level may be seen due to effect of Oral Hypoglycaemics & Insulin

treatment, Renal Glyosuria, Glycaemic index & response to food consumed, Alimentary Hypoglycemia, Increased insulin response & sensitivity etc. Additional test HbA1c LIVER FUNCTION PROFILE, SERUM-

LIVER FUNCTION PROFILE

Bilirubin is a yellowish pigment found in bile and is a breakdown product of normal heme catabolism. Bilirubin is excreted in bile and urine, and elevated levels may give yellow discoloration in jaundice. Elevated levels results from increased bilirubin production (eg, hemolysis and ineffective erythropoiesis), decreased bilirubin excretion (eg, obstruction and hepatitis), and abnormal bilirubin metabolism (eg, hereditary and neonatal jaundice). Conjugated (direct) bilirubin is elevated more than unconjugated (indirect) bilirubin in Viral hepatitis, Drug reactions, Alcoholic liver disease Conjugated (direct) bilirubin is also elevated more than unconjugated (indirect) bilirubin when there is some kind of blockage of the bile ducts like in Gallstones getting into the bile ducts, tumors &Scarring of the bile ducts. Increased unconjugated (indirect) bilirubin may be a result of Hemolytic or pernicious anemia, Transfusion reaction & a common metabolic condition termed Gilbert syndrome, due to low levels of the enzyme that attaches sugar molecules to bilirubin.

AST is an enzyme found in various parts of the body. AST is found in the liver, heart, skeletal muscle, kidneys, brain, and red blood cells, and it is commonly measured clinically as a marker for liver health. AST levels increase during chronic viral hepatitis, blockage of the bile duct, cirrhosis of the liver, liver cancer, kidney failure, hemolytic anemia, pancreatitis, hemochromatosis. AST levels may also increase after a heart attack or strenuous activity. ALT test measures the amount of this enzyme in the blood. ALT is found mainly in the liver, but also in smaller amounts in the kidneys, heart, muscles, and pancreas. It is commonly measured as a part of a diagnostic evaluation of hepatocellular injury, to determine liver health. AST levels increase during acute hepatitis, sometimes due to a viral infection, ischemia to the liver, chronic

hepatitis, obstruction of bile ducts, cirrhosis.

ALP is a protein found in almost all body tissues. Tissues with higher amounts of ALP include the liver, bile ducts and bone. Elevated ALP levels are seen in Biliary obstruction, Osteoblastic bone tumors, osteomalacia, hepatitis, Hyperparathyroidism, Leukemia, Lymphoma, Paget's disease, Rickets, Sarcoidosis etc. Lower-than-normal ALP levels seen in Hypophosphatasia, Malnutrition, Protein deficiency, Wilson's disease. GGT is an enzyme found in cell membranes of many tissues mainly in the liver, kidney and pancreas. It is also found in other tissues including intestine, spleen, heart, brain and seminal vesicles. The highest concentration is in the kidney, but the liver is considered the source of normal enzyme activity. Serum GGT has been widely used as an index of liver dysfunction. Elevated serum GGT activity can be found in diseases of the liver, biliary system and pancreas. Conditions that increase serum GGT are obstructive liver disease, high alcohol consumption and use of enzyme-inducing drugs etc. Serum total protein, also known as total protein, is a biochemical test for measuring the total amount of protein in serum. Protein in the plasma is made up of albudin. Higher-than-normal levels may be due to: Chronic inflammation or infection, including HIV and hepatitis B or C, Multiple myeloma, Waldenstrom's disease. Lower-than-normal levels may be due to: Agammaglobulinemia, Bleeding (hemorrhage), Burns, Glomerulonephritis, Liver disease, Malabsorption, Malnutrition, Nephrotic syndrome, Protein-losing enteropathy etc. Human serum albumin is the most abundant protein in human blood plasma.It is produced in the liver. Albumin constitutes about half of the blood serum protein. Low blood albumin levels (hypoalbuminemia) can be caused by: Liver disease like cirrhosis of the liver, nephrotic syndrome, protein-losing enteropathy, Burns, hemodilution, increased vascular

permeability or decreased lymphatic clearance, malnutrition and wasting etc BLOOD UREA NITROGEN (BUN), SERUM-Causes of Increased levels include Pre renal (High protein diet, Increased protein catabolism, GI haemorrhage, Cortisol, Dehydration, CHF Renal), Renal Failure, Post Renal (Malignancy, Nephrolithiasis, Prostatism)

Causes of decreased level include Liver disease, SIADH.
CREATININE, SERUM-Higher than normal level may be due to:

- Blockage in the urinary tract
- Kidney problems, such as kidney damage or failure, infection, or reduced blood flow
- Loss of body fluid (dehydration)
- Muscle problems, such as breakdown of muscle fibers
- Problems during pregnancy, such as seizures (eclampsia)), or high blood pressure caused by pregnancy (preeclampsia)

Lower than normal level may be due to:



Page 19 Of 21 Scan to View Report







CODE: C000138400

NAME AND ADDRESS: ANKITA ANIL GAWDE

Cert. No. MC-2010

SRL Ltd

PRIME SQUARE BUILDING, PLOT NO 1, GAIWADI INDUSTRIAL

ESTATE, S.V. ROAD, GOREGAON (W)

Mumbai, 400062 MAHARASHTRA, INDIA Tel: 9111591115, Fax:

CIN - U74899PB1995PLC045956

PATIENT NAME: ANKITA ANIL GAWDE

PATIENT ID: **ANKIF1304742**

ACCESSION NO: 0002VK055346 AGE: 48 Years SEX: Female ABHA NO:

DRAWN: 26/11/2022 08:17:57 RECEIVED: 26/11/2022 08:19:12 REPORTED: 29/11/2022 12:34:24

REFERRING DOCTOR: SELF CLIENT PATIENT ID:

Test Report Status **Final** Results Units

· Mvasthenia Gravis

Muscular dystrophy

URIC ACID, ŚERUM
Causes of Increased levels:-Dietary(High Protein Intake,Prolonged Fasting,Rapid weight loss),Gout,Lesch nyhan syndrome,Type 2 DM,Metabolic syndrome Causes of decreased levels-Low Zinc intake, OCP, Multiple Sclerosis

TOTAL PROTEIN, SERUM-

Serum total protein, also known as total protein, is a biochemical test for measuring the total amount of protein in serum. Protein in the plasma is made up of albumin and

Higher-than-normal levels may be due to: Chronic inflammation or infection, including HIV and hepatitis B or C, Multiple myeloma, Waldenstrom's disease Lower-than-normal levels may be due to: Agammaglobulinemia, Bleeding (hemorrhage),Burns,Glomerulonephritis, Liver disease, Malabsorption, Malnutrition, Nephrotic syndrome,Protein-losing enteropathy etc.

ALBUMIN, SERUM-

Human serum albumin is the most abundant protein in human blood plasma. It is produced in the liver. Albumin constitutes about half of the blood serum protein. Low blood albumin levels (hypoalbuminemia) can be caused by: Liver disease like cirrhosis of the liver, nephrotic syndrome, protein-losing enteropathy, Burns, hemodilution, increased vascular permeability or decreased lymphatic clearance, malnutrition and wasting etc.

ABO GROUP & RH TYPE, EDTA WHOLE BLOODBlood group is identified by antigens and antibodies present in the blood. Antigens are protein molecules found on the surface of red blood cells. Antibodies are found in plasma. To determine blood group, red cells are mixed with different antibody solutions to give A,B,O or AB.

Disclaimer: "Please note, as the results of previous ABO and Rh group (Blood Group) for pregnant women are not available, please check with the patient records for

The test is performed by both forward as well as reverse grouping methods.

THIS REPORT CARRIES THE SIGNATURE OF OUR LABORATORY DIRECTOR. THIS IS AN INVIOLABLE FEATURE OF OUR LAB MANAGEMENT SOFTWARE. HOWEVER, ALL EXAMINATIONS AND INVESTIGATIONS HAVE BEEN CONDUCTED BY OUR PANEL OF DOCTORS.

End Of Report

Please visit www.srlworld.com for related Test Information for this accession TEST MARKED WITH '*' ARE OUTSIDE THE NABL ACCREDITED SCOPE OF THE LABORATORY.

Dr. J N Shukla , MBBS, AFIH

Consultant Physician

Dr. Ekta Patil.MD (Reg.No. MMC2008/04/1142) **Senior Microbiologist**

Dr. Sushant Chikane **Consultant Pathologist**

Dr. Sneha Wadalkar, M.D. (Reg.no.MMC2012/06/1868)

8. wadal













ANKIF1304742

CODE: C000138400

NAME AND ADDRESS: ANKITA ANIL GAWDE

ACCESSION NO:

Cert. No. MC-2010

PATIENT ID:

SRL Ltd

PRIME SQUARE BUILDING, PLOT NO 1, GAIWADI INDUSTRIAL

ESTATE, S.V. ROAD, GOREGAON (W)

Mumbai, 400062 MAHARASHTRA, INDIA Tel: 9111591115, Fax:

CIN - U74899PB1995PLC045956

ABHA NO:

PATIENT NAME: ANKITA ANIL GAWDE

AGE:

DRAWN: 26/11/2022 08:17:57 RECEIVED: 26/11/2022 08:19:12 REPORTED: 29/11/2022 12:34:24

REFERRING DOCTOR: SELF CLIENT PATIENT ID:

48 Years

Test Report Status **Final** Results Units

SEX: Female

CONDITIONS OF LABORATORY TESTING & REPORTING

- 1. It is presumed that the test sample belongs to the patient named or identified in the test requisition form.
- 2. All tests are performed and reported as per the turnaround time stated in the SRL Directory of Services.

0002VK055346

- 3. Result delays could occur due to unforeseen circumstances such as non-availability of kits / equipment breakdown / natural calamities / technical downtime or any other unforeseen event.
- 4. A requested test might not be performed if:
 - i. Specimen received is insufficient or inappropriate
 - ii. Specimen quality is unsatisfactory
 - iii. Incorrect specimen type
 - iv. Discrepancy between identification on specimen container label and test requisition form

- 5. SRL confirms that all tests have been performed or assayed with highest quality standards, clinical safety & technical integrity.
- 6. Laboratory results should not be interpreted in isolation; it must be correlated with clinical information and be interpreted by registered medical practitioners only to determine final diagnosis.
- Test results may vary based on time of collection, physiological condition of the patient, current medication or nutritional and dietary changes. Please consult your doctor or call us for any clarification.
- Test results cannot be used for Medico legal purposes.
- 9. In case of queries please call customer care (91115 91115) within 48 hours of the report.

SRL Limited

Fortis Hospital, Sector 62, Phase VIII, Mohali 160062





Page 21 Of 21