



# **Diagnostics & Speciality Centre**

NAME	: Mr. NAGARAJ K G	MR/VISIT NO : 22070400 / 158148
AGE/SEX	: 38 Yrs / Male	BILLED TIME : 09-07-2022 at 08:28 AM
REFERRED BY	:	BILL NO : 189201
REF CENTER	MEDIWHEEL	DATE OF REPORT : 09-07-2022 at 12:02 PM

#### RADIOLOGY

#### **X-RAY CHEST PA VIEW**

#### **OBSERVATIONS:**

The lung fields are clear bilaterally.

CP angles are clear.

Both the hila appear normal.

Cardiac diameter is within normal limits.

Tracheal is mid line.

Visible bony thoracic cage is normal.

Adjacent soft tissues appear normal.

#### **IMPRESSION:**

## • No significant abnormality in the visualized lung fields.

Dispatched by: Bindu

\*\*\*\* End of Report \*\*\*\*

Printed by: Bindu on 09-07-2022 at 12:02 PM



Dr. Shruthi P DMRD,FFM,DNB Consultant Radiologist

Page 1 of 1

No. 79, Kendra Upadyayara Sangha Layout, Nagarbhavi Circle, Nagarbhavi, Bengaluru - 560 072.





# Diagnostics & Speciality Centre

NAME:Mr. NAGARAJ K GAGE/SEX:38 Yrs / MaleREFERRED BY::REF CENTER:MEDIWHEEL

MR/VISIT NO	:	22070400 / 158148
BILLED TIME	:	09-07-2022 at 08:28 AM
BILL NO :	:	189201
DATE OF REPORT	:	09-07-2022 at 12:06 PM

#### RADIOLOGY

#### **USG REPORT - ABDOMEN AND PELVIS**

#### **OBSERVATION:**

#### LIVER:

Liver is normal in size (13.1 cm) and normal homogenous echotexture. No focal lesion seen. Intrahepatic biliary radicles not dilated. Hepatic and portal veins are normal. CBD is normal.

#### GALL BLADDER:

Normal in distension. Lumen echo free. Wall thickness is normal.

#### PANCREAS:

Head and body visualized appears normal. No focal lesion seen. Pancreatic duct not dilated. Tail not visualized.

#### SPLEEN:

Normal in size (10.7 cm) with normal homogenous echotexture. No focal lesion seen.

#### **RIGHT KIDNEY:**

Right kidney measures  $10 \times 4.0$  cm with normal echo pattern and cortical thickness.

The shape, size and contour of the right kidney appear normal.

Cortical medullary differentiation is maintained.

No evidence of pelvicalyceal dilatation. No sonologically detectable calculi seen.

#### **LEFT KIDNEY:**

Left kidney measures  $9.4 \times 4.0$  cm with normal echo pattern and cortical thickness.

The shape, size and contour of the left kidney appear normal.

Cortical medullary differentiation is maintained.

No evidence of pelvicalyceal dilatation. No sonologically detectable calculi seen.

#### URINARY BLADDER:

Dr. Shruthi P DMRD,FFM,DNB Consultant Radiologist





## **Diagnostics & Speciality Centre**

NAME	:	Mr. NAGARAJ K G	MR/VISIT NO	:	22070400 / 158148
AGE/SEX	:	38 Yrs / Male	BILLED TIME	:	09-07-2022 at 08:28 AM
REFERRED BY	:		BILL NO	:	189201
REF CENTER	:	MEDIWHEEL	DATE OF REPORT	:	09-07-2022 at 12:06 PM

Is normal in contour. No intraluminal echoes are seen. No calculus or diverticulum is seen. Wall thickness appears normal.

#### **PROSTATE:**

Is normal in size and measures 4.1 x 3.5 x 2.4 cm (Vol-18.2 cc) with normal echo pattern. No focal lesion is seen.

No evidence of free fluid in the pelvic or abdominal cavity.

## **IMPRESSION:**

## • No significant sonographic abnormality detected.

\*\*\*\* End of Report \*\*\*\*

Printed by: Bindu on 09-07-2022 at 12:06 PM



Dr. Shruthi P DMRD,FFM,DNB Consultant Radiologist

Page 2 of 2

No. 79, Kendra Upadyayara Sangha Layout, Nagarbhavi Circle, Nagarbhavi, Bengaluru - 560 072.

MR NO.

VISIT NO.

DATE OF COLLECTION :

DATE OF REPORT

**REFERENCE RANGE** 


Sqicln

## **Diagnostics & Speciality Centre**

HAEMATOLOGY

RESULT

0 - 15 mm/hr ESR 08 mm/hr Westergren Method **BLOOD GROUP & Rh TYPING** "O" Positive Tube Agglutination (Forward and Reverse) Blean.u. **Dr. KRISHNA MURTHY** Dr. VAMSEEDHAR.A Lab Seal MD D.C.P, M.D CONSULTANT PATHOLOGIST BIOCHEMIST The laboratory values And Normal values need to be interpreted based on patients clinical characteristics. The values in reference range is for an average normal individual which may vary depending upon age, sex and other characteristics. Page 1 of 8 No. 79, Kendra Upadyayara Sangha Layout, Nagarbhavi Circle, Nagarbhavi, Bengaluru - 560 072. Enquiry: +91 99867 33 333, Appointments : +91 98863 55 135, Reports: +91 74063 11 116



NAME

AGE/SEX

REFERRED BY ·

REF CENTER

**TEST PARAMETER** 

Mr. NAGARAJ K G

38 Yrs / Male

: MEDIWHEEL

•



22070400

09-07-2022 at 08:35 AM

09-07-2022 at 12:34 PM

SPECIMEN

158148

·

diclu

		1-7	/
Diagnostics	8	Speciality	Contro
Diugnostics	CX	speciality	Cenne

NAME : Mr. NAGARAJ K G		MR NO.	: 22070400
AGE/SEX : 38 Yrs / Male		VISIT NO.	: 158148
REFERRED BY :		DATE OF COLLECTION	: 09-07-2022 at 08:35 AM
		DATE OF REPORT	: 09-07-2022 at 12:34 PM
REF CENTER : MEDIWHEEL			
TEST PARAMETER	RESULT	REFERENCE RANGE	SPECIMEN
GLYCATED HAEMOGLOBIN (HbA1C)	5.7 %	American Diabetic Association (ADA) recommendations:	
		Non diabetic adults : <5.7	7 %
		At risk (Pre diabetic): 5.7	- 6.4%
		Diabetic : >/= 6.5%	
		Therapeutic goal for gly control :	/cemic
		Goal for therapy: < 7.0%	
		Action suggested: > 8.0%	,

ESTIMATED AVERAGE GLUCOSE (eAG) Calculation

This assay is useful for diagnosing Diabetes and evaluating long term control of blood glucose concentrations in diabetic patients. It reflects the mean glucose concentration over the previous period of 8 to 12 weeks and is a better indicator of long term glycemic control as compared with blood and urine glucose measurements. This provides a additional criterion for assessing glucose control because glycated hemoglobin values are free of day-to-day glucose fluctuation and are unaffected by exercise or food ingestion.

116.89 mg/dL

After a sudden alteration in blood glucose concentration, the rate of change of HbA1c is rapid during initial 2 months, followed by more gradual change approaching steady state 3 months later.

alleen.u.

**Dr. KRISHNA MURTHY** 

MD BIOCHEMIST



Dr. VAMSEEDHAR.A

D.C.P, M.D CONSULTANT PATHOLOGIST

The laboratory values And Normal values need to be interpreted based on patients clinical characteristics. The values in reference range is for an average normal individual which may vary depending upon age, sex and other characteristics.

Page 2 of 8

**REFERENCE RANGE** 

<u>ediclu</u>™

## **Diagnostics & Speciality Centre**

**Dr. KRISHNA MURTHY** Dr. VAMSEEDHAR.A Lab Seal D.C.P, M.D MD BIOCHEMIST The laboratory values And Normal values need to be interpreted based on patients clinical characteristics. The values in reference range is for an average normal individual which may vary depending upon age, sex and other characteristics. Page 3 of 8 No. 79, Kendra Upadyayara Sangha Layout, Nagarbhavi Circle, Nagarbhavi, Bengaluru - 560 072. Enquiry: +91 99867 33 333, Appointments : +91 98863 55 135, Reports: +91 74063 11 116

Mr. NAGARAJ K G 38 Yrs / Male

: MEDIWHEEL

REFERRED BY :

•

NAME

Calculation

AGE/SEX

REF CENTER

**TEST PARAMETER** 

MR NO. 22070400 2 VISIT NO. 158148 1 DATE OF COLLECTION : 09-07-2022 at 08:35 AM DATE OF REPORT 09-07-2022 at 12:34 PM

## 

SPECIMEN

IEST FARAMETER	RESULT	REFERENCE RANGE
	CLINICAL BIOCHE	MISTRY
BLOOD UREA UREASE-GLUTAMATE DEHYDROGENASE (GLDH)	21.1 mg/dL	15 - 50 mg/dL
CREATININE Jaffe Kinetic	0.90 mg/dL	0.4 - 1.4 mg/dL
URIC ACID Uricase-Peroxidase	6.1 mg/dL	3 - 7.2 mg/dL
SERUM ELECTROLYTES		
SODIUM Ion Selective Electrode (ISE)	137 mmol/L	136 - 145 mmol/L
POTASSIUM Ion Selective Electrode (ISE)	3.8 mmol/L	3.5 - 5.2 mmol/L
CHLORIDE Ion Selective Electrode (ISE)	102 mmol/L	97 - 111 mmol/L
LIVER FUNCTION TEST (LFT)		
TOTAL BILIRUBIN Colorimetric Diazo Method	0.48 mg/dL	0.2 - 1.2 mg/dL
DIRECT BILIRUBIN Colorimetric Diazo Method	0.20 mg/dL	0 - 0.4 mg/dL
INDIRECT BILIRUBIN Calculation	<b>0.28</b> mg/dl	0.2 - 0.8 mg/dl
S G O T (AST) IFCC Without Pyridoxal Phosphates	18.2 U/L	up to 35 U/L
S G P T (ALT) IFCC Without Pyridoxal Phosphates	23.1 U/L	up to 50 U/L
ALKALINE PHOSPHATASE	52.1 U/L	36 - 113 U/L
SERUM GAMMA GLUTAMYLTRANSFERASE (GGT)	21.6 U/L	15 - 85 U/L
TOTAL PROTEIN Biuret Colorimetric	7.1 g/dl	6.2 - 8 g/dl
S.ALBUMIN Bromocresol Green (BCG)	4.05 g/dl	3.5 - 5.2 g/dl
S.GLOBULIN Calculation	<b>3</b> g/dl	2.5 - 3.8 g/dl
A/G RATIO	1.3	1 - 1.5

RESULT

Bleen.u.



CONSULTANT PATHOLOGIST





Mediclu™



(A Unit of Vijayalakshmi Diagnostics Pvt. Ltd.)

## **Diagnostics & Speciality Centre**

TEST PARAMETI	ĒR	RESULT	REFERENCE RANGE	SPECIMEN
REF CENTER	: MEDIWHEEL			
			DATE OF REPORT	: 09-07-2022 at 12:34 PM
REFERRED BY	:		DATE OF COLLECTION	: 09-07-2022 at 08:35 AM
AGE/SEX	: 38 Yrs / Male		VISIT NO.	: 158148
NAME	: Mr. NAGARAJ K G		MR NO.	: 22070400

CREATININE Jaffe Method 0.90 mg/dL

0.8 - 1.4 mg/dL

aller. u.

Dr. KRISHNA MURTHY

MD BIOCHEMIST



Dr. VAMSEEDHAR.A

D.C.P, M.D CONSULTANT PATHOLOGIST

The laboratory values And Normal values need to be interpreted based on patients clinical characteristics. The values in reference range is for an average normal individual which may vary depending upon age, sex and other characteristics.

Page 4 of 8

<u>ediclu</u>™ (A Unit of Vijayalakshmi Diagnostics Pvt. Ltd.)

Diagnostics & Speciality Centre				
NAME:Mr. NAGARAJ K GAGE/SEX:38 Yrs / MaleREFERRED BY:		DATE OF COLLECTION :	22070400 158148 09-07-2022 at 08:35 AM 09-07-2022 at 12:34 PM	
REF CENTER : MEDIWHEEL		DATE OF REPORT		
TEST PARAMETER	RESULT	REFERENCE RANGE	SPECIMEN	
LIPID PROFILE TEST TOTAL CHOLESTEROL Cholesterol Oxidase-Peroxidase (CHOD-POD)	182 mg/dL	up to 200 mg/dL Border Line: 200 – 240 mg/dL High: > 240 mg/dL		
TRIGLYCERIDES Glycerol Peroxidase-Peroxidase (GPO-POD)	148.6 mg/dL	up to 150 mg/dL Desirable: <150 mg/dL Border Line: 150 – 200 mg/dL High: >200 – 500 mg/dL Very High: > 500 mg/dL		
HDL CHOLESTEROL - DIRECT PEG-Cholesterol Esterase	<b>34.8</b> mg/dl	40 - 60 mg/dl >/= 60mg/dL - Excellent (protects a heart disease) 40-59 mg/dL - Higher the better	gainst	

<40 mg/dL - Lower than desired (major risk for heart disease)

up to 100 mg/dL 100-129 mg/dL- Near optimal/above optimal 130-159 mg/dL- Borderline High 160-189 mg/dL- High 190->190 mg/dL - Very High

29.7 mg/dL 2 - 30 mg/dL

5.2

3.4

117.5 mg/dL

up to 3.5 3.5-5.0 - Moderate >5.0 - High

up to 2.5 2.5-3.3 - Moderate >3.3 - High

Dr. VAMSEEDHAR.A D.C.P, M.D

CONSULTANT PATHOLOGIST

**Dr. KRISHNA MURTHY** 

Lab Seal

#### MD

alleen.u.

BIOCHEMIST

The laboratory values And Normal values need to be interpreted based on patients clinical characteristics. The values in reference range is for an average normal individual which may vary depending upon age, sex and other characteristics.

Page 5 of 8

No. 79, Kendra Upadyayara Sangha Layout, Nagarbhavi Circle, Nagarbhavi, Bengaluru - 560 072. Enquiry: +91 99867 33 333, Appointments : +91 98863 55 135, Reports: +91 74063 11 116



LDL CHOLESTEROL - DIRECT Cholesterol Esterase-Cholesterol Oxidase

VLDL CHOLESTEROL Calculation TOTAL CHOLESTROL/HDL RATIO Calculation

LDL/HDL RATIO Calculation

D

			00070400
NAME : Mr. NAGARAJ K G		MR NO.	22070400
AGE/SEX : 38 Yrs / Male		VISIT NO. : DATE OF COLLECTION	158148
		•	09-07-2022 at 08:35 AM 09-07-2022 at 12:34 PM
REF CENTER : MEDIWHEEL			
TEST PARAMETER	RESULT	REFERENCE RANGE	SPECIMEN
FASTING BLOOD SUGAR Hexokinase	<b>110.1</b> mg/dl	70 - 110 mg/dl	
POST PRANDIAL BLOOD SUGAR Hexokinase	121.3 mg/dl	80 - 150 mg/dl	
	CLINICAL PAT	THOLOGY	
URINE ROUTINE & MICROSCOPIC			
PHYSICAL EXAMINATION			
Colour Visual Method	Pale Yellow	Pale yellow- yellow	
Appearance Visual Method	Clear	Clear/Transparent	
Specific Gravity Strips Method	1.015	1.005-1.035	
pH	7.0	4.6-8.5	
CHEMICAL EXAMINATION (DIPSTICK)			
Protein Strips Method	Nil	Nil -Trace	
Glucose Strips Method	Nil	Nil	
Blood Strips Method	Negative	Negative	
Ketone Bodies Strips Method	Absent	Negative	
Urobilinogen Strips Method	Normal	Normal	
Bile Salt Strips Method	Negative	Negative	
Bilirubin Strips Method	Negative	Negative	
Bile Pigments	Negative	NIL	
MICROSCOPY			
Pus Cells (WBC) Light Microscopic	3 - 4 /hpf	0-5/hpf	
Epithelial Cells Light Microscopic	1 - 2 /hpf	0-4/hpf	
Killeson. u.	Silicita Distington Di	Canada and Andrew Canada and	A. Hurredhay
Dr. KRISHNA MURTHY	Lab Sea	al	Dr. VAMSEEDHAR.A
MD BIOCHEMIST			D.C.P, M.D CONSULTANT PATHOLOGIS

BIOCHEMIST

CONSULTANT PATHOLOGIST

The laboratory values And Normal values need to be interpreted based on patients clinical characteristics. The values in reference range is for an average normal individual which may vary depending upon age, sex and other characteristics.

Page 6 of 8

## **Diagnostics & Speciality Centre**

NAME:Mr. NAGARAJ K GAGE/SEX:38 Yrs / MaleREFERRED BY:REF CENTER:MEDIWHEEL		VISIT NO. DATE OF COLLECTION	: 22070400 : 158148 : 09-07-2022 at 08:35 AM : 09-07-2022 at 12:34 PM
TEST PARAMETER	RESULT	REFERENCE RANGE	SPECIMEN
RBC Light Microscopic	Not Seen /hpf	0-2/hpf	
Cast Light Microscopic	NIL	NIL	
Crystal Light Microscopic	NIL	Nil	
FASTING URINE SUGAR (FUS)	NIL	NIL	

NIL

NIL

POSTPRANDIAL	URINE SUGAR

Collection. u.

**Dr. KRISHNA MURTHY** 

MD BIOCHEMIST



Dr. VAMSEEDHAR.A

D.C.P, M.D CONSULTANT PATHOLOGIST

The laboratory values And Normal values need to be interpreted based on patients clinical characteristics. The values in reference range is for an average normal individual which may vary depending upon age, sex and other characteristics.

Page 7 of 8

MR NO.

## Diagnostics & Speciality Centre

		WICINO.	. 22070400
AGE/SEX : 38 Yrs / Male		VISIT NO.	: 158148
REFERRED BY :		DATE OF COLLECTION	: 09-07-2022 at 08:35 AM
		DATE OF REPORT	: 09-07-2022 at 12:34 PM
REF CENTER : MEDIWHEEL			
TEST PARAMETER	RESULT	REFERENCE RANGE	SPECIMEN
IMMUNOASSAY			
THYROID PROFILE			
TOTAL TRIIODOTHYRONINE (T3)	<b>0.76</b> ng/mL	0.87 - 1.78 ng/mL	
TOTAL THYROXINE (T4)	<b>5.94</b> μg/dL	6.09 - 12.23 μg/dL	
THYROID STIMULATING HORMONE (TSH)	2.986 µIU/mL	0.38 - 5.33 µIU/mL	
CMIA		1st Trimester: 0.05 - 3.70	
		2nd Trimester: 0.31 – 4.35	
		3rd Trimester: 0.41 – 5.18	

#### Note:

NAME

- TSH levels are subject to circadian variation, reaching peak levels between 2 4.a.m. and at a minimum between 6-10 pm. The variation is of the order of 50%, hence time of the day has influence on the measured serum TSH concentrations.
- Recommended test for T3 and T4 is unbound fraction or free levels as it is metabolically active.

Mr NAGARAJKG

Physiological rise in Total T3 / T4 levels is seen in pregnancy and in patients on steroid therapy.

#### Clinical Use:

- Primary Hypothyroidism
- Hyperthyroidism
- Hypothalamic Pituitary hypothyroidism
- Inappropriate TSH secretion
- Nonthyroidal illness
- Autoimmune thyroid disease
- Pregnancy associated thyroid disorders
- Thyroid dysfunction in infancy and early childhood

alleen.u.

#### **Dr. KRISHNA MURTHY**

MD BIOCHEMIST



Dr. VAMSEEDHAR.A

D.C.P, M.D CONSULTANT PATHOLOGIST

The laboratory values And Normal values need to be interpreted based on patients clinical characteristics. The values in reference range is for an average normal individual which may vary depending upon age, sex and other characteristics.

Lab Seal

Page 8 of 8

No. 79, Kendra Upadyayara Sangha Layout, Nagarbhavi Circle, Nagarbhavi, Bengaluru - 560 072. Enquiry: +91 99867 33 333, Appointments : +91 98863 55 135, Reports: +91 74063 11 116



22070400

#### PROSTATIC SPECIFIC ANTIGEN (PSA)

PROSTATIC SPECIFIC ANTIGEN (PSA)

0.95 ng/mL

Up to 4ng/mL: Normal 4-10 ng/mL Hypertrophy & benign genito urinary conditions. >10 ng/mL Suspicious of malignancy.

PSA is used for monitoring patients with a history of prostate cancer and as an early indicator of recurrence and response to treatment. The test is commonly used for Prostate cancer screening.

Dispatched by: Sumalatha

\*\*\*\* End of Report \*\*\*\*

Printed by: Sumalatha on 09-07-2022 at 12:35 PM

