

Name : MR.GAURAV GANAGE

Age / Gender : 33 Years / Male

Consulting Dr. :

**Reg. Location**: Vashi (Main Centre)

Authenticity Check

Use a QR Code Scanner Application To Scan the Code

Collected : 27-Nov-2021 / 09:55

Reported

:27-Nov-2021 / 14:03

### **AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE**

CBC (Complete Blood Count), Blood			
<u>PARAMETER</u>	RESULTS	<b>BIOLOGICAL REF RANGE</b>	<u>METHOD</u>
RBC PARAMETERS			
Haemoglobin	15.0	13.0-17.0 g/dL	Spectrophotometric
RBC	5.07	4.5-5.5 mil/cmm	Elect. Impedance
PCV	44.7	40-50 %	Measured
MCV	88	80-100 fl	Calculated
MCH	29.7	27-32 pg	Calculated
MCHC	33.6	31.5-34.5 g/dL	Calculated
RDW	12.5	11.6-14.0 %	Calculated
WBC PARAMETERS			
WBC Total Count	8950	4000-10000 /cmm	Elect. Impedance
WBC DIFFERENTIAL AND ABSO	DLUTE COUNTS		
Lymphocytes	40.7	20-40 %	
Absolute Lymphocytes	3642.7	1000-3000 /cmm	Calculated
Monocytes	7.1	2-10 %	
Absolute Monocytes	635.5	200-1000 /cmm	Calculated
Neutrophils	45.1	40-80 %	
Absolute Neutrophils	4036.5	2000-7000 /cmm	Calculated
Eosinophils	5.9	1-6 %	
Absolute Eosinophils	528.1	20-500 /cmm	Calculated
Basophils	1.2	0.1-2 %	
Absolute Basophils	107.4	20-100 /cmm	Calculated
Immature Leukocytes	-		

WBC Differential Count by Absorbance & Impedance method/Microscopy.

### **PLATELET PARAMETERS**

Platelet Count	276000	150000-400000 /cmm	Elect. Impedance
MPV	8.6	6-11 fl	Calculated
PDW	13.3	11-18 %	Calculated

### **RBC MORPHOLOGY**

Hypochromia	-
Microcytosis	-
Macrocytosis	-

ADDRESS: 2nd Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053



Name : MR.GAURAV GANAGE

Age / Gender : 33 Years / Male

Consulting Dr. : -

**Reg. Location**: Vashi (Main Centre)

Authenticity Check

Use a QR Code Scanner
Application To Scan the Code

Collected

Reported

Application To Scan the Code

: 27-Nov-2021 / 09:55 : 27-Nov-2021 / 13:42

Anisocytosis -

Poikilocytosis -

Polychromasia -

Target Cells -

Basophilic Stippling -

Normoblasts -

Others Normocytic, Normochromic

WBC MORPHOLOGY -

PLATELET MORPHOLOGY -

COMMENT -

Specimen: EDTA Whole Blood

ESR, EDTA WB-ESR 4 2-15 mm at 1 hr. Westergren

\*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Panvel Lab, Panvel East
\*\*\* End Of Report \*\*\*



Dr.TEJASWINI DHOTE M.D. (PATH) Pathologist

ADDRESS: 2<sup>nd</sup> Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053

HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343

For Feedback - customerservice@suburbandiagnostics.com | www.suburbandiagnostics.com

Page 2 of 10



Name : MR.GAURAV GANAGE

Age / Gender : 33 Years / Male

Consulting Dr. :

**Reg. Location**: Vashi (Main Centre)

Authenticity Check

Use a QR Code Scanner Application To Scan the Code

Application To Scan the Code : 27-Nov-2021 / 09:55

**Reported** :27-Nov-2021 / 15:09

Collected

### AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE

<u>PARAMETER</u>	<u>RESULTS</u>	BIOLOGICAL REF RANGE	<u>METHOD</u>
GLUCOSE (SUGAR) FASTING, Fluoride Plasma	78.9	Non-Diabetic: < 100 mg/dl Impaired Fasting Glucose: 100-125 mg/dl Diabetic: >/= 126 mg/dl	Hexokinase
BILIRUBIN (TOTAL), Serum	0.32	0.1-1.2 mg/dl	Colorimetric
BILIRUBIN (DIRECT), Serum	0.15	0-0.3 mg/dl	Diazo
BILIRUBIN (INDIRECT), Serum	0.17	0.1-1.0 mg/dl	Calculated
SGOT (AST), Serum	16.8	5-40 U/L	NADH (w/o P-5-P)
SGPT (ALT), Serum	28.0	5-45 U/L	NADH (w/o P-5-P)
ALKALINE PHOSPHATASE, Serum	96.2	40-130 U/L	Colorimetric
BLOOD UREA, Serum	18.5	12.8-42.8 mg/dl	Kinetic
BUN, Serum	8.6	6-20 mg/dl	Calculated
CREATININE, Serum	0.88	0.67-1.17 mg/dl	Enzymatic
eGFR, Serum	106	>60 ml/min/1.73sqm	Calculated
URIC ACID, Serum	6.5	3.5-7.2 mg/dl	Enzymatic

<sup>\*</sup>Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Panvel Lab, Panvel East
\*\*\* End Of Report \*\*\*



Dr.TEJASWINI DHOTE M.D. (PATH) Pathologist

ADDRESS: 2" Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053

HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343

For Feedback - customerservice@suburbandiagnostics.com | www.suburbandiagnostics.com

Page 3 of 10



Name : MR.GAURAV GANAGE

Age / Gender :33 Years / Male

Consulting Dr.

: Vashi (Main Centre) Reg. Location

Authenticity Check

Use a OR Code Scanner

Application To Scan the Code

: 27-Nov-2021 / 09:55

Imm.Turbidimetry

Enzymatic

Calculated

:27-Nov-2021 / 18:38 Reported

### **AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE MICROALBUMINURIA**

**RESULTS BIOLOGICAL REF RANGE PARAMETER METHOD** 

Specimen Type, Urine Random sample

URINARY MICROALBUMIN, 0.8 mg/l

Urine

URINARY CREATININE, Urine 56.06 mg/dl

URINARY MICROALBUMIN TO

URINARY CREATININE RATIO, Urine

1.4

Spot Collection (mg/g Creatinine)

1) Normal < 30

2) Microalbuminuria 30 - 300 3) Clinical Albuminuria > 300

Collected

Method: Fully Automated Immunoturbidimetric Assay

1) Microalbuminuria is a reliable risk indicator for renal and cardiovascular disorders in diabetes and hypertension.

2) Microalbuminuria precedes and is highly predictive of diabetic nephropathy and end-stage renal disease.

3) By measuring Microalbuminuria one can monitor the patients response to the chosen line of therapy.

\*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD CPL, Andheri West \*\*\* End Of Report \*\*







M. fain Dr.MILLU JAIN M.D.(PATH) **Pathologist** 

ADDRESS: 2nd Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053

HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343



Name : MR.GAURAV GANAGE

Age / Gender :33 Years / Male

Consulting Dr. Collected

Reported :27-Nov-2021 / 18:38 Reg. Location : Vashi (Main Centre)



Use a OR Code Scanner

Application To Scan the Code

: 27-Nov-2021 / 09:55

### **AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE GLYCOSYLATED HEMOGLOBIN (HbA1c)**

#### **BIOLOGICAL REF RANGE PARAMETER RESULTS** METHOD

Glycosylated Hemoglobin (HbA1c), EDTA WB - CC

5.5

Non-Diabetic Level: < 5.7 % Prediabetic Level: 5.7-6.4 %

Diabetic Level: >/= 6.5 %

**HPLC** 

111.2

mg/dl

Calculated

Estimated Average Glucose (eAG), EDTA WB - CC

#### Intended use:

- In patients who are meeting treatment goals, HbA1c test should be performed at least 2 times a year
- In patients whose therapy has changed or who are not meeting glycemic goals, it should be performed quarterly
- For microvascular disease prevention, the HbA1C goal for non pregnant adults in general is Less than 7%.

#### Clinical Significance:

- HbA1c, Glycosylated hemoglobin or glycated hemoglobin, is hemoglobin with glucose molecule attached to it.
- The HbA1c test evaluates the average amount of glucose in the blood over the last 2 to 3 months by measuring the percentage of glycosylated hemoglobin in the blood.

### Test Interpretation:

- The HbA1c test evaluates the average amount of glucose in the blood over the last 2 to 3 months by measuring the percentage of Glycosylated hemoglobin in the blood.
- HbA1c test may be used to screen for and diagnose diabetes or risk of developing diabetes.
- To monitor compliance and long term blood glucose level control in patients with diabetes.
- Index of diabetic control, predicting development and progression of diabetic micro vascular complications.

#### Factors affecting HbA1c results:

Increased in: High fetal hemoglobin, Chronic renal failure, Iron deficiency anemia, Splenectomy, Increased serum triglycerides, Alcohol ingestion, Lead/opiate poisoning and Salicylate treatment.

Decreased in: Shortened RBC lifespan (Hemolytic anemia, blood loss), following transfusions, pregnancy, ingestion of large amount of Vitamin E or Vitamin C and Hemoglobinopathies

Reflex tests: Blood glucose levels, CGM (Continuous Glucose monitoring)

References: ADA recommendations, AACC, Wallach's interpretation of diagnostic tests 10th edition.

\*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD CPL, Andheri West \*\*\* End Of Report \*\*\*







M. Jain **Dr.MILLU JAIN** M.D.(PATH) **Pathologist** 

ADDRESS: 2nd Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053

HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343



Name : MR.GAURAV GANAGE

:33 Years / Male Age / Gender

Consulting Dr.

Reg. Location : Vashi (Main Centre)



Use a OR Code Scanner Application To Scan the Code

: 27-Nov-2021 / 09:55

Reported :27-Nov-2021 / 17:17

Collected

## **AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE** URINE EXAMINATION REPORT

<u>PARAMETER</u>	<u>RESULTS</u>	BIOLOGICAL REF RANGE	<u>METHOD</u>	
PHYSICAL EXAMINATION				
Color	Pale yellow	Pale Yellow	-	
Reaction (pH)	7.0	4.5 - 8.0	Chemical Indicator	
Specific Gravity	1.005	1.001-1.030	Chemical Indicator	
Transparency	Clear	Clear	-	
Volume (ml)	50	-	-	
<b>CHEMICAL EXAMINATION</b>				
Proteins	Absent	Absent	pH Indicator	
Glucose	Absent	Absent	GOD-POD	
Ketones	Absent	Absent	Legals Test	
Blood	Absent	Absent	Peroxidase	
Bilirubin	Absent	Absent	Diazonium Salt	
Urobilinogen	Normal	Normal	Diazonium Salt	
Nitrite	Absent	Absent	Griess Test	
MICROSCOPIC EXAMINATIO	<u>N</u>			
Leukocytes(Pus cells)/hpf	1-2	0-5/hpf		
Red Blood Cells / hpf	Absent	0-2/hpf		

Red Blood Cells / hpt

Epithelial Cells / hpf 0-1

Casts Absent Absent Crystals **Absent Absent** Amorphous debris Absent Absent

Bacteria / hpf 2-3 Less than 20/hpf

Others







Dr.MEGHA SHARMA M.D. (PATH), DNB (PATH) **Pathologist** 

ADDRESS: 2nd Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053

HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343

<sup>\*</sup>Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD CPL, Andheri West \*\*\* End Of Report \*\*



Name : MR.GAURAV GANAGE

Age / Gender : 33 Years / Male

Consulting Dr.

: Vashi (Main Centre) Reg. Location



Authenticity Check

Use a OR Code Scanner Application To Scan the Code

Collected

Reported

: 27-Nov-2021 / 09:55 :27-Nov-2021 / 18:37

### **AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE BLOOD GROUPING & Rh TYPING**

**RESULTS PARAMETER** 

**ABO GROUP** 0

Rh TYPING **POSITIVE** 

NOTE: Test performed by automated column agglutination technology (CAT) which is more sensitive than conventional methods.

Note: This sample is not tested for Bombay blood group.

Specimen: EDTA Whole Blood and/or serum

#### Clinical significance:

ABO system is most important of all blood group in transfusion medicine

#### Limitations:

- ABO blood group of new born is performed only by cell (forward) grouping because allo antibodies in cord blood are of maternal origin.
- Since A & B antigens are not fully developed at birth, both Anti-A & Anti-B antibodies appear after the first 4 to 6 months of life. As a result, weaker reactions may occur with red cells of newborns than of adults.
- Confirmation of newborn's blood group is indicated when A & B antigen expression and the isoagglutinins are fully developed at 2 to 4 years of age & remains constant throughout life.
- Cord blood is contaminated with Wharton's jelly that causes red cell aggregation leading to false positive result
- The Hh blood group also known as Oh or Bombay blood group is rare blood group type. The term Bombay is used to refer the phenotype that lacks normal expression of ABH antigens because of inheritance of hh genotype.

#### Refernces:

- Denise M Harmening, Modern Blood Banking and Transfusion Practices- 6th Edition 2012. F.A. Davis company. Philadelphia 1.
- AABB technical manual

\*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD CPL, Andheri West \*\*\* End Of Report \*\*\*







**Dr.TRUPTI SHETTY** M. D. (PATH) **Pathologist** 

ADDRESS: 2nd Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053

HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343



Name : MR.GAURAV GANAGE

:33 Years / Male Age / Gender

Consulting Dr.

Reg. Location : Vashi (Main Centre)



Use a OR Code Scanner Application To Scan the Code

:27-Nov-2021 / 09:55

Collected Reported :27-Nov-2021 / 15:12

### **AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE** LIPID PROFILE

<u>PARAMETER</u>	<u>RESULTS</u>	BIOLOGICAL REF RANGE	<u>METHOD</u>
CHOLESTEROL, Serum	218.1	Desirable: <200 mg/dl Borderline High: 200-239mg/dl High: >/=240 mg/dl	Enzymatic
TRIGLYCERIDES, Serum	115.0	Normal: <150 mg/dl Borderline-high: 150 - 199 mg/dl High: 200 - 499 mg/dl Very high:>/=500 mg/dl	Enzymatic
HDL CHOLESTEROL, Serum	42.5	Desirable: >60 mg/dl Borderline: 40 - 60 mg/dl Low (High risk): <40 mg/dl	Enzymatic
NON HDL CHOLESTEROL, Serum	175.6	Desirable: <130 mg/dl Borderline-high:130 - 159 mg/dl High:160 - 189 mg/dl Very high: >/=190 mg/dl	Calculated
LDL CHOLESTEROL, Serum	153.0	Optimal: <100 mg/dl Near Optimal: 100 - 129 mg/dl Borderline High: 130 - 159 mg/dl High: 160 - 189 mg/dl Very High: >/= 190 mg/dl	Colorimetric
VLDL CHOLESTEROL, Serum	22.6	< /= 30 mg/dl	Calculated
CHOL / HDL CHOL RATIO, Serum	5.1	0-4.5 Ratio	Calculated
LDL CHOL / HDL CHOL RATIO, Serum	3.6	0-3.5 Ratio	Calculated

<sup>\*</sup>Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Panvel Lab, Panvel East
\*\*\* End Of Report \*\*\*



**Dr.TEJASWINI DHOTE** M.D. (PATH) **Pathologist** 

ADDRESS: 2nd Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053

HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343

For Feedback - customerservice@suburbandiagnostics.com | www.suburbandiagnostics.com

Page 8 of 10



Name : MR.GAURAV GANAGE

Age / Gender : 33 Years / Male

Consulting Dr. :

**PARAMETER** 

**Reg. Location**: Vashi (Main Centre)



Use a QR Code Scanner Application To Scan the Code

Collected :27-Nov-2021 / 09:55

**Reported** :27-Nov-2021 / 14:52

BIOLOGICAL REF RANGE METHOD

# AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE THYROID FUNCTION TESTS

Free T3, Serum	7.1	3.5-6.5 pmol/L	ECLIA
Free T4, Serum	16.7	11.5-22.7 pmol/L	ECLIA
sensitiveTSH, Serum	14.96	0.35-5.5 microIU/ml	ECLIA

**RESULTS** 

Result rechecked

Kindly correlate clinically.

Advice-Repeat with fresh sample, if clinically indicated.

ADDRESS: 2nd Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053

HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343

For Feedback - customerservice@suburbandiagnostics.com | www.suburbandiagnostics.com

Page 9 of 10



Name : MR.GAURAV GANAGE

Age / Gender : 33 Years / Male

Consulting Dr. : - Collected :27-Nov-2021 / 09:55

Reg. Location : Vashi (Main Centre) Reported :27-Nov-2021 / 14:52

#### Interpretation

A thyroid panel is used to evaluate thyroid function and/or help diagnose various thyroid disorders.

### Clinical Significance:

- 1)TSH Values between 5.5 to 15 microIU/ml should be correlated clinically or repeat the test with new sample as physiological factors can give falsely high TSH.
- 2)TSH values may be trasiently altered becuase of non thyroidal illness like severe infections, liver disease, renal and heart severe burns, trauma and surgery etc.

TSH	FT4 / T4	FT3 / T3	Interpretation
High	Normal	Normal	Subclinical hypothyroidism, poor compliance with thyroxine, drugs like amiodarone, Recovery phase of non-thyroidal illness, TSH Resistance.
High	Low	Low	Hypothyroidism, Autoimmune thyroiditis, post radio iodine Rx, post thyroidectomy, Anti thyroid drugs, tyrosine kinase inhibitors & amiodarone, amyloid deposits in thyroid, thyroid tumors & congenital hypothyroidism.
Low	High	High	Hyperthyroidism, Graves disease, toxic multinodular goiter, toxic adenoma, excess iodine or thyroxine intake, pregnancy related (hyperemesis gravidarum, hydatiform mole)
Low	Normal	Normal	Subclinical Hyperthyroidism, recent Rx for Hyperthyroidism, drugs like steroids & dopamine), Non thyroidal illness.
Low	Low	Low	Central Hypothyroidism, Non Thyroidal Illness, Recent Rx for Hyperthyroidism.
High	High	High	Interfering anti TPO antibodies, Drug interference: Amiodarone, Heparin, Beta Blockers, steroids & anti epileptics.

**Diurnal Variation:**TSH follows a diurnal rhythm and is at maximum between 2 am and 4 am, and is at a minimum between 6 pm and 10 pm. The variation is on the order of 50 to 206%. Biological variation:19.7%(with in subject variation)

Reflex Tests: Anti thyroid Antibodies, USG Thyroid , TSH receptor Antibody. Thyroglobulin, Calcitonin

Limitations: Samples should not be taken from patients receiving therapy with high biotin doses (i.e. >5 mg/day) until atleast 8 hours following the last biotin administration.

#### Reference:

- 1.O.koulouri et al. / Best Practice and Research clinical Endocrinology and Metabolism 27(2013)
- 2.Interpretation of the thyroid function tests, Dayan et al. THE LANCET . Vol 357
- 3. Tietz ,Text Book of Clinical Chemistry and Molecular Biology -5th Edition
- 4.Biological Variation:From principles to Practice-Callum G Fraser (AACC Press)



Dr.TEJASWINI DHOTE M.D. (PATH) Pathologist

Authenticity Check

Use a OR Code Scanner

Application To Scan the Code

ADDRESS: 2<sup>rd</sup> Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053

HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343

For Feedback - customerservice@suburbandiagnostics.com | www.suburbandiagnostics.com

Page 10 of 10

<sup>\*</sup>Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Panvel Lab, Panvel East
\*\*\* End Of Report \*\*\*