

## CHANDAN DIAGNOSTIC CENTRE

Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-2548257

CIN: U85110DL2003PLC308206



Patient Name : Mr.BRIJ BHUSHAN PANDEY Registered On : 26/Aug/2023 08: 42: 02

 Age/Gender
 : 34 Y 1 M 24 D /M
 Collected
 : N/A

 UHID/MR NO
 : ALDP.0000124406
 Received
 : N/A

Visit ID : ALDP0154922324 Reported : 26/Aug/2023 12:19:27

Ref Doctor : Dr.Mediwheel - Arcofemi Health Care Ltd. Status : Final Report

# DEPARTMENT OF CARDIOLOGY-ECG

#### MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

#### ECG / EKG \*

**1. Machnism, Rhythm** Sinus, Regular

2. Atrial Rate 94 /mt

3. Ventricular Rate 94 /mt

4. P - Wave Normal

5. P R Interval Normal

6. Q R S

Axis: Normal R/S Ratio: Normal Configuration: Normal

7. Q T c Interval Normal

8. S - T Segment Normal

9. T – Wave Normal

#### **FINAL IMPRESSION**

ECG Within Normal Limits: Sinus Rhythm. Baseline artefacts. Baseline wandering. Please correlate clinically.











**Test Name** 

Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-2548257

CIN: U85110DL2003PLC308206



Method

Patient Name : Mr.BRIJ BHUSHAN PANDEY Registered On : 26/Aug/2023 08:41:59 Age/Gender Collected : 26/Aug/2023 09:05:34 : 34 Y 1 M 24 D /M UHID/MR NO : 26/Aug/2023 09:27:50 : ALDP.0000124406 Received Visit ID Reported : 26/Aug/2023 13:54:17 : ALDP0154922324

Ref Doctor : Dr.Mediwheel - Arcofemi Health Care Ltd. Status : Final Report

# DEPARTMENT OF HAEMATOLOGY

Result

## MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Unit

Bio. Ref. Interval

rest ivallie	Result	Offic	bio. Rei. iiitei vai	ivietilou
DI 10 (ADO 0 DI 1 ' ) *				
Blood Group (ABO & Rh typing) * ,	Blood			
Blood Group	А			ERYTHROCYTE MAGNETIZED TECHNOLOGY / TUBE AGGLUTINA
Rh ( Anti-D)	POSITIVE			ERYTHROCYTE MAGNETIZED TECHNOLOGY / TUBE AGGLUTINA
Complete Blood Count (CBC) * , Who	ole Blood			
Haemoglobin	14.60	g/dl	1 Day- 14.5-22.5 g/dl 1 Wk- 13.5-19.5 g/dl 1 Mo- 10.0-18.0 g/dl 3-6 Mo- 9.5-13.5 g/d 0.5-2 Yr- 10.5-13.5 g/dl 2-6 Yr- 11.5-15.5 g/dl 6-12 Yr- 11.5-15.5 g/dl 12-18 Yr 13.0-16.0 g/dl Male- 13.5-17.5 g/dl Female- 12.0-15.5 g/d	dl
TLC (WBC) <u>DLC</u>	4,600.00	/Cu mm	4000-10000	ELECTRONIC IMPEDANCE
Polymorphs (Neutrophils )	57.00	%	55-70	ELECTRONIC IMPEDANCE
Lymphocytes	33.00	%	25-40	ELECTRONIC IMPEDANCE
Monocytes	8.00	%	3-5	ELECTRONIC IMPEDANCE
Eosinophils	2.00	%	1-6	ELECTRONIC IMPEDANCE
Basophils ESR	0.00	%	<1	ELECTRONIC IMPEDANCE
Observed	4.00	Mm for 1st hr.		
Corrected		Mm for 1st hr.	∠ <b>0</b>	
PCV (HCT) Platelet count	45.00	%	40-54	
Platelet Count	2.21	LACS/cu mm	1.5-4.0	ELECTRONIC IMPEDANCE/MICROSCOPIC
PDW (Platelet Distribution width)	16.60	fL	9-17	ELECTRONIC IMPEDANCE









Ph: 9235447965,0532-2548257 CIN: U85110DL2003PLC308206



Patient Name : Mr.BRIJ BHUSHAN PANDEY Registered On : 26/Aug/2023 08:41:59 Age/Gender Collected : 26/Aug/2023 09:05:34 : 34 Y 1 M 24 D /M UHID/MR NO : 26/Aug/2023 09:27:50 : ALDP.0000124406 Received Visit ID : ALDP0154922324 Reported : 26/Aug/2023 13:54:17

Ref Doctor : Dr.Mediwheel - Arcofemi Health Care Ltd. Status : Final Report

# DEPARTMENT OF HAEMATOLOGY MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
P-LCR (Platelet Large Cell Ratio)	49.40	%	35-60	ELECTRONIC IMPEDANCE
PCT (Platelet Hematocrit)	0.30	%	0.108-0.282	ELECTRONIC IMPEDANCE
MPV (Mean Platelet Volume)	13.40	fL	6.5-12.0	ELECTRONIC IMPEDANCE
RBC Count				
RBC Count	5.08	Mill./cu mm	4.2-5.5	ELECTRONIC IMPEDANCE
Blood Indices (MCV, MCH, MCHC)		,		
MCV	89.80	fl	80-100	CALCULATED PARAMETER
MCH	28.70	pg	28-35	CALCULATED PARAMETER
MCHC	32.00	%	30-38	CALCULATED PARAMETER
RDW-CV	13.10	%	11-16	ELECTRONIC IMPEDANCE
RDW-SD	45.40	fL	35-60	ELECTRONIC IMPEDANCE
Absolute Neutrophils Count	2,622.00	/cu mm	3000-7000	
Absolute Eosinophils Count (AEC)	92.00	/cu mm	40-440	

AS\_









Ph: 9235447965,0532-2548257 CIN: U85110DL2003PLC308206



Patient Name : Mr.BRIJ BHUSHAN PANDEY : 26/Aug/2023 08:42:01 Registered On Age/Gender : 34 Y 1 M 24 D /M Collected : 26/Aug/2023 09:05:34 UHID/MR NO : ALDP.0000124406 Received : 26/Aug/2023 09:27:50 Visit ID : ALDP0154922324 Reported : 26/Aug/2023 12:10:16

Ref Doctor : Dr.Mediwheel - Arcofemi Health Care Ltd. Status : Final Report

#### **DEPARTMENT OF BIOCHEMISTRY**

#### MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method	

**GLUCOSE FASTING** \*, Plasma

Glucose Fasting 99.20 mg/dl < 100 Normal GOD POD

100-125 Pre-diabetes ≥ 126 Diabetes

#### **Interpretation:**

a) Kindly correlate clinically with intake of hypoglycemic agents, drug dosage variations and other drug interactions.

b) A negative test result only shows that the person does not have diabetes at the time of testing. It does not mean that the person will never get diabetics in future, which is why an Annual Health Check up is essential.

c) I.G.T = Impared Glucose Tolerance.

Glucose PP \* 164.30 mg/dl <140 Normal GOD POD

Sample:Plasma After Meal 140-199 Pre-diabetes >200 Diabetes

### **Interpretation:**

a) Kindly correlate clinically with intake of hypoglycemic agents, drug dosage variations and other drug interactions.

b) A negative test result only shows that the person does not have diabetes at the time of testing. It does not mean that the person will never get diabetics in future, which is why an Annual Health Check up is essential.

c) I.G.T = Impared Glucose Tolerance.

#### GLYCOSYLATED HAEMOGLOBIN (HBA1C) \*, EDTA BLOOD

Glycosylated Haemoglobin (HbA1c)	6.10	% NGSP	HPLC (NGSP)
Glycosylated Haemoglobin (HbA1c)	43.00	mmol/mol/IFCC	
Estimated Average Glucose (eAG)	128	mg/dl	

#### **Interpretation:**

#### NOTE:-

- eAG is directly related to A1c.
- An A1c of 7% -the goal for most people with diabetes-is the equivalent of an eAG of 154 mg/dl.
- eAG may help facilitate a better understanding of actual daily control helping you and your health care provider to make necessary changes to your diet and physical activity to improve overall diabetes mnagement.









Ph: 9235447965,0532-2548257 CIN: U85110DL2003PLC308206



Patient Name : 26/Aug/2023 08:42:01 : Mr.BRIJ BHUSHAN PANDEY Registered On Age/Gender : 34 Y 1 M 24 D /M Collected : 26/Aug/2023 09:05:34 UHID/MR NO : ALDP.0000124406 Received : 26/Aug/2023 09:27:50 Visit ID : ALDP0154922324 Reported : 26/Aug/2023 12:10:16

Ref Doctor : Dr. Mediwheel - Arcofemi Health Care Ltd. Status : Final Report

#### **DEPARTMENT OF BIOCHEMISTRY**

#### MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

lest Name Result Unit Bio. Ref. Interval Method	Test Name	Result	Unit	Bio. Ref. Interval	Method	
---	-----------	--------	------	--------------------	--------	--

The following ranges may be used for interpretation of results. However, factors such as duration of diabetes, adherence to therapy and the age of the patient should also be considered in assessing the degree of blood glucose control.

Haemoglobin A1C (%)NGSP	mmol/mol / IFCC Unit	eAG (mg/dl)	<b>Degree of Glucose Control Unit</b>
> 8	>63.9	>183	Action Suggested*
7-8	53.0 -63.9	154-183	Fair Control
< 7	<63.9	<154	Goal**
6-7	42.1 -63.9	126-154	Near-normal glycemia
< 6%	<42.1	<126	Non-diabetic level

<sup>\*</sup>High risk of developing long term complications such as Retinopathy, Nephropathy, Neuropathy, Cardiopathy, etc.

N.B.: Test carried out on Automated VARIANT II TURBO HPLC Analyser.

#### **Clinical Implications:**

<sup>\*</sup>Presence of Hb F and H causes falsely elevated values. 2. Presence of Hb S, C, E, D, G, and Lepore (autosomal recessive mutation resulting in a hemoglobinopathy) causes falsely decreased values.

BUN (Blood Urea Nitrogen) * Sample:Serum	7.90	mg/dL	7.0-23.0	CALCULATED
Creatinine * Sample:Serum	1.20	mg/dl	Serum 0.7-1.3 Spot Urine-Male- 20- 275 Female-20-320	MODIFIED JAFFES
Uric Acid * Sample:Serum	5.91	mg/dl	3.4-7.0	URICASE





<sup>\*\*</sup>Some danger of hypoglycemic reaction in Type 1diabetics. Some glucose intolerant individuals and "subclinical" diabetics may demonstrate HbA1C levels in this area.

<sup>\*</sup>Values are frequently increased in persons with poorly controlled or newly diagnosed diabetes.

<sup>\*</sup>With optimal control, the HbA 1c moves toward normal levels.

<sup>\*</sup>A diabetic patient who recently comes under good control may still show higher concentrations of glycosylated hemoglobin. This level declines gradually over several months as nearly normal glycosylated \*Increases in glycosylated hemoglobin occur in the following non-diabetic conditions: a. Iron-deficiency anemia b. Splenectomy

c. Alcohol toxicity d. Lead toxicity

<sup>\*</sup>Decreases in A 1c occur in the following non-diabetic conditions: a. Hemolytic anemia b. chronic blood loss

<sup>\*</sup>Pregnancy d. chronic renal failure. Interfering Factors:





Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-2548257

CIN: U85110DL2003PLC308206



Patient Name : Mr.BRIJ BHUSHAN PANDEY Registered On : 26/Aug/2023 08:42:01 Age/Gender : 26/Aug/2023 09:05:34 : 34 Y 1 M 24 D /M Collected UHID/MR NO : ALDP.0000124406 Received : 26/Aug/2023 09:27:50 Visit ID Reported : 26/Aug/2023 12:10:16 : ALDP0154922324

Ref Doctor : Dr.Mediwheel - Arcofemi Health Care Ltd. Status : Final Report

#### DEPARTMENT OF BIOCHEMISTRY

#### MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name	Result	U	nit Bio. Ref. Interva	al Method
LFT (WITH GAMMA GT) * , Serum				
SGOT / Aspartate Aminotransferase (AST)	35.70	U/L	< 35	IFCC WITHOUT P5P
SGPT / Alanine Aminotransferase (ALT)	41.30	U/L	< 40	IFCC WITHOUT P5P
Gamma GT (GGT)	11.10	IU/L	11-50	OPTIMIZED SZAZING
Protein	7.20	gm/dl	6.2-8.0	BIURET
Albumin	4.30	gm/dl	3.4-5.4	B.C.G.
Globulin	2. <mark>90</mark>	gm/dl	1.8-3.6	CALCULATED
A:G Ratio	1.48		1.1-2.0	CALCULATED
Alkaline Phosphatase (Total)	94.30	U/L	42.0-165.0	IFCC METHOD
Bilirubin (Total)	0.70	mg/dl	0.3-1.2	Jendrassik & Grof
Bilirubin (Direct)	0.30	mg/dl	< 0.30	JENDRASSIK & GROF
Bilirubin (Indirect)	0.40	mg/dl	< 0.8	JENDRASSIK & GROF
LIPID PROFILE (MINI) *, Serum			A STATE OF THE STA	
Cholesterol (Total)	90.00	mg/dl	<200 Desirable 200-239 Borderline High > 240 High	CHOD-PAP
HDL Cholesterol (Good Cholesterol)	35.50	mg/dl	30-70	DIRECT ENZYMATIC
LDL Cholesterol (Bad Cholesterol)	24	mg/dl	< 100 Optimal	CALCULATED
VLDL Triglycerides	30.38 151.90	mg/dl mg/dl	100-129 Nr. Optimal/Above Optimal 130-159 Borderline High 160-189 High > 190 Very High 10-33 < 150 Normal 150-199 Borderline High 200-499 High >500 Very High	CALCULATED GPO-PAP









Ph: 9235447965,0532-2548257 CIN: U85110DL2003PLC308206



Patient Name : Mr.BRIJ BHUSHAN PANDEY Registered On : 26/Aug/2023 08:42:00 Age/Gender Collected : 26/Aug/2023 14:12:36 : 34 Y 1 M 24 D /M UHID/MR NO : 26/Aug/2023 14:32:24 : ALDP.0000124406 Received Visit ID : 26/Aug/2023 16:07:18 : ALDP0154922324 Reported

Ref Doctor : Dr.Mediwheel - Arcofemi Health Care Ltd. Status : Final Report

# DEPARTMENT OF CLINICAL PATHOLOGY MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method	
URINE EXAMINATION, ROUTINE * ,	Urine				
Color	PALE YELLOW				
Specific Gravity	1.020				
Reaction PH	Acidic ( 6.0 )			DIPSTICK	
Protein	ABSENT	mg %	< 10 Absent	DIPSTICK	

10-40 (+) 40-200 (++) 200-500 (+++)

DIPSTICK

> 500 (++++)
Sugar

ABSENT

gms%

< 0.5 (+)
0.5-1.0 (++)
1-2 (+++)
> 2 (++++)

Ketone ABSENT mg/dl 0.2-2.81 BIOCHEMISTRY
Bile Salts ABSENT

Bile Pigments ABSENT
Urobilinogen(1:20 dilution) ABSENT
Microscopic Examination:

Epithelial cells 0-2/h.p.f MICROSCOPIC

Pus cells 0-2/h.p.f

RBCs ABSENT MICROSCOPIC EXAMINATION
Cast ABSENT

Crystals ABSENT MICROSCOPIC EXAMINATION

**ABSENT** 

Urine Microscopy is done on centrifuged urine sediment.

**SUGAR, FASTING STAGE** \* , Urine

Sugar, Fasting stage ABSENT gms%

**Interpretation:** 

Others

(+) < 0.5

(++) 0.5-1.0

(+++) 1-2









Ph: 9235447965,0532-2548257 CIN: U85110DL2003PLC308206



Patient Name : Mr.BRIJ BHUSHAN PANDEY

J BHUSHAN PANDEY Registered On

: 26/Aug/2023 08:42:00 : 26/Aug/2023 14:12:36

Age/Gender

: 34 Y 1 M 24 D /M

Collected : 26/Aug/2023 14:12:36 Received : 26/Aug/2023 14:32:24

UHID/MR NO Visit ID

: ALDP.0000124406 : ALDP0154922324 Received Reported

: 26/Aug/2023 16:07:18

Ref Doctor

: Dr.Mediwheel - Arcofemi Health Care Ltd.

Status : Final Report

# DEPARTMENT OF CLINICAL PATHOLOGY

#### MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name Result Unit Bio. Ref. Interval Method

(++++) > 2

SUGAR, PP STAGE \* , Urine

Sugar, PP Stage

**ABSENT** 

**Interpretation:** 

(+) < 0.5 gms%

(++) 0.5-1.0 gms%

(+++) 1-2 gms%

(++++) > 2 gms%

AS









Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-2548257

CIN: U85110DL2003PLC308206



Patient Name : Mr.BRIJ BHUSHAN PANDEY : 26/Aug/2023 08:42:01 Registered On : 26/Aug/2023 09:05:34 Age/Gender : 34 Y 1 M 24 D /M Collected UHID/MR NO : ALDP.0000124406 Received : 26/Aug/2023 09:27:50 Visit ID : 26/Aug/2023 15:19:07 : ALDP0154922324 Reported

Ref Doctor : Dr.Mediwheel - Arcofemi Health Care Ltd. Status : Final Report

#### DEPARTMENT OF IMMUNOLOGY

#### MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
THYROID PROFILE - TOTAL * , Serum				
T3, Total (tri-iodothyronine)	205.00	ng/dl	84.61-201.7	CLIA
T4, Total (Thyroxine)	7.10	ug/dl	3.2-12.6	CLIA
TSH (Thyroid Stimulating Hormone)	5.80	μIŪ/mL	0.27 - 5.5	CLIA
Interpretation:				
r		0.3-4.5 μIU/r	nL First Trimes	ter
		0.5-4.6 μIU/r		nester
		0.8-5.2 μIU/r	nL Third Trimes	ster
		0.5-8.9 µIU/r	nL Adults	55-87 Years
		0.7-27 μIU/r	nL Premature	28-36 Week
		2.3-13.2 μIU/r		> 37Week
		0.7-64 μIU/r		- 20 Yrs.)
			/mL Child	0-4 Days
		1.7-9.1 μIU/1		2-20 Week

- 1) Patients having low T3 and T4 levels but high TSH levels suffer from primary hypothyroidism, cretinism, juvenile myxedema or autoimmune disorders.
- 2) Patients having high T3 and T4 levels but low TSH levels suffer from Grave's disease, toxic adenoma or sub-acute thyroiditis.
- 3) Patients having either low or normal T3 and T4 levels but low TSH values suffer from iodine deficiency or secondary hypothyroidism.
- **4)** Patients having high T3 and T4 levels but normal TSH levels may suffer from toxic multinodular goiter. This condition is mostly a symptomatic and may cause transient hyperthyroidism but no persistent symptoms.
- 5) Patients with high or normal T3 and T4 levels and low or normal TSH levels suffer either from T3 toxicosis or T4 toxicosis respectively.
- **6)** In patients with non thyroidal illness abnormal test results are not necessarily indicative of thyroidism but may be due to adaptation to the catabolic state and may revert to normal when the patient recovers.
- 7) There are many drugs for eg. Glucocorticoids, Dopamine, Lithium, Iodides, Oral radiographic dyes, etc. which may affect the thyroid function tests.
- **8)** Generally when total T3 and total T4 results are indecisive then Free T3 and Free T4 tests are recommended for further confirmation along with TSH levels.









Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-2548257

CIN: U85110DL2003PLC308206



Patient Name : Mr.BRIJ BHUSHAN PANDEY Registered On : 26/Aug/2023 08: 42: 02

 Age/Gender
 : 34 Y 1 M 24 D /M
 Collected
 : N/A

 UHID/MR NO
 : ALDP.0000124406
 Received
 : N/A

Visit ID : ALDP0154922324 Reported : 26/Aug/2023 13:49:49

Ref Doctor : Dr.Mediwheel - Arcofemi Health Care Ltd. Status : Final Report

#### **DEPARTMENT OF X-RAY**

#### MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

#### X-RAY DIGITAL CHEST PA \*

# X-RAY REPORT (300 mA COMPUTERISED UNIT SPOT FILM DEVICE) CHEST P-A VIEW

- Both lung field did not reveal any significant lesion.
- Costo-phrenic angles are bilaterally clear.
- Trachea is central in position.
- Cardiac size & contours are normal.
- Hilar shadows are normal.
- Soft tissue shadow appears normal.
- Bony cage is normal.

Please correlare clinically.

Widhirant (MBBS,DMRD,DNB)









Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-2548257

CIN: U85110DL2003PLC308206



Patient Name : Mr.BRIJ BHUSHAN PANDEY Registered On : 26/Aug/2023 08: 42: 02

 Age/Gender
 : 34 Y 1 M 24 D /M
 Collected
 : N/A

 UHID/MR NO
 : ALDP.0000124406
 Received
 : N/A

Visit ID : ALDP0154922324 Reported : 26/Aug/2023 10: 48: 16

Ref Doctor : Dr. Mediwheel - Arcofemi Health Care Ltd. Status : Final Report

#### DEPARTMENT OF ULTRASOUND

#### MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

#### **ULTRASOUND WHOLE ABDOMEN (UPPER & LOWER) \***

LIVER: - Normal in size (11.9 cm), shape and shows diffuse increase in the liver parenchymal echogenicity suggestive of grade I fatty changes No focal lesion is seen. No intra hepatic biliary radicle dilation seen.

**GALL BLADDER**: Well distended, walls are normal. No e/o calculus / focal mass lesion/ pericholecystic fluid.

**CBD**:- Normal in calibre at porta.

**PORTAL VEIN:** - Normal in calibre and colour uptake at porta.

**PANCREAS:** - Head is visualised, normal in size & echopattern. No e/o ductal dilatation or calcification. Rest of pancreas is obscured by bowel gas.

**SPLEEN**: - Normal in size, shape and echogenicity.

**RIGHT KIDNEY**: - Normal in size, shape and echogenicity. No focal lesion or calculus seen. Pelvicalyceal system is not dilated.

**LEFT KIDNEY**: - Normal in size, shape and echogenicity. No focal lesion or calculus seen. Pelvicalyceal system is not dilated.

**URINARY BLADDER:** Normal in shape, outline and distension. No e/o wall thickening / calculus.

PROSTATE: - Normal in size (3.2 x 3.9 x 3.2 cm val- 21.4 cc), shape and echo pattern.

Visualized bowel loops are normal in caliber. No para-aortic lymphadenopathy

No free fluid is seen in the abdomen/pelvis.

**IMPRESSION**: Grade I fatty liver.

Please correlate clinically

\*\*\* End Of Report \*\*\*

Result/s to Follow:

STOOL, ROUTINE EXAMINATION



Widhikant.

Dr Nidhikant (MBBS, DMRD, DNB)

This report is not for medico legal purpose. If clinical correlation is not established, kindly repeat the test at no additional cost within seven days

Facilities: Pathology, Bedside Sample Collection, Health Check-ups, Digital X-Ray, ECG (Bedside also), Allergy Testing, Test And Health Check-ups, Ultrasonography, Sonomammography, Bone Mineral Density (BMD), Doppler Studies, 2D Echo, CT Scan, MRI, Blood Bank, TMT, EEG, PFT, OPG, Endoscopy, Digital Mammography, Electromyography (EMG), Nerve Condition Velocity (NCV), Audiometry, Brainstem Evoked Response Audiometry (BERA), Colonoscopy, Ambulance Services, Online Booking Facilities for Diagnostics, Online Report Viewing \*

\*Facilities Available at Select Location





