



CHANDAN DIAGNOSTIC CENTRE

Add: M-214/215.SEC G LDA COLONY NEAR POWER HOUSE CHAURAHA KANPUR ROAD Ph: 9235432707

CIN: U85110UP2003PLC193493

Patient Name : Mr.RAGHVENDRA TRIPATHI Registered On : 13/Oct/2024 09:23:01 Age/Gender : 32 Y 5 M 27 D /M Collected : 13/Oct/2024 09:47:17 UHID/MR NO : CDCA.0000139212 Received : 13/Oct/2024 10:22:15 Visit ID Reported : 13/Oct/2024 13:11:51 : CDCA0237782425

: Dr.Mediwheel - Arcofemi Health Care Ltd. Status Ref Doctor : Final Report

DEPARTMENT OF HAEMATOLOGY MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
Blood Group (ABO & Rh typing) , Blood				
Blood Group	0			ERYTHROCYTE MAGNETIZED TECHNOLOGY / TUBE AGGLUTINA
Rh (Anti-D)	POSITIVE			ERYTHROCYTE MAGNETIZED TECHNOLOGY / TUBE AGGLUTINA
Complete Blood Count (CBC), Whole Blood				
Haemoglobin	14.40	g/dl	1 Day- 14.5-22.5 g/dl 1 Wk- 13.5-19.5 g/dl 1 Mo- 10.0-18.0 g/dl 3-6 Mo- 9.5-13.5 g/dl 0.5-2 Yr- 10.5-13.5 g/dl 2-6 Yr- 11.5-15.5 g/dl 6-12 Yr- 11.5-15.5 g/dl 12-18 Yr 13.0-16.0 g/dl Male- 13.5-17.5 g/dl Female- 12.0-15.5 g/dl	COLORIMETRIC METHOD (CYANIDE-FREE REAGENT)
TLC (WBC) <u>DLC</u>	5,900.00	/Cu mm	4000-10000	IMPEDANCE METHOD
Polymorphs (Neutrophils)	63.00	%	40-80	FLOW CYTOMETRY
Lymphocytes	28.00	%	20-40	FLOW CYTOMETRY
Monocytes	3.00	%	2-10	FLOW CYTOMETRY
Eosinophils	6.00	%	1-6	FLOW CYTOMETRY
Basophils ESR	0.00	%	< 1-2	FLOW CYTOMETRY
Observed	12.00	MM/1H	10-19 Yr 8.0 20-29 Yr 10.8 30-39 Yr 10.4 40-49 Yr 13.6 50-59 Yr 14.2 60-69 Yr 16.0 70-79 Yr 16.5 80-91 Yr 15.8	



Page 1 of 14





Add: M-214/215,SEC G LDA COLONY NEAR POWER HOUSE CHAURAHA KANPUR ROAD Ph: 9235432707

CIN: U85110UP2003PLC193493

Patient Name : Mr.RAGHVENDRA TRIPATHI Registered On : 13/Oct/2024 09:23:01 : 32 Y 5 M 27 D /M Age/Gender Collected : 13/Oct/2024 09:47:17 UHID/MR NO : CDCA.0000139212 Received : 13/Oct/2024 10:22:15 Visit ID Reported : 13/Oct/2024 13:11:51 : CDCA0237782425

Ref Doctor : Dr.Mediwheel - Arcofemi Health Care Ltd. Status : Final Report

DEPARTMENT OF HAEMATOLOGY MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Result	Unit	Bio. Ref. Interval	Method
		Pregnancy	
		3 0	
		,	
		if anaemic)	
8.00	Mm for 1st hr.	< 9	
43.00	%	40-54	
1.8	LACS/cu mm	1.5-4.0	ELECTRONIC
			IMPEDANCE/MICROSCOPIC
			ELECTRONIC IMPEDANCE
			ELECTRONIC IMPEDANCE
0.23	%		ELECTRONIC IMPEDANCE
12.50	fL	6.5-12.0	ELECTRONIC IMPEDANCE
4.10	Mill./cu mm	4.2-5.5	ELECTRONIC IMPEDANCE
107.30	fl	80-100	CALCULATED PARAMETER
38.00	pg	27-32	CALCULATED PARAMETER
35.50	%	30-38	CALCULATED PARAMETER
18.20	%	11-16	ELECTRONIC IMPEDANCE
74.90	fL	35-60	ELECTRONIC IMPEDANCE
3,717.00	/cu mm	3000-7000	
354.00	/cu mm	40-440	
	8.00 43.00 1.8 16.50 43.40 0.23 12.50 4.10 107.30 38.00 35.50 18.20 74.90 3,717.00	8.00 Mm for 1st hr. 43.00 % 1.8 LACS/cu mm 16.50 fL 43.40 % 0.23 % 12.50 fL 4.10 Mill./cu mm 107.30 fl 38.00 pg 35.50 % 18.20 % 74.90 fL 3,717.00 /cu mm	Pregnancy Early gestation - 48 (62 if anaemic) Leter gestation - 70 (95 if anaemic) 8.00













Add: M-214/215,SEC G LDA COLONY NEAR POWER HOUSE CHAURAHA KANPUR ROAD Ph: 9235432707

CIN: U85110UP2003PLC193493

: 13/Oct/2024 09:23:01 Patient Name : Mr.RAGHVENDRA TRIPATHI Registered On Age/Gender : 32 Y 5 M 27 D /M Collected : 13/Oct/2024 16:07:32 UHID/MR NO : CDCA.0000139212 Received : 13/Oct/2024 17:21:30 Visit ID : CDCA0237782425 Reported : 13/Oct/2024 18:04:53

Ref Doctor : Dr.Mediwheel - Arcofemi Health Care Ltd. Status : Final Report

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method	
GLUCOSE FASTING , Plasma					
Glucose Fasting	93.68	mg/dl	< 100 Normal 100-125 Pre-diabetes > 126 Diabetes	GOD POD	

Interpretation:

- a) Kindly correlate clinically with intake of hypoglycemic agents, drug dosage variations and other drug interactions.
- b) A negative test result only shows that the person does not have diabetes at the time of testing. It does not mean that the person will never get diabetics in future, which is why an Annual Health Check up is essential.
- c) I.G.T = Impaired Glucose Tolerance.

CLINICAL SIGNIFICANCE:- Glucose is the major source of energy in the body. Lack of insulin or resistance to it section at the cellular level causes diabetes. Therefore, the blood glucose levels are very high. Elevated serum glucose levels are observed in diabetes mellitus and may be associated with pancreatitis, pituitary or thyroid dysfunction and liver disease. Hypoglycaemia occurs most frequently due to over dosage of insulin.

Glucose PP 120.14 mg/dl <140 Normal GOD POD

Sample:Plasma After Meal 140-199 Pre-diabetes

>200 Diabetes

Interpretation:

- a) Kindly correlate clinically with intake of hypoglycemic agents, drug dosage variations and other drug interactions.
- b) A negative test result only shows that the person does not have diabetes at the time of testing. It does not mean that the person will never get diabetics in future, which is why an Annual Health Check up is essential.
- c) I.G.T = Impaired Glucose Tolerance.











Add: M-214/215,SEC G LDA COLONY NEAR POWER HOUSE CHAURAHA KANPUR ROAD Ph: 9235432707

CIN: U85110UP2003PLC193493

Patient Name : Mr.RAGHVENDRA TRIPATHI Registered On : 13/Oct/2024 09:23:01 Age/Gender : 32 Y 5 M 27 D /M Collected : 13/Oct/2024 09:47:17 UHID/MR NO : CDCA.0000139212 Received : 13/Oct/2024 13:46:13 Visit ID : CDCA0237782425 Reported : 13/Oct/2024 16:30:21

Result

Ref Doctor : Dr. Mediwheel - Arcofemi Health Care Ltd. Status : Final Report

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Unit

Rio Ref Interval

Method

1 CSt Number	Result	Offic Dio.	iter. interval	Wicthou	
GLYCOSYLATED HAEMOGLOBIN (HBA1	C) ** , EDTA BLOOD				
Glycosylated Haemoglobin (HbA1c)	5.20	% NGSP		HPLC (NGSP)	
Glycosylated Haemoglobin (HbA1c)	33.00	mmol/mol/IFCC			
Estimated Average Glucose (eAG)	102	mg/dl			

Interpretation:

Test Name

NOTE:-

- eAG is directly related to A1c.
- An A1c of 7% -the goal for most people with diabetes-is the equivalent of an eAG of 154 mg/dl.
- eAG may help facilitate a better understanding of actual daily control helping you and your health care provider to make necessary changes to your diet and physical activity to improve overall diabetes mnagement.

The following ranges may be used for interpretation of results. However, factors such as duration of diabetes, adherence to therapy and the age of the patient should also be considered in assessing the degree of blood glucose control.

Haemoglobin A1C (%)N	GSP mmol/mol / IFCC Unit	eAG (mg/dl)	Degree of Glucose Control Unit
> 8	>63.9	>183	Action Suggested*
7-8	53.0 -63.9	154-183	Fair Control
< 7	<63.9	<154	Goal**
6-7	42.1 -63.9	126-154	Near-normal glycemia
< 6%	<42.1	<126	Non-diabetic level

^{*}High risk of developing long term complications such as Retinopathy, Nephropathy, Neuropathy, Cardiopathy, etc.

N.B.: Test carried out on Automated VARIANT II TURBO HPLC Analyser.

Clinical Implications:

- *Values are frequently increased in persons with poorly controlled or newly diagnosed diabetes.
- *With optimal control, the HbA 1c moves toward normal levels.
- *A diabetic patient who recently comes under good control may still show higher concentrations of glycosylated hemoglobin. This level





^{**}Some danger of hypoglycemic reaction in Type 1diabetics. Some glucose intolerant individuals and "subclinical" diabetics may demonstrate HbA1C levels in this area.



Test Name



CHANDAN DIAGNOSTIC CENTRE

Add: M-214/215,SEC G LDA COLONY NEAR POWER HOUSE CHAURAHA KANPUR ROAD

Ph: 9235432707

CIN: U85110UP2003PLC193493

Patient Name : Mr.RAGHVENDRA TRIPATHI : 13/Oct/2024 09:23:01 Registered On Age/Gender : 32 Y 5 M 27 D /M Collected : 13/Oct/2024 09:47:17 UHID/MR NO : CDCA.0000139212 Received : 13/Oct/2024 13:46:13 Visit ID : CDCA0237782425 Reported : 13/Oct/2024 16:30:21

Ref Doctor : Dr.Mediwheel - Arcofemi Health Care Ltd. Status : Final Report

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

declines gradually over several months as nearly normal glycosylated *Increases in glycosylated hemoglobin occur in the following non-diabetic conditions: a. Iron-deficiency anemia b. Splenectomy

Unit

Bio. Ref. Interval

Method

- c. Alcohol toxicity d. Lead toxicity
- *Decreases in A 1c occur in the following non-diabetic conditions: a. Hemolytic anemia b. chronic blood loss

Result

- *Pregnancy d. chronic renal failure. Interfering Factors:
- *Presence of Hb F and H causes falsely elevated values. 2. Presence of Hb S, C, E, D, G, and Lepore (autosomal recessive mutation resulting in a hemoglobinopathy) causes falsely decreased values.

Bring

Dr. Anupam Singh (MBBS MD Pathology)













Add: M-214/215,SEC G LDA COLONY NEAR POWER HOUSE CHAURAHA KANPUR ROAD Ph: 9235432707

CIN: U85110UP2003PLC193493

Patient Name : Mr.RAGHVENDRA TRIPATHI : 13/Oct/2024 09:23:02 Registered On Age/Gender : 32 Y 5 M 27 D /M Collected : 13/Oct/2024 09:47:17 UHID/MR NO : CDCA.0000139212 Received : 13/Oct/2024 11:29:41 Visit ID : CDCA0237782425 Reported : 13/Oct/2024 13:47:51

Ref Doctor : Dr.Mediwheel - Arcofemi Health Care Ltd. Status : Final Report

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
BUN (Blood Urea Nitrogen) Sample:Serum	9.60	mg/dL	7.0-23.0	CALCULATED

Interpretation:

Note: Elevated BUN levels can be seen in the following:

High-protein diet, Dehydration, Aging, Certain medications, Burns, Gastrointestimal (GI) bleeding.

Low BUN levels can be seen in the following:

Low-protein diet, overhydration, Liver disease.

Creatinine1.10mg/dl0.7-1.30MODIFIED JAFFES

Sample:Serum

Interpretation:

The significance of single creatinine value must be interpreted in light of the patients muscle mass. A patient with a greater muscle mass will have a higher creatinine concentration. The trend of serum creatinine concentrations over time is more important than absolute creatinine concentration. Serum creatinine concentrations may increase when an ACE inhibitor (ACE) is taken. The assay could be affected mildly and may result in anomalous values if serum samples have heterophilic antibodies, hemolyzed, icteric or lipemic.

Uric Acid 6.30 mg/dl 3.4-7.0 URICASE

Sample:Serum

Interpretation:

Note:-

Elevated uric acid levels can be seen in the following:

Drugs, Diet (high-protein diet, alcohol), Chronic kidney disease, Hypertension, Obesity.

LFT (WITH GAMMA GT), Serum

SGOT / Aspartate Aminotransferase (AST) 27.87 U/L < 35 IFCC WITHOUT P5P













Add: M-214/215,SEC G LDA COLONY NEAR POWER HOUSE CHAURAHA KANPUR ROAD Ph: 9235432707

CIN: U85110UP2003PLC193493

Patient Name : Mr.RAGHVENDRA TRIPATHI Registered On : 13/Oct/2024 09:23:02 : 32 Y 5 M 27 D /M Age/Gender Collected : 13/Oct/2024 09:47:17 UHID/MR NO : CDCA.0000139212 Received : 13/Oct/2024 11:29:41 Visit ID : CDCA0237782425 Reported : 13/Oct/2024 13:47:51

Ref Doctor : Dr.Mediwheel - Arcofemi Health Care Ltd. Status : Final Report

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
SGPT / Alanine Aminotransferase (ALT)	24.08	U/L	< 40	IFCC WITHOUT P5P
Gamma GT (GGT)	35.08	IU/L	11-50	OPTIMIZED SZAZING
Protein	7.93	gm/dl	6.2-8.0	BIURET
Albumin	4.54	gm/dl	3.4-5.4	B.C.G.
Globulin	3.39	gm/dl	1.8-3.6	CALCULATED
A:G Ratio	1.34		1.1-2.0	CALCULATED
Alkaline Phosphatase (Total)	146.19	U/L	42.0-165.0	PNP/AMP KINETIC
Bilirubin (Total)	0.96	mg/dl	0.3-1.2	JENDRASSIK & GROF
Bilirubin (Direct)	0.31	mg/dl	< 0.30	JENDRASSIK & GROF
Bilirubin (Indirect)	0.65	mg/dl	< 0.8	Jendrassik & Grof
LIPID PROFILE (MINI), Serum				
Cholesterol (Total)	223.90	mg/dl	<200 Desirable 200-239 Borderline Hig > 240 High	CHOD-PAP gh
HDL Cholesterol (Good Cholesterol)	57.14	mg/dl	30-70	DIRECT ENZYMATIC
LDL Cholesterol (Bad Cholesterol)	87	mg/dl	< 100 Optimal 100-129 Nr. Optimal/Above Optim 130-159 Borderline Hig 160-189 High > 190 Very High	
VLDL	79.72	mg/dl	10-33	CALCULATED
Triglycerides	398.60	mg/dl	< 150 Normal 150-199 Borderline Hig 200-499 High >500 Very High	GPO-PAP gh













Add: M-214/215,SEC G LDA COLONY NEAR POWER HOUSE CHAURAHA KANPUR ROAD Ph: 9235432707

CIN: U85110UP2003PLC193493

Patient Name : Mr.RAGHVENDRA TRIPATHI Registered On : 13/Oct/2024 09:23:01 Age/Gender : 32 Y 5 M 27 D /M Collected : 13/Oct/2024 09:47:17 UHID/MR NO : CDCA.0000139212 Received : 13/Oct/2024 11:24:32 Visit ID Reported : 13/Oct/2024 13:17:04 : CDCA0237782425

Ref Doctor : Dr.Mediwheel - Arcofemi Health Care Ltd. Status : Final Report

DEPARTMENT OF CLINICAL PATHOLOGY MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
URINE EXAMINATION, ROUTINE, Uri	ine			
Color	PALE YELLOW			
Specific Gravity	1.020			
Reaction PH	Acidic (5.0)			DIPSTICK
Appearance	CLEAR			
Protein	ABSENT	mg %	< 10 Absent 10-40 (+) 40-200 (++) 200-500 (+++) > 500 (++++)	DIPSTICK
Sugar	ABSENT	gms%	< 0.5 (+) 0.5-1.0 (++) 1-2 (+++) > 2 (++++)	DIPSTICK
Ketone	ABSENT	mg/dl	Serum-0.1-3.0 Urine-0.0-14.0	BIOCHEMISTRY
Bile Salts	ABSENT			
Bile Pigments	ABSENT			
Bilirubin	ABSENT			DIPSTICK
Leucocyte Esterase	ABSENT			DIPSTICK
Urobilinogen(1:20 dilution)	ABSENT			
Nitrite	ABSENT			DIPSTICK
Blood	ABSENT			DIPSTICK
Microscopic Examination:				
Epithelial cells	ABSENT			MICROSCOPIC EXAMINATION
Pus cells	ABSENT			
RBCs	ABSENT			MICROSCOPIC EXAMINATION
Cast	ABSENT			
Crystals	ABSENT			MICROSCOPIC EXAMINATION
Others	ABSENT			
SUGAR, FASTING STAGE , Urine				
Sugar, Fasting stage	ABSENT	gms%		









Add: M-214/215,SEC G LDA COLONY NEAR POWER HOUSE CHAURAHA KANPUR ROAD Ph: 9235432707

CIN: U85110UP2003PLC193493

Patient Name : Mr.RAGHVENDRA TRIPATHI Registered On : 13/Oct/2024 09:23:01 Age/Gender Collected : 32 Y 5 M 27 D /M : 13/Oct/2024 09:47:17 UHID/MR NO : CDCA.0000139212 Received : 13/Oct/2024 11:24:32 Visit ID Reported : 13/Oct/2024 13:17:04 : CDCA0237782425

Ref Doctor : Dr.Mediwheel - Arcofemi Health Care Ltd. Status : Final Report

DEPARTMENT OF CLINICAL PATHOLOGY MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name Result Unit Bio. Ref. Interval Method

Interpretation:

(+) < 0.5

(++) 0.5-1.0

(+++) 1-2

(++++) > 2













Add: M-214/215.SEC G LDA COLONY NEAR POWER HOUSE CHAURAHA KANPUR ROAD Ph: 9235432707

CIN: U85110UP2003PLC193493

Patient Name : Mr.RAGHVENDRA TRIPATHI : 13/Oct/2024 09:23:01 Registered On Age/Gender : 13/Oct/2024 09:47:17 : 32 Y 5 M 27 D /M Collected UHID/MR NO : CDCA.0000139212 Received : 13/Oct/2024 13:25:07 Visit ID : CDCA0237782425 Reported : 13/Oct/2024 15:06:11

: Dr.Mediwheel - Arcofemi Health Care Ltd. Ref Doctor Status : Final Report

DEPARTMENT OF IMMUNOLOGY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method	
PSA (Prostate Specific Antigen), Total **	0.37	ng/mL	<4.1	CLIA	
Sample:Serum		3			

Interpretation:

- 1. PSA is detected in the serum of males with normal, benign hypertrophic, and malignant prostate tissue.
- 2. Measurement of serum PSA levels is not recommended as a screening procedure for the diagnosis of cancer because elevated PSA levels also are observed in patients with benign prostatic hypertrophy. However, studies suggest that the measurement of PSA in conjunction with digital rectal examination (DRE) and ultrasound provide a better method of detecting prostate cancer than DRE alone.
- 3. PSA levels increase in men with cancer of the prostate, and after radical prostatectomy PSA levels routinely fall to the undetectable range.
- 4. If prostatic tissue remains after surgery or metastasis has occurred, PSA appears to be useful in detecting residual and early recurrence of tumor.
- 5. Therefore, serial PSA levels can help determine the success of prostatectomy, and the need for further treatment, such as radiation, endocrine or chemotherapy, and in the monitoring of the effectiveness of therapy.

THYROID PROFILE - TOTAL **, Serum

T3, Total (tri-iodothyronine)	114.25	ng/dl	84.61-201.7	CLIA
T4, Total (Thyroxine)	8.20	ug/dl	3.2-12.6	CLIA
TSH (Thyroid Stimulating Hormone)	2.530	μIU/mL	0.27 - 5.5	CLIA

Interpretation:

0.3 - 4.5	μIU/mL	First Trimes	ter	
0.5-4.6	$\mu IU/mL$	Second Trimester		
0.8 - 5.2	$\mu IU/mL$	Third Trimester		
0.5 - 8.9	$\mu IU/mL$	Adults	55-87 Years	
0.7 - 27	$\mu IU/mL$	Premature	28-36 Week	
2.3-13.2	μIU/mL	Cord Blood	> 37Week	
0.7-64	$\mu IU/mL$	Child(21 wk	- 20 Yrs.)	
1-39	$\mu IU/mL$	Child	0-4 Days	
1.7-9.1	$\mu IU/mL$	Child	2-20 Week	

1) Patients having low T3 and T4 levels but high TSH levels suffer from primary hypothyroidism, cretinism, juvenile myxedema or







Page 10 of 14





Add: M-214/215,SEC G LDA COLONY NEAR POWER HOUSE CHAURAHA KANPUR ROAD Ph: 9235432707

CIN: U85110UP2003PLC193493

Patient Name : 13/Oct/2024 09:23:01 : Mr.RAGHVENDRA TRIPATHI Registered On Age/Gender : 32 Y 5 M 27 D /M Collected : 13/Oct/2024 09:47:17 UHID/MR NO : CDCA.0000139212 Received : 13/Oct/2024 13:25:07 Visit ID : CDCA0237782425 Reported : 13/Oct/2024 15:06:11

Ref Doctor : Dr.Mediwheel - Arcofemi Health Care Ltd. Status : Final Report

DEPARTMENT OF IMMUNOLOGY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name Result Unit Bio. Ref. Interval Method

autoimmune disorders.

- 2) Patients having high T3 and T4 levels but low TSH levels suffer from Grave's disease, toxic adenoma or sub-acute thyroiditis.
- 3) Patients having either low or normal T3 and T4 levels but low TSH values suffer from iodine deficiency or secondary hypothyroidism.
- **4)** Patients having high T3 and T4 levels but normal TSH levels may suffer from toxic multinodular goiter. This condition is mostly a symptomatic and may cause transient hyperthyroidism but no persistent symptoms.
- 5) Patients with high or normal T3 and T4 levels and low or normal TSH levels suffer either from T3 toxicosis or T4 toxicosis respectively.
- **6**) In patients with non thyroidal illness abnormal test results are not necessarily indicative of thyroidism but may be due to adaptation to the catabolic state and may revert to normal when the patient recovers.
- 7) There are many drugs for eg. Glucocorticoids, Dopamine, Lithium, Iodides, Oral radiographic dyes, etc. which may affect the thyroid function tests.
- **8**) Generally when total T3 and total T4 results are indecisive then Free T3 and Free T4 tests are recommended for further confirmation along with TSH levels.

Print

Dr. Anupam Singh (MBBS MD Pathology)













Add: M-214/215,SEC G LDA COLONY NEAR POWER HOUSE CHAURAHA KANPUR ROAD

Ph: 9235432707

CIN: U85110UP2003PLC193493

Patient Name : Mr.RAGHVENDRA TRIPATHI : 13/Oct/2024 09:23:02 Registered On Age/Gender : 32 Y 5 M 27 D /M Collected : 2024-10-13 12:44:46 UHID/MR NO : CDCA.0000139212 Received : 2024-10-13 12:44:46 Visit ID : CDCA0237782425 Reported : 13/Oct/2024 12:45:11

Ref Doctor : Dr.Mediwheel - Arcofemi Health Care Ltd. Status : Final Report

DEPARTMENT OF X-RAY MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

X-RAY DIGITAL CHEST PA

(300 mA COMPUTERISED UNIT SPOT FILM DEVICE)

CHEST P-A VIEW

- Soft tissue shadow appears normal.
- Bony cage is normal.
- Diaphragmatic shadows are normal on both sides.
- Costo-phrenic angles are bilaterally clear.
- Trachea is central in position.
- Cardiac size & contours are normal.
- Both hilar shadows and bronchovascular markings are prominent.
- Pulmonary parenchyma did not reveal any significant lesion.

IMPRESSION:

• Bronchitis.

Advice:-clinicopathological correlation & Follow up.

Dr. Anoop Agarwal MBBS,MD(Radiology)













Add: M-214/215,SEC G LDA COLONY NEAR POWER HOUSE CHAURAHA KANPUR ROAD Ph: 9235432707

CIN: U85110UP2003PLC193493

Patient Name : Mr.RAGHVENDRA TRIPATHI Registered On : 13/Oct/2024 09:23:02 Age/Gender : 32 Y 5 M 27 D /M Collected : 2024-10-13 10:24:46 UHID/MR NO : CDCA.0000139212 Received : 2024-10-13 10:24:46 Visit ID : CDCA0237782425 Reported : 13/Oct/2024 10:26:01

Ref Doctor : Dr.Mediwheel - Arcofemi Health Care Ltd. Status : Final Report

DEPARTMENT OF ULTRASOUND MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

ULTRASOUND WHOLE ABDOMEN (UPPER & LOWER)

LIVER

• Moderate hepatomegaly present, measures 167.9 mm in cranio caudal extent, shows diffuse bright echoes. Large patches of fat sparing islands noted.

PORTAL SYSTEM

- The intra hepatic portal channels are normal.
- Portal vein is normal at the porta.
- Porta hepatis is normal.

BILIARY SYSTEM

- The intra-hepatic biliary radicles are normal.
- Common duct is normal at the porta.
- The gall bladder is normal in size and has regular walls. Wall thickness is normal. Lumen of the gall bladder is anechoic.

PANCREAS

• The pancreas is normal in size and shape and has a normal homogenous echotexture.

RIGHT KIDNEY

- Right kidney is normal in size and shape and cortical echotexture.
- The collecting system is not dilated.
- The upper part of right ureter is normal.
- The vesicoureteric junction is normal.
- Corticomedullary demarcation is clear.
- Renal respiratory excursions are normal.

LEFT KIDNEY

- Left kidney is normal in size and shape and cortical echotexture.
- The collecting system is not dilated.
- The upper part of left ureter is normal.
- The vesicoureteric junction is normal.
- Corticomedullary demarcation is clear.
- Renal respiratory excursions are normal.













Add: M-214/215.SEC G LDA COLONY NEAR POWER HOUSE CHAURAHA KANPUR ROAD

Ph: 9235432707

CIN: U85110UP2003PLC193493

Patient Name : Mr.RAGHVENDRA TRIPATHI Registered On : 13/Oct/2024 09:23:02 Age/Gender : 32 Y 5 M 27 D /M Collected : 2024-10-13 10:24:46 UHID/MR NO : CDCA.0000139212 Received : 2024-10-13 10:24:46 Visit ID : CDCA0237782425 Reported : 13/Oct/2024 10:26:01

: Dr.Mediwheel - Arcofemi Health Care Ltd. Status Ref Doctor : Final Report

DEPARTMENT OF ULTRASOUND MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

SPLEEN

• The spleen is normal in size and has a homogenous echotexture.

ILIAC FOSSA

• Scan over the iliac fossae does not reveal any fluid collection or mass.

URINARY BLADDER

• The urinary bladder is normal. Bladder wall is normal in thickness and regular.

PROSTATE

• The prostate gland is normal in texture and size.

IMPRESSION

 Moderate hepatomegaly with grade-I fatty changes and large patches of fat sparing islands.

Advice:-clinicopathological correlation & Follow up.

*** End Of Report ***

(**) Test Performed at Chandan Speciality Lab.

Result/s to Follow:

STOOL, ROUTINE EXAMINATION, SUGAR, PP STAGE, ECG / EKG, Tread Mill Test (TMT)



Dr. Anoop Agarwal MBBS,MD(Radiolog

This report is not for medico legal purpose. If clinical correlation is not established, kindly repeat the test at no additional cost within seven days

Facilities: MRI, CT scan, DR X-ray, Ultrasound, Sonomammography, Digital Mammography, ECG (Bedside also), 2D Echo, TMT, Holter, OPG, EEG, NCV, EMG & BERA, Audiometry, BMD, PFT, Fibroscan, Bronchoscopy, Colonoscopy and Endoscopy, Allergy Testing, Biochemistry & Immunoassay, Hematology, Microbiology & Serology, Histopathology & Immunohistochemistry, Cytogenetics and Molecular Diagnostics and Health Checkups 365 Days Open

*Facilities Available at Select Location Page 14 of 14





