

SUBURBAN DIAGNOSTICS - THANE KASARAVADAVALI

Patient Name: S KRISHNA NAIDU
Patient ID: 2222803886

Date and Time: 16th Aug 22 11:06 AM

Age **31** **2** **29**
years months days

Gender **Male**


Heart Rate **62bpm**

Patient Vitals

BP: NA
Weight: NA
Height: NA
Pulse: NA
Spo2: NA
Resp: NA
Others: _____

Measurements

QRSD: 72ms
QT: 420ms
QTc: 426ms
PR: 130ms
P-R-T: 40° 63° 28°



Copyright 2014-2022 Tricog Health Services, All Rights Reserved.



Sinus Rhythm, Normal Axis. RVH with Tall T waves. Please correlate clinically.

REPORTED BY

Dr Kavin Shah
MBBS, D.CARD
2009/10/3488



CID : 2222803886
Name : Mr S KRISHNA NAIDU
Age / Sex : 31 Years/Male
Ref. Dr :
Reg. Location : Thane Kasarvadavali Main Centre

Reg. Date : 16-Aug-2022
Reported : 16-Aug-2022/11:53

USG ABDOMEN AND PELVIS

LIVER:

Liver is normal in size and shows mild fatty infiltrations. There is no intra-hepatic biliary radical dilatation. No evidence of any focal lesion.

GALL BLADDER:

Gall bladder is distended and appears normal. Wall thickness is within normal limits. There is no evidence of any calculus.

PORTAL VEIN:

Portal vein is normal. CBD: CBD is normal.

PANCREAS:

Visualised pancreas appears normal in echotexture. There is no evidence of any focal lesion or calcification. Pancreatic duct is not dilated.

KIDNEYS:

Right kidney measures 9.8 x 3.5 cm. Left kidney measures 10.0 x 5.2 cm. Both kidneys are normal in size, shape and echotexture. Corticomedullary differentiation is maintained. There is no evidence of any hydronephrosis, hydroureter or calculus.

SPLEEN:


Spleen is normal in size, shape and echotexture. No focal lesion is seen.

URINARY BLADDER: Urinary bladder is distended and normal. Wall thickness is within normal limits.

PROSTATE:

Prostate is normal in size, echotexture and measures 2.8 x 3.2 x 2.8 cm in dimension and 13.6 cc in volume. No evidence of any focal lesion. Median lobe does not show significant hypertrophy.

No free fluid or significant lymphadenopathy is seen.



CID : 2222803886
Name : Mr S KRISHNA NAIDU
Age / Sex : 31 Years/Male
Ref. Dr :
Reg. Location : Thane Kasarvadavali Main Centre

Reg. Date : 16-Aug-2022
Reported : 16-Aug-2022/11:53


IMPRESSION:
MILD FATTY LIVER.

Investigations have their limitations. Solitary radiological investigations never confirm the final diagnosis. They only help in diagnosing the disease in correlation to clinical symptoms and other related tests. USG is known to have inter-observer variations. Further/follow-up imaging may be needed in some cases for confirmation / exclusion of diagnosis.

-----End of Report-----

This report is prepared and physically checked by DR GAURAV FARTADE before dispatch.

Dr.GAURAV FARTADE
MBBS, DMRE
Reg No -2014/04/1786
Consultant Radiologist



Use a QR Code Scanner
Application To Scan the Code

CID : 2222803886
Name : Mr S KRISHNA NAIDU
Age / Sex : 31 Years/Male
Ref. Dr :
Reg. Location : Thane Kasarvadavali Main Centre

Reg. Date : 16-Aug-2022
Reported : 16-Aug-2022/11:53



CID : 2222803886
Name : Mr S KRISHNA NAIDU
Age / Sex : 31 Years/Male
Ref. Dr :
Reg. Location : Thane Kasarvadavali Main Centre

Reg. Date : 16-Aug-2022
Reported : 16-Aug-2022/11:40

X-RAY CHEST PA VIEW

Both lung fields are clear.

Both costo-phrenic angles are clear.

The cardiac size and shape are within normal limits.

The domes of diaphragm are normal in position and outlines.

The skeleton under review appears normal.

IMPRESSION:

NO SIGNIFICANT ABNORMALITY IS DETECTED.

-----End of Report-----

This report is prepared and physically checked by DR GAURAV FARTADE before dispatch.

G. R. Fartade

Dr.GAURAV FARTADE
MBBS, DMRE
Reg No -2014/04/1786
Consultant Radiologist



Use a QR Code Scanner
Application To Scan the Code

CID : 2222803886
Name : Mr S KRISHNA NAIDU
Age / Sex : 31 Years/Male
Ref. Dr :
Reg. Location : Thane Kasarvadavali Main Centre

Reg. Date : 16-Aug-2022
Reported : 16-Aug-2022/11:40



CID : 2222803886
Name : MR.S KRISHNA NAIDU

Age / Gender : 31 Years / Male

Consulting Dr. : -

Reg. Location : Thane Kasarvadavali (Main Centre)

Collected : 16-Aug-2022 / 10:31

Reported : 16-Aug-2022 / 14:56

Use a QR Code Scanner
Application To Scan the Code

AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE

CBC (Complete Blood Count), Blood

| <u>PARAMETER</u> | <u>RESULTS</u> | <u>BIOLOGICAL REF RANGE</u> | <u>METHOD</u> |
|--|----------------|-----------------------------|--------------------|
| <u>RBC PARAMETERS</u> | | | |
| Haemoglobin | 15.3 | 13.0-17.0 g/dL | Spectrophotometric |
| RBC | 5.43 | 4.5-5.5 mil/cmm | Elect. Impedance |
| PCV | 46.0 | 40-50 % | Measured |
| MCV | 85 | 80-100 fl | Calculated |
| MCH | 28.2 | 27-32 pg | Calculated |
| MCHC | 33.3 | 31.5-34.5 g/dL | Calculated |
| RDW | 13.6 | 11.6-14.0 % | Calculated |
| <u>WBC PARAMETERS</u> | | | |
| WBC Total Count | 5900 | 4000-10000 /cmm | Elect. Impedance |
| <u>WBC DIFFERENTIAL AND ABSOLUTE COUNTS</u> | | | |
| Lymphocytes | 34.4 | 20-40 % | |
| Absolute Lymphocytes | 2029.6 | 1000-3000 /cmm | Calculated |
| Monocytes | 5.4 | 2-10 % | |
| Absolute Monocytes | 318.6 | 200-1000 /cmm | Calculated |
| Neutrophils | 55.1 | 40-80 % | |
| Absolute Neutrophils | 3250.9 | 2000-7000 /cmm | Calculated |
| Eosinophils | 5.1 | 1-6 % | |
| Absolute Eosinophils | 300.9 | 20-500 /cmm | Calculated |
| Basophils | 0.0 | 0.1-2 % | |
| Absolute Basophils | 0.0 | 20-100 /cmm | Calculated |
| Immature Leukocytes | - | | |

WBC Differential Count by Absorbance & Impedance method/Microscopy.

PLATELET PARAMETERS



Use a QR Code Scanner
Application To Scan the Code

CID : 2222803886
Name : MR.S KRISHNA NAIDU
Age / Gender : 31 Years / Male
Consulting Dr. : -
Reg. Location : Thane Kasarvadavali (Main Centre)

Collected : 16-Aug-2022 / 10:31
Reported : 16-Aug-2022 / 16:02

| | | | |
|----------------|--------|--------------------|------------------|
| Platelet Count | 271000 | 150000-400000 /cmm | Elect. Impedance |
| MPV | 9.0 | 6-11 fl | Calculated |
| PDW | 16.8 | 11-18 % | Calculated |

RBC MORPHOLOGY

| | |
|----------------------|--------------------------|
| Hypochromia | - |
| Microcytosis | - |
| Macrocytosis | - |
| Anisocytosis | - |
| Poikilocytosis | - |
| Polychromasia | - |
| Target Cells | - |
| Basophilic Stippling | - |
| Normoblasts | - |
| Others | Normocytic, Normochromic |

WBC MORPHOLOGY -

PLATELET MORPHOLOGY -

COMMENT -

Specimen: EDTA Whole Blood

ESR, EDTA WB 11 2-15 mm at 1 hr. Westergren

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD G B Road Lab, Thane West
*** End Of Report ***



J. Mujawar
Dr. IMRAN MUJAWAR
M.D (Path)
Pathologist



Use a QR Code Scanner
Application To Scan the Code

CID : 2222803886
Name : MR.S KRISHNA NAIDU
Age / Gender : 31 Years / Male
Consulting Dr. : -
Reg. Location : Thane Kasarvadavali (Main Centre)

Collected : 16-Aug-2022 / 10:31
Reported : 16-Aug-2022 / 15:02

AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE

| <u>PARAMETER</u> | <u>RESULTS</u> | <u>BIOLOGICAL REF RANGE</u> | <u>METHOD</u> |
|--|----------------|---|---|
| GLUCOSE (SUGAR) FASTING, Fluoride Plasma | 89.4 | Non-Diabetic: < 100 mg/dl Impaired Fasting Glucose: 100-125 mg/dl Diabetic: >/= 126 mg/dl | Hexokinase |
| GLUCOSE (SUGAR) PP, Fluoride Plasma PP/R | 108.6 | Non-Diabetic: < 140 mg/dl Impaired Glucose Tolerance: 140-199 mg/dl Diabetic: >/= 200 mg/dl | Hexokinase |
| BILIRUBIN (TOTAL), Serum | 0.44 | 0.1-1.2 mg/dl | Diazo |
| BILIRUBIN (DIRECT), Serum | 0.16 | 0-0.3 mg/dl | Diazo |
| BILIRUBIN (INDIRECT), Serum | 0.28 | 0.1-1.0 mg/dl | Calculated |
| TOTAL PROTEINS, Serum | 7.1 | 6.4-8.3 g/dL | Biuret |
| ALBUMIN, Serum | 4.7 | 3.5-5.2 g/dL | BCG |
| GLOBULIN, Serum | 2.4 | 2.3-3.5 g/dL | Calculated |
| A/G RATIO, Serum | 2 | 1 - 2 | Calculated |
| SGOT (AST), Serum | 23.2 | 5-40 U/L | IFCC without pyridoxal phosphate activation |
| SGPT (ALT), Serum | 28.1 | 5-45 U/L | IFCC without pyridoxal phosphate activation |
| GAMMA GT, Serum | 19.7 | 3-60 U/L | IFCC |
| ALKALINE PHOSPHATASE, Serum | 61.3 | 40-130 U/L | PNPP |



Use a QR Code Scanner
Application To Scan the Code

CID : 2222803886
Name : MR.S KRISHNA NAIDU
Age / Gender : 31 Years / Male
Consulting Dr. : -
Reg. Location : Thane Kasarvadavali (Main Centre)

Collected : 16-Aug-2022 / 14:30
Reported : 16-Aug-2022 / 16:50

| | | | |
|-------------------------|--------|--------------------|---------------|
| BLOOD UREA, Serum | 18.0 | 12.8-42.8 mg/dl | Urease & GLDH |
| BUN, Serum | 8.4 | 6-20 mg/dl | Calculated |
| CREATININE, Serum | 0.93 | 0.67-1.17 mg/dl | Enzymatic |
| eGFR, Serum | 101 | >60 ml/min/1.73sqm | Calculated |
| URIC ACID, Serum | 7.5 | 3.5-7.2 mg/dl | Uricase |
| Urine Sugar (Fasting) | Absent | Absent | |
| Urine Ketones (Fasting) | Absent | Absent | |
| Urine Sugar (PP) | Absent | Absent | |
| Urine Ketones (PP) | Absent | Absent | |

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD G B Road Lab, Thane West
 *** End Of Report ***



Amit Taori

Dr. AMIT TAORI
M.D (Path)
Pathologist



CID : 2222803886
 Name : MR.S KRISHNA NAIDU
 Age / Gender : 31 Years / Male
 Consulting Dr. : -
 Reg. Location : Thane Kasarvadavali (Main Centre)

Collected : 16-Aug-2022 / 10:31
 Reported : 16-Aug-2022 / 17:19

Use a QR Code Scanner
 Application To Scan the Code

AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE
GLYCOSYLATED HEMOGLOBIN (HbA1c)

| <u>PARAMETER</u> | <u>RESULTS</u> | <u>BIOLOGICAL REF RANGE</u> | <u>METHOD</u> |
|---|----------------|---|---------------|
| Glycosylated Hemoglobin (HbA1c), EDTA WB - CC | 6.0 | Non-Diabetic Level: < 5.7 % Prediabetic Level: 5.7-6.4 % Diabetic Level: >= 6.5 % | HPLC |
| Estimated Average Glucose (eAG), EDTA WB - CC | 125.5 | mg/dl | Calculated |



Use a QR Code Scanner
Application To Scan the Code

CID : 2222803886
Name : MR.S KRISHNA NAIDU
Age / Gender : 31 Years / Male
Consulting Dr. : -
Reg. Location : Thane Kasarvadavali (Main Centre)

Collected : 16-Aug-2022 / 10:31
Reported : 16-Aug-2022 / 17:19

Intended use:

- In patients who are meeting treatment goals, HbA1c test should be performed at least 2 times a year
- In patients whose therapy has changed or who are not meeting glycemic goals, it should be performed quarterly
- For microvascular disease prevention, the HbA1C goal for non pregnant adults in general is Less than 7%.

Clinical Significance:

- HbA1c, Glycosylated hemoglobin or glycated hemoglobin, is hemoglobin with glucose molecule attached to it.
- The HbA1c test evaluates the average amount of glucose in the blood over the last 2 to 3 months by measuring the percentage of glycosylated hemoglobin in the blood.

Test Interpretation:

- The HbA1c test evaluates the average amount of glucose in the blood over the last 2 to 3 months by measuring the percentage of Glycosylated hemoglobin in the blood.
- HbA1c test may be used to screen for and diagnose diabetes or risk of developing diabetes.
- To monitor compliance and long term blood glucose level control in patients with diabetes.
- Index of diabetic control, predicting development and progression of diabetic micro vascular complications.

Factors affecting HbA1c results:

Increased in: High fetal hemoglobin, Chronic renal failure, Iron deficiency anemia, Splenectomy, Increased serum triglycerides, Alcohol ingestion, Lead/opiate poisoning and Salicylate treatment.

Decreased in: Shortened RBC lifespan (Hemolytic anemia, blood loss), following transfusions, pregnancy, ingestion of large amount of Vitamin E or Vitamin C and Hemoglobinopathies

Reflex tests: Blood glucose levels, CGM (Continuous Glucose monitoring)

References: ADA recommendations, AACC, Wallach's interpretation of diagnostic tests 10th edition.

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD SDRL, Vidyavihar Lab

*** End Of Report ***



Dr. Leena Salunkhe
Dr. LEENA SALUNKHE
M.B.B.S, DPB (PATH)
Pathologist



CID : 2222803886
Name : MR.S KRISHNA NAIDU
Age / Gender : 31 Years / Male
Consulting Dr. : -
Reg. Location : Thane Kasarvadavali (Main Centre)

Collected : 16-Aug-2022 / 10:31
Reported : 16-Aug-2022 / 17:10

Use a QR Code Scanner
Application To Scan the Code

**AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE
URINE EXAMINATION REPORT**

| <u>PARAMETER</u> | <u>RESULTS</u> | <u>BIOLOGICAL REF RANGE</u> | <u>METHOD</u> |
|---------------------------------------|----------------|-----------------------------|--------------------|
| <u>PHYSICAL EXAMINATION</u> | | | |
| Color | Pale yellow | Pale Yellow | - |
| Reaction (pH) | Acidic (5.0) | 4.5 - 8.0 | Chemical Indicator |
| Specific Gravity | 1.010 | 1.010-1.030 | Chemical Indicator |
| Transparency | Clear | Clear | - |
| Volume (ml) | 20 | - | - |
| <u>CHEMICAL EXAMINATION</u> | | | |
| Proteins | Absent | Absent | pH Indicator |
| Glucose | Absent | Absent | GOD-POD |
| Ketones | Absent | Absent | Legals Test |
| Blood | Absent | Absent | Peroxidase |
| Bilirubin | Absent | Absent | Diazonium Salt |
| Urobilinogen | Normal | Normal | Diazonium Salt |
| Nitrite | Absent | Absent | Griess Test |
| <u>MICROSCOPIC EXAMINATION</u> | | | |
| Leukocytes(Pus cells)/hpf | 1-2 | 0-5/hpf | |
| Red Blood Cells / hpf | Absent | 0-2/hpf | |
| Epithelial Cells / hpf | 2-3 | | |
| Casts | Absent | Absent | |
| Crystals | Absent | Absent | |
| Amorphous debris | Absent | Absent | |
| Bacteria / hpf | 3-4 | Less than 20/hpf | |

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD G B Road Lab, Thane West
*** End Of Report ***



J. Mujawar
Dr. IMRAN MUJAWAR
M.D (Path)
Pathologist



Use a QR Code Scanner
Application To Scan the Code

CID : 2222803886
Name : MR.S KRISHNA NAIDU

Age / Gender : 31 Years / Male

Consulting Dr. : -

Reg. Location : Thane Kasarvadavali (Main Centre)

Collected : 16-Aug-2022 / 10:31

Reported : 16-Aug-2022 / 15:28

AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE
BLOOD GROUPING & Rh TYPING

| <u>PARAMETER</u> | <u>RESULTS</u> |
|------------------|----------------|
| ABO GROUP | O |
| Rh TYPING | Positive |

NOTE: Test performed by Semi- automated column agglutination technology (CAT)

Note: This sample has also been tested for Bombay group/Bombay phenotype/Oh using anti-H lectin.

Specimen: EDTA Whole Blood and/or serum

Clinical significance:

ABO system is most important of all blood group in transfusion medicine

Limitations:

- ABO blood group of new born is performed only by cell (forward) grouping because allo antibodies in cord blood are of maternal origin.
- Since A & B antigens are not fully developed at birth, both Anti-A & Anti-B antibodies appear after the first 4 to 6 months of life. As a result, weaker reactions may occur with red cells of newborns than of adults.
- Confirmation of newborn's blood group is indicated when A & B antigen expression and the isoagglutinins are fully developed at 2 to 4 years of age & remains constant throughout life.
- Cord blood is contaminated with Wharton's jelly that causes red cell aggregation leading to false positive result
- The Hh blood group also known as Oh or Bombay blood group is rare blood group type. The term Bombay is used to refer the phenotype that lacks normal expression of ABH antigens because of inheritance of hh genotype.

References:

1. Denise M Harmening, Modern Blood Banking and Transfusion Practices- 6th Edition 2012. F.A. Davis company. Philadelphia
2. AABB technical manual

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD G B Road Lab, Thane West

*** End Of Report ***



J. Mujawar
Dr. IMRAN MUJAWAR
M.D (Path)
Pathologist



Use a QR Code Scanner
Application To Scan the Code

CID : 2222803886
Name : MR.S KRISHNA NAIDU
Age / Gender : 31 Years / Male
Consulting Dr. : -
Reg. Location : Thane Kasarvadavali (Main Centre)

Collected : 16-Aug-2022 / 10:31
Reported : 16-Aug-2022 / 16:02

AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE
LIPID PROFILE

| <u>PARAMETER</u> | <u>RESULTS</u> | <u>BIOLOGICAL REF RANGE</u> | <u>METHOD</u> |
|----------------------------------|----------------|---|--|
| CHOLESTEROL, Serum | 181.6 | Desirable: <200 mg/dl Borderline High: 200-239mg/dl High: >/=240 mg/dl | CHOD-POD |
| TRIGLYCERIDES, Serum | 365.2 | Normal: <150 mg/dl Borderline-high: 150 - 199 mg/dl High: 200 - 499 mg/dl Very high:>/=500 mg/dl | GPO-POD |
| HDL CHOLESTEROL, Serum | 26.7 | Desirable: >60 mg/dl Borderline: 40 - 60 mg/dl Low (High risk): <40 mg/dl | Homogeneous enzymatic colorimetric assay |
| NON HDL CHOLESTEROL, Serum | 154.9 | Desirable: <130 mg/dl Borderline-high:130 - 159 mg/dl High:160 - 189 mg/dl Very high: >/=190 mg/dl | Calculated |
| LDL CHOLESTEROL, Serum | 112.8 | Optimal: <100 mg/dl Near Optimal: 100 - 129 mg/dl Borderline High: 130 - 159 mg/dl High: 160 - 189 mg/dl Very High: >/= 190 mg/dl | Calculated |
| VLDL CHOLESTEROL, Serum | 42.1 | < /= 30 mg/dl | Calculated |
| CHOL / HDL CHOL RATIO, Serum | 6.8 | 0-4.5 Ratio | Calculated |
| LDL CHOL / HDL CHOL RATIO, Serum | 4.2 | 0-3.5 Ratio | Calculated |

Note : LDL test is performed by direct measurement.



J. Mujawar
Dr.IMRAN MUJAWAR
M.D (Path)
Pathologist



Use a QR Code Scanner
Application To Scan the Code

CID : 2222803886
Name : MR.S KRISHNA NAIDU
Age / Gender : 31 Years / Male
Consulting Dr. : -
Reg. Location : Thane Kasarvadavali (Main Centre)

Collected : 16-Aug-2022 / 10:31
Reported : 16-Aug-2022 / 16:02

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD G B Road Lab, Thane West
*** End Of Report ***



CID : 2222803886
 Name : MR.S KRISHNA NAIDU
 Age / Gender : 31 Years / Male
 Consulting Dr. : -
 Reg. Location : Thane Kasarvadavali (Main Centre)

Collected : 16-Aug-2022 / 10:31
 Reported : 16-Aug-2022 / 14:45

Use a QR Code Scanner
 Application To Scan the Code

AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE
THYROID FUNCTION TESTS

| <u>PARAMETER</u> | <u>RESULTS</u> | <u>BIOLOGICAL REF RANGE</u> | <u>METHOD</u> |
|---------------------|----------------|-----------------------------|---------------|
| Free T3, Serum | 4.4 | 3.5-6.5 pmol/L | ECLIA |
| Free T4, Serum | 20.8 | 11.5-22.7 pmol/L | ECLIA |
| sensitiveTSH, Serum | 1.16 | 0.35-5.5 microIU/ml | ECLIA |



Use a QR Code Scanner
Application To Scan the Code

CID : 2222803886
Name : MR.S KRISHNA NAIDU
Age / Gender : 31 Years / Male
Consulting Dr. : -
Reg. Location : Thane Kasarvadavali (Main Centre)

Collected : 16-Aug-2022 / 10:31
Reported : 16-Aug-2022 / 14:45

R
E
P
O
R
T

Interpretation:

A thyroid panel is used to evaluate thyroid function and/or help diagnose various thyroid disorders.

Clinical Significance:

- 1)TSH Values between high abnormal upto15 microIU/ml should be correlated clinically or repeat the test with new sample as physiological factors can give falsely high TSH.
- 2)TSH values may be trasiently altered becuase of non thyroidal illness like severe infections,liver disease, renal and heart severe burns, trauma and surgery etc.

| TSH | FT4 / T4 | FT3 / T3 | Interpretation |
|------|----------|----------|---|
| High | Normal | Normal | Subclinical hypothyroidism, poor compliance with thyroxine, drugs like amiodarone, Recovery phase of non-thyroidal illness, TSH Resistance. |
| High | Low | Low | Hypothyroidism, Autoimmune thyroiditis, post radio iodine Rx, post thyroidectomy, Anti thyroid drugs, tyrosine kinase inhibitors & amiodarone, amyloid deposits in thyroid, thyroid tumors & congenital hypothyroidism. |
| Low | High | High | Hyperthyroidism, Graves disease, toxic multinodular goiter, toxic adenoma, excess iodine or thyroxine intake, pregnancy related (hyperemesis gravidarum, hydatiform mole) |
| Low | Normal | Normal | Subclinical Hyperthyroidism, recent Rx for Hyperthyroidism, drugs like steroids & dopamine), Non thyroidal illness. |
| Low | Low | Low | Central Hypothyroidism, Non Thyroidal Illness, Recent Rx for Hyperthyroidism. |
| High | High | High | Interfering anti TPO antibodies, Drug interference: Amiodarone, Heparin, Beta Blockers, steroids & anti epileptics. |

Diurnal Variation:TSH follows a diurnal rhythm and is at maximum between 2 am and 4 am , and is at a minimum between 6 pm and 10 pm. The variation is on the order of 50 to 206%. Biological variation:19.7%(with in subject variation)

Reflex Tests:Anti thyroid Antibodies,USG Thyroid ,TSH receptor Antibody. Thyroglobulin, Calcitonin

Limitations:

1. Samples should not be taken from patients receiving therapy with high biotin doses (i.e. >5 mg/day) until atleast 8 hours following the last biotin administration.
2. Patient samples may contain heterophilic antibodies that could react in immunoassays to give falsely elevated or depressed results. this assay is designed to minimize interference from heterophilic antibodies.

Reference:

- 1.O.koulouri et al. / Best Practice and Research clinical Endocrinology and Metabolism 27(2013)
- 2.Interpretation of the thyroid function tests, Dayan et al. THE LANCET . Vol 357
- 3.Tietz ,Text Book of Clinical Chemistry and Molecular Biology -5th Edition
- 4.Biological Variation:From principles to Practice-Callum G Fraser (AACC Press)

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD G B Road Lab, Thane West
*** End Of Report ***



Amit Taori

Dr.AMIT TAORI
M.D (Path)
Pathologist