SUBURBAN DIAGNOSTICS
PRECISE TESTING · HEALTHIER LIVING

SUBURBAN DIAGNOSTICS - PIMPLE SAUDAGAR, PUNE

Patient Name: ATOOL DHANVIJAY
Patient ID: 2204331198
Date and Time: 12th Feb 22 9:04 AM



Age 32 years 1 months 18 days

Gender **Male**

Heart Rate **72 bpm**

Patient Vitals

BP:	110/80 mmHg
Weight:	56 kg
Height:	167 cm
Pulse:	82 bpm
Spo2:	NA
Resp:	NA
Others:	

Measurements

QSRD:	88 ms
QT:	376 ms
QTc:	411 ms
PR:	178 ms
P-R-T:	39° 87° 32°

ECG Within Normal Limits: Sinus Rhythm. Normal Axis Early repolarisation.Please correlate clinically.

REPORTED BY

Dr. Krutika Ingle
MBBS, D.DM, PG in Diabetology (USA)
2012103018

SUBURBAN DIAGNOSTICS
PRECISE TESTING · HEALTHIER LIVING

Authenticity Check

Use a QR Code Scanner Application To Scan the Code

R E P O R T

CID	: 2204331198		
Name	: Mr ATOOL DHANVIJAY		
Age / Sex	: 32 Years/Male		
Ref. Dr	:	**Reg. Date**	: 12-Feb-2022 / 09:53
Reg. Location	: Pimple Saudagar, Pune Main Centre	**Reported**	: 12-Feb-2022 / 14:43

X-RAY CHEST PA VIEW

Both lung fields are clear.

Both costo-phrenic angles are clear.

The cardiac size and shape are within normal limits.

The domes of diaphragm are normal in position and outlines.

The skeleton under review appears normal.

IMPRESSION:
NO SIGNIFICANT ABNORMALITY IS DETECTED.

----------End of Report----------

Rujuta V Sawant

DR. RUJUTA SAWANT
MBBS DMRE
Regd. No. 2011/11/3329
Consultant Radiologist

Click here to view images
http://202.143.96.162/Suburban/Viewer?ViewerType=3&AccessionNo=2022021208262234

ADDRESS: 2nd Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053
HEALTHLINE - MUMBAI: 022-6170-0000 | **OTHER CITIES:** 1800-266-4343
For Feedback - customerservice@suburbandiagnostics.com | **www.suburbandiagnostics.com**

SUBURBAN DIAGNOSTICS
PRECISE TESTING · HEALTHIER LIVING

Authenticity Check

Use a QR Code Scanner Application To Scan the Code

REPORT

CID	: 2204331198		
Name	: MR.ATOOL DHANVIJAY		
Age / Gender	: 32 Years / Male		
Consulting Dr.	: -	**Collected**	: 12-Feb-2022 / 08:35
Reg. Location	: Pimple Saudagar, Pune (Main Centre)	**Reported**	: 12-Feb-2022 / 14:06

AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE

CBC (Complete Blood Count), Blood

PARAMETER	RESULTS	BIOLOGICAL REF RANGE	METHOD
RBC PARAMETERS			
Haemoglobin	14.7	13.0-17.0 g/dL	Spectrophotometric
RBC	**5.56**	4.5-5.5 mil/cmm	Elect. Impedance
PCV	46.0	40-50 %	Measured
MCV	83	80-100 fl	Calculated
MCH	**26.5**	27-32 pg	Calculated
MCHC	32.0	31.5-34.5 g/dL	Calculated
RDW	11.9	11.6-14.0 %	Calculated
WBC PARAMETERS			
WBC Total Count	6710	4000-10000 /cmm	Elect. Impedance
WBC DIFFERENTIAL AND ABSOLUTE COUNTS			
Lymphocytes	**47.0**	20-40 %	
Absolute Lymphocytes	**3153.7**	1000-3000 /cmm	Calculated
Monocytes	8.0	2-10 %	
Absolute Monocytes	536.8	200-1000 /cmm	Calculated
Neutrophils	42.0	40-80 %	
Absolute Neutrophils	2818.2	2000-7000 /cmm	Calculated
Eosinophils	1.9	1-6 %	
Absolute Eosinophils	127.5	20-500 /cmm	Calculated
Basophils	1.1	0.1-2 %	
Absolute Basophils	73.8	20-100 /cmm	Calculated
Immature Leukocytes	-		

WBC Differential Count by Absorbance & Impedance method/Microscopy.

PLATELET PARAMETERS			
Platelet Count	208000	150000-400000 /cmm	Elect. Impedance
MPV	**11.1**	6-11 fl	Calculated
PDW	**20.5**	11-18 %	Calculated
RBC MORPHOLOGY			
Hypochromia	Mild		
Microcytosis	-		

ADDRESS: 2nd Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053
HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343
For Feedback - customerservice@suburbandiagnostics.com | www.suburbandiagnostics.com

CID	: 2204331198		
Name	: MR.ATOOL DHANVIJAY		
Age / Gender	: 32 Years / Male		
Consulting Dr.	: -	**Collected**	: 12-Feb-2022 / 08:35
Reg. Location	: Pimple Saudagar, Pune (Main Centre)	**Reported**	: 12-Feb-2022 / 13:28

Macrocytosis	-
Anisocytosis	-
Poikilocytosis	-
Polychromasia	-
Target Cells	-
Basophilic Stippling	-
Normoblasts	-
Others	-
WBC MORPHOLOGY	-
PLATELET MORPHOLOGY	-
COMMENT	-

Specimen: EDTA Whole Blood

ESR, EDTA WB	5	2-15 mm at 1 hr.	Westergren

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Pune Baner Balewadi Lab

*** End Of Report ***

SUBURBAN DIAGNOSTICS (I) PVT. LTD.

K.S. Wadgaonkar

Dr.Khushboo Wadgaonkar
M.B.B.S., M.D. (Path),
Consultant Pathologist

SUBURBAN DIAGNOSTICS
PRECISE TESTING · HEALTHIER LIVING

Authenticity Check

Use a QR Code Scanner Application To Scan the Code

REPORT

CID	: 2204331198		
Name	: MR.ATOOL DHANVIJAY		
Age / Gender	: 32 Years / Male		
Consulting Dr.	: -	**Collected**	: 12-Feb-2022 / 08:35
Reg. Location	: Pimple Saudagar, Pune (Main Centre)	**Reported**	: 12-Feb-2022 / 19:10

AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE

PARAMETER	RESULTS	BIOLOGICAL REF RANGE	METHOD
GLUCOSE (SUGAR) FASTING, Fluoride Plasma	85.7	Non-Diabetic: < 100 mg/dl Impaired Fasting Glucose: 100-125 mg/dl Diabetic: >/= 126 mg/dl	Hexokinase
GLUCOSE (SUGAR) PP, Fluoride Plasma PP/R	96.1	Non-Diabetic: < 140 mg/dl Impaired Glucose Tolerance: 140-199 mg/dl Diabetic: >/= 200 mg/dl	Hexokinase
BILIRUBIN (TOTAL), Serum	1.06	0.1-1.2 mg/dl	Colorimetric
BILIRUBIN (DIRECT), Serum	**0.34**	0-0.3 mg/dl	Diazo
BILIRUBIN (INDIRECT), Serum	0.72	0.1-1.0 mg/dl	Calculated
TOTAL PROTEINS, Serum	6.9	6.4-8.3 g/dL	Biuret
ALBUMIN, Serum	4.5	3.5-5.2 g/dL	BCG
GLOBULIN, Serum	2.4	2.3-3.5 g/dL	Calculated
A/G RATIO, Serum	1.9	1 - 2	Calculated
SGOT (AST), Serum	21.3	5-40 U/L	NADH (w/o P-5-P)
SGPT (ALT), Serum	18.3	5-45 U/L	NADH (w/o P-5-P)
GAMMA GT, Serum	22.5	3-60 U/L	Enzymatic
ALKALINE PHOSPHATASE, Serum	82.9	40-130 U/L	Colorimetric
BLOOD UREA, Serum	30.5	12.8-42.8 mg/dl	Kinetic
BUN, Serum	14.2	6-20 mg/dl	Calculated
CREATININE, Serum	**1.25**	0.67-1.17 mg/dl	Enzymatic
eGFR, Serum	71	>60 ml/min/1.73sqm	Calculated
URIC ACID, Serum	**8.2**	3.5-7.2 mg/dl	Enzymatic

ADDRESS: 2nd Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053
HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343
For Feedback - customerservice@suburbandiagnostics.com | www.suburbandiagnostics.com

CID	: 2204331198		
Name	: MR.ATOOL DHANVIJAY		
Age / Gender	: 32 Years / Male		
Consulting Dr.	: -	**Collected**	: 12-Feb-2022 / 13:17
Reg. Location	: Pimple Saudagar, Pune (Main Centre)	**Reported**	: 12-Feb-2022 / 18:28

Urine Sugar (Fasting)	Absent	Absent
Urine Ketones (Fasting)	Absent	Absent
Urine Sugar (PP)	Absent	Absent
Urine Ketones (PP)	Absent	Absent

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Pune Baner Balewadi Lab

*** End Of Report ***

K.S. Wadgaonkar

Dr.Khushboo Wadgaonkar
M.B.B.S., M.D. (Path),
Consultant Pathologist

CID	: 2204331198		
Name	: MR.ATOOL DHANVIJAY		
Age / Gender	: 32 Years / Male		
Consulting Dr.	: -	**Collected**	: 12-Feb-2022 / 08:35
Reg. Location	: Pimple Saudagar, Pune (Main Centre)	**Reported**	: 12-Feb-2022 / 15:15

AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE

GLYCOSYLATED HEMOGLOBIN (HbA1c)

PARAMETER	RESULTS	BIOLOGICAL REF RANGE	METHOD
Glycosylated Hemoglobin (HbA1c), EDTA WB - CC	5.6	Non-Diabetic Level: < 5.7 % Prediabetic Level: 5.7-6.4 % Diabetic Level: >/= 6.5 %	HPLC
Estimated Average Glucose (eAG), EDTA WB - CC	114.0	mg/dl	Calculated

Intended use:

- In patients who are meeting treatment goals, HbA1c test should be performed at least 2 times a year
- In patients whose therapy has changed or who are not meeting glycemic goals, it should be performed quarterly
- For microvascular disease prevention, the HbA1C goal for non pregnant adults in general is Less than 7%.

Clinical Significance:

- HbA1c, Glycosylated hemoglobin or glycated hemoglobin, is hemoglobin with glucose molecule attached to it.
- The HbA1c test evaluates the average amount of glucose in the blood over the last 2 to 3 months by measuring the percentage of glycosylated hemoglobin in the blood.

Test Interpretation:

- The HbA1c test evaluates the average amount of glucose in the blood over the last 2 to 3 months by measuring the percentage of Glycosylated hemoglobin in the blood.
- HbA1c test may be used to screen for and diagnose diabetes or risk of developing diabetes.
- To monitor compliance and long term blood glucose level control in patients with diabetes.
- Index of diabetic control, predicting development and progression of diabetic micro vascular complications.

Factors affecting HbA1c results:
Increased in: High fetal hemoglobin, Chronic renal failure, Iron deficiency anemia, Splenectomy, Increased serum triglycerides, Alcohol ingestion, Lead/opiate poisoning and Salicylate treatment.

Decreased in: Shortened RBC lifespan (Hemolytic anemia, blood loss), following transfusions, pregnancy, ingestion of large amount of Vitamin E or Vitamin C and Hemoglobinopathies

Reflex tests: Blood glucose levels, CGM (Continuous Glucose monitoring)

References: ADA recommendations, AACC, Wallach's interpretation of diagnostic tests 10th edition.

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Pune Lab, Pune Swargate

*** End Of Report ***

MC-2463

Dr.GOURAV AGRAWAL
DCP, DNB (Path)
Pathologist

SUBURBAN DIAGNOSTICS
PRECISE TESTING · HEALTHIER LIVING

Authenticity Check

Use a QR Code Scanner Application To Scan the Code

REPORT

CID	: 2204331198		
Name	: MR.ATOOL DHANVIJAY		
Age / Gender	: 32 Years / Male		
Consulting Dr.	: -	**Collected**	: 12-Feb-2022 / 08:35
Reg. Location	: Pimple Saudagar, Pune (Main Centre)	**Reported**	: 12-Feb-2022 / 15:02

AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE
URINE EXAMINATION REPORT

PARAMETER	RESULTS	BIOLOGICAL REF RANGE	METHOD
PHYSICAL EXAMINATION			
Color	Pale yellow	Pale Yellow	-
Reaction (pH)	Acidic (6.5)	4.5 - 8.0	Chemical Indicator
Specific Gravity	1.005	1.001-1.030	Chemical Indicator
Transparency	**Slight hazy**	Clear	-
Volume (ml)	30	-	-
CHEMICAL EXAMINATION			
Proteins	Absent	Absent	pH Indicator
Glucose	Absent	Absent	GOD-POD
Ketones	Absent	Absent	Legals Test
Blood	Absent	Absent	Peroxidase
Bilirubin	Absent	Absent	Diazonium Salt
Urobilinogen	Normal	Normal	Diazonium Salt
Nitrite	Absent	Absent	Griess Test
MICROSCOPIC EXAMINATION			
Leukocytes(Pus cells)/hpf	**6-7**	0-5/hpf	
Red Blood Cells / hpf	Absent	0-2/hpf	
Epithelial Cells / hpf	1-2		
Casts	Absent	Absent	
Crystals	Absent	Absent	
Amorphous debris	Absent	Absent	
Bacteria / hpf	8-10	Less than 20/hpf	

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Pune Baner Balewadi Lab

*** End Of Report ***

K.S. Wadgaonkar

Dr.Khushboo Wadgaonkar
M.B.B.S., M.D. (Path),
Consultant Pathologist

CID	: 2204331198		
Name	: MR.ATOOL DHANVIJAY		
Age / Gender	: 32 Years / Male		
Consulting Dr.	: -	**Collected**	: 12-Feb-2022 / 08:35
Reg. Location	: Pimple Saudagar, Pune (Main Centre)	**Reported**	: 12-Feb-2022 / 14:20

AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE
BLOOD GROUPING & Rh TYPING

PARAMETER	RESULTS
ABO GROUP	B
Rh TYPING	Positive

NOTE: Test performed by Semi- automated column agglutination technology (CAT)

Specimen: EDTA Whole Blood and/or serum

Clinical significance:
ABO system is most important of all blood group in transfusion medicine

Limitations:

- ABO blood group of new born is performed only by cell (forward) grouping because allo antibodies in cord blood are of maternal origin.
- Since A & B antigens are not fully developed at birth, both Anti-A & Anti-B antibodies appear after the first 4 to 6 months of life. As a result, weaker reactions may occur with red cells of newborns than of adults.
- Confirmation of newborn's blood group is indicated when A & B antigen expression and the isoagglutinins are fully developed at 2 to 4 years of age & remains constant throughout life.
- Cord blood is contaminated with Wharton's jelly that causes red cell aggregation leading to false positive result
- The Hh blood group also known as Oh or Bombay blood group is rare blood group type. The term Bombay is used to refer the phenotype that lacks normal expression of ABH antigens because of inheritance of hh genotype.

Refernces:

1. Denise M Harmening, Modern Blood Banking and Transfusion Practices- 6th Edition 2012. F.A. Davis company. Philadelphia
2. AABB technical manual

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Pune Lab, Pune Swargate

*** End Of Report ***

ilac-MRA

MC-2463

Dr.SHRUTI RAMTEKE
M.B.B.S, DCP (PATH)
Pathologist

CID	: 2204331198		
Name	: MR.ATOOL DHANVIJAY		
Age / Gender	: 32 Years / Male		
Consulting Dr.	: -	**Collected**	: 12-Feb-2022 / 08:35
Reg. Location	: Pimple Saudagar, Pune (Main Centre)	**Reported**	: 12-Feb-2022 / 19:10

AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE

LIPID PROFILE

PARAMETER	RESULTS	BIOLOGICAL REF RANGE	METHOD
CHOLESTEROL, Serum	164.7	Desirable: <200 mg/dl Borderline High: 200-239mg/dl High: >/=240 mg/dl	Enzymatic
TRIGLYCERIDES, Serum	116.3	Normal: <150 mg/dl Borderline-high: 150 - 199 mg/dl High: 200 - 499 mg/dl Very high:>/=500 mg/dl	Enzymatic
HDL CHOLESTEROL, Serum	**32.7**	Desirable: >60 mg/dl Borderline: 40 - 60 mg/dl Low (High risk): <40 mg/dl	Enzymatic
NON HDL CHOLESTEROL, Serum	**132**	Desirable: <130 mg/dl Borderline-high:130 - 159 mg/dl High:160 - 189 mg/dl Very high: >/=190 mg/dl	Calculated
LDL CHOLESTEROL, Serum	**109.0**	Optimal: <100 mg/dl Near Optimal: 100 - 129 mg/dl Borderline High: 130 - 159 mg/dl High: 160 - 189 mg/dl Very High: >/= 190 mg/dl	Colorimetric
VLDL CHOLESTEROL, Serum	23.0	< /= 30 mg/dl	Calculated
CHOL / HDL CHOL RATIO, Serum	**5.0**	0-4.5 Ratio	Calculated
LDL CHOL / HDL CHOL RATIO, Serum	3.3	0-3.5 Ratio	Calculated

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Pune Baner Balewadi Lab

*** End Of Report ***

K.S. Wadgaonkar

Dr.Khushboo Wadgaonkar
M.B.B.S., M.D. (Path),
Consultant Pathologist

CID	: 2204331198		
Name	: MR.ATOOL DHANVIJAY		
Age / Gender	: 32 Years / Male		
Consulting Dr.	: -	**Collected**	: 12-Feb-2022 / 08:35
Reg. Location	: Pimple Saudagar, Pune (Main Centre)	**Reported**	: 12-Feb-2022 / 14:20

AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE

THYROID FUNCTION TESTS

PARAMETER	RESULTS	BIOLOGICAL REF RANGE	METHOD
Free T3, Serum	4.8	2.6-5.7 pmol/L	CMIA
Kindly note change in reference range and method w.e.f. 16/08/2019			
Free T4, Serum	14.2	9-19 pmol/L	CMIA
Kindly note change in reference range and method w.e.f. 16/08/2019			
sensitiveTSH, Serum	4.21	0.35-4.94 microIU/ml	CMIA

Kindly note change in reference range and method w.e.f. 16/08/2019. NOTE: 1) TSH values between 5.5 to 15 microIU/ml should be correlated clinically or repeat the test with new sample as physiological factors can give falsely high TSH. 2) TSH values may be transiently altered because of non thyroidal illness like severe infections, liver disease, renal & heart failure, severe burns, trauma & surgery etc.

ADDRESS: 2nd Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053
HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343
For Feedback - customerservice@suburbandiagnostics.com | www.suburbandiagnostics.com

CID	: 2204331198		
Name	: MR.ATOOL DHANVIJAY		
Age / Gender	: 32 Years / Male		
Consulting Dr.	: -	**Collected**	: 12-Feb-2022 / 08:35
Reg. Location	: Pimple Saudagar, Pune (Main Centre)	**Reported**	: 12-Feb-2022 / 14:20

Interpretation:
A thyroid panel is used to evaluate thyroid function and/or help diagnose various thyroid disorders.

Clinical Significance:
1)TSH Values between 5.5 to 15 microIU/ml should be correlated clinically or repeat the test with new sample as physiological factors can give falsely high TSH.
2)TSH values may be trasiently altered becuase of non thyroidal illness like severe infections,liver disease, renal and heart severe burns, trauma and surgery etc.

TSH	FT4 / T4	FT3 / T3	Interpretation
High	Normal	Normal	Subclinical hypothyroidism, poor compliance with thyroxine, drugs like amiodarone, Recovery phase of non-thyroidal illness, TSH Resistance.
High	Low	Low	Hypothyroidism, Autoimmune thyroiditis, post radio iodine Rx, post thyroidectomy, Anti thyroid drugs, tyrosine kinase inhibitors & amiodarone, amyloid deposits in thyroid, thyroid tumors & congenital hypothyroidism.
Low	High	High	Hyperthyroidism, Graves disease, toxic multinodular goiter, toxic adenoma, excess iodine or thyroxine intake, pregnancy related (hyperemesis gravidarum, hydatiform mole)
Low	Normal	Normal	Subclinical Hyperthyroidism, recent Rx for Hyperthyroidism, drugs like steroids & dopamine), Non thyroidal illness.
Low	Low	Low	Central Hypothyroidism, Non Thyroidal Illness, Recent Rx for Hyperthyroidism.
High	High	High	Interfering anti TPO antibodies, Drug interference: Amiodarone, Heparin, Beta Blockers, steroids & anti epileptics.

Diurnal Variation:TSH follows a diurnal rhythm and is at maximum between 2 am and 4 am , and is at a minimum between 6 pm and 10 pm. The variation is on the order of 50 to 206%. Biological variation:19.7%(with in subject variation)

Reflex Tests: Anti thyroid Antibodies,USG Thyroid ,TSH receptor Antibody. Thyroglobulin, Calcitonin

Limitations: Samples should not be taken from patients receiving therapy with high biotin doses (i.e. >5 mg/day) until atleast 8 hours following the last biotin administration.

Reference:
1.O.koulouri et al. / Best Practice and Research clinical Endocrinology and Metabolism 27(2013)
2.Interpretation of the thyroid function tests, Dayan et al. THE LANCET . Vol 357
3.Tietz ,Text Book of Clinical Chemistry and Molecular Biology -5th Edition
4.Biological Variation:From principles to Practice-Callum G Fraser (AACC Press)

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Pune Lab, Pune Swargate

*** End Of Report ***

MC-2463

Dr.SHRUTI RAMTEKE
M.B.B.S, DCP (PATH)
Pathologist

SUBURBAN DIAGNOSTICS
PRECISE TESTING · HEALTHIER LIVING

Authenticity Check

Use a QR Code Scanner Application To Scan the Code

REPORT

CID	: 2204335458		
Name	: Mr ATOOL DHANVIJAY		
Age / Sex	: 32 Years/Male		
Ref. Dr	:	**Reg. Date**	: 12-Feb-2022 / 17:45
Reg. Location	: Pimple Saudagar, Pune Main Centre	**Reported**	: 12-Feb-2022 / 17:55

USG WHOLE ABDOMEN

Liver- normal in size, shape and echopattern. No obvious focal lesion seen. Intrahepatic biliary and portal radicals appear normal. CBD appears normal. Portal vein appears normal.

Gall bladder -is partially distended with normal wall thickness. No calculus or mass lesion is visualized.

Pancreas- Head and body are visualized and appear normal in size, shape and echopattern. No focal lesion seen. No peripancreatic collection noted.

Spleen – appears normal in size (8.7cm), shape & echopattern. No focal lesion seen.

Kidneys- Right kidney- 8.6 x 3.4 cm, Left kidney –9.6 x 4.8 cm, both kidneys appear normal in size, shape, position & echo pattern with maintained Cortico-medullary differentiation. Tiny papillary concretions are noted in both the kidneys. No hydronephrosis, hydroureter or calculus noted.

Urinary bladder- is distended & shows normal wall thickness. No calculus or mass lesion is noted.

Prostate: normal in size (volume- 12cc), shape and echopatttern for age. No focal lesion.

No e/o free fluid in abdomen or pelvis.

Visualized bowel loops appear are gaseously distended, show normal peristalsis. No evidence of enlarged lymph nodes.

CONCLUSION:

No significant sonological abnormality detected.

Advice – Clinical correlation and further evaluation if clinically indicated.

Ghodake

Dr. SATYAJEET S. GHODAKE
MBBS, MD, DNB, MNAMS.
Regd. No. 2013/05/1417
Consultant Radiologist

Investigations have their own limitations. Solitary radiological investigation never leads to a final diagnosis. They should be always correlated with clinical and pathological examinations

Click here to view images
http://202.143.96.162/Suburban/Viewer?ViewerType=3&AccessionNo=2022021215340870

ADDRESS: 2nd Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053
HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343
For Feedback - customerservice@suburbandiagnostics.com | www.suburbandiagnostics.com