

Unit of Narayana Health

Patient Name	MS.MALLIGA S	Requested By	EHP	
	2015000000758	Procedure DateTime	08-07-2023 10:36	
MRN		Hospital	NH-JAYANAGAR	
Age/Sex	40Y 1M/Female	nospital		

# CHEST RADIOGRAPH (PA VIEW)

# CLINICAL DETAILS: For health checkup.

#### FINDINGS:

- The lung fields and bronchovascular markings appear normal.
- The cardiac size is within normal limits.
- Mediastinum and great vessels are within normal limits.
- Trachea is normal and is central. The hilar shadows are unremarkable.
- The costo-phrenic angles are clear. No evidence of pleural effusion or pneumothorax.
- The visualized bones and soft tissue structures appear normal.
- Both the diaphragmatic domes appear normal.

#### IMPRESSION:

No significant abnormality detected.

Dr. Pallavi CJ , DMRD, DNB Consultant Radiologist


\* This is a digitally signed valid document. Reported Date/Time: 08-07-2023 13:32

This report has been generated from **NH Teleradiology 24/7**, a service of Narayana Health -- End of Report --Page 1 of 1



## Narayana Multispeciality Clinic

17/1, 30th Cross, 8th 'B' Main Road, 4th Block, Jayanagar, Bangalore - 560 011 Clinic No. : 8884000991, 9513919615, Pharmacy No. : 9513919615





Jayanagar

Unit of Narayana Health

Patient Name	: Mrs.Malliga S	Patient ID	: 2015000000758
Age	: 40Years	Sex	: Female
Referring Doctor	: EHP	Date	: 08.07.2023

# ULTRASOUND ABDOMEN AND PELVIS

## FINDINGS:

Liver is normal in size and shows Increased echopattern. No intra or extra hepatic biliary due dilatation. No focal lesions.

Portal vein is normal in course and caliber. CBD is not dilated.

Gallbladder is normal without evidence of calculi, wall thickening or pericholecystic fluid.

Pancreas to the extent visualized, appears normal in size, contour and echogenicity

Spleen is normal in size, shape, contour and echopattern. No evidence of mass or focal lesions.

Right Kidney is normal in size (measures 10.4 cm in length &1.4 cm in parenchymal thickness) position, shape and echopattern. Corticomedullary differentiation is maintained. No evidence hydronephrosis. Shows a calculus measuring 1.2cm in the mid pole.

Left Kidney is normal in size (measures 10.0 cm in length & 1.7 cm in parenchymal thickness), position, shape and echopattern. Corticomedullary differentiation is maintained. No evidence of calculi or hydronephrosis.

Retroperitoneum - Obscured by bowel gas.

Urinary Bladder is well distended. Wall thickness is normal. No evidence of calculi, mass or mural lesion.

Uterus is anteverted and normal in size, measures 7.4x3.1x5.0 cm. Myometrial and endometrial echoes are normal. Endometrium measures 10 mm. Endometrial cavity is empty. Both ovaries are normal in size and echopattern.

Right ovary: measures 3.4 x1.9 cm Shows a Simple cyst measuring 1.6x1.4cm. Left ovary: measures 2.9x2.1cm.

Both adnexa: No mass is seen.

There is no ascites or pleural effusion.

#### **IMPRESSION:**

- Grade | Fatty Liver
- **Right Renal Calculus.**
- **Right Ovarian Simple Cyst**

Dr B S Ramkumar 35772 **Consultant Radiologist** 

Disclaimer:

Note: Investigations have their limitations. Solitary pathological/Radiological and other investigations never confirm the final diagnosis. They only help in diagnosing the disease in correlation to clinical symptoms and other related test clinic Please interpret accordingly. This Report is not for Medico - Legal Purposes.


17/1, 30th Cross, 8th 'B' Main Road, 4th Block, Jayanagar, Bangalore - 560 011 Clinic No. : 8884000991, 9513919615, Pharmacy No. : 9513919615 mage Report

ame Birth Date

Gender

2015-758 MS.MALLIGA S/40Y

Female



NARAYANA HRUDAYALAYA

MI 1.4 Tis 0.2


MS.MALLIGA S/40Y


2015-758


SAMSUNG

Page 1 of 2


08-07-2023 10:53:35 AM













Clinic No. : 8884000991, 9513919615, Pharmacy No. : 9513919615











# Narayana Multispeciality Clinic

17/1, 30th Cross, 8th 'B' Main Road, 4th Block, Jayanagar, Bangalore - 560 011 Clinic No. : 8884000991, 9513919615, Pharmacy No. : 9513919615



Unit of Narayana Health

# **ADULT TRANS-THORACIC ECHO REPORT**

# NAME : MRS.MALLIGA S AGE/SEX : 40YRS/FEMALE MRN NO :2015000000758 DATE :08.07.2023 **FINAL DIAGNOSIS:** NORMAL CHAMBER DIMENSION **NO RWMA NORMAL VALVES** MIL-MR MILD-TR NORMAL PA PRESSURE NORMAL RV/LV FUNCTION LVEF-60% MEASUREMENTS

AO: 30 MM	LVID (d) : 35 MM	IVS (d) : 09 MM	RA : 30 MM
LA:33 MM	LVID(s) : 23 MM	PW (d) : 09 MM	RV : 28 MM

EF: 60 %

### VALVES

MITRAL VALVE : NORM.	AL
----------------------	----

AORTIC VALVE : NORMAL

TRICUSPID VALVE ··· : NORMAL

PULMONARY VALVE : NORMAL

#### **CHAMBERS**

LEFT ATRIUM	:	NORMAL

**RIGHT ATRIUM** : NORMAL

LEFT VENTRICLE : NORMAL, NORMAL LV FUNCTION

**RIGHT VENTRICLE** : NORMAL, TAPSE-19 MM, NORMAL RV FUNCTION

**RVOT/LVOT** : NORMAL

## Narayana Multispeciality Clinic

17/1, 30th Cross, 8th 'B' Main Road, 4th Block, Jayanagar, Bangalore - 560 011 Clinic No : 8884000001 0513010615 Pharmacy No : 0513010615

#### SEPTAE

NIC	: INTACT
IVS	. INTACT

IAS : INTACT

### **GREAT ARTERIES**

AORTA		:	AOR	TIC ANN	ULUS	5-21 N	ЛŃ,	LEFT	ARCH
							10		
					2 2			1000	

PULMONARY ARTERY : NORMAL

#### DOPPLER DATA

MITRAL VALVE : E/A -0.7/0.8 M/S,MILD LVDD, MR-MILD

AORTIC VALVE : PG- 7 MMHG

TRICUSPID VALVE ' : TR-MILD, PASP- 29 MMHG

PULMONARY VALVE : PG- 3 MMHG

# WALL MOTION ABNORMALITIES: NO RWMA

PERICARDIUM : NORMAL

VEGETATION/THROMBUS: ABSENT

### **OTHER FINDINGS**

IVC- 13 MM NORMAL SIZED, COLLAPSIBILITY >50%, RAP -3 MM SINUS RHYTHM/ HR- 94 BPM

DR.SURESH P V CONSULTANT CARDIOLOGIST

**VISHALAKSHI H R** CARDIAC SONOGRAPHER

#### **DEPARTMENT OF LABORATORY MEDICINE**

**Final Report** 

 Patient Name : Ms Malliga S
 MRN : 2015000000758
 Gender/Age : FEMALE , 40y (02/06/1983)

 Collected On : 08/07/2023 09:44 AM
 Received On : 08/07/2023 01:11 PM
 Reported On : 08/07/2023 05:44 PM

 Barcode : 032307080184
 Specimen : Urine
 Consultant : EXTERNAL(EXTERNAL)

 $\label{eq:sample adequacy: Satisfactory $$V$ is No: OP-001 Patient Mobile No: 9482750810$}$ 

	CLINICAL PAT	CLINICAL PATHOLOGY		
Test	Result	Unit		
Urine For Sugar (Fasting) (Enzyme Method (GOD POD))	Not Present	-		
<b>Urine For Sugar (Post Prandial)</b> (Enzyme Method (GOD POD))	Not Present	-		

Shahli

Dr. Shalini K S DCP, DNB, Pathology Consultant

#### NARAYANA HRUDAYALAYA BLOOD CENTRE

Test	Result	Unit
BLOOD GROUP & RH TYPING		
Blood Group (Column Agglutination Technology)	В	-
RH Typing (Column Agglutination Technology)	Positive	-

Rik

Dr. Prathip Kumar B R MBBS,MD, Immunohaematology & Blood Transfusion Consultant

**HEMATOLOGY** 

Patient Name: Ms Malliga S MRN: 20150000000758 Gender/Age: FEMALE, 40y (02/06/1983)						
Test	Result	Unit	Biological Reference Interval			
COMPLETE BLOOD COUNT (CBC)						
Haemoglobin (Hb%) (Photometric Measurement)	13.8	g/dL	12.0-15.0			
Red Blood Cell Count (Electrical Impedance)	4.93 H	million/µl	3.8-4.8			
PCV (Packed Cell Volume) / Hematocrit (Calculated)	42.4	%	36.0-46.0			
MCV (Mean Corpuscular Volume) (Derived)	85.9	fL	83.0-101.0			
MCH (Mean Corpuscular Haemoglobin) (Calculated)	28.0	pg	27.0-32.0			
MCHC (Mean Corpuscular Haemoglobin Concentration) (Calculated)	32.6	%	31.5-34.5			
Red Cell Distribution Width (RDW) (Derived)	13.7	%	11.6-14.0			
Platelet Count (Electrical Impedance Plus Microscopy)	302	10 <sup>3</sup> /µL	150.0-450.0			
Total Leucocyte Count(WBC) (Electrical Impedance)	6.3	10 <sup>3</sup> /µL	4.0-10.0			
DIFFERENTIAL COUNT (DC)						
Neutrophils (VCS Technology Plus Microscopy)	63.5	%	40.0-75.0			
Lymphocytes (VCS Technology Plus Microscopy)	30.6	%	20.0-40.0			
Monocytes (VCS Technology Plus Microscopy)	4.6	%	2.0-10.0			
Eosinophils (VCS Technology Plus Microscopy)	0.8 L	%	1.0-6.0			
Basophils (VCS Technology Plus Microscopy)	0.5	%	0.0-2.0			
Absolute Neutrophil Count (Calculated)	4.01	x10 <sup>3</sup> cells/µl	2.0-7.0			
Absolute Lymphocyte Count (Calculated)	1.93	x10 <sup>3</sup> cells/µl	1.0-3.0			
Absolute Monocyte Count (Calculated)	0.29	x10 <sup>3</sup> cells/µl	0.2-1.0			
Absolute Eosinophil Count (Calculated)	0.06	x10 <sup>3</sup> cells/µl	0.02-0.5			

Absolute Basophil Count (Calculated) 0.04

As per the recommendation of International Council for Standardization in Hematology, the differential counts are additionally being reported as absolute numbers.

#### **Interpretation Notes**

 Haemoglobin, RBC Count and PCV: If below reference range, indicates Anemia. Further evaluation is suggested. RBC Indices aid in typing of anemia.

WBC Count: If below reference range, susceptibility to infection.

If above reference range- Infection\*

If very high in lakhs-Leukemia

Neutrophils -If above reference range-acute infection, mostly bacterial

Lymphocytes -If above reference range-chronic infection/ viral infection Monocytes -If above reference range- TB,Typhoid,UTI

Eosinophils -If above reference range -Allergy, cough, Common cold, Asthma & worms

Basophils - If above reference range, Leukemia, allergy

Platelets: If below reference range- bleeding disorder, Dengue, drug- induced, malignancies

 $\ast$  In bacterial infection with fever total WBC count increases.

 ${\tt Eg\ Tonsillitis, Sinusitis, Bronchitis, Pneumonia, Appendicitis, UTI-12000-25000\ cells/cumm.}$ 

In typhoid and viral fever WBC may be normal.

DISCLAIMER: All the laboratory findings should mandatorily interpreted in correlation with clinical findings by a medical expert.

Dupund

Dr. Deepak M B MD, PDF, Hematopathology Consultant

#### BIOCHEMISTRY

Test	Result	Unit	<b>Biological Reference Interval</b>
Fasting Blood Sugar (FBS) (Colorimetric - Glucose Oxidase Peroxidase)	93	mg/dL	70 to 99 : Normal 100 to 125 : Pre-diabetes =>126 : Diabetes ADA standards 2020
Post Prandial Blood Sugar (PPBS) (Colorimetric - Glucose Oxidase Peroxidase)	94	mg/dL	70 to 139 : Normal 140 to 199 : Pre-diabetes =>200 : Diabetes ADA standards 2020
HBA1C			
HbA1c (HPLC NGSP Certified)	5.6	%	

Normal: 4.0-5.6 Prediabetes: 5.7-6.4 Diabetes: => 6.5 ADA standards 2020

Estimated Average Glucose (Calculated)

114.02

#### Interpretation:

1. HbA1C above 6.5% can be used to diagnose diabetes provided the patient has symptoms. If the patient does not have symptoms with HbA1C>6.5%, repeat measurement on further sample. If the repeat test result is <6.5%, consider as diabetes high risk and repeat measurement after 6 months.

2. HbA1C measurement is not appropriate in diagnosing diabetes in children, suspicion of type 1 diabetes, symptoms of diabetes for less than 2 months, pregnancy, hemoglobinopathies, medications that may result sudden increase in glucose, anemia, renal failure, HIV infection, malignancies, severe chronic hepatic, and renal disease.

*3.* Any sample with >15% should be suspected of having a haemoglobin variant.

#### **SERUM CREATININE**

<b>Serum Creatinine</b> (Two Point Rate - Creatinine Aminohydrolase)	0.48 L	mg/dL	0.52-1.04
eGFR (Calculated)	143.3	mL/min/1.73m <sup>2</sup>	Indicative of renal impairment < 60 Note:eGFR is inaccurate for Hemodyamically unstable patients eGFR is not applicable for less than 18 years of age.
Blood Urea Nitrogen (BUN) (Endpoint	8	mg/dL	7.0-17.0
/Colorimetric – Urease)			
Serum Uric Acid (Colorimetric - Uricase, Peroxidase)	4.3	mg/dL	2.5-6.2
LIPID PROFILE (CHOL,TRIG,HDL,LDL,VLDL)			
<b>Cholesterol Total</b> (Colorimetric - Cholesterol Oxidase)	187	mg/dL	Desirable: < 200 Borderline High: 200-239 High: > 240
Triglycerides (Colorimetric - Lip/Glycerol Kinase)	99	mg/dL	Normal: < 150 Borderline: 150-199 High: 200-499 Very High: > 500
HDL Cholesterol (HDLC) (Colorimetric: Non HDL Precipitation Phosphotungstic Acid Method)	43	mg/dL	40.0-60.0
Non-HDL Cholesterol (Calculated)	144.0 H	mg/dL	Desirable: < 130 Above Desirable: 130-159 Borderline High: 160-189 High: 190-219 Very High: => 220
		mg/dL	
			Dage 4 of 7

LDL Cholesterol (Colorimetric)	130		Optimal: < 100 Near to above optimal: 100-129 Borderline High: 130-159 High: 160-189 Verv High: > 190
VLDL Cholesterol (Calculated)	19.8	mg/dL	0.0-40.0
Cholesterol /HDL Ratio (Calculated)	4.4	-	0.0-5.0
THYROID PROFILE (T3, T4, TSH)			
Tri Iodo Thyronine (T3) (Enhanced Chemiluminesence)	1.49	ng/mL	0.97-1.69
Thyroxine (T4) (Enhanced Chemiluminesence)	13.1 H	μg/dl	5.53-11.0
TSH (Thyroid Stimulating Hormone) (Enhanced Chemiluminesence)	1.729	μIU/mL	> 18 Year(s) : 0.4 -4.5 Pregnancy: 1st Trimester: 0.129-3.120 2nd Trimester: 0.274-2.652 3rd Trimester: 0.312-2.947

#### **Interpretation Notes**

• TSH levels are subjected to circadian variation, reaching peak levels between 2 - 4.a.m. and at a minimum between 6-10 pm . The variation is of the order of 50%, hence time of the day has influence on the measured serum TSH concentrations. Alteration in concentration of Thyroid hormone binding protein can profoundly affect Total T3 and/or Total T4 levels especially in pregnancy and in patients on steroid therapy. Unbound fraction (Free,T4 /Free,T3) of thyroid hormone is biologically active form and correlate more closely with clinical status of the patient than total T4/T3 concentration.

LIVER FUNCTION TEST(LFT)			
Bilirubin Total (Colorimetric -Diazo Method)	0.30	mg/dL	0.2-1.3
<b>Conjugated Bilirubin (Direct)</b> (Dual Wavelength - Reflectance Spectrophotometry)	0.00	mg/dL	0.0-0.3
Unconjugated Bilirubin (Indirect) (Calculated)	0.3	mg/dL	0.0-1.1
Total Protein (Colorimetric - Biuret Method)	7.40	gm/dL	6.3-8.2
Serum Albumin (Colorimetric - Bromo-Cresol Green)	4.40	gm/dL	3.5-5.0
Serum Globulin (Calculated)	3.0	gm/dL	2.0-3.5
Albumin To Globulin (A/G)Ratio (Calculated)	1.47	-	1.0-2.1
SGOT (AST) (Multipoint-Rate With P-5-P (pyridoxal-	20	U/L	14.0-36.0

5-phosphate))			
SGPT (ALT) (Multipoint-Rate With P-5-P (pyridoxal-5-phosphate))	17	U/L	<35.0
Alkaline Phosphatase (ALP) (Multipoint-Rate - P- nitro Phenyl Phosphate, AMP Buffer)	74	U/L	38.0-126.0
Gamma Glutamyl Transferase (GGT) (Multipoint Rate - L-glutamyl-p-nitroanilide ( Szasz Method))	14	U/L	12.0-43.0

#### **Interpretation Notes**

Indirect Bilirubin result is a calculated parameter (Indirect Bilirubin = Total Bilirubin - Direct Bilirubin).
 Indirect bilirubin result includes the delta bilirubin fraction also. Delta Bilirubin is the bilirubin which is covalently bound to albumin.
 Delta Bilirubin is not expected to be present in healthy adults or neonates.

Anushre

Dr. Anushre Prasad MBBS,MD, Biochemistry Consultant Biochemistry



Mrs. Latha B S MSc, Mphil, Biochemistry Incharge, Consultant Biochemistry

#### HEMATOLOGY

Test	Result	Unit	<b>Biological Reference Interval</b>
Erythrocyte Sedimentation Rate (ESR)	22 H	mm/1hr	0.0-12.0

(Westergren Method)

#### Interpretation Notes

• ESR high - Infections, chronic disorders,, plasma cell dyscrasias. DISCLAIMER:All the laboratory findings should mandatorily interpreted in correlation with clinical findings by a medical expert

--End of Report-

Shahli

Dr. Shalini K S DCP, DNB, Pathology Consultant

#### Note

- Abnormal results are highlighted.
- Results relate to the sample only.
- Kindly correlate clinically. (Fasting Blood Sugar (FBS), -> Auto Authorized)
   (Lipid Profile, -> Auto Authorized)
   (LFT, -> Auto Authorized)
   (Uric Acid, -> Auto Authorized)
   (Blood Urea Nitrogen (Bun), -> Auto Authorized)
   (Post Prandial Blood Sugar (PPBS) -> Auto Authorized)





#### **DEPARTMENT OF LABORATORY MEDICINE**

 Patient Name : Ms Malliga S
 MRN : 2015000000758
 Gender/Age : FEMALE , 40y (02/06/1983)

 Collected On : 08/07/2023 09:44 AM
 Received On : 08/07/2023 01:11 PM
 Reported On : 08/07/2023 01:49 PM

 Barcode : 032307080184
 Specimen : Urine
 Consultant : EXTERNAL(EXTERNAL)

Sample adequacy : Satisfactory Visit No : OP-001 Patient Mobile No : 9482750810

	CLINICAL PATHOLOGY		
Test	Result	Unit	Biological Reference Interval
URINE ROUTINE & MICROSCOPY			
PHYSICAL EXAMINATION			
Colour	STRAW	-	-
Appearance	Turbid	-	-
CHEMICAL EXAMINATION			
pH(Reaction) (pH Indicator Method)	5.0	-	4.5-7.5
Sp. Gravity (Refractive Index)	1.019	-	1.002 - 1.030
Protein (Automated Protein Error Or Ph Indicator)	Not Present	-	Not Present
Urine Glucose (Enzyme Method (GOD POD))	Not Present	-	Not Present
Ketone Bodies (Nitroprusside Method)	Not Present	-	Not Present
Bile Salts (Azo Coupling Method)	Not Present	-	Not Present
Bile Pigment (Bilirubin) (Azo Coupling Method)	Not Present	-	Not Present
Urobilinogen (Azo Coupling Method)	Normal	-	Normal
Urine Leucocyte Esterase (Measurement Of Leukocyte Esterase Activity)	Present +++	-	Not Present
Blood Urine (Peroxidase Reaction)	Present +	-	Not Present
Nitrite (Gries Method)	Present +	-	Not Present
MICROSCOPIC EXAMINATION			
Pus Cells	194.6	/hpf	0-5

Final Report

Page 1 of 2

Patient Name : Ms Malliga S MRN : 20150000007	58 Gender/Age	FEMALE , 40y (02/06/19	83)
RBC	1.8	/hpf	0-4
Epithelial Cells	1.6	/hpf	0-6
Crystals	0.0	/hpf	0-2
Casts	0.02	/hpf	0-1
Bacteria	257.1	/hpf	0-200
Yeast Cells	12.6	/hpf	0-1
Mucus	Not Present	-	Not Present

#### **Interpretation Notes**

• Since the analytical methodology of Urine Microscopy is Flow cytometry based and FDA approved the results of automated urine microscopy which includes RBCs, WBCs Epithelial cells etc are being reported in decimal fraction. Rounding off the value to nearest whole number is suggested.

--End of Report-

Shahli

Dr. Shalini K S DCP, DNB, Pathology Consultant

#### Note

- Abnormal results are highlighted.
- Results relate to the sample only.
- Kindly correlate clinically.

