# DDRC SRL

Patient Details	Date: 25-Feb-23	Time: 11:20:51 AM	
Name: LEKSHMI G ID	: 4182wb010721		
Age: 32 y	Sex: F	Height: 167 cms	Weight: 56 Kgs
Clinical History: NIL			


Medications: NIL


Test Details


Protocol:	Bruce	Pr.MHR: 188 bpm	THR: 169 (90 % of Pr.MHR) bpm	1
Total Exec	. Time: 7 m 49 s	Max. HR: 162 (86% of Pr.MHR )bpm	Max. Mets: 10.20	
Max. BP:	160 / 80 mmHg	Max. BP x HR: 25920 mmHg/min	Min. BP x HR: 6560 mmHg/min	n
Test Termi	nation Criteria:	THR ATTAINED		

**Protocol Details** 

Stage Name	Stage Time	Mets	Speed	Grade	Heart	Max. BP	Max. ST	Max. ST
	(min : sec)		(mph)	(%)	Rate (bpm)	(mm/Hg)	Level (mm)	Slope (mV/s)
Supine	0:14	1.0	0	0	82	120/80	-0,42	0.35 aVL
Standing	0:1	1.0	0	0	82	120/80	-0.42 II	0.35 aVL
Hyperventilation	0:32	1.0	0	0	85	120/80	-0.85 III	0.35 II
1	3:0	4.6	1.7	10	131	130/80	-2.34	1.77
2	3:0	7.0	2.5	12	146	140/80	-3.18 III	2.12 1
Peak Ex	1:49	10.2	3.4	14	162	160/80	-2.34 111	2.12 11
Recovery(1)	1:0	1.8	-1	0	137	150/80	-1.91	3.54 V4
Recovery(2)	1:0	1.0	0	0	118	140/80	-0.42 11	3.54 V4
Recovery(3)	1:0	1.0	0	0	107	140/80	-0.64 11	2.48 V4
Recovery(4)	0:28	1.0	0	0	106	120/80	-0.64 111	1.06 11







COCHIN, CALICUT. KOTTAVAM. MIN






Chart Speed: 25 mm/sec Mains Filt: ON Filter: 35 Hz Schiller Spandan V 4.7 Post J = J + 60 ms Iso = R - 60 ms J = R + 60 ms

Amp: 5 mm Linked Median COCHIN, CALICUT.



CALICUT. COCHIN,



COCHIN, CALICUT.




Chart Speed: 25 mm/sec Filter: 35 Hz Mains Filt: ON Amp: 5 mm Schiller Spandan V 4.7 Iso = R - 60 ms Post J = J + 60 ms J = R + 60 msLinked Median

CALICUT 0






Chart Speed: 25 mm/sec Filter: 35 Hz Mains Filt: ON Amp: 5 Schiller Spandan V 47 Iso = R - 60 ms J = X + 50 ms Post J = J + 60 ms Linked

Linked Median


CALICUT.



CALICUT, COCHIN, 0



CALICUT. COCHIN. KOTTAYAM. TRIVANDRUM. LTD. SRL DIAGNOSTICS DDRC




Filter: 35 Hz Mains Filt: ON Amp: 5 mm Schiller Spandan V 4,7 Isn = + 6 1 M Post J = J + 60 ms Linked Median

TRIVANDRUM, KOTTAYAM, COCHIN, CALICUT,

LTD.

DDRC SRL DIAGNOSTICS




Linked Median


Schiller Spanda + 4,7

COCHIN.

CALICUT









# MEDICAL EXAMINATION REPORT (MER)

If the examinee is suffering from an acute life threatening situation, you may be obliged to disclose the result of the medical examination to the examinee.

<ol> <li>Name of the examinee</li> <li>Mark of Identification</li> </ol>	: Mr./Mrs./Ms. Lelehmo.G. : (Mole/Scar/any other (specify location))Black mole above legs
3. Age/Date of Birth	Gender: F/M (Passport/Election Card/PAN Card/Driving Licence/Company ID)
4. Photo ID Checked	: (Passport/Election Card/PAN Card/Driving Licence/Company ID)

# PHYSICAL DETAILS:

a. Height	b. Weight (Kgs) e. Blood Pressure:		c. Girth of Ab	domen (cms)
d. Pulse Rate Som (Min)			Systolic	Diastolic
		1 <sup>st</sup> Reading	90	60 .
		2 <sup>nd</sup> Reading		

# FAMILY HISTORY:

Relation	Age if Living	Health Status	If deceased, age at the time and cause
Father			
Mother			
Brother(s)			and the second se
Sister(s)			

# HABITS & ADDICTIONS: Does the examinee consume any of the following?

Tobacco in any form	Sedative	Alcohol
-	nno-n	1

# PERSONAL HISTORY

- a. Are you presently in good health and entirely free from any mental or Physical impairment or deformity. If No, please attach details.
- b. Have you undergone/been advised any surgical procedure? Y/X

# Have you ever suffered from any of the following?

- Psychological Disorders or any kind of disorders of the Nervous System?
- · Any disorders of Respiratory system?
- · Any Cardiac or Circulatory Disorders?
- · Enlarged glands or any form of Cancer/Tumour?
- · Any Musculoskeletal disorder?

- c. During the last 5 years have you been medically examined, received any advice or treatment or admitted to any hospital?
- d. Have you lost or gained weight in past 12 months? Y/N
- Any disorder of Gastrointestinal System?
- Unexplained recurrent or persistent fever, and/or weight loss
- Have you been tested for HIV/HBsAg / HCV before? If yes attach reports
- · Are you presently taking medication of any kind?

# DDRC SRL Diagnostics Limited

Corp. Office: DDRC SRL Tower, G- 131, Panampilly Nagar, Ernakulam - 682 036 Ph No. 0484-2318223, 2318222, e-mail: info@ddrcsrl.com, web: www.ddrcsrl.com

Corp. Office: DDRC SRL Tower, G-131, Panampilly Nagar, Ernakulam - 682 036. Ph No. 2310688, 2318222. web: www.ddrcsrl.com

#### CIN: U85190MH2006PTC161480

Potor to " CONDITIONS OF PEDORTING " Overleaft

· Any disorders of Urinary System?

# FOR FEMALE CANDIDATES ONLY

- a. Is there any history of diseases of breast/genital organs?
- b. Is there any history of abnormal PAP Smear/Mammogram/USG of Pelvis or any other tests? (If yes attach reports) Y/N
- c. Do you suspect any disease of Uterus, Cervix or **Ovaries**?

# CONFIDENTAIL COMMENTS FROM MEDICAL EXAMINER

- ➤ Was the examinee co-operative?
- > Is there anything about the examine's health, lifestyle that might affect him/her in the near future with regard to his/her job?

Y/N

Y/N

- Are there any points on which you suggest further information be obtained?
- > Based on your clinical impression, please provide your suggestions and recommendations below;
- Do you think he/she is MEDICALEY FIT or UNFIT for employment.

# MEDICAL EXAMINER'S DECLARATION

I hereby confirm that I have examined the above individual after verification of his/her identity and the findings stated above are true and correct to the best of my knowledge.

OPEZ. MBBS

hom

MEDICAL OFFICER

DDRC SRL Diagnostics Ltd.

Aster Square, Medical College P.O., Reg. No. 77656

SERI

Name & Signature of the Medical Examiner

Seal of Medical Examiner

Name & Seal of DDRC SRL Branch

Date & Time

# DDRC SRL Diagnostics Limited

Corp. Office: DDRC SRL Tower, G- 131, Panampilly Nagar, Ernakulam - 682 036 Ph No. 0484-2318223, 2318222, e-mail: info@ddrcsrl.com, web: www.ddrcsrl.com

Regd. Office: 4th Floor, Prime Square, Plot No.1, Gaiwadi Industrial Estate, S.V. Road, Goregaon (West), Mumbai - 400062.

- Any disorder of the Eyes, Ears, Nose, Throat or Mouth & Skin
  - d. Do you have any history of miscarriage/ abortion or MTP Y/N
  - e. For Parous Women, were there any complication during pregnancy such as gestational diabetes, hypertension etc Y/N
  - f. Are you now pregnant? If yes, how many months? Y/N

YN

ECHO			Diagn	ostic Services
			RADIOLOG	Y DIVISION
Acc no:4182WB010271	Name: Mrs.Lekshmi G	Age: 32 y	Sex: Female	Date: 25.02.23

# US SCAN WHOLE ABDOMEN (TAS ONLY)

LIVER is normal in size (14.1 cm). Margins are regular. Hepatic parenchyma shows normal echogenicity. No focal lesions seen. No dilatation of intrahepatic biliary radicles. CBD is not dilated. Portal vein is normal in caliber (9 mm).

GALL BLADDER is partially distended and lumen clear. No calculi / polyp noted. Wall thickness is normal. No pericholecystic fluid seen.

SPLEEN is normal in size (8.4 cm) and parenchymal echotexture. No focal lesion seen.

PANCREAS Head and body visualized, appears normal in size and parenchymal echotexture. Pancreatic duct is not dilated.

RIGHT KIDNEY is normal in size (9.5 x 4.3 cm) and shows normal parenchymal echotexture. Cortico medullary differentiation is maintained. Parenchymal thickness is normal. No echogenic focus with shadowing suggestive of renal calculi seen. No dilatation of pelvicalyceal system seen. Ureter is not dilated. Perinephric spaces are normal.

LEFT KIDNEY is normal in size (9.9 x 4.9 cm) and shows normal parenchymal echotexture. Cortico medullary differentiation is maintained. Parenchymal thickness is normal. No echogenic focus with shadowing suggestive of renal calculi seen. No dilatation of pelvicalyceal system seen. Ureter is not dilated. Perinephric spaces are normal.

PARAAORTIC AREA No retroperitoneal lymphadenopathy or mass seen.

URINARY BLADDER is distended, normal in wall thickness, lumen clear.

UTERUS measures 9.3 x 3.4 x 5.5 cm, myometrial echopattern normal. No focal lesions seen. Endometrial thickness is 6.8 mm.

Both ovaries are normal. Right ovary measures 3.3 x 1.3 cm. Left ovary measures 4.3 x 2.1 cm and shows dominant follicle measuring 2.7 x 2 cm. No adnexal mass seen. Mild fluid in pouch of Douglas.

No ascites or pleural effusion.

CONCLUSION:-

COLOUR DOPPLER ULTRASOUND SCANNING

ECHO

No significant abnormality detected in present study.

Dr. Nisha Unni MD , DNB (RD) Consultant radiologist.

Thanks for referral. Your feedback will be appreciated. (Please bring relevant investigation reports during all visits) Because of technical and technological limitations complete accuracy cannot be assured on imaging. Suggested correlation with clinical findings and other relevant investigations consultations, and if required repeat imaging recommended in the event of controversities. AR (For appointments please contact 9496005190 between growties 0.pm)ted

Aster Square, Medical College P.O., Trivandrum - 695 011. Ph: 0471 - 2551125. e-mail: info.ddrc@srl.in, web: www.ddrcsrl.com Corp. Office: DDRC SRL Tower, G-131, Panampilly Nagar, Ernakulam, Kerala - 682 036. Web: www.ddrcsrl.com

.











Page 1 of 1



# NAME : MRS LEKSHMI G

AGE:32/F

DATE: 25/02/2023

# CHEST X-RAY REPORT

CHEST X-RAY PA VIEW

: Trachea central No cardiomegaly Normal vascularity No parenchymal lesion. Costophrenic and cardiophrenic angles clear

> IMPRESSION

: Normal Chest Xray

ELECTRO CARDIOGRAM

NSR :62/minute No evidence of ischaemia.

IMPRESSION

: Normal Ecg.

20

NCOLLEGE

1

DESERTIN LOPEZ. MBBS MEDICAL OFFICER DDRC SRL Diagnostics Ltd. Aster Square, Medical College P.O., TVM Reg. No. 77656

Company name: BOB

DR SERIN LOPEZ MBBS Reg No 77656 DDRC SRL DIAGNOSTICS LTD

.....





Patient Ref. No. 666000003523480



## CLIENT CODE : CA00010147 - MEDIWHEEL CLIENT'S NAME AND ADDRESS ! THOADE I MATTER


MEDIWHEEL ARCOFEMI HEALTHCARE LIMITED F701A, LADO SARAI, NEW DELHI, SOUTH DELHI, DELHI, COUTH DELHI, DELHI, SOUTH DELHI 110030 DELHI INDIA 8800465156



DDRC SRL DIAGNOSTICS ASTER SQUARE BUILDING, ULLOOR, MEDICAL COLLEGE P.O TRIVANDRUM, 695011 KERALA, INDIA Tel : 93334 93334, Fax : CIN - U85190MH2006PTC Email : customercare.ddrc@srl.in

PATIENT NAME : MRS LEKSHMI	G	PATIENT ID : MRSLF2502914182
ACCESSION NO : 4182WB010721	AGE : 32 Years SEX : Female	ABHA NO :
DRAWN :	RECEIVED : 25/02/2023 07:02	REPORTED : 27/02/2023 10:36
REFERRING DOCTOR : SELF		CLIENT PATIENT ID :
Test Report Status <u>Prelimina</u>	ry Results	Biological Reference Interval Units
MEDIWHEEL HEALTH CHECKUP E	BELOW 40(F)TMT	
TREADMILL TEST OPTHAL	REPORT GIVEN	
OPTHAL * PHYSICAL EXAMINATION	REPORT GIVEN	
PHYSICAL EXAMINATION	REPORT GIVEN	













## CLIENT CODE : CA00010147 - MEDIWHEEL CLIENT'S NAME AND ADDRESS ! THOADE I MATTER

MEDIWHEEL ARCOFEMI HEALTHCARE LIMITED F701A, LADO SARAI, NEW DELHI, SOUTH DELHI, DELHI, COUTH DELHI, DELHI, SOUTH DELHI 110030 DELHI INDIA 8800465156



DDRC SRL DIAGNOSTICS ASTER SQUARE BUILDING, ULLOOR, MEDICAL COLLEGE P.O TRIVANDRUM, 695011 KERALA, INDIA Tel : 93334 93334, Fax : CIN - U85190MH2006PTC Email : customercare.ddrc@srl.in


PATIENT NAME : MRS LEKSHMI G		PATIENT ID : MRSLF	2502914182
ACCESSION NO : <b>4182WB010721</b> AGE : 32 Ye	ears SEX : Female	ABHA NO:	
DRAWN : RECEIVED :	25/02/2023 07:02	REPORTED : 27/02/2023 10:36	
REFERRING DOCTOR : SELF		CLIENT PATIENT ID :	
Test Report Status <u>Preliminary</u>	Results		Units
MEDIWHEEL HEALTH CHECKUP BELOW 40(F)T	<u>MT</u>		
BLOOD UREA NITROGEN (BUN), SERUM			
BLOOD UREA NITROGEN BUN/CREAT RATIO	9	Adult(<60 yrs) : 6 to 20	mg/dL
BUN/CREAT RATIO CREATININE, SERUM	12.2		
CREATININE GLUCOSE, POST-PRANDIAL, PLASMA	0.74	18 - 60 yrs : 0.6 - 1.1	mg/dL
GLUCOSE, POST-PRANDIAL, PLASMA	91	Diabetes Mellitus : > or = 200. Impaired Glucose tolerance/ Prediabetes : 140 - 199. Hypoglycemia : < 55.	mg/dL
GLUCOSE FASTING, FLUORIDE PLASMA			
GLUCOSE, FASTING, PLASMA	97	Diabetes Mellitus : > or = 126. Impaired fasting Glucose/ Prediabetes : 101 - 125. Hypoglycemia : < 55.	mg/dL
GLYCOSYLATED HEMOGLOBIN(HBA1C), EDTA	WHOLE		
GLYCOSYLATED HEMOGLOBIN (HBA1C)	5.5	Normal : 4.0 - 5.6%. Non-diabetic level : < 5.7%. Diabetic : >6.5%	%
		Glycemic control goal More stringent goal : $< 6.5$ %. General goal : $< 7$ %. Less stringent goal : $< 8$ %.	
		Glycemic targets in CKD :- If eGFR > 60 : < 7%. If eGFR < 60 : 7 - 8.5%.	
MEAN PLASMA GLUCOSE LIPID PROFILE, SERUM	111.2		mg/dL
CHOLESTEROL	181	Desirable : < 200 Borderline : 200-239 High : >or= 240	mg/dL













#### CLIENT CODE: CA00010147 - MEDIWHEEL CLIENT'S NAME AND ADDRESS?

MEDIWHEEL ARCOFEMI HEALTHCARE LIMITED F701A, LADO SARAI, NEW DELHI, SOUTH DELHI, DELHI, SOUTH DELHI 110030 DELHI INDIA 8800465156



DDRC SRL DIAGNOSTICS ASTER SQUARE BUILDING, ULLOOR, MEDICAL COLLEGE P.O TRIVANDRUM, 695011 KERALA, INDIA Tel : 93334 93334, Fax : CIN - U85190MH2006PTC Email : customercare.ddrc@srl.in

#### PATIENT NAME : MRS LEKSHMI G

PATIENT ID : MRSLF2502914182

27/02/2023 10:36


CLIENT PATIENT ID :

ACCESSION NO :	4182WB010721	AGE :	32 Years	SEX : Female	ABHA NO:
DRAWN :		RECE	IVED : 25/02	2/2023 07:02	REPORTED :

REFERRING DOCTOR : SELF

Test Report Status <u>Preliminary</u>	Results	Units
TRIGLYCERIDES	72	Normal : < 150 mg/dL High : 150-199 Hypertriglyceridemia : 200-499 Very High : > 499
HDL CHOLESTEROL	66	General range : 40-60 mg/dL
DIRECT LDL CHOLESTEROL	119	Optimum : < 100 mg/dL Above Optimum : 100-139 Borderline High : 130-159 High : 160-189 Very High : >or= 190
NON HDL CHOLESTEROL	115	Desirable: Less than 130 mg/dL Above Desirable: 130 - 159 Borderline High: 160 - 189 High: 190 - 219 Very high: > or = 220
VERY LOW DENSITY LIPOPROTEIN	14.4	Desirable value : mg/dL 10 - 35
CHOL/HDL RATIO	2.7	Low 3.3-4.4 Low Risk 4.5-7.0 Average Risk 7.1-11.0 Moderate Risk > 11.0 High Risk
LDL/HDL RATIO	1.8	0.5 - 3.0 Desirable/Low Risk 3.1 - 6.0 Borderline/Moderate Risk >6.0 High Risk











#### CLIENT CODE: CA00010147 - MEDIWHEEL CLIENT'S NAME AND ADDRESS ! TUCADE UMITED

MEDIWHEEL ARCOFEMI HEALTHCARE LIMITED F701A, LADO SARAI, NEW DELHI, SOUTH DELHI, DELHI, SOUTH DELHI 110030 DELHI INDIA 8800465156



DDRC SRL DIAGNOSTICS ASTER SQUARE BUILDING, ULLOOR, MEDICAL COLLEGE P.O TRIVANDRUM, 695011 KERALA, INDIA Tel: 93334 93334, Fax: CIN - U85190MH2006PTC Email : customercare.ddrc@srl.in

PATIENT NAME	: MRS LEKSHMI G	ì				PATIENT ID :	MRSLF2502914182
ACCESSION NO :	4182WB010721	AGE : 32 Y	'ears	SEX : Female	ABHA NO	:	
DRAWN :		RECEIVED :	25/02	/2023 07:02	REPORTE	D: 27/02/20	023 10:36
REFERRING DOCT	OR: SELF				С	LIENT PATIENT I	D :
Test Report Sta	tus <u>Prelimina</u> ı	<b>v</b>	Re	esults			Units

### Interpretation(s)

1) Cholesterol levels help assess the patient risk status and to follow the progress of patient under treatment to lower serum cholesterol concentrations.

2) Serum Triglyceride (TG) are a type of fat and a major source of energy for the body. Both quantity and composition of the diet impact on plasma triglyceride concentrations. Elevations in TG levels are the result of overproduction and impaired clearance. High TG are associated with increased risk for CAD (Coronary artery disease) in patients with other risk factors, such as low HDL-C, some patient groups with elevated apolipoprotein B concentrations, and patients with forms of LDL that may be particularly atherogenic.

3)HDL-C plays a crucial role in the initial step of reverse cholesterol transport, this considered to be the primary atheroprotective function of HDL

4) LDL -C plays a key role in causing and influencing the progression of atherosclerosis and, in particular, coronary sclerosis. The majority of cholesterol stored in atherosclerotic plaques originates from LDL, thus LDL-C value is the most powerful clinical predictor.

5)Non HDL cholesterol: Non-HDL-C measures the cholesterol content of all atherogenic lipoproteins, including LDL hence it is a better marker of risk in both primary and secondary prevention studies. Non-HDL-C also covers, to some extent, the excess ASCVD risk imparted by the sdLDL, which is significantly more atherogenic than the normal large buoyant particles, an elevated non-HDL-C indirectly suggests greater proportion of the small, dense variety of LDL particles

Serum lipid profile is measured for cardiovascular risk prediction.Lipid Association of India recommends LDL-C as primary target and Non HDL-C as co-primary treatment target.

#### Risk Stratification for ASCVD (Atherosclerotic cardiovascular disease) by Lipid Association of India

Risk Category						
Extreme risk group	A.CAD with > 1 feature of high risk group					
	B. CAD with > 1 feature of Very high risk g	group or recurrent ACS (within 1 year) despite LDL-C				
	< or = 50 mg/dl or polyvascular disease	1996년 프랑스는 방소 2019년 1977년 1978년 1977년 1971년 1971년 1971년 1971년 1971년 1972년 1972년 1972년 1971년 1971년 1971년 1971년 1				
Very High Risk	1. Established ASCVD 2. Diabetes with 2 1	major risk factors or evidence of end organ damage 3.				
	Familial Homozygous Hypercholesterolemi	a				
High Risk	1. Three major ASCVD risk factors. 2. Diabetes with 1 major risk factor or no evidence of end					
	organ damage. 3. CKD stage 3B or 4. 4. LDL >190 mg/dl 5. Extreme of a single risk factor. 6.					
	Coronary Artery Calcium - CAC >300 AU. 7. Lipoprotein a >/= 50mg/dl 8. Non stenotic carotid					
	plaque					
Moderate Risk	2 major ASCVD risk factors					
Low Risk	0-1 major ASCVD risk factors					
Major ASCVD (Ath	erosclerotic cardiovascular disease) Risk Fa	ictors				
1. Age $>$ or $=$ 45 year	1. Age $>$ or $=$ 45 years in males and $>$ or $=$ 55 years in females 3. Current Cigarette smoking or tobacco use					
2. Family history of p	2. Family history of premature ASCVD 4. High blood pressure					
5. Low HDL						
Newer treatment goals	and statin initiation thresholds based on th	e risk categories proposed by LAI in 2020.				

Risk Group Treatment Goals Consider Drug Therapy	
--	--











CLIENT CODE : CA00010147 - MEDIWHEEL CLIENT'S NAME AND ADDRESS' TUCADE LIMITED

MEDIWHEEL ARCOFEMI HEALTHCARE LIMITED F701A, LADO SARAI, NEW DELHI, SOUTH DELHI, DELHI, SOUTH DELHI 110030 DELHI INDIA 8800465156



DDRC SRL DIAGNOSTICS ASTER SQUARE BUILDING, ULLOOR, MEDICAL COLLEGE P.O TRIVANDRUM, 695011 KERALA, INDIA Tel : 93334 93334, Fax : CIN - U85190MH2006PTC Email : customercare.ddrc@srl.in

#### PATIENT NAME : MRS LEKSHMI G PATIENT ID : MRSLF2502914182 ACCESSION NO : 4182WB010721 AGE : 32 Years ABHA NO: SEX : Female RECEIVED : 25/02/2023 07:02 27/02/2023 10:36 DRAWN : **REPORTED** : REFERRING DOCTOR : SELF CLIENT PATIENT ID : Results Units **Test Report Status Preliminary**

	LDL-C (mg/dl)	Non-HDL (mg/dl)	LDL-C (mg/dl)	Non-HDL (mg/dl)
Extreme Risk Group	<50 (Optional goal	< 80 (Optional goal	>OR = 50	>OR = 80
Category A	< OR = 30)	<or 60)<="" =="" td=""><td></td><td></td></or>		
Extreme Risk Group	<or 30<="" =="" td=""><td><or 60<="" =="" td=""><td>&gt; 30</td><td>&gt;60</td></or></td></or>	<or 60<="" =="" td=""><td>&gt; 30</td><td>&gt;60</td></or>	> 30	>60
Category B			( Cole 53) (5	
Very High Risk	<50	<80	>OR= 50	>OR= 80
High Risk	<70	<100	>OR= 70	>OR=100
Moderate Risk	<100	<130	>OR=100	>OR=130
Low Risk	<100	<130	>OR=130*	>OR=160

\*After an adequate non-pharmacological intervention for at least 3 months.

References: Management of Dyslipidaemia for the Prevention of Stroke: Clinical Practice Recommendations from the Lipid Association of India. Current Vascular Pharmacology, 2022, 20, 134-155.

# LIVER FUNCTION TEST WITH GGT

BILIRUBIN, TOTAL	0.37	General Range : < 1.1	mg/dL
BILIRUBIN, DIRECT	0.16	General Range : < 0.3	mg/dL
BILIRUBIN, INDIRECT	0.21	0.00 - 0.60	mg/dL
TOTAL PROTEIN	7.3	Ambulatory : 6.4 - 8.3 Recumbant : 6 - 7.8	g/dL
ALBUMIN	4.5	20-60yrs: 3.5 - 5.2	g/dL
GLOBULIN	2.8	2.0 - 4.0 Neonates - Pre Mature: 0.29 - 1.04	g/dL
ALBUMIN/GLOBULIN RATIO	1.6	General Range : 1.1 - 2.5	RATIO
ASPARTATE AMINOTRANSFERASE (AST/SGOT)	14	Adults : < 33	U/L
ALANINE AMINOTRANSFERASE (ALT/SGPT)	11	Adults : < 34	U/L
ALKALINE PHOSPHATASE	99	Adult (<60yrs) : 35 - 105	U/L
GAMMA GLUTAMYL TRANSFERASE (GGT)	10	Adult (female) : < 40	U/L
TOTAL PROTEIN, SERUM			
TOTAL PROTEIN	7.3	Ambulatory : 6.4 - 8.3 Recumbant : 6 - 7.8	g/dL
URIC ACID, SERUM			
URIC ACID	4.0	Adults : 2.4-5.7	mg/dL
ABO GROUP & RH TYPE, EDTA WHOLE BLOOD			



Scan to view Details







Patient Ref. No. 666000003523480



## CLIENT CODE : CA00010147 - MEDIWHEEL CLIENT'S NAME AND ADDRESS ! THOADE I MATTER

MEDIWHEEL ARCOFEMI HEALTHCARE LIMITED F701A, LADO SARAI, NEW DELHI, SOUTH DELHI, DELHI, COUTH DELHI, DELHI, SOUTH DELHI 110030 DELHI INDIA 8800465156



DDRC SRL DIAGNOSTICS ASTER SQUARE BUILDING, ULLOOR, MEDICAL COLLEGE P.O TRIVANDRUM, 695011 KERALA, INDIA Tel : 93334 93334, Fax : CIN - U85190MH2006PTC Email : customercare.ddrc@srl.in

8800403130			
PATIENT NAME: MRS LEKSHMI G		PATIENT ID :	MRSLF2502914182
ACCESSION NO : <b>4182WB010721</b> AGE :	32 Years SEX : Female	ABHA NO :	
DRAWN : RECE	EIVED : 25/02/2023 07:02	REPORTED : 27/02/202	3 10:36
REFERRING DOCTOR : SELF		CLIENT PATIENT ID	:
Test Report Status <u>Preliminary</u>	Results		Units
ABO GROUP	TYPE O		
RH TYPE METHOD : COLUMN AGGLUTINATION TECHOLOGY	POSITIVE		
BLOOD COUNTS,EDTA WHOLE BLOOD			
HEMOGLOBIN METHOD : SPECTROPHOTOMETRIC	13.5	12.0 - 15.0	g/dL
RED BLOOD CELL COUNT METHOD : IMPEDANCE VARIATION	4.55	3.8 - 4.8	mil/µL
WHITE BLOOD CELL COUNT	8.75	4.0 - 10.0	thou/µL
PLATELET COUNT METHOD : IMPEDANCE VARIATION	385	150 - 410	thou/µL
RBC AND PLATELET INDICES			
HEMATOCRIT METHOD : CALCULATED PARAMETER	40.7	36 - 46	%
MEAN CORPUSCULAR VOL	89.5	83 - 101	fL
MEAN CORPUSCULAR HGB.	29.6	27.0 - 32.0	pg


MEAN CORPUSCULAR VOL	89.5	83 - 101	fL
MEAN CORPUSCULAR HGB. METHOD : CALCULATED PARAMETER	29.6	27.0 - 32.0	pg
MEAN CORPUSCULAR HEMOGLOBIN CONCENTRATION	33.1	31.5 - 34.5	g/dL
RED CELL DISTRIBUTION WIDTH	14.2	<b>High</b> 11.6 - 14.0	%
MENTZER INDEX	19.7		
MEAN PLATELET VOLUME	7.3	6.8 - 10.9	fL
WBC DIFFERENTIAL COUNT			
SEGMENTED NEUTROPHILS	65	40 - 80	%
LYMPHOCYTES	24	20 - 40	%
MONOCYTES	7	2 - 10	%
EOSINOPHILS	4	1 - 6	%
BASOPHILS	0	0 - 2	%
ABSOLUTE NEUTROPHIL COUNT	5.69	2.0 - 7.0	thou/µL
ABSOLUTE LYMPHOCYTE COUNT	2.10	1 - 3	thou/µL
ABSOLUTE MONOCYTE COUNT	0.61	0.20 - 1.00	thou/µL
ABSOLUTE EOSINOPHIL COUNT	0.35	0.02 - 0.50	thou/µL
ABSOLUTE BASOPHIL COUNT	0		thou/µL
NEUTROPHIL LYMPHOCYTE RATIO (NLR)	2.7		













## CLIENT CODE : CA00010147 - MEDIWHEEL CLIENT'S NAME AND ADDRESS ! THOADE I MATTER

MEDIWHEEL ARCOFEMI HEALTHCARE LIMITED F701A, LADO SARAI, NEW DELHI, SOUTH DELHI, DELHI, COUTH DELHI, DELHI, SOUTH DELHI 110030 DELHI INDIA 8800465156



DDRC SRL DIAGNOSTICS ASTER SQUARE BUILDING, ULLOOR, MEDICAL COLLEGE P.O TRIVANDRUM, 695011 KERALA, INDIA Tel : 93334 93334, Fax : CIN - U85190MH2006PTC Email : customercare.ddrc@srl.in

PATIENT NAME : MRS LEKSHMI G		PATIENT ID : MRS	LF2502914182
ACCESSION NO : 4182WB010721 AGE : 3	2 Years SEX : Female	ABHA NO :	
DRAWN : RECEIVE	ED: 25/02/2023 07:02	REPORTED : 27/02/2023 10:	36
REFERRING DOCTOR : SELF		CLIENT PATIENT ID :	
Test Report Status <u>Preliminary</u>	Results		Units
ERYTHROCYTE SEDIMENTATION RATE (ES BLOOD SEDIMENTATION RATE (ESR) SUGAR URINE - POST PRANDIAL	R),WHOLE 4	0 - 20	mm at 1 hr
SUGAR URINE - POST PRANDIAL THYROID PANEL, SERUM	NOT DETECTED	NOT DETECTED	
Т3	82.94	80 - 200	ng/dL
Τ4	5.91	5.1 - 14.1	µg/dl
TSH 3RD GENERATION	1.360	Non-Pregnant : 0.4-4.2	µIU/mL
		Pregnant Trimester-wise : 1st : 0.1 - 2.5 2nd : 0.2 - 3 3rd : 0.3 - 3	







Diagnostic Services

#### CLIENT CODE : CA00010147 - MEDIWHEEL CLIENT'S NAME AND ADDRESS !! TUCADE UMUTED

MEDIWHEEL ARCOFEMI HEALTHCARE LIMITED F701A, LADO SARAI, NEW DELHI, SOUTH DELHI, DELHI, SOUTH DELHI 110030 DELHI INDIA 8800465156



DDRC SRL DIAGNOSTICS ASTER SQUARE BUILDING, ULLOOR, MEDICAL COLLEGE P.O TRIVANDRUM, 695011 KERALA, INDIA Tel : 93334 93334, Fax : CIN - U85190MH2006PTC Email : customercare.ddrc@srl.in

PATIENT NAME :	MRS LEKSHMI G	ł		PA	TIENT ID :	MRSLF2502914182
ACCESSION NO :	4182WB010721	AGE: 32 Ye	ars SEX : Fe	male ABHA NO :		
DRAWN :		RECEIVED :	25/02/2023 07	:02 REPORTED :	27/02/202	23 10:36
REFERRING DOCTO	R: SELF			CLIEN	T PATIENT ID	:
Test Report Statu	us Preliminar	v	Results			Units

#### Interpretation(s)

Triiodothyronine T3, Thyroxine T4, and Thyroid Stimulating Hormone TSH are thyroid hormones which affect almost every physiological process in the body, including growth, development, metabolism, body temperature, and heart rate.

Production of T3 and its prohormone thyroxine (T4) is activated by thyroid-stimulating hormone (TSH), which is released from the pituitary gland. Elevated concentrations of T3, and T4 in the blood inhibit the production of TSH.

Excessive secretion of thyroxine in the body is hyperthyroidism, and deficient secretion is called hypothyroidism.

In primary hypothyroidism, TSH levels are significantly elevated, while in secondary and tertiary hyperthyroidism, TSH levels are low. Below mentioned are the guidelines for Pregnancy related reference ranges for Total T4, TSH & Total T3.Measurement of the serum TT3 level is a more sensitive test for the diagnosis of hyperthyroidism, and measurement of TT4 is more useful in the diagnosis of hypothyroidism.Most of the thyroid hormone in blood is bound to transport proteins. Only a very small fraction of the circulating hormone is free and biologically active. It is advisable to detect Free T3, FreeT4 along with TSH, instead of testing for albumin bound Total T3, Total T4.

Sr. No.	TSH	Total T4	FT4	Total T3	Possible Conditions
1	High	Low	Low	Low	(1) Primary Hypothyroidism (2) Chronic autoimmune Thyroiditis (3)
					Post Thyroidectomy (4) Post Radio-Iodine treatment
2	High	Normal	Normal	Normal	(1)Subclinical Hypothyroidism (2) Patient with insufficient thyroid
					hormone replacement therapy (3) In cases of Autoimmune/Hashimoto
					thyroiditis (4). Isolated increase in TSH levels can be due to Subclinical
					inflammation, drugs like amphetamines, Iodine containing drug and
					dopamine antagonist e.g. domperidone and other physiological reasons.
3	Normal/Low	Low	Low	Low	(1) Secondary and Tertiary Hypothyroidism
4	Low	High	High	High	(1) Primary Hyperthyroidism (Graves Disease) (2) Multinodular Goitre
					(3)Toxic Nodular Goitre (4) Thyroiditis (5) Over treatment of thyroid
					hormone (6) Drug effect e.g. Glucocorticoids, dopamine, T4
					replacement therapy (7) First trimester of Pregnancy
5	Low	Normal	Normal	Normal	(1) Subclinical Hyperthyroidism
6	High	High	High	High	(1) TSH secreting pituitary adenoma (2) TRH secreting tumor
7	Low	Low	Low	Low	(1) Central Hypothyroidism (2) Euthyroid sick syndrome (3) Recent
					treatment for Hyperthyroidism
8	Normal/Low	Normal	Normal	High	(1) T3 thyrotoxicosis (2) Non-Thyroidal illness
9	Low	High	High	Normal	(1) T4 Ingestion (2) Thyroiditis (3) Interfering Anti TPO antibodies

REF: 1. TIETZ Fundamentals of Clinical chemistry 2.Guidlines of the American Thyroid association during pregnancy and Postpartum, 2011. NOTE: It is advisable to detect Free T3,FreeT4 along with TSH, instead of testing for albumin bound Total T3, Total T4.TSH is not affected by variation in thyroid - binding protein. TSH has a diurnal rhythm, with peaks at 2:00 - 4:00 a.m. And troughs at 5:00 - 6:00 p.m. With ultradian variations.

#### PHYSICAL EXAMINATION, URINE

COLOR	PALE YELLOW
APPEARANCE	CLEAR
CHEMICAL EXAMINATION, URINE	
РН	6.0


4.7 - 7.5













MRSLF2502914182

CLIENT CODE : CA00010147 - MEDIWHEEL CLIENT'S NAME AND ADDRESS ! THOADE I MATTER

MEDIWHEEL ARCOFEMI HEALTHCARE LIMITED F701A, LADO SARAI, NEW DELHI, SOUTH DELHI, DELHI, SOUTH DELHI 110030 DELHI INDIA 8800465156



DDRC SRL DIAGNOSTICS ASTER SQUARE BUILDING, ULLOOR, MEDICAL COLLEGE P.O TRIVANDRUM, 695011 KERALA, INDIA Tel : 93334 93334, Fax : CIN - U85190MH2006PTC Email : customercare.ddrc@srl.in

# PATIENT NAME : MRS LEKSHMI G

ACCESSION NO : **4182WB010721** AGE : 32 Years

ABHA NO:

PATIENT ID :

CLIENT PATIENT ID :

RECEIVED : 25/02/2023 07:02 27/02/2023 10:36 REPORTED :

REFERRING DOCTOR : SELF

DRAWN :

Test Report Status <u>Preliminary</u>	Results		Units
SPECIFIC GRAVITY	1.004	1.003 - 1.035	
PROTEIN	NEGATIVE	NOT DETECTED	
GLUCOSE	NEGATIVE	NOT DETECTED	
KETONES	NEGATIVE	NOT DETECTED	
BLOOD	NEGATIVE	NOT DETECTED	
BILIRUBIN	NEGATIVE	NOT DETECTED	
UROBILINOGEN METHOD : DIPSTICK	NORMAL	NORMAL	
NITRITE	NEGATIVE	NOT DETECTED	
MICROSCOPIC EXAMINATION, URINE			
RED BLOOD CELLS	NOT DETECTED	NOT DETECTED	/HPF
WBC	0-1	0-5	/HPF
EPITHELIAL CELLS	0-1	0-5	/HPF
CASTS	NEGATIVE		
CRYSTALS	NEGATIVE		
REMARKS METHOD : AUTOMATED ANALYSER, MICROSCOPY	NIL		

SEX : Female









Patient Ref. No. 666000003523480



CLIENT CODE: CA00010147 - MEDIWHEEL CLIENT'S NAME AND ADDRESS' THOADE HIMITED

MEDIWHEEL ARCOFEMI HEALTHCARE LIMITED F701A, LADO SARAI, NEW DELHI, SOUTH DELHI, DELHI, SOUTH DELHI 110030 DELHI INDIA 8800465156



DDRC SRL DIAGNOSTICS ASTER SQUARE BUILDING, ULLOOR, MEDICAL COLLEGE P.O TRIVANDRUM, 695011 KERALA, INDIA Tel: 93334 93334, Fax: CIN - U85190MH2006PTC Email : customercare.ddrc@srl.in

PATIENT NAME	: MRS LEKSHMI G	ì			PA	TIENT ID :	MRSLF2502914182
ACCESSION NO :	4182WB010721	AGE :	32 Years	SEX : Female	ABHA NO:		
DRAWN :		RECE	IVED : 25/02	2/2023 07:02	REPORTED :	27/02/202	23 10:36
REFERRING DOCTO	OR: SELF				CLIEN	T PATIENT ID	:
Test Report Stat	tus <u>Preliminar</u>	т <b>у</b>	R	esults			Units

# Interpretation(s)

The following table describes the probable conditions, in which the analytes are present in urine

Presence of	Conditions
Proteins	Inflammation or immune illnesses
Pus (White Blood Cells)	Urinary tract infection, urinary tract or kidney stone, tumors or any kind
	of kidney impairment
Glucose	Diabetes or kidney disease
Ketones	Diabetic ketoacidosis (DKA), starvation or thirst
Urobilinogen	Liver disease such as hepatitis or cirrhosis
Blood	Renal or genital disorders/trauma
Bilirubin	Liver disease
Erythrocytes	Urological diseases (e.g. kidney and bladder cancer, urolithiasis), urinary
	tract infection and glomerular diseases
Leukocytes	Urinary tract infection, glomerulonephritis, interstitial nephritis either
	acute or chronic, polycystic kidney disease, urolithiasis, contamination by
	genital secretions
Epithelial cells	Urolithiasis, bladder carcinoma or hydronephrosis, ureteric stents or
	bladder catheters for prolonged periods of time
Granular Casts	Low intratubular pH, high urine osmolality and sodium concentration, interaction with Bence-Jones protein
Hyaline casts	Physical stress, fever, dehydration, acute congestive heart failure, renal
	diseases
Calcium oxalate	Metabolic stone disease, primary or secondary hyperoxaluria, intravenous
	infusion of large doses of vitamin C, the use of vasodilator naftidrofuryl
	oxalate or the gastrointestinal lipase inhibitor orlistat, ingestion of
	ethylene glycol or of star fruit (Averrhoa carambola) or its juice
Uric acid	arthritis
Bacteria	Urinary infectionwhen present in significant numbers & with pus cells.
Trichomonas vaginalis	Vaginitis, cervicitis or salpingitis

SUGAR URINE - FASTING

SUGAR URINE - FASTING **\* PHYSICAL EXAMINATION, STOOL** CHEMICAL EXAMINATION, STOOL MICROSCOPIC EXAMINATION, STOOL NOT DETECTED **RESULT PENDING RESULT PENDING RESULT PENDING** 

NOT DETECTED









Patient Ref. No. 666000003523480



#### CLIENT CODE: CA00010147 - MEDIWHEEL CLIENT'S NAME AND ADDRESS ! THOADE HIMITED

MEDIWHEEL ARCOFEMI HEALTHCARE LIMITED F701A, LADO SARAI, NEW DELHI, SOUTH DELHI, DELHI, SOUTH DELHI 110030 DELHI INDIA 8800465156



DDRC SRL DIAGNOSTICS ASTER SQUARE BUILDING, ULLOOR, MEDICAL COLLEGE P.O TRIVANDRUM, 695011 KERALA, INDIA Tel: 93334 93334, Fax: CIN - U85190MH2006PTC Email : customercare.ddrc@srl.in

PATIENT NAME : I	MRS LEKSHMI G				PA	TIENT ID :	MRSLF250291	4 <b>182</b>
ACCESSION NO : 41	182WB010721	AGE : 32 \	′ears	SEX : Female	ABHA NO :			
DRAWN :		RECEIVED	25/0	2/2023 07:02	REPORTED :	27/02/202	23 10:36	
REFERRING DOCTOR	: SELF				CLIEN	T PATIENT ID	:	
Test Report Status	s <u>Preliminar</u>	¥	F	Results			Units	

#### Interpretation(s)

Stool routine analysis is only a screening test for disorders of gastrointentestinal tract like infection, malabsorption, etc. The following table describes the probable conditions, in which the analytes are present in stool.

PRESENCE OF	CONDITION
Pus cells	Pus in the stool is an indication of infection
Red Blood cells	Parasitic or bacterial infection or an inflammatory bowel condition such as ulcerative colitis
Parasites	Infection of the digestive system. Stool examination for ova and parasite detects presence of parasitic infestation of gastrointestinal tract. Various forms of parasite that can be detected include cyst, trophozoite and larvae. One negative result does not rule out the possibility of parasitic infestation. Intermittent shedding of parasites warrants examinations of multiple specimens tested on consecutive days. Stool specimens for parasitic examination should be collected before initiation of antidiarrheal therapy or antiparasitic therapy. This test does not detect presence of opportunistic parasites like Cyclospora, Cryptosporidia and Isospora species. Examination of Ova and Parasite has been carried out by direct and concentration techniques.
Mucus	Mucus is a protective layer that lubricates, protects& reduces damage due to bacteria or viruses.
Charcot-Leyden crystal	Parasitic diseases.
Ova & cyst	Ova & cyst indicate parasitic infestation of intestine.
Frank blood	Bleeding in the rectum or colon.
Occult blood	Occult blood indicates upper GI bleeding.
Macrophages	Macrophages in stool are an indication of infection as they are protective cells.
Epithelial cells	Epithelial cells that normally line the body surface and internal organs show up in stool when there is inflammation or infection.
Fat	Increased fat in stool maybe seen in conditions like diarrhoea or malabsorption.
рН	Normal stool pH is slightly acidic to neutral. Breast-fed babies generally have an acidic stool.

# **ADDITIONAL STOOL TESTS :**


- Stool Culture:- This test is done to find cause of GI infection, make decision about best treatment for GI infection & to find out if 1. treatment for GI infection worked.
- 2. Fecal Calprotectin: It is a marker of intestinal inflammation. This test is done to differentiate Inflammatory Bowel Disease (IBD) from Irritable Bowel Syndrome (IBS).
- Fecal Occult Blood Test(FOBT): This test is done to screen for colon cancer & to evaluate possible cause of unexplained anaemia. 3.
- 4. Clostridium Difficile Toxin Assay: This test is strongly recommended in healthcare associated bloody or waterydiarrhoea, due to overuse of broad spectrum antibiotics which alter the normal GI flora.
- 5. Biofire (Film Array) GI PANEL: In patients of Diarrhoea, Dysentry, Rice watery Stool, FDA approved, Biofire Film Array Test, (Real Time Multiplex PCR) is strongly recommended as it identifies organisms, bacteria, fungi, virus, parasite and other opportunistic pathogens, Vibrio cholera infections only in 3 hours. Sensitivity 96% & Specificity 99%.













#### CLIENT CODE: CA00010147 - MEDIWHEEL CLIENT'S NAME AND ADDRESS ! TUCADE UMITED

MEDIWHEEL ARCOFEMI HEALTHCARE LIMITED F701A, LADO SARAI, NEW DELHI, SOUTH DELHI, DELHI, SOUTH DELHI 110030 DELHI INDIA 8800465156



DDRC SRL DIAGNOSTICS ASTER SQUARE BUILDING, ULLOOR, MEDICAL COLLEGE P.O TRIVANDRUM, 695011 KERALA, INDIA Tel: 93334 93334, Fax: CIN - U85190MH2006PTC Email : customercare.ddrc@srl.in

PATIENT NAME	: MRS LEKSHMI G	6			PA	TIENT ID :	MRSLF2	502914182
ACCESSION NO :	4182WB010721	AGE : 32 Ye	ears SEX : F	emale ABHA N	0:			
DRAWN :		RECEIVED :	25/02/2023 0	7:02 REPORT	ED :	27/02/202	23 10:36	
REFERRING DOCT	OR: SELF				CLIEN	T PATIENT ID	:	
Test Report Stat	tus <u>Prelimina</u> r	<b>v</b>	Results					Units

Rota Virus Immunoassay: This test is recommended in severe gastroenteritis in infants & children associated with watery 6. diarrhoea, vomitting& abdominal cramps. Adults are also affected. It is highly contagious in nature.

<b>Interpretation(s)</b> BLOOD UREA NITROGEN (BUN), SERUM-Causes of Increased levels include Pre renal (High protein diet, Increased protein catabolism, GI haemorrhage, Cortisol, Dehydration, CHF Renal), Renal Failure, Post Renal (Malignancy, Nephrolithiasis, Prostatism)

Causes of decreased level include Liver disease, SIADH. CREATININE, SERUM-Higher than normal level may be due to:

• Blockage in the urinary tract

Kidney problems, such as kidney damage or failure, infection, or reduced blood flow
Loss of body fluid (dehydration)

Muscle problems, such as breakdown of muscle fibers

• Problems during pregnancy, such as seizures (eclampsia)), or high blood pressure caused by pregnancy (preeclampsia)

Lower than normal level may be due to:

Myasthenia Gravis

Muscular dystrophy

GLUCOSE, POST-PRANDIAL, PLASMA-High fasting glucose level in comparison to post prandial glucose level may be seen due to effect of Oral Hypoglycaemics & Insulin treatment, Renal Glyosuria, Glycaemic index & response to food consumed, Alimentary Hypoglycemia, Increased insulin response & sensitivity etc. Additional test HbA1c GLUCOSE FASTING, FLUORIDE PLASMA-<b>TEST DESCRIPTION</b>

Normally, the glucose concentration in extracellular fluid is closely regulated so that a source of energy is readily available to tissues and sothat no glucose is excreted in the urine. <b>Increased in</b>

Diabetes mellitus, Cushing's syndrome (10 - 15%), chronic pancreatitis (30%). Drugs:corticosteroids, phenytoin, estrogen, thiazides.

<b>Decreased in </b>

Pancreatic islet cell disease with increased insulin, insulinoma, adrenocortical insufficiency, hypopituitarism, diffuse liver disease, malignancy (adrenocortical,

stomach,fibrosarcoma), infant of a diabetic mother, enzyme deficiency diseases(e.g., galactosemia),Drugs- insulin, ethanol, propranolol; sulfonylureas,tolbutamide, and other oral hypoglycemic agents.

<b>NOTE:</b> While random serum glucose levels correlate with home glucose monitoring results (weekly mean capillary glucose values), there is wide fluctuation

within individuals. Thus, glycosylated hemoglobin(HbA1c) levels are favored to monitor glycemic control. High fasting glucose level in comparison to post prandial glucose level may be seen due to effect of Oral Hypoglycaemics & Insulin treatment, Renal Glyosuria, Glycaemic index & response to food consumed, Alimentary Hypoglycemia, Increased insulin response & sensitivity etc. GLYCOSYLATED HEMOGLOBIN(HBA1C), EDTA WHOLE BLOOD-<b>Used For</b>:

1. Evaluating the long-term control of blood glucose concentrations in diabetic patients.

2.Diagnosing diabetes.

3. Identifying patients at increased risk for diabetes (prediabetes). The ADA recommends measurement of HbA1c (typically 3-4 times per year for type 1 and poorly controlled type 2 diabetic patients, and 2 times per year for well-1.eAG (Estimated average glucose) converts percentage HbA1c to md/dl, to compare blood glucose levels.
2. eAG gives an evaluation of blood glucose levels for the last couple of months.
3. eAG is calculated as eAG (mg/dl) = 28.7 \* HbA1c - 46.7

<b>HbA1c Estimation can get affected due to :</b> I.Shortened Erythrocyte survival : Any condition that shortens erythrocyte survival or decreases mean erythrocyte age (e.g. recovery from acute blood loss, hemolytic anemia) will falsely lower HbA1c test results. Fructosamine is recommended in these patients which indicates diabetes control over 15 days.

II.Vitamin C & E are reported to falsely lower test results. (possibly by inhibiting glycation of hemoglobin. III.Iron deficiency anemia is reported to increase test results. Hypertriglyceridemia, uremia, hyperbilirubinemia, chronic alcoholism, chronic ingestion of salicylates & opiates addiction are reported to interfere with some assay methods, falsely increasing results. IV.Interference of hemoglobinopathies in HbA1c estimation is seen in

a.Homozygous hemoglobinopathy. Fructosamine is recommended for testing of HbA1c. b.Heterozygous state detected (D10 is corrected for HbS & HbC trait.) c.HbF > 25% on alternate paltform (Boronate affinity chromatography) is recommended for testing of HbA1c.Abnormal Hemoglobin electrophoresis (HPLC method) is











#### CLIENT CODE: CA00010147 - MEDIWHEEL CLIENT'S NAME AND ADDRESS !! THO ADD I MATTED

MEDIWHEEL ARCOFEMI HEALTHCARE LIMITED F701A, LADO SARAI, NEW DELHI, SOUTH DELHI, DELHI, SOUTH DELHI 110030 DELHI INDIA 8800465156



DDRC SRL DIAGNOSTICS ASTER SQUARE BUILDING, ULLOOR, MEDICAL COLLEGE P.O TRIVANDRUM, 695011 KERALA, INDIA Tel: 93334 93334, Fax: CIN - U85190MH2006PTC Email : customercare.ddrc@srl.in

PATIENT NAME : MRS LEKSHMI	3	PATIENT ID : MRSLF2502914182
ACCESSION NO : 4182WB010721	AGE : 32 Years SEX : Female	ABHA NO :
DRAWN :	RECEIVED : 25/02/2023 07:02	REPORTED : 27/02/2023 10:36
REFERRING DOCTOR : SELF		CLIENT PATIENT ID :

**Test Report Status** Results Units **Preliminary** 

recommended for detecting a hemoglobinopathy

TOTAL PROTEIN, SERUM-Serum total protein, also known as total protein, is a biochemical test for measuring the total amount of protein in serum...Protein in the plasma is made up of albumin and globulin

Higher-than-normal levels may be due to: Chronic inflammation or infection, including HIV and hepatitis B or C, Multiple myeloma, Waldenstrom"""s disease Lower-than-normal levels may be due to: Agammaglobulinemia, Bleeding (hemorrhage), Burns, Glomerulonephritis, Liver disease, Malabsorption, Malnutrition, Nephrotic

syndrome, Protein-losing enteropathy etc. URIC ACID, SERUM-<b>Causes of Increased levels:</b>-Dietary(High Protein Intake, Prolonged Fasting, Rapid weight loss), Gout, Lesch nyhan syndrome, Type 2 DM, Metabolic syndrome

<b>Causes of decreased levels</b>-Low Zinc intake,OCP,Multiple Sclerosis

ABO GROUP & RH TYPE, EDTA WHOLE BLOOD-

Blood group is identified by antigens and antibodies present in the blood. Antigens are protein molecules found on the surface of red blood cells. Antibodies are found in plasma. To determine blood group, red cells are mixed with different antibody solutions to give A,B,O or AB.

Disclaimer: "Please note, as the results of previous ABO and Rh group (Blood Group) for pregnant women are not available, please check with the patient records for availability of the same.

The test is performed by both forward as well as reverse grouping methods.

BLOOD COUNTS, EDTA WHOLE BLOOD-The cell morphology is well preserved for 24hrs. However after 24-48 hrs a progressive increase in MCV and HCT is observed leading to a decrease in MCHC. A direct smear is recommended for an accurate differential count and for examination of RBC morphology. RBC AND PLATELET INDICES-Mentzer index (MCV/RBC) is an automated cell-counter based calculated screen tool to differentiate cases of Iron deficiency anaemia(>13)

from Beta thalassaemia trait (<13) in patients with microcytic anaemia. This needs to be interpreted in line with clinical correlation and suspicion. Estimation of HbA2 remains the gold standard for

diagnosing a case of beta thalassaemia trait. WBC DIFFERENTIAL COUNT-The optimal threshold of 3.3 for NLR showed a prognostic possibility of clinical symptoms to change from mild to severe in COVID positive

patients. When age = 49.5 years old and NLR = 3.3, 46.1% COVID-19 patients with mild disease might become severe. By contrast, when age < 49.5 years old and NLR < 3.3, COVID-19 patients tend to show mild disease.

(Reference to - The diagnostic and predictive role of NLR, d-NLR and PLR in COVID-19 patients ; A.-P. Yang, et al.; International Immunopharmacology 84 (2020) 106504

This ratio element is a calculated parameter and out of NABL scope.

ERYTHROCYTE SEDIMENTATION RATE (ESR), WHOLE BLOOD-<b>TEST DESCRIPTION</b> :-

Erythrocyte sedimentation rate (ESR) is a test that indirectly measures the degree of inflammation present in the body. The test actually measures the rate of fall (sedimentation) of erythrocytes in a sample of blood that has been placed into a tall, thin, vertical tube. Results are reported as the millimetres of clear fluid (plasma) that are present at the top portion of the tube after one hour. Nowadays fully automated instruments are available to measure ESR.

ESR is not diagnostic; it is a non-specific test that may be elevated in a number of different conditions. It provides general information about the presence of an inflammatory condition.CRP is superior to ESR because it is more sensitive and reflects a more rapid change. <b>TEST INTERPRETATION</b>

<b>Increase</b> in: Infections, Vasculities, Inflammatory arthritis, Renal disease, Anemia, Malignancies and plasma cell dyscrasias, Acute allergy Tissue injury, Pregnancy, Estrogen medication, Aging

Finding a very accelerated ESR<b>(>100 mm/hour)</b> in patients with ill-defined symptoms directs the physician to search for a systemic disease

(Paraproteinemias, Disseminated malignancies, connective tissue disease, severe infections such as bacterial endocarditis). In pregnancy BRI in first trimester is 0-48 mm/hr(62 if anemic) and in second trimester (0-70 mm /hr(95 if anemic). ESR returns to normal 4th week post partum. <b>Decreased</b> in: Polycythermia vera, Sickle cell anemia

#### <b>LIMITATIONS</b>

salicylates)

**REFERENCE** :

1. Nathan and Oski's Haematology of Infancy and Childhood, 5th edition; 2. Paediatric reference intervals. AACC Press, 7th edition. Edited by S. Soldin; 3. The reference SUGAR URINE - POST PRANDIAL-METHOD: DIPSTICK/BENEDICT'S TEST SUGAR URINE - FASTING-METHOD: DIPSTICK/BENEDICT'S TEST









Patient Ref. No. 666000003523480



CLIENT CODE : CA00010147 - MEDIWHEEL CLIENT'S NAME AND ADDRESS' THOADE I MATTER

MEDIWHEEL ARCOFEMI HEALTHCARE LIMITED F701A, LADO SARAI, NEW DELHI, SOUTH DELHI, DELHI, SOUTH DELHI 110030 DELHI INDIA 8800465156



DDRC SRL DIAGNOSTICS ASTER SQUARE BUILDING, ULLOOR, MEDICAL COLLEGE P.O TRIVANDRUM, 695011 KERALA, INDIA Tel: 93334 93334, Fax: CIN - U85190MH2006PTC Email : customercare.ddrc@srl.in

PATIENT NAME :	MRS LEKSHMI G					PATIENT ID:	MRSLF2502914182
ACCESSION NO :	4182WB010721	AGE: 32 Ye	ears S	SEX : Female	ABHA NO :		
DRAWN :		RECEIVED :	25/02/2	2023 07:02	REPORTED :	27/02/20	23 10:36
REFERRING DOCTO	DR: SELF				CLIE	ENT PATIENT ID	):
Test Report Stat	us <u>Preliminar</u>	¥	Res	sults			Units

### MEDIWHEEL HEALTH CHECKUP BELOW 40(F)TMT

**\* ECG WITH REPORT** REPORT REPORT GIVEN **\* USG ABDOMEN AND PELVIS** REPORT REPORT GIVEN \* CHEST X-RAY WITH REPORT

REPORT REPORT GIVEN

> \*\*End Of Report\*\* Please visit www.srlworld.com for related Test Information for this accession TEST MARKED WITH '\*' ARE OUTSIDE THE NABL ACCREDITED SCOPE OF THE LABORATORY.

Ballunaun

**BABU K MATHEW HOD -BIOCHEMISTRY** 

V Q. a

**DR.VAISHALI RAJAN, MBBS** DCP(Pathology) (Reg No - TCC 27150) **HOD - HAEMATOLOGY** 

tha Jadar

DR. ASTHA YADAV, MD Biochemistry (Reg No - DMC/R/20690) CONSULTANT BIOCHEMIST

11	A	ex	
D	Le		

DR NISHA UNNI, MBBS, MD (RD),DNB (Reg.No:50162) **Consultant Radiologist** 



