

Name : MR.YOGESH SADGIR

Age / Gender : 29 Years / Male

Consulting Dr. Collected Reported

Reg. Location : J B Nagar, Andheri East (Main Centre)



Authenticity Check

Use a OR Code Scanner Application To Scan the Code

: 25-Nov-2021 / 19:28 :26-Nov-2021 / 12:46

ARCOFEMI HEALTHCARE- BLOOD TEST

CBC (Complete Blood Count), Blood			
<u>PARAMETER</u>	<u>RESULTS</u>	BIOLOGICAL REF RANGE	<u>METHOD</u>
RBC PARAMETERS			
Haemoglobin	15.4	13.0-17.0 g/dL	Spectrophotometric
RBC	4.38	4.5-5.5 mil/cmm	Elect. Impedance
PCV	47.2	40-50 %	Measured
MCV	107.7	80-100 fl	Calculated
MCH	35.2	27-32 pg	Calculated
MCHC	32.7	31.5-34.5 g/dL	Calculated
RDW	18.1	11.6-14.0 %	Calculated
WBC PARAMETERS			
WBC Total Count	7000	4000-10000 /cmm	Elect. Impedance
WBC DIFFERENTIAL AND ABSO	DLUTE COUNTS		
Lymphocytes	31.7	20-40 %	
Absolute Lymphocytes	2219.0	1000-3000 /cmm	Calculated
Monocytes	10.5	2-10 %	
Absolute Monocytes	735.0	200-1000 /cmm	Calculated
Neutrophils	54.6	40-80 %	
Absolute Neutrophils	3822.0	2000-7000 /cmm	Calculated
Eosinophils	2.9	1-6 %	
Absolute Eosinophils	203.0	20-500 /cmm	Calculated
Basophils	0.3	0.1-2 %	
Absolute Basophils	21.0	20-100 /cmm	Calculated

WBC Differential Count by Absorbance & Impedance method/Microscopy.

PLATELET PARAMETERS

Platelet Count	153000	150000-400000 /cmm	Elect. Impedance
MPV	10.8	6-11 fl	Calculated
PDW	16.7	11-18 %	Calculated

RBC MORPHOLOGY

Immature Leukocytes

Hypochromia	-
Microcytosis	-
Macrocytosis	Mild

ADDRESS: 2nd Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053

HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343

For Feedback - customerservice@suburbandiagnostics.com | www.suburbandiagnostics.com

Page 1 of 9



Name : MR.YOGESH SADGIR

Age / Gender : 29 Years / Male

Consulting Dr. : - Collected : 25-Nov-2021 / 19:28

Reg. Location : J B Nagar, Andheri East (Main Centre) Reported :26-Nov-2021 / 12:24

Anisocytosis +

Poikilocytosis Mild

Polychromasia -

Target Cells -

Basophilic Stippling -

Normoblasts -

Others Elliptocytes-occasional

WBC MORPHOLOGY -

PLATELET MORPHOLOGY Few megaplatelets seen on smear, Few Platelets aggregates seen on smear, Platelet

count may not be representative due to presence of megaplatelets & platelet

Authenticity Check

Use a OR Code Scanner

Application To Scan the Code

aggregates on smear

COMMENT -

Result rechecked.

Kindly correlate clinically.

Advice: Repeat estimation with a fresh EDTA/Citrate whole blood sample for accurate platelet count.

Specimen: EDTA Whole Blood

ESR, EDTA WB-ESR 6 2-15 mm at 1 hr. Westergren

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD CPL, Andheri West
*** End Of Report ***







Dr. AMAR DASGUPTA, MD, PhD
Consultant Hematopathologist
Director - Medical Services

Dr.ANUPA DIXIT M.D.(PATH) Pathologist

ADDRESS: 2nd Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053

HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343

For Feedback - customerservice@suburbandiagnostics.com | www.suburbandiagnostics.com

Page 2 of 9



Name : MR.YOGESH SADGIR

Age / Gender : 29 Years / Male

Consulting Dr. : -

Reg. Location : J B Nagar, Andheri East (Main Centre)



Authenticity Check

Use a QR Code Scanner Application To Scan the Code

:25-Nov-2021 / 19:28

Reported :26-Nov-2021 / 14:32

Collected

ARCOFEMI HEALTHCARE- BLOOD TEST

PARAMETER	<u>RESULTS</u>	BIOLOGICAL REF RANGE	<u>METHOD</u>	
GLUCOSE (SUGAR) FASTING, Fluoride Plasma	84.9	Non-Diabetic: < 100 mg/dl Impaired Fasting Glucose: 100-125 mg/dl Diabetic: >/= 126 mg/dl	Hexokinase	
GLUCOSE (SUGAR) PP, Fluoride Plasma PP/R	60.6	Non-Diabetic: < 140 mg/dl Impaired Glucose Tolerance: 140-199 mg/dl Diabetic: >/= 200 mg/dl	Hexokinase	
TOTAL PROTEINS, Serum	7.0	6.4-8.3 g/dL	Biuret	
ALBUMIN, Serum	4.7	3.5-5.2 g/dL	BCG	
GLOBULIN, Serum	2.3	2.3-3.5 g/dL	Calculated	
A/G RATIO, Serum	2	1 - 2	Calculated	
BLOOD UREA, Serum	25.0	12.8-42.8 mg/dl	Kinetic	
BUN, Serum	11.7	6-20 mg/dl	Calculated	
CREATININE, Serum	0.94	0.67-1.17 mg/dl	Enzymatic	
eGFR, Serum	101	>60 ml/min/1.73sqm	Calculated	
URIC ACID, Serum	5.1	3.5-7.2 mg/dl	Enzymatic	
Urine Sugar (Fasting)	Absent	Absent		
Urine Ketones (Fasting)	Absent	Absent		
*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD CPL, Andheri West				







Dr.ANUPA DIXIT
M.D.(PATH)
Consultant Pathologist & Lab Director

ADDRESS: 2" Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053

*** End Of Report ***

HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343

For Feedback - customerservice@suburbandiagnostics.com | www.suburbandiagnostics.com

Page 3 of 9



Name : MR. YOGESH SADGIR

Age / Gender : 29 Years / Male

Consulting Dr. : - Collected : 25-Nov-2021 / 19:28

Reg. Location : J B Nagar, Andheri East (Main Centre) Reported :26-Nov-2021 / 12:30

ARCOFEMI HEALTHCARE- BLOOD TEST GLYCOSYLATED HEMOGLOBIN (HbA1c)

<u>PARAMETER</u> <u>RESULTS</u> <u>BIOLOGICAL REF RANGE</u> <u>METHOD</u>

Glycosylated Hemoglobin 4.6 Non-Diabetic Level: < 5.7 % HPLC (HbA1c), EDTA WB - CC Prediabetic Level: 5.7-6.4 %

Prediabetic Level: 5.7-6.4 % Diabetic Level: >/= 6.5 %

Authenticity Check

Use a OR Code Scanner

Application To Scan the Code

Estimated Average Glucose 85.3 mg/dl Calculated

(eAG), EDTA WB - CC

Intended use:

• In patients who are meeting treatment goals, HbA1c test should be performed at least 2 times a year

• In patients whose therapy has changed or who are not meeting glycemic goals, it should be performed quarterly

• For microvascular disease prevention, the HbA1C goal for non pregnant adults in general is Less than 7%.

Clinical Significance:

• HbA1c, Glycosylated hemoglobin or glycated hemoglobin, is hemoglobin with glucose molecule attached to it.

 The HbA1c test evaluates the average amount of glucose in the blood over the last 2 to 3 months by measuring the percentage of glycosylated hemoglobin in the blood.

Test Interpretation:

• The HbA1c test evaluates the average amount of glucose in the blood over the last 2 to 3 months by measuring the percentage of Glycosylated hemoglobin in the blood.

- HbA1c test may be used to screen for and diagnose diabetes or risk of developing diabetes.
- To monitor compliance and long term blood glucose level control in patients with diabetes.
- Index of diabetic control, predicting development and progression of diabetic micro vascular complications.

Factors affecting HbA1c results:

Increased in: High fetal hemoglobin, Chronic renal failure, Iron deficiency anemia, Splenectomy, Increased serum triglycerides, Alcohol ingestion, Lead/opiate poisoning and Salicylate treatment.

Decreased in: Shortened RBC lifespan (Hemolytic anemia, blood loss), following transfusions, pregnancy, ingestion of large amount of Vitamin E or Vitamin C and Hemoglobinopathies

Reflex tests: Blood glucose levels, CGM (Continuous Glucose monitoring)

References: ADA recommendations, AACC, Wallach's interpretation of diagnostic tests 10th edition.

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD CPL, Andheri West
*** End Of Report ***







Dr.TRUPTI SHETTY M. D. (PATH) Pathologist

ADDRESS: 2nd Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053

HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343

For Feedback - customerservice@suburbandiagnostics.com | www.suburbandiagnostics.com

Page 4 of 9



Name : MR. YOGESH SADGIR

: 29 Years / Male Age / Gender

Consulting Dr. Collected : 25-Nov-2021 / 19:28

Reported : J B Nagar, Andheri East (Main Centre) Reg. Location

Authenticity Check

Use a OR Code Scanner Application To Scan the Code

:26-Nov-2021 / 12:29

ARCOFEMI HEALTHCARE- BLOOD TEST URINE EXAMINATION REPORT

<u>PARAMETER</u>	RESULTS	BIOLOGICAL REF RANGE	<u>METHOD</u>
PHYSICAL EXAMINATION			
Color	Yellow	Pale Yellow	-
Reaction (pH)	6.0	4.5 - 8.0	Chemical Indicator
Specific Gravity	1.025	1.001-1.030	Chemical Indicator
Transparency	Hazy	Clear	-
Volume (ml)	50	-	-
CHEMICAL EXAMINATION			
Proteins	Trace	Absent	pH Indicator
Glucose	Absent	Absent	GOD-POD
Ketones	Absent	Absent	Legals Test
Blood	Absent	Absent	Peroxidase
Bilirubin	Absent	Absent	Diazonium Salt
Urobilinogen	Normal	Normal	Diazonium Salt
Nitrite	Absent	Absent	Griess Test
MICROSCOPIC EXAMINATION			
Leukocytes(Pus cells)/hpf	1-2	0-5/hpf	
Red Blood Cells / hpf	Absent	0-2/hpf	

Epithelial Cells / hpf

Casts Absent Absent Crystals **Absent Absent** Amorphous debris Absent ++

0-1

Bacteria / hpf 10-15 Less than 20/hpf

Others







Dr.ANUPA DIXIT M.D.(PATH) **Pathologist**

ADDRESS: 2nd Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053

HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343

^{*}Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD CPL, Andheri West *** End Of Report **



Name : MR. YOGESH SADGIR

Age / Gender : 29 Years / Male

Consulting Dr. : - Collected : 25-Nov-2021 / 19:28

Reg. Location : J B Nagar, Andheri East (Main Centre) Reported :26-Nov-2021 / 13:59

ARCOFEMI HEALTHCARE- BLOOD TEST BLOOD GROUPING & Rh TYPING

PARAMETER RESULTS

ABO GROUP 0

Rh TYPING POSITIVE

NOTE: Test performed by automated column agglutination technology (CAT) which is more sensitive than conventional methods.

Note: This sample is not tested for Bombay blood group.

Specimen: EDTA Whole Blood and/or serum

Clinical significance:

ABO system is most important of all blood group in transfusion medicine

Limitations:

- ABO blood group of new born is performed only by cell (forward) grouping because allo antibodies in cord blood are of maternal origin.
- Since A & B antigens are not fully developed at birth, both Anti-A & Anti-B antibodies appear after the first 4 to 6 months of life. As a result, weaker reactions may occur with red cells of newborns than of adults.
- Confirmation of newborn's blood group is indicated when A & B antigen expression and the isoagglutinins are fully developed at 2 to 4 years of age & remains constant throughout life.
- Cord blood is contaminated with Wharton's jelly that causes red cell aggregation leading to false positive result
- The Hh blood group also known as Oh or Bombay blood group is rare blood group type. The term Bombay is used to refer the phenotype that lacks normal expression of ABH antigens because of inheritance of hh genotype.

Refernces:

- 1. Denise M Harmening, Modern Blood Banking and Transfusion Practices- 6th Edition 2012. F.A. Davis company. Philadelphia
- 2. AABB technical manual

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD CPL, Andheri West
*** End Of Report ***







Dr.ANUPA DIXIT
M.D.(PATH)
Pathologist

Authenticity Check

Use a OR Code Scanner

Application To Scan the Code

ADDRESS: 2nd Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053

HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343

For Feedback - customerservice@suburbandiagnostics.com | www.suburbandiagnostics.com

Page 6 of 9



Name : MR. YOGESH SADGIR

: 29 Years / Male Age / Gender

Consulting Dr. Collected

Reported Reg. Location : J B Nagar, Andheri East (Main Centre)

Authenticity Check

Use a OR Code Scanner Application To Scan the Code

:25-Nov-2021 / 19:28

:26-Nov-2021 / 12:30

ARCOFEMI HEALTHCARE- BLOOD TEST LIPID PROFILE

<u>PARAMETER</u>	RESULTS	BIOLOGICAL REF RANGE	<u>METHOD</u>
CHOLESTEROL, Serum	104.9	Desirable: <200 mg/dl Borderline High: 200-239mg/dl High: >/=240 mg/dl	Enzymatic
TRIGLYCERIDES, Serum	47.7	Normal: <150 mg/dl Borderline-high: 150 - 199 mg/dl High: 200 - 499 mg/dl Very high:>/=500 mg/dl	Enzymatic
HDL CHOLESTEROL, Serum	41.1	Desirable: >60 mg/dl Borderline: 40 - 60 mg/dl Low (High risk): <40 mg/dl	Enzymatic
NON HDL CHOLESTEROL, Serum	63.8	Desirable: <130 mg/dl Borderline-high:130 - 159 mg/d High:160 - 189 mg/dl Very high: >/=190 mg/dl	Calculated l
LDL CHOLESTEROL, Serum	54.0	Optimal: <100 mg/dl Near Optimal: 100 - 129 mg/dl Borderline High: 130 - 159 mg/dl High: 160 - 189 mg/dl Very High: >/= 190 mg/dl	Calculated
VLDL CHOLESTEROL, Serum	9.8	< /= 30 mg/dl	Calculated
CHOL / HDL CHOL RATIO, Serum	2.6	0-4.5 Ratio	Calculated
LDL CHOL / HDL CHOL RATIO, Serum	1.3	0-3.5 Ratio	Calculated

^{*}Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD CPL, Andheri West *** End Of Report ***









ADDRESS: 2nd Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053

HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343

For Feedback - customerservice@suburbandiagnostics.com | www.suburbandiagnostics.com

Page 7 of 9



Name : MR. YOGESH SADGIR

Age / Gender : 29 Years / Male

Consulting Dr. : - Collected : 25-Nov-2021 / 19:28

Reg. Location : J B Nagar, Andheri East (Main Centre) Reported :26-Nov-2021 / 11:57

ARCOFEMI HEALTHCARE- BLOOD TEST THYROID FUNCTION TESTS

<u>PARAMETER</u>	<u>RESULTS</u>	BIOLOGICAL REF RANGE	<u>METHOD</u>
Free T3, Serum	5.5	3.5-6.5 pmol/L	ECLIA
Free T4, Serum	17.1	11.5-22.7 pmol/L	ECLIA
sensitiveTSH, Serum	1.86	0.35-5.5 microIU/ml	ECLIA

Interpretation:

A thyroid panel is used to evaluate thyroid function and/or help diagnose various thyroid disorders.

Clinical Significance:

- 1)TSH Values between 5.5 to 15 microIU/ml should be correlated clinically or repeat the test with new sample as physiological factors can give falsely high TSH.
- 2)TSH values may be trasiently altered becuase of non thyroidal illness like severe infections, liver disease, renal and heart severe burns, trauma and surgery etc.

	adama dangany ata				
TSH	FT4 / T4	FT3 / T3	Interpretation		
High	Normal	Normal	Subclinical hypothyroidism, poor compliance with thyroxine, drugs like amiodarone, Recovery phase of non-thyroidal illness, TSH Resistance.		
High	Low	Low	Hypothyroidism, Autoimmune thyroiditis, post radio iodine Rx, post thyroidectomy, Anti thyroid drugs, tyrosine kinase inhibitors & amiodarone, amyloid deposits in thyroid, thyroid tumors & congenital hypothyroidism.		
Low	High	High	Hyperthyroidism, Graves disease, toxic multinodular goiter, toxic adenoma, excess iodine or thyroxine intake, pregnancy related (hyperemesis gravidarum, hydatiform mole)		
Low	Normal	Normal	Subclinical Hyperthyroidism, recent Rx for Hyperthyroidism, drugs like steroids & dopamine), Non thyroidal illness.		
Low	Low	Low	Central Hypothyroidism, Non Thyroidal Illness, Recent Rx for Hyperthyroidism.		
High	High	High	Interfering anti TPO antibodies, Drug interference: Amiodarone, Heparin, Beta Blockers, steroids & anti epileptics.		

Diurnal Variation:TSH follows a diurnal rhythm and is at maximum between 2 am and 4 am, and is at a minimum between 6 pm and 10 pm. The variation is on the order of 50 to 206%. Biological variation:19.7%(with in subject variation)

Reflex Tests: Anti thyroid Antibodies, USG Thyroid , TSH receptor Antibody. Thyroglobulin, Calcitonin

Limitations: Samples should not be taken from patients receiving therapy with high biotin doses (i.e. >5 mg/day) until atleast 8 hours following the last biotin administration.

Reference:

- 1.O.koulouri et al. / Best Practice and Research clinical Endocrinology and Metabolism 27(2013)
- 2.Interpretation of the thyroid function tests, Dayan et al. THE LANCET . Vol 357
- 3. Tietz , Text Book of Clinical Chemistry and Molecular Biology -5th Edition
- 4.Biological Variation:From principles to Practice-Callum G Fraser (AACC Press)

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD CPL, Andheri West
*** End Of Report ***







Dr.ANUPA DIXIT
M.D.(PATH)
Consultant Pathologist & Lab Director

Authenticity Check

Use a OR Code Scanner

Application To Scan the Code

ADDRESS: 2nd Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053

HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343

For Feedback - customerservice@suburbandiagnostics.com | www.suburbandiagnostics.com

Page 8 of 9



Name : MR. YOGESH SADGIR

: 29 Years / Male Age / Gender

Consulting Dr. Collected :25-Nov-2021 / 19:28

Reported :26-Nov-2021 / 12:30 Reg. Location : J B Nagar, Andheri East (Main Centre)

Authenticity Check

Use a OR Code Scanner Application To Scan the Code

ARCOFEMI HEALTHCARE- BLOOD TEST LIVER FUNCTION TESTS

<u>PARAMETER</u>	RESULTS	BIOLOGICAL REF RANGE	<u>METHOD</u>
BILIRUBIN (TOTAL), Serum	1.05	0.1-1.2 mg/dl	Colorimetric
BILIRUBIN (DIRECT), Serum	0.44	0-0.3 mg/dl	Diazo
BILIRUBIN (INDIRECT), Serum	0.61	0.1-1.0 mg/dl	Calculated
TOTAL PROTEINS, Serum	7.0	6.4-8.3 g/dL	Biuret
ALBUMIN, Serum	4.7	3.5-5.2 g/dL	BCG
GLOBULIN, Serum	2.3	2.3-3.5 g/dL	Calculated
A/G RATIO, Serum	2.0	1 - 2	Calculated
SGOT (AST), Serum	22.2	5-40 U/L	NADH (w/o P-5-P)
SGPT (ALT), Serum	37.9	5-45 U/L	NADH (w/o P-5-P)
GAMMA GT, Serum	17.5	3-60 U/L	Enzymatic
ALKALINE PHOSPHATASE, Serum	84.9	40-130 U/L	Colorimetric

^{*}Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD CPL, Andheri West *** End Of Report ***









ADDRESS: 2nd Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053

HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343