

General Physical Examination

Date of Examination: 11/03/2023
Name: Sidhika Mathur Age: 30 Sex: f
DOB: 6/6/1992
Referred By: Bob
Photo ID: Aadhar ID #: Attached
Ht: 165 (cm) Wt: 51 (Kg)
Chest (Expiration): 82 (cm) Abdomen Circumference: 80 (cm)
Blood Pressure: 104/70 mm Hg PR: 87/min RR: 16/min Temp: Afebrile
BMI 18.7

Eye Examination: Dist vision 6/6, Near vision N/6
No color blindness
Other: Not Significant

On examination he/she appears physically and mentally fit: Yes/No

S. M. G.

Signature Of Examinee : _____ Name of Examinee: _____

Signature Medical Examiner : _____ Name Medical Examiner _____

Dr. Piyush Goyal
M.B.B.S., D.M.R.D.
RMC Reg No -017996

भारत सरकार
Government of India

सिधिका माथुर
Sidhika Mathur
जन्म तिथि/DOB: 06/06/1992
महिला/ FEMALE

Issue Date: 19/01/2016

5874 9376 6074
VID : 9157 7357 0362 6539

मेरा आधार, मेरी पहचान

Sidhika Mathur

भारत सरकार
Government of India

पता:
आसजा: धर्म नारायण माथुर, 23/790, चोपासनी हाउसिंग
बोर्ड, जोधपुर, राजस्थान - 342008


Address:
D/O: Dharm Narayan Mathur, 23/790,
CHOPASANI HOUSING BOARD, Jodhpur,
Rajasthan - 342008

Download Date: 22/03/2023


5874 9376 6074
VID : 9157 7357 0362 6539

1947 | help@uidai.gov.in | www.uidai.gov.in

Dr Piyush Royyal
M.B.B.S, D.M.R.D
RMC Reg No -017998



Vent Rate : 74 bpm
 PR Interval : 132 ms
 QRS Duration: 78 ms
 QT/QTc Int : 372/397 ms
 P-QRS-T axis: 82.00° 90.00° 71.00°



Dr. Harsh Kumar Mehta
 RMC No. 55703
 MBBS, D.P. CARDIO (ESCORTIS)
 M.D.E.M. (RCGP-UK)

Reported By:



MRS SIDHIKA MATHUR / 30 Yrs / F / 0 Cms / 0 Kg

Date: 11 / 03 / 2023 Refd By : BOB Examined By:

Stage	Time	Duration	Speed(mph)	Elevation	METS	Rate	% THR	BP	RPP	PVC	Comments
Supine	00:11	0:11	01.1	00.0	01.0	077	41 %	110/76	084	00	
Standing	00:23	0:12	01.1	00.0	01.0	077	41 %	110/76	084	00	
HV	00:39	0:16	01.1	00.0	01.0	087	46 %	110/76	095	00	
Warm Up	00:52	0:13	01.1	00.0	01.0	092	48 %	110/76	101	00	
ExStart	02:03	1:11	01.1	00.0	01.0	115	61 %	110/76	126	00	
BRUCE Stage 1	05:03	3:00	01.7	10.0	04.7	128	67 %	120/80	153	00	
BRUCE Stage 2	08:03	3:00	02.5	12.0	07.1	155	82 %	126/86	195	00	
BRUCE Stage 3	11:03	3:00	03.4	14.0	10.2	168	88 %	136/90	228	00	
PeakEx	11:15	0:12	04.2	16.0	10.4	169	89 %	136/90	229	00	
Recovery	12:15	1:00	00.0	00.0	04.3	125	66 %	140/90	175	00	
Recovery	13:15	2:00	00.0	00.0	01.0	107	56 %	130/84	139	00	
Recovery	14:15	3:00	00.0	00.0	01.0	103	54 %	126/80	129	00	
Recovery	15:15	4:00	00.0	00.0	01.0	098	52 %	120/80	117	00	
Recovery	16:15	5:00	00.0	00.0	01.0	098	52 %	116/76	113	00	
Recovery	16:24	5:09	00.0	00.0	01.0	098	52 %	116/76	113	00	

FINDINGS :

Exercise Time : 09:12
 Max HR Attained : 169 bpm 89% of Target 190
 Max BP Attained : 140/90 (mm/Hg)
 Max WorkLoad Attained : 10.4 Good response to induced stress
 Test End Reasons : Test Complete, Heart Rate Achieved

REPORT :


Tmt is negative for Rm1.

Dr. Nareesh Kumar Mohan
 MBBS, DIP. CARDIO (ESCORTS)
 D.E.M. (RCGP-UK)



4X 80 mS Post J

ExTime: 00:00 1.1 mph, 0.0%
25 mm/Sec. 1.0 Cm/mV




REMARKS:



4X 80 mS Post J

ExTime: 00:00 1.1 mph, 0.0%
25 mm/Sec. 1.0 Cm/mV



REMARKS:




Date: 11 / 03 / 2023

METS: 1.0/ 87 bpm 46% of THR BP: 110/76 mmHg Raw ECG/ BLC On/ Notch On/ HF 0.05 Hz/LF 35 Hz

ExTime: 00:00 1.1 mph, 0.0%

4X 80 ms Post-J

25 mm/Sec. 1.0 Cm/mV



REMARKS:




Date: 11/03/2023

METS: 1.0/ 92 bpm 48% of THR BP: 110/76 mmHg Raw ECG/BLC On/ Notch On/ HF 0.05 Hz/LF 35 Hz

ExTime: 00:00 1.1 mph, 0.0%

25 mm/Sec. 1.0 Cm/mV

4X 80 mS Post J



REMARKS:




Date: 11 / 03 / 2023

METS: 1.0/ 115 bpm 61% of THR BP: 110/76 mmHg Raw ECG/ BLC On/ HF 0.05 Hz/LF 35 Hz

ExTime: 00:00 1.1 mph, 0.0%

4X 80 mS Post J

25 mm/Sec. 1.0 Cm/mV



REMARKS:




Date: 11 / 03 / 2023

METS: 4.71 128 bpm 67% of THR BP: 120/80 mmHg Raw ECG/ BLC On/ Notch On/ HF 0.05 Hz/LF 35 Hz

ExTime: 03:00 1.7 mph, 10.0%
 25 mm/Sec. 1.0 Cm/mV

4X 80 mS Post J



REMARKS:




ExTime: 06:00 2.5 mph, 12.0%
25 mm/Sec. 1.0 Cm/mV

METS: 7.1/ 155 bpm 82% of THR BP: 126/86 mmHg Raw ECG/ BLC On/ HF 0.05 Hz/LF 35 Hz

Date: 11/03/2023

4X 60 mS Post J



REMARKS:

(ADX_GEM217220330)(R)Allengers




BRUCE: Stage 3(3:00)

DR GOYAL'S PATH LAB & IMAGING CENTRE
MRS SIDHIKA MATHUR / 30 Yrs / F / 0 Cms / 0 Kg / HR : 168

Ex Time: 09:00 3.4 mph, 14.0%
25 mm/Sec. 1.0 Cm/mV

Date: 11 / 03 / 2023 METS: 10.2/ 168 bpm 88% of THR BP: 136/90 mmHg Raw ECG/ BLC On/ HF 0.05 Hz/LF 35 Hz

4X 60 mS Post J



REMARKS:

(ADX_GEM21720330)(R)Allengers



PeakEx




DR GOYAL'S PATH LAB & IMAGING CENTRE
MRS SIDHIKA MATHUR / 30 Yrs / F / 0 Cms / 0 Kg / HR : 169

ExTime: 09:12 4.2 mph, 16.0%
25 mm/Sec. 1.0 Cm/mV

MEETS: 10.4/ 169 bpm 89% of THR BP: 136/90 mmHg Raw ECG/ BLC On/ Notch On/ HF 0.05 Hz/LF 35 Hz

Date: 11 / 03 / 2023

4X 60 mS Post J



REMARKS:

(ADX_GEM217220330)(R)Allengers

DR GOYAL'S PATH LAB & IMAGING CENTRE

MRS SIDHIKA MATHUR / 30 Yrs / F / 0 Cms / 0 Kg / HR : 125

Recovery(1:00)





ExTime: 09:12 0.0 mph, 0.0%
25 mm/Sec. 1.0 Cm/mV

METS: 4.3/ 125 bpm 66% of THR BP: 140/90 mmHg Raw ECG/ BLC On/ Notch On/ HF 0.05 Hz/LF 35 Hz

Date: 11 / 03 / 2023

4X 60 mS Post J



REMARKS:

(ADX_GEM217220330)(R)Allengers

DR GOYAL'S PATH LAB & IMAGING CENTRE

MRS SIDHIKA MATHUR / 30 Yrs / F / O Cms / 0 Kg / HR : 107

Recovery(2:00)




Date: 11 / 03 / 2023

METS: 1.0/ 107 bpm 56% of THR BP: 130/84 mmHg Raw ECG/ BLC On/ Notch On/ HF 0.05 Hz/LF 35 Hz

ExTime: 09:12 0.0 mph. 0.0%
25 mm/Sec. 1.0 Cm/mV

4X 80 mS Post.J



REMARKS:

(ADX_GEM21720330)(R)Allengers

DR GOYAL'S PATH LAB & IMAGING CENTRE

MRS SIDHIKA MATHUR / 30 Yrs / F / 0 Cms / 0 Kg / HR : 103

Recovery(3:00)




Date: 11 / 03 / 2023

METS: 1.0/ 103 bpm 54% of THR BP: 126/80 mmHg Raw ECG/ BLC On/ Notch On/ HF 0.05 Hz/LF 35 Hz

ExTime: 09:12 0.0 mph, 0.0%
25 mm/Sec. 1.0 Cm/mV

4X 80 mS Post J



REMARKS:

(ADX_GEM217220330)(R)Allengers

DR GOYAL'S PATH LAB & IMAGING CENTRE

MRS SIDHIKA MATHUR / 30 Yrs / F / 0 Cms / 0 Kg / HR : 98

Date: 11 / 03 / 2023

METS: 1.0/ 98 bpm 52% of THR BP: 120/80 mmHg Raw ECG/ BLC On/ HF 0.05 Hz/LF 35 Hz


4X

80 mS Post J



Recovery(4:00)

ExTime: 09:12 0.0 mph, 0.0%
25 mm/Sec. 1.0 Cm/mV



REMARKS:

(ADX_GEM217220330)(R)Allengers

DR GOYAL'S PATH LAB & IMAGING CENTRE

MRS SIDHIKA MATHUR / 30 Yrs / F / 0 Cms / 0 Kg / HR : 98

Date: 11 / 03 / 2023

METS: 1.0/ 98 bpm 52% of THR BP: 116/76 mmHg Raw ECG/ BLC On/ Notch On/ HF 0.05 Hz/LF 35 Hz


4X

80 mS Post J



Recovery(5:00)

EXTime: 09:12 0.0 mph, 0.0%
25 mm/Sec. 1.0 Cm/mV



REMARKS:

(ADX_GEM217220330)(R)Allengers

DR GOYAL'S PATH LAB & IMAGING CENTRE

MRS SIDHIKA MATHUR / 30 Yrs / F / 0 Cms / 0 Kg / HR : 98

Date: 11 / 03 / 2023


METS: 1.0/ 98 bpm 52% of THR BP: 116/76 mmHg Raw ECG/ BLC On/ HF 0.05 Hz/LF 35 Hz

Recovery(5:09)



4X 80 mS Post J

ExTime: 09:12 0.0 mph, 0.0%
25 mm/Sec. 1.0 Cm/mV



REMARKS:

(ADX_GEM217220330)(R)Allengers




Average

Date: 11 / 03 / 2023



(ADX_GEM217220330)(R)Allengers




DR GOYAL'S PATH LAB & IMAGING CENTRE

MRS SIDHIKA MATHUR / 30 Yrs / F / 0 Cms / 0 Kg / HR : 66

Date: 11/03/2023

Average



(ADX_GEM217220330)(R)Allengers

Dr. Goyal's

Path Lab & Imaging Centre

B-51, Ganesh Nagar, Opp. Janpath Corner, New Sanganer Road, Jaipur
Tele : 0141-2293346, 4049787, 9887049787
Website : www.drgoyalspathlab.com | E-mail : drgoyalpiyush@gmail.com



Date :- 11/03/2023 09:29:38
NAME :- Mrs. SIDHIKA MATHUR
Sex / Age :- Female
Company :- MediWheel

Patient ID :- 122229949
Ref. By Doctor:-BOB
Lab/Hosp :-

Final Authentication : 11/03/2023 11:18:08

BOB PACKAGEFEMALE BELOW 40

X RAY CHEST PA VIEW:

Both lung fields appears clear.

Bronchovascular markings appear normal.

Trachea is in midline.

Both the hilar shadows are normal.

Both the C.P.angles is clear.

Both the domes of diaphragm are normally placed.

Bony cage and soft tissue shadows are normal.

Heart shadows appear normal.

Impression :- Normal Study

(Please correlate clinically and with relevant further investigations)

*** End of Report ***

Page No: 1 of 1

AHSAN

Dr. Piyush Goyal
M.B.B.S., D.M.R.D.
RMC Reg No. 017996

Dr. Poonam Gupta
MBBS, MD (Radio Diagnosis)
RMC No. 32495

Dr. Ashish Choudhary
MBBS, MD (Radio Diagnosis)
Fetal Medicine Consultant

FMF ID - 260517 | RMC No 22430

Dr. Abhishek Jain
MBBS, DNB, (Radio-Diagnosis)
RMC No. 21687

Transcript by.



Date :- 11/03/2023 09:29:38
NAME :- Mrs. SIDHIKA MATHUR
Sex / Age :- Female
Company :- MediWheel

Patient ID :- 122229949
Ref. By Doctor:-BOB
Lab/Hosp :-

Final Authentication : 11/03/2023 14:21:14

BOB PACKAGEFEMALE BELOW 40

ULTRA SOUND SCAN OF ABDOMEN

Liver is of normal size. Echo-texture is normal. No focal space occupying lesion is seen within liver parenchyma. Intra hepatic biliary channels are not dilated. Portal vein diameter is normal.

Gall bladder is of normal size. Wall is not thickened. No calculus or mass lesion is seen in gall bladder. Common bile duct is not dilated.

Pancreas is of normal size and contour. Echo-pattern is normal. No focal lesion is seen within pancreas.

Spleen is of normal size and shape. Echotexture is normal. No focal lesion is seen.

Kidneys are normally sited and are of normal size and shape. Cortico-medullary echoes are normal. No focal lesion is seen. Collecting system does not show any dilatation or calculus.

Urinary Bladder: is well distended and showing smooth wall with normal thickness. Urinary bladder does not show any calculus or mass lesion.

Uterus is anteverted and normal in size. Myometrium shows normal echo - pattern. No focal space occupying lesion is seen. Endometrial echo is normal.

Both ovaries are visualised and are normal. No adnexal mass is seen.

No enlarged nodes are visualised. No retro-peritoneal lesion is identified. No significant free fluid is seen in pouch of douglas.

IMPRESSION:

Normal Study.
Needs clinical correlation & further evaluation

*** End of Report ***

ANITASHARMA

Page No: 1 of 1

Dr. Piyush Goyal
M.B.B.S., D.M.R.D.
RMC Reg No. 017996

Dr. Poonam Gupta
MBBS, MD (Radio Diagnosis)
RMC No. 32495

Dr. Ashish Choudhary
MBBS, MD (Radio Diagnosis)
Fetal Medicine Consultant
FMF ID - 260517 | RMC No 22430

Dr. Abhishek Jain
MBBS, DNB, (Radio-Diagnosis)
RMC No. 21687

Transcript by.



Date :- 11/03/2023 09:29:38
NAME :- Mrs. SIDHIKA MATHUR
Sex / Age :- Female
Company :- MediWheel

Patient ID :-122229949
Ref. By Dr:- BOB
Lab/Hosp :-



Sample Type :- EDTA

Sample Collected Time 11/03/2023 09:31:17

Final Authentication : 11/03/2023 15:07:37

HAEMATOLOGY

Test Name	Value	Unit	Biological Ref Interval
BOB PACKAGE FEMALE BELOW 40			
GLYCOSYLATED HEMOGLOBIN (HbA1C) Method:- HPLC	5.3	%	Non-diabetic: < 5.7 Pre-diabetics: 5.7-6.4 Diabetics: = 6.5 or higher ADA Target: 7.0 Action suggested: > 6.5

Instrument name: ARKRAY's ADAMS Lite HA 8380V, JAPAN.

Test Interpretation:

HbA1C is formed by the condensation of glucose with n-terminal valine residue of each beta chain of HbA to form an unstable schiff base. It is the major fraction, constituting approximately 80% of HbA1c. Formation of glycosylated hemoglobin (GHb) is essentially irreversible and the concentration in the blood depends on both the lifespan of the red blood cells (RBC) (120 days) and the blood glucose concentration. The GHb concentration represents the integrated values for glucose over the period of 6 to 8 weeks. GHb values are free of day to day glucose fluctuations and are unaffected by recent exercise or food ingestion. Concentration of plasma glucose concentration in GHb depends on the time interval, with more recent values providing a larger contribution than earlier values. The interpretation of GHb depends on RBC having a normal life span. Patients with hemolytic disease or other conditions with shortened RBC survival exhibit a substantial reduction of GHb. High GHb have been reported in iron deficiency anemia. GHb has been firmly established as an index of long term blood glucose concentrations and as a measure of the risk for the development of complications in patients with diabetes mellitus. The absolute risk of retinopathy and nephropathy are directly proportional to the mean of HbA1C. Genetic variants (e.g. HbS trait, HbC trait), elevated HbF and chemically modified derivatives of hemoglobin can affect the accuracy of HbA1c measurements. The effects vary depending on the specific Hb variant or derivative and the specific HbA1c method.

Ref by ADA 2020

MEAN PLASMA GLUCOSE Method:- Calculated Parameter	105	mg/dL	Non Diabetic < 100 mg/dL Prediabetic 100- 125 mg/dL Diabetic 126 mg/dL or Higher
--	-----	-------	--

AJAYSINGH
Technologist

Page No: 1 of 12



Dr. Rashmi Bakshi
MBBS, MD (Path)
RMC No. 17975/008828



Date :- 11/03/2023 09:29:38
NAME :- Mrs. SIDHIKA MATHUR
Sex / Age :- Female
Company :- MediWheel

Patient ID :-122229949
Ref. By Dr:- BOB
Lab/Hosp :-



Sample Type :- EDTA

Sample Collected Time 11/03/2023 09:31:17

Final Authentication : 11/03/2023 15:07:37

HAEMATOLOGY

Test Name	Value	Unit	Biological Ref Interval
HAEMOGARAM			
HAEMOGLOBIN (Hb)	10.9 L	g/dL	12.0 - 15.0
TOTAL LEUCOCYTE COUNT	6.96	/cumm	4.00 - 10.00
DIFFERENTIAL LEUCOCYTE COUNT			
NEUTROPHIL	66.5	%	40.0 - 80.0
LYMPHOCYTE	29.1	%	20.0 - 40.0
EOSINOPHIL	2.2	%	1.0 - 6.0
MONOCYTE	1.9 L	%	2.0 - 10.0
BASOPHIL	0.3	%	0.0 - 2.0
NEUT#	4.63	10 ³ /uL	1.50 - 7.00
LYMPH#	2.03	10 ³ /uL	1.00 - 3.70
EO#	0.15	10 ³ /uL	0.00 - 0.40
MONO#	0.13	10 ³ /uL	0.00 - 0.70
BASO#	0.02	10 ³ /uL	0.00 - 0.10
TOTAL RED BLOOD CELL COUNT (RBC)	5.85 H	x10 ⁶ /uL	3.80 - 4.80
HEMATOCRIT (HCT)	33.50 L	%	36.00 - 46.00
MEAN CORP VOLUME (MCV)	57.2 L	fL	83.0 - 101.0
MEAN CORP HB (MCH)	18.6 L	pg	27.0 - 32.0
MEAN CORP HB CONC (MCHC)	32.4	g/dL	31.5 - 34.5
PLATELET COUNT	310	x10 ³ /uL	150 - 410
RDW-CV	16.3 H	%	11.6 - 14.0
MENTZER INDEX	9.78		

The Mentzer index is used to differentiate iron deficiency anemia from beta thalassemia trait. If a CBC indicates microcytic anemia, these are two of the most likely causes, making it necessary to distinguish between them.

If the quotient of the mean corpuscular volume divided by the red blood cell count is less than 13, thalassemia is more likely. If the result is greater than 13, then iron-deficiency anemia is more likely.

AJAYSINGH
Technologist

Page No: 2 of 12



Dr. Rashmi Bakshi
MBBS. MD (Path)
RMC No. 17975/008828

Date :- 11/03/2023 09:29:38
NAME :- Mrs. SIDHIKA MATHUR
Sex / Age :- Female
Company :- MediWheel

Patient ID :-122229949
Ref. By Dr:- BOB
Lab/Hosp :-



Sample Type :- EDTA

Sample Collected Time 11/03/2023 09:31:17

Final Authentication : 11/03/2023 15:07:37

HAEMATOLOGY

Test Name	Value	Unit	Biological Ref Interval
-----------	-------	------	-------------------------

Erythrocyte Sedimentation Rate (ESR)	12	mm/hr.	00 - 20
---	----	--------	---------

(ESR) Methodology : Measurement of ESR by cells aggregation.

Instrument Name : Independent form Hematocrit value by Automated Analyzer (Roller-20)

Interpretation : ESR test is a non-specific indicator of inflammatory disease and abnormal protein states.

The test is used to detect, follow course of a certain disease (e.g-tuberculosis, rheumatic fever, myocardial infarction

Levels are higher in pregnancy due to hyperfibrinogenaemia.

The "3-figure ESR" $\times > 100$ value nearly always indicates serious disease such as a serious infection, malignant paraproteinaemia or connective tissue disease.

(CBC): Methodology: TLC, DLC Fluorescent Flow cytometry, HB SLS method, TRBC, PCV, PLT Hydrodynamically focused Impedance. and MCH, MCV, MCHC, MENTZER INDEX are calculated. Instrument Name: Sysmex 6 part fully automatic analyzer XN-L, Japan

AJAYSINGH
Technologist

Page No: 3 of 12



Dr. Rashmi Bakshi
MBBS. MD (Path)
RMC No. 17975/008828



Date :- 11/03/2023 09:29:38
NAME :- Mrs. SIDHIKA MATHUR
 Sex / Age :- Female
 Company :- MediWheel

Patient ID :-122229949
 Ref. By Dr:- BOB
 Lab/Hosp :-



Sample Type :- PLAIN/SERUM

Sample Collected Time 11/03/2023 09:31:17

Final Authentication : 11/03/2023 11:35:00

BIOCHEMISTRY

Test Name	Value	Unit	Biological Ref Interval
LIPID PROFILE			
TOTAL CHOLESTEROL Method:- Enzymatic Endpoint Method	88.72	mg/dl	Desirable <200 Borderline 200-239 High > 240
TRIGLYCERIDES Method:- GPO-PAP	33.33	mg/dl	Normal <150 Borderline high 150-199 High 200-499 Very high >500
DIRECT HDL CHOLESTEROL Method:- Direct clearance Method	31.15	mg/dl	Low < 40 High > 60
DIRECT LDL CHOLESTEROL Method:- Direct clearance Method	52.01	mg/dl	Optimal <100 Near Optimal/above optimal 100-129 Borderline High 130-159 High 160-189 Very High > 190
VLDL CHOLESTEROL Method:- Calculated	6.67	mg/dl	0.00 - 80.00
T.CHOLESTEROL/HDL CHOLESTEROL RATIO Method:- Calculated	2.85		0.00 - 4.90
LDL / HDL CHOLESTEROL RATIO Method:- Calculated	1.67		0.00 - 3.50
TOTAL LIPID Method:- CALCULATED	252.17 L	mg/dl	400.00 - 1000.00
TOTAL CHOLESTEROL InstrumentName:Randox Rx Imola Interpretation: Cholesterol measurements are used in the diagnosis and treatments of lipid lipoprotein metabolism disorders.			
TRIGLYCERIDES InstrumentName:Randox Rx Imola Interpretation : Triglyceride measurements are used in the diagnosis and treatment of diseases involving lipid metabolism and various endocrine disorders e.g. diabetes mellitus, nephrosis and liver obstruction.			
DIRECT HDLCHOLESTERO InstrumentName:Randox Rx Imola Interpretation: An inverse relationship between HDL-cholesterol (HDL-C) levels in serum and the incidence/prevalence of coronary heart disease (CHD) has been demonstrated in a number of epidemiological studies. Accurate measurement of HDL-C is of vital importance when assessing patient risk from CHD. Direct measurement gives improved accuracy and reproducibility when compared to precipitation methods.			
DIRECT LDL-CHOLESTEROL InstrumentName:Randox Rx Imola Interpretation: Accurate measurement of LDL-Cholesterol is of vital importance in therapies which focus on lipid reduction to prevent atherosclerosis or reduce its progress and to avoid plaque rupture.			
TOTAL LIPID AND VLDL ARE CALCULATED			

SURENDRAKHANGA

Page No: 4 of 12



Dr. Chandrika Gupta
 MBBS.MD (Path)
 RMC NO. 21021/008037

Date :- 11/03/2023 09:29:38
NAME :- Mrs. SIDHIKA MATHUR
 Sex / Age :- Female
 Company :- MediWheel

Patient ID :- 122229949
 Ref. By Dr:- BOB
 Lab/Hosp :-



Sample Type :- PLAIN/SERUM

Sample Collected Time 11/03/2023 09:31:17

Final Authentication : 11/03/2023 11:35:00

BIOCHEMISTRY

Test Name	Value	Unit	Biological Ref Interval
LIVER PROFILE WITH GGT			
SERUM BILIRUBIN (TOTAL) Method:- Colorimetric method	0.49	mg/dl	Up to - 1.0 Cord blood <2 Premature < 6 days <16 Full-term < 6 days= 12 1month - <12 months <2 1-19 years <1.5 Adult - Up to - 1.2 Ref-(ACCP 2020)
SERUM BILIRUBIN (DIRECT) Method:- Colorimetric Method	0.18	mg/dL	Adult - Up to 0.25 Newborn - <0.6 mg/dL >- 1 month - <0.2 mg/dL
SERUM BILIRUBIN (INDIRECT) Method:- Calculated	0.31	mg/dl	0.30-0.70
SGOT Method:- IFCC	19.3	U/L	Men- Up to - 37.0 Women - Up to - 31.0
SGPT Method:- IFCC	22.3	U/L	Men- Up to - 40.0 Women - Up to - 31.0
SERUM ALKALINE PHOSPHATASE Method:- AMP Buffer	46.70	IU/L	30.00 - 120.00
SERUM GAMMA GT Method:- IFCC	13.60	U/L	7.00 - 32.00
SERUM TOTAL PROTEIN Method:- Biuret Reagent	6.59	g/dl	6.40 - 8.30
SERUM ALBUMIN Method:- Bromocresol Green	4.30	g/dl	3.80 - 5.00
SERUM GLOBULIN Method:- CALCULATION	2.29	gm/dl	2.20 - 3.50
A/G RATIO	1.88		1.30 - 2.50

Total Bilirubin Methodology: Colorimetric method InstrumentName: Randox Rx Imola Interpretation: An increase in bilirubin concentration in the serum occurs in toxic or infectious diseases of the liver e.g. hepatitis B or obstruction of the bile duct and in rhesus incompatible babies. High levels of unconjugated bilirubin indicate that too much haemoglobin is being destroyed or that the liver is not actively treating the haemoglobin it is receiving.

AST Aspartate Aminotransferase Methodology: IFCC InstrumentName: Randox Rx Imola Interpretation: Elevated levels of AST can signal myocardial infarction, hepatic disease, muscular dystrophy and organ damage. Although heart muscle is found to have the most activity of the enzyme, significant activity has also been seen in the brain, liver, gastric mucosa, adipose tissue and kidneys of humans.

ALT Alanine Aminotransferase Methodology: IFCC InstrumentName: Randox Rx Imola Interpretation: The enzyme ALT has been found to be in highest concentrations in the liver, with decreasing concentrations found in kidney, heart, skeletal muscle, pancreas, spleen and lung tissue respectively. Elevated levels of the transaminases can indicate myocardial infarction, hepatic disease, muscular dystrophy and organ damage.

Alkaline Phosphatase Methodology: AMP Buffer InstrumentName: Randox Rx Imola Interpretation: Measurements of alkaline phosphatase are of use in the diagnosis, treatment and investigation of hepatobiliary disease and in bone disease associated with increased osteoblastic activity. Alkaline phosphatase is also used in the diagnosis of parathyroid and intestinal disease.

TOTAL PROTEIN Methodology: Biuret Reagent InstrumentName: Randox Rx Imola Interpretation: Measurements obtained by this method are used in the diagnosis and treatment of a variety of diseases involving the liver, kidney and bone marrow as well as other metabolic or nutritional disorders.

ALBUMIN (ALB) Methodology: Bromocresol Green InstrumentName: Randox Rx Imola Interpretation: Albumin measurements are used in the diagnosis and treatment of numerous diseases involving primarily the liver or kidneys. Globulin & A/G ratio is calculated.

Instrument Name Randox Rx Imola Interpretation: Elevations in GGT levels are seen earlier and more pronounced than those with other liver enzymes in cases of obstructive jaundice and metastatic neoplasms. It may reach 5 to 30 times normal levels in intra- or post-hepatic biliary obstruction. Only moderate elevations in the enzyme level (2 to 5 times normal)

SURENDRAKHANGA

Page No: 5 of 12



Dr. Chandrika Gupta
 MBBS.MD (Path)
 RMC NO. 21021/008037

Date :- 11/03/2023 09:29:38
NAME :- Mrs. SIDHIKA MATHUR
 Sex / Age :- Female
 Company :- MediWheel

Patient ID :-122229949
 Ref. By Dr:- BOB
 Lab/Hosp :-



Sample Type :- PLAIN/SERUM

Sample Collected Time 11/03/2023 09:31:17

Final Authentication : 11/03/2023 12:16:47

IMMUNOASSAY

Test Name	Value	Unit	Biological Ref Interval
TOTAL THYROID PROFILE			
SERUM TOTAL T3 Method:- Chemiluminescence(Competitive immunoassay)	1.369	ng/ml	0.970 - 1.690
SERUM TOTAL T4 Method:- Chemiluminescence(Competitive immunoassay)	8.215	ug/dl	5.500 - 11.000
SERUM TSH ULTRA Method:- Enhanced Chemiluminescence Immunoassay	1.430	μIU/mL	0.500 - 6.880

Interpretation: Triiodothyronine (T3) contributes to the maintenance of the euthyroid state. A decrease in T3 concentration of up to 50% occurs in a variety of clinical situations, including acute and chronic disease. Although T3 results alone cannot be used to diagnose hypothyroidism, T3 concentration may be more sensitive than thyroxine (T4) for hyperthyroidism. Consequently, the total T3 assay can be used in conjunction with other assays to aid in the differential diagnosis of thyroid disease. T3 concentrations may be altered in some conditions, such as pregnancy, that affect the capacity of the thyroid hormone-binding proteins. Under such conditions, Free T3 can provide the best estimate of the metabolically active hormone concentration. Alternatively, T3 uptake, or T4 uptake can be used with the total T3 result to calculate the free T3 index and estimate the concentration of free T3.

Interpretation : The measurement of Total T4 aids in the differential diagnosis of thyroid disease. While >99.9% of T4 is protein-bound, primarily to thyroxine-binding globulin (TBG), it is the free fraction that is biologically active. In most patients, the total T4 concentration is a good indicator of thyroid status. T4 concentrations may be altered in some conditions, such as pregnancy, that affect the capacity of the thyroid hormone-binding proteins. Under such conditions, free T4 can provide the best estimate of the metabolically active hormone concentration. Alternatively, T3 uptake may be used with the total T4 result to calculate the free T4 index (FT4I) and estimate the concentration of free T4. Some drugs and some nonthyroidal patient conditions are known to alter TT4 concentrations in vivo.

Interpretation : TSH stimulates the production of thyroxine (T4) and triiodothyronine (T3) by the thyroid gland. The diagnosis of overt hypothyroidism by the finding of a low total T4 or free T4 concentration is readily confirmed by a raised TSH concentration. Measurement of low or undetectable TSH concentrations may assist the diagnosis of hyperthyroidism, where concentrations of T4 and T3 are elevated and TSH secretion is suppressed. These have the advantage of discriminating between the concentrations of TSH observed in thyrotoxicosis, compared with the low, but detectable, concentrations that occur in subclinical hyperthyroidism. The performance of this assay has not been established for neonatal specimens. Some drugs and some nonthyroidal patient conditions are known to alter TSH concentrations in vivo.

INTERPRETATION

PREGNANCY	REFERENCE RANGE FOR TSH IN uIU/mL (As per American Thyroid Association)
1st Trimester	0.10-2.50
2nd Trimester	0.20-3.00
3rd Trimester	0.30-3.00

AJAYKUMAR
Technologist

Page No: 6 of 12



Dr. Chandrika Gupta
 MBBS.MD (Path)
 RMC NO. 21021/008037

Date :- 11/03/2023 09:29:38
NAME :- Mrs. SIDHIKA MATHUR
Sex / Age :- Female
Company :- MediWheel

Patient ID :- 122229949
Ref. By Dr:- BOB
Lab/Hosp :-



Sample Type :- URINE

Sample Collected Time 11/03/2023 09:31:17

Final Authentication : 11/03/2023 14:15:58

CLINICAL PATHOLOGY

Test Name	Value	Unit	Biological Ref Interval
Urine Routine			
<u>PHYSICAL EXAMINATION</u>			
COLOUR	PALE YELLOW		PALE YELLOW
APPEARANCE	Clear		Clear
<u>CHEMICAL EXAMINATION</u>			
REACTION(PH) Method:- Reagent Strip(Double indicator blue reaction)	6.0		5.0 - 7.5
SPECIFIC GRAVITY Method:- Reagent Strip(bromthymol blue)	1.025		1.010 - 1.030
PROTEIN Method:- Reagent Strip (Sulphosalicylic acid test)	NIL		NIL
GLUCOSE Method:- Reagent Strip (Glu.Oxidase Peroxidase Benedict)	NIL		NIL
BILIRUBIN Method:- Reagent Strip (Azo-coupling reaction)	NEGATIVE		NEGATIVE
UROBILINOGEN Method:- Reagent Strip (Modified ehrlich reaction)	NORMAL		NORMAL
KETONES Method:- Reagent Strip (Sodium Nitropruside) Rothera's	NEGATIVE		NEGATIVE
NITRITE Method:- Reagent Strip (Diazotization reaction)	NEGATIVE		NEGATIVE
<u>MICROSCOPY EXAMINATION</u>			
RBC/HPF	NIL	/HPF	NIL
WBC/HPF	1-2	/HPF	2-3
EPITHELIAL CELLS	2-4	/HPF	2-3
CRYSTALS/HPF	ABSENT		ABSENT
CAST/HPF	ABSENT		ABSENT
AMORPHOUS SEDIMENT	ABSENT		ABSENT
BACTERIAL FLORA	ABSENT		ABSENT
YEAST CELL	ABSENT		ABSENT
OTHER	ABSENT		ABSENT

TRILOK
Technologist

Page No: 7 of 12



Dr. Rashmi Bakshi
MBBS, MD (Path)
RMC No. 17975/008828
Dr. Chandrika Gupta

Date :- 11/03/2023 09:29:38
NAME :- Mrs. SIDHIKA MATHUR
Sex / Age :- Female
Company :- MediWheel

Patient ID :- 122229949
Ref. By Dr:- BOB
Lab/Hosp :-



Sample Type :- EDTA, URINE

Sample Collected Time 11/03/2023 09:31:17

Final Authentication : 11/03/2023 15:07:37

HAEMATOLOGY

Test Name	Value	Unit	Biological Ref Interval
BLOOD GROUP ABO	"A" NEGATIVE		
BLOOD GROUP ABO Methodology : Haemagglutination reaction Kit Name : Monoclonal agglutinating antibodies (Span clone).			
URINE SUGAR (FASTING) Collected Sample Received	Nil		Nil

AJAYSINGH, TRILOK
Technologist

Page No: 11 of 12



Dr. Rashmi Bakshi
MBBS, MD (Path)
RMC No. 17975/008828
Dr. Chandrika Gupta

Date :- 11/03/2023 09:29:38
NAME :- Mrs. SIDHIKA MATHUR
Sex / Age :- Female
Company :- MediWheel

Patient ID :-122229949
Ref. By Dr:- BOB
Lab/Hosp :-



Sample Type :- PLAIN/SERUM

Sample Collected Time 11/03/2023 09:31:17

Final Authentication : 11/03/2023 11:35:00

BIOCHEMISTRY

Test Name	Value	Unit	Biological Ref Interval
BLOOD UREA NITROGEN (BUN)	9.6	mg/dl	0.0 - 23.0

*** End of Report ***

SURENDRAKHANGA

Page No: 12 of 12



Dr. Chandrika Gupta
MBBS.MD (Path)
RMC NO. 21021/008037