







CLIENT'S NAME AND ADDRESS : ACROFEMI HEALTHCARE LTD (MEDIWHEEL) F-703, LADO SARAI, MEHRAULI SOUTH WEST DELHI NEW DELHI 110030 DELHI INDIA 8800465156

SRL Ltd LEGEND CRYSTAL,SHOP NO-6,GROUND & 1ST FLOOR,PLOT NO-1-7-79/A B:,PRENDERGHAST ROAD SECUNDERABAD, 500003 TELANGANA, INDIA Tel : 9111591115, Fax : CIN - U74899PB1995PLC045956 Email : customercare.hyderabad@srl.in

		customercare.nyderabad@sri.m	
PATIENT NAME : GADE MANGI R	EDDY	PATIENT ID :	GADEM08078942
ACCESSION NO : 0042VG002757	AGE : 33 Years SEX : Male	ABHA NO :	
DRAWN :	RECEIVED : 16/07/2022 08:46	REPORTED : 18/07/20	022 16:08
REFERRING DOCTOR :		CLIENT PATIENT I	D :
Test Report Status <u>Final</u>	Results	Biological Reference	Interval Units
MEDI WHEEL FULL BODY HEALTH	CHECK UP BELOW 40 MALE		
BLOOD COUNTS,EDTA WHOLE BL	OOD		
HEMOGLOBIN	15.4	13.0 - 17.0	g/dL
METHOD : CYANMETHEMOGLOBIN METHOD	1011	1010 1710	9, 42
RED BLOOD CELL COUNT	5.64 +	ligh 4.5 - 5.5	mil/µL
METHOD : ELECTRICAL IMPEDANCE			
WHITE BLOOD CELL COUNT	7.40	4.0 - 10.0	thou/µL
METHOD : ELECTRICAL IMPEDANCE	,	110 1010	
PLATELET COUNT	399	150 - 410	thou/µL
METHOD : ELECTRICAL IMPEDANCE		100 .10	τιο σ, μ=
RBC AND PLATELET INDICES			
HEMATOCRIT	47.1	40 - 50	%
METHOD : CALCULATED PARAMETER	1712		70
MEAN CORPUSCULAR VOL	84.0	83 - 101	fL
METHOD : CALCULATED PARAMETER	0.110		
MEAN CORPUSCULAR HGB.	27.3	27.0 - 32.0	pg
METHOD : CALCULATED PARAMETER			F 5
MEAN CORPUSCULAR HEMOGLOBIN CONCENTRATION METHOD : CALCULATED PARAMETER	32.7	31.5 - 34.5	g/dL
MENTZER INDEX	14.9		
RED CELL DISTRIBUTION WIDTH		High 11.6 - 14.0	%
METHOD : CALCULATED PARAMETER			,0
MEAN PLATELET VOLUME	7.3	6.8 - 10.9	fL
METHOD : CALCULATED PARAMETER			
WBC DIFFERENTIAL COUNT - NLI	R		
SEGMENTED NEUTROPHILS	40	40 - 80	%
METHOD : ACV TECHNOLOGY			
ABSOLUTE NEUTROPHIL COUNT	2.96	2.0 - 7.0	thou/µL
METHOD : CALCULATED PARAMETER			
LYMPHOCYTES	43 H	ligh 20 - 40	%
METHOD : ACV TECHNOLOGY			
ABSOLUTE LYMPHOCYTE COUNT	3.18 +	ligh 1.0 - 3.0	thou/µL
METHOD : CALCULATED PARAMETER			

0.9















GADEM08078942

CLIENT CODE : C000138369

DRAWN :

REFERRING DOCTOR :

CLIENT'S NAME AND ADDRESS : ACROFEMI HEALTHCARE LTD (MEDIWHEEL) F-703, LADO SARAI, MEHRAULI SOUTH WEST DELHI NEW DELHI 110030 DELHI INDIA 8800465156

SRL Ltd LEGEND CRYSTAL,SHOP NO-6,GROUND & 1ST FLOOR,PLOT NO-1-7-79/A B:,PRENDERGHAST ROAD SECUNDERABAD, 500003 TELANGANA, INDIA Tel : 9111591115, Fax : CIN - U74899PB1995PLC045956 Email : customercare.hyderabad@srl.in

PATIENT ID :

18/07/2022 16:08

PATIENT NAME : GADE MANGI REDDY ACCESSION NO : 0042VG002757 AGE : 33 Years SEX : Male

RECEIVED :	16/07/2022 08:46	

CLIENT PATIENT ID :


ABHA NO :

REPORTED :

Test Report Status <u>Final</u>	Results		Biological Reference Interv	al Units
EOSINOPHILS	13	Hiah	1 - 6	%
METHOD : ACV TECHNOLOGY	15	mgn	1-0	70
ABSOLUTE EOSINOPHIL COUNT	0.96	High	0.02 - 0.50	thou/µL
METHOD : CALCULATED PARAMETER				
MONOCYTES	4		2 - 10	%
METHOD : ACV TECHNOLOGY				
ABSOLUTE MONOCYTE COUNT	0.30		0.2 - 1.0	thou/µL
METHOD : CALCULATED PARAMETER				
BASOPHILS	0		0 - 2	%
METHOD : ACV TECHNOLOGY				
ABSOLUTE BASOPHIL COUNT	0	Low	0.02 - 0.10	thou/µL
METHOD : CALCULATED PARAMETER				
DIFFERENTIAL COUNT PERFORMED ON:	EDTA SMEAR			
MORPHOLOGY				
RBC	NORMOCYTIC NORM	MOCHR	DMIC.	
METHOD : MICROSCOPIC EXAMINATION				
WBC	RELATIVE LYMPHOC	CYTOSIS	5 WITH EOSINOPHILIA.	
METHOD : MICROSCOPIC EXAMINATION				
PLATELETS	ADEQUATE ON SME	EAR.		
METHOD : MICROSCOPIC EXAMINATION				
ERYTHRO SEDIMENTATION RATE, BLOOD				
SEDIMENTATION RATE (ESR)	20	High	0 - 14	mm at 1 hr
METHOD : WESTERGREN METHOD				
GLUCOSE, FASTING, PLASMA				
GLUCOSE, FASTING, PLASMA	85		74 - 99	mg/dL
METHOD : SPECTROPHOTOMETRY HEXOKINASE				
GLYCOSYLATED HEMOGLOBIN, EDTA WHOLE B	LOOD			
GLYCOSYLATED HEMOGLOBIN (HBA1C)	5.5		Non-diabetic: < 5.7 Pre-diabetics: 5.7 - 6.4 Diabetics: > or = 6.5 ADA Target: 7.0 Action suggested: > 8.0	%
METHOD : ION- EXCHANGE HPLC				
MEAN PLASMA GLUCOSE	111.2		< 116.0	mg/dL
METHOD : ION- EXCHANGE HPLC				







METHOD : SPECTROPHOTOMETRY, JENDRASSIK & GROFF 0.45 0.1 - 1.0 mg/dL METHOD : SPECTROPHOTOMETRY, CALCULATED



BILIRUBIN, INDIRECT











REFERRING DOCTOR :

CLIENT'S NAME AND ADDRESS : ACROFEMI HEALTHCARE LTD (MEDIWHEEL) F-703, LADO SARAI, MEHRAULI SOUTH WEST DELHI NEW DELHI 110030 DELHI INDIA 8800465156

SRL Ltd LEGEND CRYSTAL,SHOP NO-6,GROUND & 1ST FLOOR,PLOT NO-1-7-79/A B:,PRENDERGHAST ROAD SECUNDERABAD, 500003 TELANGANA, INDIA Tel : 9111591115, Fax : CIN - U74899PB1995PLC045956 Email : customercare.hyderabad@srl.in

PATIENT NAME : GADE MANGI REDDY

PATIENT ID : GADEM08078942

18/07/2022 16:08

ACCESSION NO :	0042VG002757	AGE :	33 Yea	ars	SEX :	Male
DRAWN :		RECEI	VED :	16/07,	/2022	08:46

CLIENT PATIENT ID :

ABHA NO :

REPORTED :

Test Report Status <u>Final</u>	Results		Biological Reference	Interval Units
TOTAL PROTEIN	7.6		6.4 - 8.2	g/dL
METHOD : SPECTROPHOTOMETRY, MODIFIED BIURET				57.4
ALBUMIN	3.8		3.4 - 5.0	g/dL
METHOD : SPECTROPHOTOMETRY, BCP - DYE BINDING				
GLOBULIN	3.8		2.0 - 4.1	g/dL
METHOD : SPECTROPHOTOMETRY,CALCULATED				
ALBUMIN/GLOBULIN RATIO	1.0		1.0 - 2.1	RATIO
METHOD : SPECTROPHOTOMETRY,CALCULATED				
ASPARTATE AMINOTRANSFERASE (AST/SGOT)	45	High	15 - 37	U/L
METHOD : SPECTROPHOTOMETRY, UV WITH PYRIDOXAL -5-PH				
ALANINE AMINOTRANSFERASE (ALT/SGPT)	65	High	< 45.0	U/L
METHOD : SPECTROPHOTOMETRY, UV WITH PYRIDOXAL -5-PH				
ALKALINE PHOSPHATASE	83		30 - 120	U/L
METHOD : SPECTROPHOTOMETRY, P-NPP (AMP BUFFER)	10			
GAMMA GLUTAMYL TRANSFERASE (GGT)	48		15 - 85	U/L
METHOD : SPECTROPHOTOMETRY, G-GLUTAMYL-CARBOXY-NITH LACTATE DEHYDROGENASE	207	High	100 - 190	U/L
METHOD : SPECTROPHOTOMETRY, MODIFIED ENZYMATIC LACT		g.i	100 - 190	0/L
SERUM BLOOD UREA NITROGEN				
BLOOD UREA NITROGEN	8		6 - 20	mg/dL
METHOD : SPECTROPHOTOMETRY, UREASE UV	0		0 20	nig/uL
CREATININE, SERUM				
CREATININE	0.82	Low	0.90 - 1.30	mg/dL
METHOD : SPECTROPHOTOMETRY, ALKALINE PICRATE KINETIC				ing, ac
* BUN/CREAT RATIO				
BUN/CREAT RATIO	9.76		5.00 - 15.00	
METHOD : SPECTROPHOTOMETRY,CALCULATED			20.00	
URIC ACID, SERUM				
URIC ACID	4.0		3.5 - 7.2	mg/dL
METHOD : SPECTROPHOTOMETRY, URICASE				
TOTAL PROTEIN, SERUM				
TOTAL PROTEIN	7.6		6.4 - 8.2	g/dL
METHOD : SPECTROPHOTOMETRY, MODIFIED BIURET	-		-	
ALBUMIN, SERUM				
ALBUMIN	3.8		3.4 - 5.0	g/dL
METHOD : SPECTROPHOTOMETRY, BCP - DYE BINDING				2.







COLOR	PALE YELLOW	
METHOD : MANUAL		
APPEARANCE	CLEAR	
METHOD : MANUAL		
SPECIFIC GRAVITY	1.015	1.003 - 1.035
METHOD : REFLECTANCE SPECTROPHOTOMETRY		
CHEMICAL EXAMINATION, URINE		
PH	6.0	4.7 - 7.5
METHOD : REFLECTANCE SPECTROPHOTOMETRY		
PROTEIN	NOT DETECTED	NOT DETECTED
METHOD : REFLECTANCE SPECTROPHOTOMETRY		
GLUCOSE	NOT DETECTED	NOT DETECTED
METHOD : REFLECTANCE SPECTROPHOTOMETRY		
KETONES	NOT DETECTED	NOT DETECTED
METHOD : REFLECTANCE SPECTROPHOTOMETRY		
BLOOD	NOT DETECTED	NOT DETECTED
METHOD : REFLECTANCE SPECTROPHOTOMETRY		
BILIRUBIN	NOT DETECTED	NOT DETECTED
METHOD : REFLECTANCE SPECTROPHOTOMETRY		
JROBILINOGEN	NORMAL	NORMAL
METHOD : REFLECTANCE SPECTROPHOTOMETRY		
NITRITE	NOT DETECTED	NOT DETECTED
METHOD : REFLECTANCE SPECTROPHOTOMETRY		
EUKOCYTE ESTERASE	NOT DETECTED	NOT DETECTED
MICROSCOPIC EXAMINATION, URINE		

Patient Ref. No. 777000002228649

SEX : Male

RECEIVED : 16/07/2022 08:46

3.8

144

4.42

102

Results

CLIENT CODE : C000138369

DRAWN:

REFERRING DOCTOR :

Test Report Status

* GLOBULIN GLOBULIN

SODIUM

POTASSIUM

CHLORIDE

DIAGNOSTIC REPORT

CLIENT'S NAME AND ADDRESS : ACROFEMI HEALTHCARE LTD (MEDIWHEEL) F-703, LADO SARAI, MEHRAULI SOUTH WEST DELHI NEW DELHI 110030 DELHI INDIA 8800465156

PATIENT NAME : GADE MANGI REDDY

METHOD : SPECTROPHOTOMETRY, CALCULATED ELECTROLYTES (NA/K/CL), SERUM

PHYSICAL EXAMINATION, URINE

ACCESSION NO: 0042VG002757 AGE: 33 Years

Final

METHOD : INTEGRATED MULTISENSOR TECHNOLOGY-INDIRECT

METHOD : INTEGRATED MULTISENSOR TECHNOLOGY-INDIRECT

METHOD : INTEGRATED MULTISENSOR TECHNOLOGY-INDIRECT



ABHA NO :

REPORTED :

2.0 - 4.1

136 - 145

3.50 - 5.10

98 - 107



GADEM08078942

g/dL

mmol/L

mmol/L

mmol/L

SRL Ltd LEGEND CRYSTAL,SHOP NO-6,GROUND & 1ST FLOOR,PLOT NO-1-7-79/A B:,PRENDERGHAST ROAD SECUNDERABAD, 500003 TELANGANA, INDIA Tel : 9111591115, Fax : CIN - U74899PB1995PLC045956 Email : customercare.hyderabad@srl.in

PATIENT ID :

CLIENT PATIENT ID :

18/07/2022 16:08

Biological Reference Interval Units







ABHA NO :



CLIENT CODE : C000138369

CLIENT'S NAME AND ADDRESS : ACROFEMI HEALTHCARE LTD (MEDIWHEEL) F-703, LADO SARAI, MEHRAULI SOUTH WEST DELHI NEW DELHI 110030 DELHI INDIA 8800465156

SRL Ltd LEGEND CRYSTAL, SHOP NO-6, GROUND & 1ST FLOOR, PLOT NO-1-7-79/A B:, PRENDERGHAST ROAD SECUNDERABAD, 500003 TELANGANA, INDIA Tel: 9111591115, Fax: CIN - U74899PB1995PLC045956 Email : customercare.hyderabad@srl.in

CLIENT PATIENT ID :

PATIENT NAME : GADE MANGI REDDY

ACCESSION NO : 0042VG002757 AGE :

PATIENT ID : GADEM08078942

RECEIVED	: 16/07/2022 08:46	REPORTED :	18/07/2022 16:08

SEX : Male

33 Years

REFERRING DOCTOR :

DRAWN:

Test Report Status <u>Final</u>	Results	Biological Reference	Interval Units
PUS CELL (WBC'S)	2-3	0-5	/HPF
METHOD : MICROSCOPIC EXAMINATION			
EPITHELIAL CELLS	2-3	0-5	/HPF
METHOD : MICROSCOPIC EXAMINATION			
ERYTHROCYTES (RBC'S)	NOT DETECTED	NOT DETECTED	/HPF
METHOD : MICROSCOPIC EXAMINATION			
CASTS	NOT DETECTED		
METHOD : MICROSCOPIC EXAMINATION			
CRYSTALS	NOT DETECTED		
METHOD : MICROSCOPIC EXAMINATION			
BACTERIA	NOT DETECTED	NOT DETECTED	
METHOD : MICROSCOPIC EXAMINATION			
YEAST	NOT DETECTED	NOT DETECTED	
Comments			

NOTE : URINE MICROSCOPIC EXAMINATION IS CARRIED OUT ON CENTRIFUGED URINE SEDIMENT.

THYROID PANEL, SERUM			
Т3	118.9	60.0 - 181.0	ng/dL
METHOD : CHEMILUMINESCENCE			
Τ4	10.80	4.5 - 10.9	µg/dL
METHOD : CHEMILUMINESCENCE			
TSH 3RD GENERATION	4.501	0.550 - 4.780	µIU/mL
METHOD : CHEMILUMINESCENCE			
STOOL: OVA & PARASITE			
REMARK	TEST CANCELLE	D AS SPECIMEN NOT RECEIVED	

ABO GROUP & RH TYPE, EDTA WHOLE BLOOD ABO GROUP

TYPE O METHOD : TUBE AGGLUTINATION RH TYPE POSITIVE METHOD : TUBE AGGLUTINATION * XRAY-CHEST BOTH THE LUNG FIELDS ARE CLEAR

BOTH THE COSTOPHRENIC AND CARIOPHRENIC ANGELS ARE CLEAR BOTH THE HILA ARE NORMAL CARDIAC AND AORTIC SHADOWS APPEAR NORMAL BOTH THE DOMES OF THE DIAPHRAM ARE NORMAL



»»

»» »»

»»

»»











GADEM08078942

CLIENT CODE : C000138369

CLIENT'S NAME AND ADDRESS : ACROFEMI HEALTHCARE LTD (MEDIWHEEL) F-703, LADO SARAI, MEHRAULI SOUTH WEST DELHI NEW DELUI 110020 NEW DELHI 110030 DELHI INDIA 8800465156

SRL Ltd
LEGEND CRYSTAL, SHOP NO-6, GROUND & 1ST FLOOR, PLOT NO-1-7-
79/A B:,PRENDERGHAST ROAD
SECUNDERABAD, 500003
TELANGANA, INDIA
Tel : 9111591115, Fax :
CIN - U74899PB1995PLC045956
Email : customercare.hyderabad@srl.in

PATIENT ID :

CLIENT PATIENT ID :

18/07/2022 16:08

PATIENT NAME : GADE MANGI REDDY

ACCESSION NO : 0042VG002757 AGE : 33 Years SEX : Male ABHA NO : RECEIVED : 16/07/2022 08:46 **REPORTED** :

DRAWN :

REFERRING DOCTOR :

		CELENT FAILENT ID :
Test Report Status <u>Final</u>	Results	Biological Reference Interval Units
»»	VISUALIZED BONY TH	
IMPRESSION	NO ABNORMALITY DE	TECTED
TMT OR ECHO	2D ECHO TEST IS DO	NE RESULT: NEGATIVE.
* ECG		
ECG	WITHIN NORMAL LIM	ITS
* MEDICAL HISTORY		
RELEVANT PRESENT HISTORY	NOT SIGNIFICANT	
RELEVANT PAST HISTORY	NOT SIGNIFICANT	
RELEVANT PERSONAL HISTORY	NOT SIGNIFICANT	
RELEVANT FAMILY HISTORY	NOT SIGNIFICANT	
OCCUPATIONAL HISTORY	NOT SIGNIFICANT	
HISTORY OF MEDICATIONS	NOT SIGNIFICANT	
* ANTHROPOMETRIC DATA & BMI		
HEIGHT IN METERS	1.47	mts
WEIGHT IN KGS.	70	Kgs
BMI	32	BMI & Weight Status as follows: kg/sqmts Below 18.5: Underweight 18.5 - 24.9: Normal 25.0 - 29.9: Overweight 30.0 and Above: Obese
* GENERAL EXAMINATION		
MENTAL / EMOTIONAL STATE	NORMAL	
PHYSICAL ATTITUDE	NORMAL	
GENERAL APPEARANCE / NUTRITIONAL STATUS	HEALTHY	
BUILT / SKELETAL FRAMEWORK	AVERAGE	
FACIAL APPEARANCE	NORMAL	
SKIN	NORMAL	
UPPER LIMB	NORMAL	
LOWER LIMB	NORMAL	

NORMAL NOT ENLARGED OR TENDER NOT ENLARGED NORMAL

NORMAL



THYROID GLAND

CAROTID PULSATION

BREAST (FOR FEMALES)

NECK LYMPHATICS / SALIVARY GLANDS

NECK











GADEM08078942

CLIENT CODE : C000138369

CLIENT'S NAME AND ADDRESS : ACROFEMI HEALTHCARE LTD (MEDIWHEEL) F-703, LADO SARAI, MEHRAULI SOUTH WEST DELHI NEW DELHI 110030 DELHI INDIA 8800465156

SRL Ltd
LEGEND CRYSTAL, SHOP NO-6, GROUND & 1ST FLOOR, PLOT NO-1-7-
79/A B:,PRENDERGHAST ROAD
SECUNDERABAD, 500003
TELANGANA, INDIA
Tel : 9111591115, Fax :
CIN - U74899PB1995PLC045956
Email : customercare.hyderabad@srl.in

PATIENT ID :

CLIENT PATIENT ID :

18/07/2022 16:08

PATIENT NAME : GADE MANGI REDDY

ACCESSION NO : **0042VG002757** AGE : 33 Years SEX : Male ABHA NO : REPORTED : RECEIVED : 16/07/2022 08:46

REFERRING DOCTOR :

DRAWN :

Test Report Status <u>Final</u>	Results	Biological Reference Interval Units
TEMPERATURE	NORMAL	
PULSE		RIPHERAL PULSES WELL FELT, NO CAROTID BRUIT
RESPIRATORY RATE	NORMAL	
* CARDIOVASCULAR SYSTEM		
ВР	100/70 MM HG (SITTING)	mm/Hg
PERICARDIUM	NORMAL	
APEX BEAT	NORMAL	
HEART SOUNDS	NORMAL	
MURMURS	ABSENT	
* RESPIRATORY SYSTEM		
SIZE AND SHAPE OF CHEST	NORMAL	
MOVEMENTS OF CHEST	SYMMETRICAL	
BREATH SOUNDS INTENSITY	NORMAL	
BREATH SOUNDS QUALITY	VESICULAR (NORMA	L)
ADDED SOUNDS	ABSENT	
* PER ABDOMEN		
APPEARANCE	NORMAL	
VENOUS PROMINENCE	ABSENT	
LIVER	NOT PALPABLE	
SPLEEN	NOT PALPABLE	
HERNIA	ABSENT	
* CENTRAL NERVOUS SYSTEM		
HIGHER FUNCTIONS	NORMAL	
CRANIAL NERVES	NORMAL	
CEREBELLAR FUNCTIONS	NORMAL	
SENSORY SYSTEM	NORMAL	
MOTOR SYSTEM	NORMAL	
REFLEXES	NORMAL	
* MUSCULOSKELETAL SYSTEM		
SPINE	NORMAL	
JOINTS	NORMAL	
* BASIC EYE EXAMINATION		
CONJUNCTIVA	NORMAL	











ABHA NO :



CLIENT CODE: C000138369

CLIENT'S NAME AND ADDRESS : ACROFEMI HEALTHCARE LTD (MEDIWHEEL) F-703, LADO SARAI, MEHRAULI SOUTH WEST DELHI NEW DELHI 110030 DELHI INDIA 8800465156

SRL Ltd LEGEND CRYSTAL,SHOP NO-6,GROUND & 1ST FLOOR,PLOT NO-1-7-79/A B:,PRENDERGHAST ROAD SECUNDERABAD, 500003 TELANGANA, INDIA Tel : 9111591115, Fax : CIN - U74899PB1995PLC045956 Email : customercare.hyderabad@srl.in

CLIENT PATIENT ID :

PATIENT NAME : GADE MANGI REDDY

ACCESSION NO : 0042VG002757 AGE : 33 Years

PATIENT ID : GADEM08078942

18/07/2022 16:08

RECEIVED : 16/07/2022 08:46 REPORTED :

REFERRING DOCTOR :

DRAWN:

Test Report Status <u>Final</u>	Results	Biological Reference Interval Units
EYELIDS	NORMAL	
EYE MOVEMENTS	NORMAL	
CORNEA	NORMAL	
DISTANT VISION RIGHT EYE WITHOUT GLASSES	6/12	
DISTANT VISION LEFT EYE WITHOUT GLASSES	6/12	
NEAR VISION RIGHT EYE WITHOUT GLASSES	WITHIN NORMAL LIMIT	
NEAR VISION LEFT EYE WITHOUT GLASSES	WITHIN NORMAL LIMIT	
COLOUR VISION	NORMAL	
* BASIC ENT EXAMINATION		
EXTERNAL EAR CANAL	NORMAL	
TYMPANIC MEMBRANE	NORMAL	
NOSE	NO ABNORMALITY DETE	ECTED
SINUSES	17	
THROAT	NO ABNORMALITY DETE	ECTED
TONSILS	NOT ENLARGED	
* BASIC DENTAL EXAMINATION		
TEETH	NORMAL	
GUMS	HEALTHY	
* SUMMARY		
RELEVANT HISTORY	NOT SIGNIFICANT	
RELEVANT GP EXAMINATION FINDINGS	NOT SIGNIFICANT	
RELEVANT LAB INVESTIGATIONS	LYMPHO-43,ESR-20,EO	SINO-13,SGOT-45,SGPT-65,LDH-207.
RELEVANT NON PATHOLOGY DIAGNOSTICS	OBESE.	
REMARKS / RECOMMENDATIONS	LYMPHOCYTOSIS. ADVICE TO FOLLOW UP EOSINOPHILIA COULD ADVICE TO FOLLOW UP ADVICE TO FOLLOW UP NEEDS SIGNIFICANTS	WITH PHYSICIAN FOR RAISED ESR. WITH PHYSICIAN FOR RAISED LIVER ENZYMES. WEIGHT REDUCTION, PHYSICAL EXCERCISES OILY AND JUNK FOODS. HAVE DIETICIAN
* FITNESS STATUS		

SEX : Male

FITNESS STATUS

FIT (WITH MEDICAL ADVICE) (AS PER REQUESTED PANEL OF TESTS)













CLIENT'S NAME AND ADDRESS : ACROFEMI HEALTHCARE LTD (MEDIWHEEL) F-703, LADO SARAI, MEHRAULI SOUTH WEST DELHT NEW DELHI 110030 DELHI INDIA 8800465156

SRL Ltd LEGEND CRYSTAL, SHOP NO-6, GROUND & 1ST FLOOR, PLOT NO-1-7-79/A B:, PRENDERGHAST ROAD SECUNDERABAD, 500003 TELANGANA, INDIA Tel : 9111591115, Fax : CIN - U74899PB1995PLC045956 Email : customercare.hyderabad@srl.in

REFERRING DOCTOR :	RECEIVED . 10/07/2022 00.40	CLIENT PATIENT ID :		
DRAWN :	RECEIVED : 16/07/2022 08:46	REPORTED : 18/07/2022 16:08		
ACCESSION NO : 0042VG002757	AGE : 33 Years SEX : Male	ABHA NO :		
PATIENT NAME : GADE MANGI REDDY PATIENT ID : GADEM08078942				

Interpretation(s) BLOOD COUNTS,EDTA WHOLE BLOOD-

The cell morphology is well preserved for 24hrs. However after 24-48 hrs a progressive increase in MCV and HCT is observed leading to a decrease in MCHC. A direct smear is recommended for an accurate differential count and for examination of RBC morphology.

RBC AND PLATELET INDICES-

Mentzer index (MCV/RBC) is an automated cell-counter based calculated screen tool to differentiate cases of Iron deficiency anaemia(>13) from Beta thalassaemia trait (<13) in patients with microcytic anaemia. This needs to be interpreted in line with clinical correlation and suspicion. Estimation of HbA2 remains the gold standard for diagnosing a case of beta thalassaemia trait. WBC DIFFERENTIAL COUNT - NLR-

The optimal threshold of 3.3 for NLR showed a prognostic possibility of clinical symptoms to change from mild to severe in COVID positive patients. When age = 49.5 years old and NLR = 3.3, 46.1% COVID-19 patients with mild disease might become severe. By contrast, when age < 49.5 years old and NLR < 3.3, COVID-19 patients tend to show mild disease.

(Reference to - The diagnostic and predictive role of NLR, d-NLR and PLR in COVID-19 patients ; A.-P. Yang, et al.; International Immunopharmacology 84 (2020) 106504

ERYTHRO SEDIMENTATION RATE, BLOOD-Erythrocyte sedimentation rate (ESR) is a non - specific phenomena and is clinically useful in the diagnosis and monitoring of disorders associated with an increased production of acute phase reactants. The ESR is increased in pregnancy from about the 3rd month and returns to normal by the 4th week post partum. ESR is influenced by age, sex, menstrual cycle and drugs (eg. corticosteroids, contraceptives). It is especially low (0 -1mm) in polycythaemia, hypofibrinogenemia or congestive cardiac failure and when there are abnormalities of the red cells such as noikilocytosis or sickle cells. and when there are abnormalities of the red cells such as poikilocytosis, spherocytosis or sickle cells.

Reference :

1. Nathan and Oski's Haematology of Infancy and Childhood, 5th edition

Paediatric reference intervals. AACC Press, 7th edition. Edited by S. Soldin
 The reference for the adult reference range is "Practical Haematology by Dacie and Lewis, 10th Edition"

GLUCOSE, FASTING, PLASMA-

ADA 2021 guidelines for adults, after 8 hrs fasting is as follows: Pre-diabetics: 100 - 125 mg/dL

Diabetic: > or = 126 mg/dL GLYCOSYLATED HEMOGLOBIN, EDTA WHOLE BLOOD-

Glycosylated hemoglobin (GHb) has been firmly established as an index of long-term blood glucose concentrations and as a measure of the risk for the development of complications in patients with diabetes mellitus. Formation of GHb is essentially irreversible, and the concentration in the blood depends on both the life span of the red blood cell (average 120 days) and the blood glucose concentration. Because the rate of formation of GHb is directly proportional to the concentration of glucose in the blood,

the GHb concentration represents the integrated values for glucose over the preceding 6-8 weeks. Any condition that alters the life span of the red blood cells has the potential to alter the GHb level. Samples from patients with hemolytic anemias will exhibit decreased glycated hemoglobin values due to the shortened life span of the red cells. This effect will depend upon the severity of the anemia. Samples from patients with polycythemia

or post-splenectomy may exhibit increased glycated hemoglobin values due to a somewhat longer life span of the red cells. Glycosylated hemoglobins results from patients with HbSS, HbCC, and HbSC and HbD must be interpreted with caution, given the pathological processes, including anemia, increased red cell turnover, transfusion requirements, that adversely impact HbA1c as a marker of long-term glycemic control. In these conditions, alternative forms of testing such as glycated serum protein (fructosamine) should be considered.

Targets should be individualized; More or less stringent glycemic goals may be appropriate for individual patients. Goals should be individualized based on duration of diabetes, age/life expectancy, comorbid conditions, known CVD or advanced microvascular complications, hypoglycemia unawareness, and individual patient considerations."

References

1. Tietz Textbook of Clinical Chemistry and Molecular Diagnostics, edited by Carl A Burtis, Edward R.Ashwood, David E Bruns, 4th Edition, Elsevier publication, 2006, 879-884.

2. Forsham PH. Diabetes Mellitus: A rational plan for management. Postgrad Med 1982, 71,139-154.

3. Mayer TK, Freedman ZR: Protein glycosylation in Diabetes Mellitus: A review of laboratory measurements and their clinical utility. Clin Chim Acta 1983, 127, 147-184. GLUCOSE, POST-PRANDIAL, PLASMA-ADA Guidelines for 2hr post prandial glucose levels is only after ingestion of 75grams of glucose in 300 ml water, over a period of 5 minutes

CORONARY RISK PROFILE (LIPID PROFILE). SERUM.-Serum cholesterol is a blood test that can provide valuable information for the risk of coronary artery disease This test can help determine your risk of the build up of plaques in your arteries that can lead to narrowed or blocked arteries throughout your body (atherosclerosis). High cholesterol levels usually don"t cause any signs or symptoms, so a cholesterol test is an important tool. High cholesterol levels often are a significant risk factor for heart disease and important for diagnosis of hyperlipoproteinemia, atherosclerosis, hepatic and thyroid diseases.

Serum Triglyceride are a type of fat in the blood. When you eat, your body converts any calories it doesn''t need into triglycerides, which are stored in fat cells. High triglyceride levels are associated with several factors, including being overweight, eating too many sweets or drinking too much alcohol, smoking, being sedentary, or having diabetes with elevated blood sugar levels. Analysis has proven useful in the diagnosis and treatment of patients with diabetes mellitus, nephrosis, liver obstruction, other diseases involving lipid metabolism, and various endocrine disorders. In conjunction with high density lipoprotein and total serum cholesterol, a triglyceride determination provides valuable information for the assessment of coronary heart disease risk. It is done in fasting state

High-density lipoprotein (HDL) cholesterol. This is sometimes called the ""good"" cholesterol because it helps carry away LDL cholesterol, thus keeping arteries open and blood flowing more freely.HDL cholesterol is inversely related to the risk for cardiovascular disease. It increases following regular exercise, moderate alcohol consumption













CLIENT'S NAME AND ADDRESS : ACROFEMI HEALTHCARE LTD (MEDIWHEEL) F-703, LADO SARAI, MEHRAULI SOUTH WEST DELHT NEW DELHI 110030 DELHI INDIA 8800465156

SRL Ltd LEGEND CRYSTAL, SHOP NO-6, GROUND & 1ST FLOOR, PLOT NO-1-7-79/A B:, PRENDERGHAST ROAD SECUNDERABAD, 500003 TELANGANA, INDIA Tel : 9111591115, Fax : CIN - U74899PB1995PLC045956 Email : customercare.hyderabad@srl.in

Test Report Status Final	Results	Biological Reference Interval Units
REFERRING DOCTOR :	CLIENT PATIENT ID :	
DRAWN :	RECEIVED : 16/07/2022 08:46	REPORTED : 18/07/2022 16:08
ACCESSION NO : 0042VG002757	AGE: 33 Years SEX: Male	ABHA NO :
PATIENT NAME : GADE MANGI R	PATIENT ID : GADEM08078942	

and with oral estrogen therapy. Decreased levels are associated with obesity, stress, cigarette smoking and diabetes mellitus.

SERUM LDL The small dense LDL test can be used to determine cardiovascular risk in individuals with metabolic syndrome or established/progressing coronary artery disease, individuals with triglyceride levels between 70 and 140 mg/dL, as well as individuals with a diet high in trans-fat or carbohydrates. Elevated sdLDL levels are associated with metabolic syndrome and an 'atherogenic lipoprotein profile', and are a strong, independent predictor of cardiovascular disease. Elevated levels of LDL arise from multiple sources. A major factor is sedentary lifestyle with a diet high in saturated fat. Insulin-resistance and pre-diabetes have also been implicated, as has genetic predisposition. Measurement of sdLDL allows the clinician to get a more comprehensive picture of lipid risk factors and tailor treatment accordingly. Reducing LDL levels will reduce the risk of CVD and MI.

Non HDL Cholesterol - Adult treatment panel ATP III suggested the addition of Non-HDL Cholesterol as an indicator of all atherogenic lipoproteins (mainly LDL and VLDL). NICE auidelines recommend Non-HDL Cholesterol measurement before initiating lipid lowering therapy. It has also been shown to be a better marker of risk in both primary and secondary prevention studies.

Recommendations:

Results of Lipids should always be interpreted in conjunction with the patient's medical history, clinical presentation and other findings.

NON FASTING LIPID PROFILE includes Total Cholesterol, HDL Cholesterol and calculated non-HDL Cholesterol. It does not include triglycerides and may be best used in patients for whom fasting is difficult. LIVER FUNCTION PROFILE, SERUM-

LIVER FUNCTION PROFILE BILING PROFILE BILING BI yellow discoloration in jaundice. Elevated levels results from increased bilirubin production (eg, hemolysis and ineffective erythropoiesis), decreased bilirubin excretion (eg, obstruction and hepatitis), and abnormal bilirubin metabolism (eg, hereditary and neonatal jaundice). Conjugated (direct) bilirubin is elevated more than unconjugated (indirect) bilirubin in Viral hepatitis, Drug reactions, Alcoholic liver disease Conjugated (direct) bilirubin is also elevated more than unconjugated (indirect) bilirubin when there is some kind of blockage of the bile ducts like in Gallstones getting into the bile ducts, tumors &Scarring of the bile ducts. Increased unconjugated (indirect) bilirubin may be a result of Hemolytic or pernicious anemia, Transfusion reaction & a common metabolic condition termed Gilbert syndrome, due to low levels of the enzyme that attaches sugar molecules to bilirubin.

AST is an enzyme found in various parts of the body. AST is found in the liver, heart, skeletal muscle, kidneys, brain, and red blood cells, and it is commonly measured clinically as a marker for liver health. AST levels increase during chronic viral hepatitis, blockage of the bile duct, cirrhosis of the liver, liver cancer, kidney failure, hemolytic anemia, pancreatitis, hemochromatosis. AST levels may also increase after a heart attack or strenuous activity.ALT test measures the amount of this enzyme in the blood.ALT is found mainly in the liver, but also in smaller amounts in the kidneys, heart, muscles, and pancreas. It is commonly measured as a part of a diagnostic evaluation of hepatocellular injury, to determine liver health AST levels increase during acute hepatitis, sometimes due to a viral infection, ischemia to the liver, chronic hepatitis obstruction of hile ducts cirrhosis.

ALP is a protein found in almost all body tissues. Tissues with higher amounts of ALP include the liver, bile ducts and bone. Elevated ALP levels are seen in Biliary obstruction, Osteoblastic bone tumors, osteomalacia, hepatitis, Hyperparathyroidism, Leukemia, Lymphoma, Paget's disease,Rickets,Sarcoidosis etc. Lower-than-normal ALP levels seen in Hypophosphatasia,Malnutrition,Protein deficiency,Wilson's disease.GGT is an enzyme found in cell membranes of many tissues mainly in the liver,kidney and pancreas.It is also found in other tissues including intestine,spleen,heart, brain and seminal vesicles. The highest concentration is in the kidney,but the liver is considered the source of normal enzyme activity. Serum GGT has been widely used as an index of liver dysfunction. Elevated serum GGT activity can be found in diseases of the liver, biliary system and pancreas. Conditions that increase serum GGT are obstructive liver disease,high alcohol consumption and use of enzyme-inducing drugs etc. Serum total protein, also known as total protein, is a biochemical test for measuring the total amount of protein in serum. Protein in the plasma is made up of albumin and globulin. Higher-than-normal levels may be due to: Chronic inflammation or infection, including HIV and hepatitis B or C, Multiple myeloma, Waldenstrom's disease. Lower-than-normal levels may be due to: Agammaglobulinemia, Bleeding (hemorrhage), Burns, Glomerulonephritis, Liver disease, Malabsorption, Malnutrition, Nephrotic syndrome, Protein-losing enteropathy etc. Human serum albumin is the most abundant protein in human blood plasma. It is produced in the liver. Albumin constitutes about half of the blood serum protein. Low blood albumin levels (hypoalbuminemia) can be caused by: Liver disease like cirrhosis of the liver, nephrotic syndrome, protein-losing enteropathy, Burns, hemodilution, increased vascular permeability or decreased lymphatic clearance, malnutrition and wasting etc SERUM BLOOD UREA NITROGEN-

Causes of Increased levels

Pre renal

• High protein diet, Increased protein catabolism, GI haemorrhage, Cortisol, Dehydration, CHF Renal

 Renal Failure Post Renal

• Malignancy, Nephrolithiasis, Prostatism

Causes of decreased levels

 Liver disease SIADH.

CREATININE, SERUM-

Higher than normal level may be due to:

Blockage in the urinary tract

- Kidney problems, such as kidney damage or failure, infection, or reduced blood flow
 Loss of body fluid (dehydration)
- Muscle problems, such as breakdown of muscle fibers

• Problems during pregnancy, such as seizures (eclampsia)), or high blood pressure caused by pregnancy (preeclampsia)

Lower than normal level may be due to:



Scan to View Details

Page 11 Of 15 Scan to View Report









CLIENT'S NAME AND ADDRESS : ACROFEMI HEALTHCARE LTD (MEDIWHEEL) F-703, LADO SARAI, MEHRAULI SOUTH WEST DELHT NEW DELHI 110030 DELHI INDIA 8800465156

SRL Ltd
LEGEND CRYSTAL, SHOP NO-6, GROUND & 1ST FLOOR, PLOT NO-1-7-
79/A B:,PRENDERGHAST ROAD
SECUNDERABAD, 500003
TELANGANA, INDIA
Tel : 9111591115, Fax :
CIN - U74899PB1995PLC045956
Email : customercare.hyderabad@srl.in

PATIENT NAME : GADE MANGI R	PATIENT NAME : GADE MANGI REDDY PATIENT ID : GADEM0807894		
ACCESSION NO : 0042VG002757	AGE : 33 Years SEX : Male	ABHA NO :	
DRAWN :	RECEIVED : 16/07/2022 08:46	REPORTED : 18/07/2022 16:08	
REFERRING DOCTOR :		CLIENT PATIENT ID :	

	Test Report Status	<u>Final</u>	Results	Biological Reference Interval Units
--	--------------------	--------------	---------	-------------------------------------

 Myasthenia Gravis Muscular dystrophy URIC ACID, SERUM-Causes of Increased levels Dietary • High Protein Intake. Prolonged Fasting, Rapid weight loss Gout Lesch nyhan syndrome. Type 2 DM. Metabolic syndrome.

Causes of decreased levels

- Low Zinc Intake
 OCP's
- Multiple Sclerosis

Nutritional tips to manage increased Uric acid levels

- Drink plenty of fluids
 Limit animal proteins
- High Fibre foods
- Vit C Intake
- Antioxidant rich foods
- TOTAL PROTEIN, SERUM-

Serum total protein also known as total protein, is a biochemical test for measuring the total amount of protein in serum. Protein in the plasma is made up of albumin and alobulin

Higher-than-normal levels may be due to: Chronic inflammation or infection, including HIV and hepatitis B or C, Multiple myeloma, Waldenstrom's disease Lower-than-normal levels may be due to: Agammaglobulinemia, Bleeding (hemorrhage), Burns, Glomerulonephritis, Liver disease, Malabsorption, Malnutrition, Nephrotic syndrome,Protein-losing enteropathy etc. ALBUMIN, SERUM-

Human serum albumin is the most abundant protein in human blood plasma. It is produced in the liver. Albumin constitutes about half of the blood serum protein. Low blood albumin levels (hypoalbuminemia) can be caused by: Liver disease like cirrhosis of the liver, nephrotic syndrome, protein-losing enteropathy, Burns, hemodilution, increased vascular permeability or decreased lymphatic clearance,malnutrition and wasting etc. ELECTROLYTES (NA/K/CL), SERUM-

Sodium levels are Increased in dehydration, cushing's syndrome, aldosteronism & decreased in Addison's disease, hypopituitarism, liver disease. Hypokalemia (low K) is common in vomiting, diarrhea, alcoholism, folic acid deficiency and primary aldosteronism. Hyperkalemia may be seen in end-stage renal failure, hemolysis, trauma, Addison's disease, metabolic acidosis, acute starvation, dehydration, and with rapid K infusion.Chloride is increased in dehydration, renal tubular acidosis (hyperchloremia metabolic acidosis), acute renal failure, metabolic acidosis associated with prolonged diarrhea and loss of sodium bicarbonate, diabetes insipidus, adrenocortical hyperfuction, salicylate intoxication and with excessive infusion of isotonic saline or extremely high dietary intake of salt. Chloride is decreased in overhydration, chronic respiratory acidosis, salt-losing nephritis, metabolic alkalosis, congestive heart failure, Addisonian crisis, certain types of metabolic acidosis, persistent gastric secretion and prolonged vomiting, MICROSCOPIC EXAMINATION, URINE-

Routine unalysis assists in screening and diagnosis of various metabolic, urological, kidney and liver disorders Protein: Elevated proteins can be an early sign of kidney disease. Urinary protein excretion can also be temporarily elevated by strenuous exercise, orthostatic proteinuria, dehydration, urinary tract infections and acute illness with fever

Glucose: Uncontrolled diabetes mellitus can lead to presence of glucose in urine. Other causes include pregnancy, hormonal disturbances, liver disease and certain medications.

Ketones: Uncontrolled diabetes mellitus can lead to presence of ketones in urine. Ketones can also be seen in starvation, frequent vomiting, pregnancy and strenuous exercise.

Blood: Occult blood can occur in urine as intact erythrocytes or haemoglobin, which can occur in various urological, nephrological and bleeding disorders.

Leukocytes: An increase in leukocytes is an indication of inflammation in urinary tract or kidneys. Most common cause is bacterial urinary tract infection. Nitrite: Many bacteria give positive results when their number is high. Nitrite concentration during infection increases with length of time the urine specimen is retained in

bladder prior to collection. pH: The kidneys play an important role in maintaining acid base balance of the body. Conditions of the body producing acidosis/ alkalosis or ingestion of certain type of food can affect the pH of urine.

Specific gravity: Specific gravity gives an indication of how concentrated the urine is. Increased specific gravity is seen in conditions like dehydration, glycosuria and proteinuria while decreased specific gravity is seen in excessive fluid intake, renal failure and diabetes insipidus.

Bilirubin: In certain liver diseases such as biliary obstruction or hepatitis, bilirubin gets excreted in urine. Urobilinogen: Positive results are seen in liver diseases like hepatitis and cirrhosis and in cases of hemolytic anemia

THYROID PANEL, SERUM-

Trilodo typonine T3, is a thyroid hormone. It affects almost every physiological process in the body, including growth, development, metabolism, body temperature, and heart rate. Production of T3 and its prohormone thyroxine (T4) is activated by thyroid-stimulating hormone (TSH), which is released from the pituitary gland. Elevated concentrations of T3, and T4 in the blood inhibit the production of TSH.













CLIENT'S NAME AND ADDRESS : ACROFEMI HEALTHCARE LTD (MEDIWHEEL) F-703, LADO SARAI, MEHRAULI SOUTH WEST DELHT NEW DELHI 110030 DELHI INDIA 8800465156



PATIENT ID : **PATIENT NAME : GADE MANGI REDDY** GADEM08078942 0042VG002757 AGE : 33 Years SEX : Male ABHA NO : ACCESSION NO : DRAWN : RECEIVED: 16/07/2022 08:46 **REPORTED** : 18/07/2022 16:08 **REFERRING DOCTOR :** CLIENT PATIENT ID :

Thyroxine T4, Thyroxine's principal function is to stimulate the metabolism of all cells and tissues in the body. Excessive secretion of thyroxine in the body is hyperthyroidism, and deficient secretion is called hypothyroidism. Most of the thyroid hormone in blood is bound to transport proteins. Only a very small fraction of the circulating hormone is free and biologically active.

In primary hypothyroidism, TSH levels are significantly elevated, while in secondary and tertiary hypothyroidism, TSH levels are low. Total T4, TSH & Total T3

Below mentioned	are the guidelines for	or Pregnancy relate	d reference ranges for Tota
Levels in	TOTAL T4	TSH3G	TOTAL T3
Pregnancy	(µg/dL)	(µIU/mL)	(ng/dL)
First Trimester	6.6 - 12.4	0.1 - 2.5	81 - 190
2nd Trimester	6.6 - 15.5	0.2 - 3.0	100 - 260
3rd Trimester	6.6 - 15.5	0.3 - 3.0	100 - 260
Below mentioned	are the guidelines for	or age related refer	ence ranges for T3 and T4.
Т3		T4	

(µg/dL) (ng/dL)

1-3 day: 8.2 - 19.9 New Born: 75 - 260 1 Week: 6.0 - 15.9

NOTE: TSH concentrations in apparently normal euthyroid subjects are known to be highly skewed, with a strong tailed distribution towards higher TSH values. This is well documented in the pediatric oppulation including the infant age group. Kindly note: Method specific reference ranges are appearing on the report under biological reference range.

Reference

1. Burtis C.A., Ashwood E. R. Bruns D.E. Teitz textbook of Clinical Chemistry and Molecular Diagnostics, 4th Edition.

Gowenlock A.H. Varley's Practical Clinical Biochemistry, 6th Edition.
 Behrman R.E. Kilegman R.M., Jenson H. B. Nelson Text Book of Pediatrics, 17th Edition

STOOL: OVA & PARAŠITE-

Acute infective diarrhoea and gastroenteritis (diarrhoea with vomiting) are major causes of ill health and premature death in developing countries. Loss of water and electrolytes from the body can lead to severe dehydration which if untreated, can be rapidly fatal in young children, especially that are malnourished, hypoglycaemic, and generally in poor health.

Laboratory diagnosis of parasitic infection is mainly based on microscopic examination and the gross examination of the stool specimen. Depending on the nature of the parasite, the microscopic observations include the identification of cysts, ova, trophozoites, larvae or portions of adult structure. The two classes of parasites that cause human infection are the Protozoa and Helminths. The protozoan infections include amoebiasis mainly caused by Entamoeba histolytica and giardiasis caused by Giardia lamblia. The common helminthic parasites are Trichuris trichiura, Ascaris lumbricoides, Strongyloides stercoralis, Taenia sp. etc ABO GROUP & RH TYPE, EDTA WHOLE BLOOD-

Blood group is identified by antigens and antibodies present in the blood. Antigens are protein molecules found on the surface of red blood cells. Antibodies are found in plasma. To determine blood group, red cells are mixed with different antibody solutions to give A,B,O or AB.

Disclaimer: "Please note, as the results of previous ABO and Rh group (Blood Group) for pregnant women are not available, please check with the patient records for availability of the same.

The test is performed by both forward as well as reverse grouping methods.

MEDICAL THIS REPORT CARRIES THE SIGNATURE OF OUR LABORATORY DIRECTOR. THIS IS AN INVIOLABLE FEATURE OF OUR LAB MANAGEMENT SOFTWARE. HOWEVER, ALL EXAMINATIONS AND INVESTIGATIONS HAVE BEEN CONDUCTED BY OUR PANEL OF DOCTORS.

FITNESS STATUS-

Conclusion on an individual's Fitness, which is commented upon mainly for Pre employment cases, is based on multi factorial findings and does not depend on any one single parameter. The final Fitness assigned to a candidate will depend on the Physician's findings and overall judgement on a case to case basis, details of the candidate's past and personal history; as well as the comprehensiveness of the diagnostic panel which has been requested for .These are then further correlated with details of the job under consideration to eventually fit the right man to the right job.

 Basis the above, SRL classifies a candidate's Fitness Status into one of the following categories:
 Fit (As per requested panel of tests) - SRL Limited gives the individual a clean chit to join the organization, on the basis of the General Physical Examination and the specific test panel requested for.

• Fit (with medical advice) (As per requested panel of tests) - This indicates that although the candidate can be declared as FIT to join the job, minimal problems have been detected during the Pre- employment examination. Examples of conditions which could fall in this category could be cases of mild reversible medical abnormalities such as height weight disproportions, borderline raised Blood Pressure readings, mildly raised Blood sugar and Blood Lipid levels, Hematuria, etc. Most of these relate to sedentary lifestyles and come under the broad category of life style disorders. The idea is to caution an individual to bring about certain lifestyle changes as well as seek a Physician's Fitness on Hold (Temporary Unfit) (As per requested panel of tests) - Candidate's reports are kept on hold when either the diagnostic tests or the physical findings reveal

the presence of a medical condition which warrants further tests, counseling and/or specialist opinion, on the basis of which a candidate can either be placed into Fit, Fit (With Medical Advice), or Unfit category. Conditions which may fall into this category could be high blood pressure, abnormal ECG, heart murmurs, abnormal vision, grossly elevated blood sugars, etc.

• Unfit (As per requested panel of tests) - An unfit report by SRL Limited clearly indicates that the individual is not suitable for the respective job profile e.g. total color













CLIENT'S NAME AND ADDRESS : ACROFEMI HEALTHCARE LTD (MEDIWHEEL) F-703, LADO SARAI, MEHRAULI SOUTH WEST DELHI NEW DELHI 110030 DELHI INDIA 8800465156

SRL Ltd LEGEND CRYSTAL,SHOP NO-6,GROUND & 1ST FLOOR,PLOT NO-1-7-79/A B:,PRENDERGHAST ROAD SECUNDERABAD, 500003 TELANGANA, INDIA Tel : 9111591115, Fax : CIN - U74899PB1995PLC045956 Email : customercare.hyderabad@srl.in

Test Report Status <u>Final</u>	Results	Biological Reference Interval Units	
REFERRING DOCTOR :		CLIENT PATIENT ID :	
DRAWN :	RECEIVED : 16/07/2022 08:46	REPORTED : 18/07/2022 16:08	
ACCESSION NO : 0042VG002757	AGE : 33 Years SEX : Male	ABHA NO :	
PATIENT NAME : GADE MANGI REDDY PATIENT ID : GADEMOS			

blindness in color related jobs.













CLIENT'S NAME AND ADDRESS : ACROFEMI HEALTHCARE LTD (MEDIWHEEL) F-703, LADO SARAI, MEHRAULI SOUTH WEST DELHT NEW DELHI 110030 DELHI INDIA 8800465156

SRL Ltd LEGEND CRYSTAL, SHOP NO-6, GROUND & 1ST FLOOR, PLOT NO-1-7-79/A B:, PRENDERGHAST ROAD SECUNDERABAD, 500003 TELANGANA, INDIA Tel: 9111591115, Fax: CIN - U74899PB1995PLC045956 Email : customercare.hyderabad@srl.in

Test Report Status Final	Results	Biological Reference Interval Units
REFERRING DOCTOR :		CLIENT PATIENT ID :
DRAWN :	RECEIVED : 16/07/2022 08:46	REPORTED : 18/07/2022 16:08
ACCESSION NO : 0042VG002757	AGE: 33 Years SEX: Male	ABHA NO :
PATIENT NAME : GADE MANGI R	EDDY	PATIENT ID : GADEM08078942
	Lindii .	customercare.nyderabad@sn.in

MEDI WHEEL FULL BODY HEALTH CHECK UP BELOW 40 MALE

*** ULTRASOUND ABDOMEN ULTRASOUND ABDOMEN** GRADE-1 FATTY LIVER.

> **End Of Report** Please visit www.srlworld.com for related Test Information for this accession TEST MARKED WITH '*' ARE OUTSIDE THE NABL ACCREDITED SCOPE OF THE LABORATORY.

Dr M. Prasanthi **Consultant Microbiologist**

Dr. Ravi Teja J **Consultant Pathologist**

CONDITIONS OF LABORATORY TESTING & REPORTING

1. It is presumed that the test sample belongs to the patient named or identified in the test requisition form. 2. All Tests are performed and reported as per the turnaround time stated in the SRL Directory of services (DOS).

3. SRL confirms that all tests have been performed or assayed with highest quality standards, clinical safety & technical integrity.

4. A requested test might not be performed if:

a. Specimen received is insufficient or inappropriate

specimen quality is unsatisfactory

b. Incorrect specimen type

c. Request for testing is withdrawn by the ordering doctor or patient

d. There is a discrepancy between the label on the specimen container and the name on the test requisition form

5. The results of a laboratory test are dependent on the quality of the sample as well as the assay technology. 6. Result delays could be because of uncontrolled

circumstances. e.g. assay run failure.

7. Tests parameters marked by asterisks are excluded from the "scope" of NABL accredited tests. (If laboratory is accredited).

8. Laboratory results should be correlated with clinical information to determine Final diagnosis.

9. Test results are not valid for Medico- legal purposes.

10. In case of gueries or unexpected test results please call at SRL customer care (Toll free: 1800-222-000). Post proper investigation repeat analysis may be carried out.

SRL Limited Fortis Hospital, Sector 62, Phase VIII, Mohali 160062



