

CID : 2333100747 Name : MRS.AKRITI SHARMA Age / Gender : 32 Years / Female Consulting Dr. : -Reg. Location : Borivali West (Main Centre) Authenticity Check

R

E

P

0

R

т

Use a QR Code Scanner Application To Scan the Code • 27-Nov-2023 /

Collected Reported

AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE

CBC (Complete Blood Count), Blood					
PARAMETER	RESULTS	BIOLOGICAL REF RANGE	<u>METHOD</u>		
RBC PARAMETERS					
Haemoglobin	11.1	12.0-15.0 g/dL	Spectrophotometric		
RBC	3.90	3.8-4.8 mil/cmm	Elect. Impedance		
PCV	33.8	36-46 %	Measured		
MCV	87	80-100 fl	Calculated		
MCH	28.6	27-32 pg	Calculated		
MCHC	32.9	31.5-34.5 g/dL	Calculated		
RDW	15.0	11.6-14.0 %	Calculated		
WBC PARAMETERS					
WBC Total Count	5420	4000-10000 /cmm	Elect. Impedance		
WBC DIFFERENTIAL AND	ABSOLUTE COUNTS				
Lymphocytes	27.3	20-40 %			
Absolute Lymphocytes	1479.7	1000-3000 /cmm	Calculated		
Monocytes	9.4	2-10 %			
Absolute Monocytes	509.5	200-1000 /cmm	Calculated		
Neutrophils	59.5	40-80 %			
Absolute Neutrophils	3224.9	2000-7000 /cmm	Calculated		
Eosinophils	3.6	1-6 %			
Absolute Eosinophils	195.1	20-500 /cmm	Calculated		
Basophils	0.2	0.1-2 %			
Absolute Basophils	10.8	20-100 /cmm	Calculated		
Immature Leukocytes	-				

WBC Differential Count by Absorbance & Impedance method/Microscopy.

PLATELET PARAMETERS

Platelet Count	190000	150000-400000 /cmm	Elect. Impedance
MPV	11.1	6-11 fl	Calculated
PDW	21.7	11-18 %	Calculated
RBC MORPHOLOGY			
Hypochromia	-		
Microcytosis	-		

REGD. OFFICE: Suburban Diagnostics (India) Pvt. Ltd., Aston, 2rd Floor, Sundervan Complex, Above Mercedes Showroom, Andheri West, Mumbai - 400053. CENTRAL REFERENCE LABORATORY: Shop No. 9, 101 to 105, Skyline Wealth Space Building, Near Dmart, Premier Road, Vidyavihar (W), Mumbai - 400086.

HEALTHLINE: 022-6170-0000 | E-MAIL: customerservice@suburbandiagnostics.com | WEBSITE: www.suburbandiagnostics.com

Corporate Identity Number (CIN): U85110MH2002PTC136144



I A G N O S T I					E P
CID Name	: 233310074 : MRS.AKRIT				O R
Age / Gender Consulting Dr. Reg. Location	: 32 Years / : - : Borivali We	Female est (Main Centre)	Collected Reported	Use a QR Code Scanner Application To Scan the Code : 27-Nov-2023 / 09:48 : 27-Nov-2023 / 12:52	т
Macrocytosis		-			
Anisocytosis		-			
Poikilocytosis		-			
Polychromasia		-			
Target Cells		-			
Basophilic Stipp	oling	-			
Normoblasts		-			
Others		Normocytic,Normochromic			
WBC MORPHC	LOGY	-			
PLATELET MO	RPHOLOGY	-			
COMMENT					
Specimen: EDTA W	/hole Blood				

ESR, EDTA WB-ESR 17 2-20 mm at 1 hr. *Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West *** End Of Report ***



Authenticity Check

R



Thakken

Dr.JYOT THAKKER M.D. (PATH), DPB Pathologist & AVP(Medical Services)

Page 2 of 9



CID

Authenticity Check

E P O R T

R

Use a QR Code Scanner Application To Scan the Code

Collected Reported :27-Nov-2023 / 09:48 :27-Nov-2023 / 13:05

Name: MRS.AKRITI SHARMAAge / Gender: 32 Years / FemaleConsulting Dr.: -Reg. Location: Borivali West (Main Centre)

:2333100747

AERFOC	AMI HEALTHCARE BEI	LOW 40 MALE/FEMALE	
PARAMETER	<u>RESULTS</u>	BIOLOGICAL REF RANGE	<u>METHOD</u>
GLUCOSE (SUGAR) FASTING, Fluoride Plasma	87.5	Non-Diabetic: < 100 mg/dl Impaired Fasting Glucose: 100-125 mg/dl Diabetic: >/= 126 mg/dl	Hexokinase
GLUCOSE (SUGAR) PP, Fluoride Plasma PP/R	91.2	Non-Diabetic: < 140 mg/dl Impaired Glucose Tolerance: 140-199 mg/dl Diabetic: >/= 200 mg/dl	Hexokinase
BILIRUBIN (TOTAL), Serum	0.36	0.1-1.2 mg/dl	Colorimetric
BILIRUBIN (DIRECT), Serum	0.12	0-0.3 mg/dl	Diazo
BILIRUBIN (INDIRECT), Serum	0.24	0.1-1.0 mg/dl	Calculated
TOTAL PROTEINS, Serum	6.7	6.4-8.3 g/dL	Biuret
ALBUMIN, Serum	4.2	3.5-5.2 g/dL	BCG
GLOBULIN, Serum	2.5	2.3-3.5 g/dL	Calculated
A/G RATIO, Serum	1.7	1 - 2	Calculated
SGOT (AST), Serum	26.7	5-32 U/L	NADH (w/o P-5-P)
SGPT (ALT), Serum	14.8	5-33 U/L	NADH (w/o P-5-P)
GAMMA GT, Serum	9.7	3-40 U/L	Enzymatic
ALKALINE PHOSPHATASE, Serum	54.7	35-105 U/L	Colorimetric
BLOOD UREA, Serum	27.2	12.8-42.8 mg/dl	Kinetic
BUN, Serum	12.7	6-20 mg/dl	Calculated
CREATININE, Serum	0.69	0.51-0.95 mg/dl	Enzymatic



DUDURDA	C S			E
CID Name Age / Gender Consulting Dr. Reg. Location	: 2333100747 : MRS.AKRITI SHARMA : 32 Years / Female : - : Borivali West (Main Centre)	Collected Reported	Use a QR Code Scanner Application To Scan the Code : 27-Nov-2023 / 09:48 : 27-Nov-2023 / 13:05	O R T
eGFR, Serum	118	(ml/min/1.73sqm) Normal or High: Above Mild decrease: 60-89 Mild to moderate decr 59 Moderate to severe de -44 Severe decrease: 15-2 Kidney failure:<15	Calculated 90 rease: 45- ecrease: 30	
Note: eGFR estin	nation is calculated using 2021 CKD-EPI GFR	equation w.e.f 16-08-2023		
URIC ACID, Se	rum 2.9	2.4-5.7 mg/dl	Enzymatic	
*Sample process	ed at SUBURBAN DIAGNOSTICS (INDIA) PVT.	LTD Borivali Lab, Borivali West		

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West *** End Of Report ***



Bmhaskar

Authenticity Check

R

Dr.KETAKI MHASKAR M.D. (PATH) Pathologist

Page 4 of 9



CID :2333100747 Name : MRS. AKRITI SHARMA Age / Gender : 32 Years / Female Consulting Dr. : -Reg. Location : Borivali West (Main Centre)



R

Е

Use a QR Code Scanner Application To Scan the Code Collected Reported

:27-Nov-2023 / 09:48 :27-Nov-2023 / 14:18

AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE **GLYCOSYLATED HEMOGLOBIN (HbA1c) BIOLOGICAL REF RANGE** RESULTS METHOD HPLC Non-Diabetic Level: < 5.7 %

Glycosylated Hemoglobin 6.0 (HbA1c), EDTA WB - CC Prediabetic Level: 5.7-6.4 % Diabetic Level: >/= 6.5 % Estimated Average Glucose 125.5 mg/dl (eAG), EDTA WB - CC

Calculated

Intended use:

PARAMETER

- In patients who are meeting treatment goals, HbA1c test should be performed at least 2 times a year
- In patients whose therapy has changed or who are not meeting glycemic goals, it should be performed quarterly
- For microvascular disease prevention, the HbA1C goal for non pregnant adults in general is Less than 7%.

Clinical Significance:

- HbA1c, Glycosylated hemoglobin or glycated hemoglobin, is hemoglobin with glucose molecule attached to it.
- The HbA1c test evaluates the average amount of glucose in the blood over the last 2 to 3 months by measuring the percentage of glycosylated hemoglobin in the blood.

Test Interpretation:

- The HbA1c test evaluates the average amount of glucose in the blood over the last 2 to 3 months by measuring the percentage of Glycosylated hemoglobin in the blood.
- HbA1c test may be used to screen for and diagnose diabetes or risk of developing diabetes.
- To monitor compliance and long term blood glucose level control in patients with diabetes.
- Index of diabetic control, predicting development and progression of diabetic micro vascular complications.

Factors affecting HbA1c results:

Increased in: High fetal hemoglobin, Chronic renal failure, Iron deficiency anemia, Splenectomy, Increased serum triglycerides, Alcohol ingestion, Lead/opiate poisoning and Salicylate treatment.

Decreased in: Shortened RBC lifespan (Hemolytic anemia, blood loss), following transfusions, pregnancy, ingestion of large amount of Vitamin E or Vitamin C and Hemoglobinopathies

Reflex tests: Blood glucose levels, CGM (Continuous Glucose monitoring)

References: ADA recommendations, AACC, Wallach's interpretation of diagnostic tests 10th edition.

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West *** End Of Report ***



Thakken

Dr.JYOT THAKKER M.D. (PATH), DPB Pathologist & AVP(Medical Services)

Page 5 of 9



CID : 2333100747 Name : MRS.AKRITI SHARMA Age / Gender : 32 Years / Female Consulting Dr. : -Reg. Location : Borivali West (Main Centre) Authenticity Check R E P O Use a QR Code Scanner Application To Scan the Code : 27-Nov-2023 / 09:48

:27-Nov-2023 / 14:32

AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE BLOOD GROUPING & Rh TYPING

Collected

Reported

PARAMETER

RESULTS

ABO GROUP B Rh TYPING Positive

NOTE: Test performed by automated Erythrocytes magnetized technology (EMT) which is more sensitive than conventional methods.

Specimen: EDTA Whole Blood and/or serum

Clinical significance:

ABO system is most important of all blood group in transfusion medicine

Limitations:

- ABO blood group of new born is performed only by cell (forward) grouping because allo antibodies in cord blood are of maternal origin.
- Since A & B antigens are not fully developed at birth, both Anti-A & Anti-B antibodies appear after the first 4 to 6 months of life. As a result, weaker reactions may occur with red cells of newborns than of adults.
- Confirmation of newborn's blood group is indicated when A & B antigen expression and the isoagglutinins are fully developed at 2 to 4 years of age & remains constant throughout life.
- Cord blood is contaminated with Wharton's jelly that causes red cell aggregation leading to false positive result
- The Hh blood group also known as Oh or Bombay blood group is rare blood group type. The term Bombay is used to refer the phenotype that lacks normal expression of ABH antigens because of inheritance of hh genotype.

Refernces:

- 1. Denise M Harmening, Modern Blood Banking and Transfusion Practices- 6th Edition 2012. F.A. Davis company. Philadelphia
- 2. AABB technical manual

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD SDRL, Vidyavihar Lab

*** End Of Report ***



S. Sakhare

Dr.SUHAS SAKHARE M.D. (PATH) Pathologist

Page 6 of 9



CID

Authenticity Check	

Name: MRS.AKRITI SHARMAAge / Gender: 32 Years / FemaleConsulting Dr.: -Reg. Location: Borivali West (Main Centre)

:2333100747

Use a QR Code Scanner Application To Scan the Code

Collected Reported :27-Nov-2023 / 09:48 :27-Nov-2023 / 12:55 R

E

P

o

R

т

AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE

PARAMETER	<u>RESULTS</u>	BIOLOGICAL REF RANGE	<u>METHOD</u>
CHOLESTEROL, Serum	115.0	Desirable: <200 mg/dl Borderline High: 200-239mg/dl High: >/=240 mg/dl	CHOD-POD
TRIGLYCERIDES, Serum	60.2	Normal: <150 mg/dl Borderline-high: 150 - 199 mg/dl High: 200 - 499 mg/dl Very high:>/=500 mg/dl	GPO-POD
HDL CHOLESTEROL, Serum	40.5	Desirable: >60 mg/dl Borderline: 40 - 60 mg/dl Low (High risk): <40 mg/dl	Homogeneous enzymatic colorimetric assay
NON HDL CHOLESTEROL, Serum	74.5	Desirable: <130 mg/dl Borderline-high:130 - 159 mg/dl High:160 - 189 mg/dl Very high: >/=190 mg/dl	Calculated
LDL CHOLESTEROL, Serum	63.0	Optimal: <100 mg/dl Near Optimal: 100 - 129 mg/dl Borderline High: 130 - 159 mg/dl High: 160 - 189 mg/dl Very High: >/= 190 mg/dl	Calculated
VLDL CHOLESTEROL, Serum	11.5	< /= 30 mg/dl	Calculated
CHOL / HDL CHOL RATIO, Serum	2.8	0-4.5 Ratio	Calculated
LDL CHOL / HDL CHOL RATIO, Serum	1.6	0-3.5 Ratio	Calculated

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West *** End Of Report ***



Thakken

Dr.JYOT THAKKER M.D. (PATH), DPB Pathologist & AVP(Medical Services)

Page 7 of 9



CID

Name

Age / Gender

Authenticity Check R Е P о R Use a QR Code Scanner Application To Scan the Code :27-Nov-2023 / 09:48

Consulting Dr. : -: Borivali West (Main Centre) Reg. Location

:2333100747

: MRS.AKRITI SHARMA

: 32 Years / Female



Third Trimester: 6.4-20.59

0.35-5.5 microIU/ml

First Trimester:0.1-2.5 Second Trimester: 0.2-3.0 Third Trimester: 0.3-3.0

:27-Nov-2023 / 12:06

ECLIA

т

AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE **THYROID FUNCTION TESTS** RESULTS PARAMETER **BIOLOGICAL REF RANGE METHOD** Free T3, Serum 4.3 3.5-6.5 pmol/L **ECLIA** Free T4, Serum 14.7 ECLIA 11.5-22.7 pmol/L First Trimester:9.0-24.7 Second Trimester: 6.4-20.59

sensitiveTSH, Serum

1.28

Page 8 of 9



IAGNOSTI	CS			E
RECISE TESTING - MEAL	THICS LIVING			P
CID	: 2333100747			0
Name	: MRS.AKRITI SHARMA			R
Age / Gender	: 32 Years / Female		Use a QR Code Scanner Application To Scan the Code	т
Consulting Dr.	: -	Collected	:27-Nov-2023 / 09:48	
Reg. Location	: Borivali West (Main Centre)	Reported	:27-Nov-2023 / 12:06	

Interpretation:

A thyroid panel is used to evaluate thyroid function and/or help diagnose various thyroid disorders.

Clinical Significance:

1)TSH Values between high abnormal upto15 microIU/ml should be correlated clinically or repeat the test with new sample as physiological factors

can give falsely high TSH.

2)TSH values may be trasiently altered becuase of non thyroidal illness like severe infections, liver disease, renal and heart severe burns, trauma and surgery etc.

TSH	FT4 / T4	FT3/T3	Interpretation
High	Normal	Normal	Subclinical hypothyroidism, poor compliance with thyroxine, drugs like amiodarone, Recovery phase of non-thyroidal illness, TSH Resistance.
High	Low	Low	Hypothyroidism, Autoimmune thyroiditis, post radio iodine Rx, post thyroidectomy, Anti thyroid drugs, tyrosine kinase inhibitors & amiodarone, amyloid deposits in thyroid, thyroid tumors & congenital hypothyroidism.
Low	High	High	Hyperthyroidism, Graves disease, toxic multinodular goiter, toxic adenoma, excess iodine or thyroxine intake, pregnancy related (hyperemesis gravidarum, hydatiform mole)
Low	Normal	Normal	Subclinical Hyperthyroidism, recent Rx for Hyperthyroidism, drugs like steroids & dopamine), Non thyroidal illness.
Low	Low	Low	Central Hypothyroidism, Non Thyroidal Illness, Recent Rx for Hyperthyroidism.
High	High	High	Interfering anti TPO antibodies, Drug interference: Amiodarone, Heparin, Beta Blockers, steroids & anti epileptics.

Diurnal Variation: TSH follows a diurnal rhythm and is at maximum between 2 am and 4 am, and is at a minimum between 6 pm and 10 pm. The variation is on the order of 50 to 206%. Biological variation: 19.7% (with in subject variation)

Reflex Tests: Anti thyroid Antibodies, USG Thyroid , TSH receptor Antibody. Thyroglobulin, Calcitonin

Limitations:

1. Samples should not be taken from patients receiving therapy with high biotin doses (i.e. >5 mg/day) until atleast 8 hours

following the last biotin administration.

2. Patient samples may contain heterophilic antibodies that could react in immunoassays to give falsely elevated or depressed results.

this assay is designed to minimize interference from heterophilic antibodies.

Reference:

1.O.koulouri et al. / Best Practice and Research clinical Endocrinology and Metabolism 27(2013)

2. Interpretation of the thyroid function tests, Dayan et al. THE LANCET . Vol 357

3. Tietz , Text Book of Clinical Chemistry and Molecular Biology -5th Edition

4.Biological Variation: From principles to Practice-Callum G Fraser (AACC Press)

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West *** End Of Report ***



Bmhaskar

Authenticity Check

IN THE OWNER OF THE PARTY OF THE

R

Dr.KETAKI MHASKAR M.D. (PATH) Pathologist

Page 9 of 9

REGD. OFFICE: Suburban Diagnostics (India) Pvt. Ltd., Aston, 2rd Floor, Sundervan Complex, Above Mercedes Showroom, Andheri West, Mumbai - 400053. CENTRAL REFERENCE LABORATORY: Shop No. 9, 101 to 105, Skyline Wealth Space Building, Near Omart, Premier Road, Vidyavihar (W), Mumbai - 400086.

HEALTHLINE: 022-6170-0000 | E-MAIL: customerservice@suburbandiagnostics.com | WEBSITE: www.suburbandiagnostics.com

Corporate Identity Number (CIN): U85110MH2002PTC136144

SUBURBAN DIAGNOSTICS - BORIVALI WEST



Patient Name: AKRITI SHARMA Patient ID: 2333100747 Date and Time: 27th Nov 23 11:52 AM

32 Age NA months days years Gender Female Heart Rate 67bpm V1 V4 aVR Patient Vitals BP: NA Weight: NA Height: NA Pulse: NA Spo2: NA Π V2 V5 Resp: NA aVL Others: Measurements V6 III V3 aVF QRSD: 72ms QT: 390ms QTcB: 412ms PR: 172ms 69° 89° 61° P-R-T: Π tricog 25.0 mm/s 10.0 mm/mV Copyright 2014-2023 Tricog Health, All Rights Reserv

ECG Within Normal Limits: Sinus Rhythm. Normal axis. Please correlate clinically.

REPORTED BY

Dr Nitin Sonavane M.B.B.S.AFLH, D.DIAB,D.CARD Consultant Cardiologist 87714

Disclaimer: 1) Analysis in this report is based on ECG alone and should be used as an adjunct to clinical history, symptoms, and results of other invasive and non-invasive tests and must be interpreted by a qualified physician. 2) Patient vitals are as entered by the clinician and not derived from the ECG.



R E P O R

Т

	: 2333100747 : Arcofemi Healthcare Limited			Reg Date Age/Gender Regn Centre	: 27-Nov-202: : 32 Years : Borivali Wes	st (Main Centre)
History and Co	mplaints:					
Nil	MU	Koper 201	6			
EXAMINATION		que				
Height (cms):	INDINOS.		165		Mainht (km)	54
Temp (0c):			Afebrile		Weight (kg):	
Blood Pressure	(mm/ha);				Skin:	NAD
Pulse:	(mm/ng):		100/70		Nails:	NAD
Fuise:			72/min		Lymph Node:	Not Palpable
Systems					6	
Cardiovascular	: S1S2-Normal					
Respiratory:	Chest-Clear					
Genitourinary:	NAD					
GI System:	NAD					
CNS:				٠.	2 3 1	-1
CNS:	NAD				and the second	
IMPRESSION:			100		- Barrer	
		Norm	cal		- 11. P	
				1 4 2	· · · · ·	
ADVICE:		-		1	the fail and	20
			· · · ·		100	
					and an a	
CHIEF COMPLA	INTS:					
1) Hypertensio	on:		No			
2) IHD			No			
3) Arrhythmia			No	1.2		
4) Diabetes Me	llitus		- No	¥		
5) Tuberculosi	S		No			
6) Asthama			No			
7) Pulmonary I			No		1	
	docrine disord	ers	No			
Nervous dis	orders		No			
10) GI system	8		No			
11) Genital urina	이 같은 것이야지 않는 것이 같아요. 이 것이 같아요.		No			
12) Rheumatic j		or sympto				
13) Blood disea			No			
14) Cancer/lump			No			
15) Congenital o	lisease		No	itral value r	lepair 2016	
16) Surgeries				tran vern	1	
17) Musculoske	letal System		No			

CENTRAL REFERENCE LABORATORY: Shop No. 9, 101 to 105, Skyline Wealth Space Building, Near Dmart, Premier Road, Vidyavihar West, Mumbai - 400086 HEALTHLINE: 022-6170-0000 | E-MAIL: customerservice@suburbandiagnostics.com | WEBSITE: www.suburbandiagnostics.com



E P O R T

R

Name	: Mrs . AKRITI	SHARMA		Reg Date	: 27-Nov	-2023 09:28	
VID	: 2333100747			Age/Gender	: 32 Year	s	
Ref By	y : Arcofemi Healthcare Limited		Regn Centre	West (Main C	'est (Main Centre)		
PERSO	NAL HISTORY:					3	
1) Alco	phol		No				
2) Smo	oking		No				
3) Diet			Veg		- Pit- manifi	as ()) Pvt. 18	4
 4) Med 	lication		No	Suburba	n Darghosu	the Distance and	April 2

Suburban Dir gnostide () FVI. Die 3018-302, 3 H Floor, Vini Elegenence Above Tanissi - 1 C. Road, Bonval 1 1955 - 00 22

Dr.Nitin Sonavane PHYSICIAN

DR. NITIN SONAVANE M.B.B.S.AFLH, D DIAB, D.CARD CONSULTATE DICLOGIST REGD. NQ. : 87714

REGETUATEZES 5128: NOV52923398: 41 dia) Pvt. Ltd., Aston, 2rd Floor, Sunder 29252; 952, Above Mercedes Showroom, Andhen West, Mumbai - 400053. CENTRAL REFERENCE LABORATORY: Shop No. 9, 101 to 105, Skyline Wealth Space Building, Near Dmart, Premier Road, Vidyavihar West, Mumbai - 400086 HEALTHLINE: 022-6170-0000 | E-MAIL: customerservice@suburbandiagnostics.com | WEBSITE: www.suburbandiagnostics.com



Date:-

37

Name: Akriti Sharma

CID: 2333100747

R

E

P

0

R

т

Sex/Age32/F

RE (0 616 616 16 NK

EYE CHECK UP

Chief complaints:

Systemic Diseases:

Past history:

Unaided Vision:

Aided Vision:

Refraction:

(Right Eye)


(Left Eye)

				p.					
	Sph	Cyl	Axis	Vn	Sph	Cyl	Axis	Vn	
Distance							1000		
Near	2				1.20				

Colour Vision: Normal / Abnormal

Remark:

CENTRAL REFERENCE LABORATORY: Shop No. 9, 101 to 105, Skyline Wealth Space Building, Near Dmart, Premier Road, Vidyavihar West, Mumbai - 400086



USG WHOLE ABDOMEN

LIVER: Liver is normal in size 12 cm, shape and echotexture. There is no intra-hepatic biliary radical dilatation. No evidence of any obvious focal lesion.

<u>GALL BLADDER</u>: Gall bladder is distended and appears normal. No obvious wall thickening is noted. There is no evidence of any calculus.

PORTAL VEIN: Portal vein is 9.7 mm normal. <u>CBD:</u> CBD is 3 mm normal.

PANCREAS: Pancreas appears normal in echotexture. There is no evidence of any focal lesion or calcification.

<u>KIDNEYS</u>: Right kidney measures 8.6 x 3.8 cm. Left kidney measures 10.3 x 4.2 cm. Both kidneys are normal in shape and echotexture. Corticomedullary differentiation is maintained. There is no evidence of any hydronephrosis, hydroureter or calculus.


SPLEEN: Spleen is normal in size 9.7 cm , shape and echotexture. No focal lesion is seen.

URINARY BLADDER: Urinary bladder is distended and normal. Wall thickness is within normal limits.

<u>UTERUS</u>: Uterus is anteverted, normal and measures 5.3 x 2.8 x 4.2 cm. Uterine myometrium shows homogenous echotexture. Endometrium is normal in thickness and measures 5.8 mm. Cervix appears normal.

OVARIES: Both ovaries appear normal in size and echotexture. The right ovary measures $1.8 \times 1.5 \times 2.0 \text{ cm}$ (volume 3 cc). The left ovary measures $2.2 \times 1.9 \times 1.7 \text{ cm}$ (volume 4 cc).

Bilateral adnexa is clear. No free fluid or obvious significant lymphadenopathy is seen.



Opinion:


• No significant abnormality is detected.

For clinical correlation and follow up.

Note: Investigations have their limitations. Solitary radiological investigations never confirm the final diagnosis. They only help in diagnosing the disease in correlation to clinical symptoms and other related tests. USG is known to have inter-observer variations. Further / Follow-up imaging may be needed in some cases for confirmation / exclusion of diagnosis. Patient was explained in detail verbally about the USG findings, USG measurements and its limitations. In case of any typographical error in the report, patient is requested to immediately contact the center for rectification within 7 days post which the center will not be responsible for any rectification. Please interpret accordingly.

-----End of Report-----

DR.SUDHANSHU SAXENA Consultant Radiologist M.B.B.S DMRE (RadioDiagnosis) RegNo .MMC 2016061376.





CID: 2333100747Name: Mrs AKRITI SHARMAAge / Sex: 32 Years/FemaleRef. Dr:Reg. Location: Borivali West



R

E

Р

R

Т

Use a QR Code Scanner
Application To Scan the CodeReg. Date: 27-Nov-2023Reported: 27-Nov-2023/12:25

X-RAY CHEST PA VIEW

Mitral valve replacement graft seen.

Both lung fields are clear.

Both costo-phrenic angles are clear.

The cardiac size and shape are within normal limits.

The domes of diaphragm are normal in position and outlines.

The skeleton under review appears normal.

-----End of Report-----

DR.SUDHANSHU SAXENA Consultant Radiologist M.B.B.S DMRE (RadioDiagnosis) RegNo .MMC 2016061376.

