

Add: Indra Deep Complex, Sanjay Gandhi Puram, Faizabad Road, Indira Nagar Ph: 7706041643,7706041644 CIN : U85196UP1992PLC014075



Patient Name	: Mr. VIKAS SRIVASTAVA		Registered O	n : 06/Mar/2023 0	8:13:04
Age/Gender	: 42 Y 10 M 12 D /M		Collected	: 06/Mar/2023 0	
UHID/MR NO	: IDCD.0000167037		Received	: 06/Mar/2023 0	
Visit ID	: IDCD0434892223		Reported	: 06/Mar/2023 1	2:48:47
Ref Doctor	: Dr.Mediwheel - Arcofer	ni Health Care Lt	d. Status	: Final Report	
		DEPARTMENT	OF HAEMATO	LOGY	
	MEDIWH	HEEL BANK OF I	BARODA MALE	ABOVE 40 YRS	
Test Name		Result	Unit	Bio. Ref. Interval	Method
Blood Group (Al	BO & Rh typing) * , Blood	,			
Blood Group		В			
Rh ( Anti-D)		POSITIVE			
Complete Blood	I Count (CBC) * , Whole Bl	ood			
Haemoglobin		15.70	g/dl	1 Day- 14.5-22.5 g/dl	
2				1 Wk- 13.5-19.5 g/dl	
				1 Mo- 10.0-18.0 g/dl	
				3-6 Mo- 9.5-13.5 g/dl	
				0.5-2 Yr- 10.5-13.5	
				g/dl	
				2-6 Yr- 11.5-15.5 g/dl 6-12 Yr- 11.5-15.5 g/d	
				12-18 Yr 13.0-16.0	Y Martin
				g/dl	
				Male- 13.5-17.5 g/dl	
				Female- 12.0-15.5 g/d	
TLC (WBC)		7,400.00	/Cu mm	4000-10000	ELECTRONIC IMPEDANCE
DLC					
Polymorphs (Neu	utrophils)	60.00	%	55-70	ELECTRONIC IMPEDANCE
Lymphocytes		32.00	%	25-40	ELECTRONIC IMPEDANCE
Monocytes		5.00	%	3-5	ELECTRONIC IMPEDANCE
Eosinophils		3.00	%	1-6	ELECTRONIC IMPEDANCE
Basophils		0.00	%	< 1	ELECTRONIC IMPEDANCE
ESR					
Observed		10.00	Mm for 1st hr.		
Corrected		NR	Mm for 1st hr.		
PCV (HCT)		47.00	%	40-54	
Platelet count		17.00	<i>,</i> ,		
Platelet Count		2.20	LACS/cu mm	15.40	ELECTRONIC
		2.20		1.J-4.U	IMPEDANCE/MICROSCOPI
PDW (Platelet Dis	stribution width)	16.30	fL	9-17	ELECTRONIC IMPEDANCE
P-LCR (Platelet La		37.20	%	35-60	ELECTRONIC IMPEDANCE
PCT (Platelet Her	•	0.22	%	0.108-0.282	ELECTRONIC IMPEDANCE
MPV (Mean Plate	,	11.40	fL	6.5-12.0	ELECTRONIC IMPEDANCE
RBC Count					
RBC Count		5.22	Mill./cu mm	1 2 5 5	ELECTRONIC IMPEDANCE
		J.22		4.2-0.0	







Add: Indra Deep Complex, Sanjay Gandhi Puram, Faizabad Road, Indira Nagar Ph: 7706041643,7706041644 CIN : U85196UP1992PLC014075



Patient Name	: Mr.VIKAS SRIVASTAVA	Registered On	: 06/Mar/2023 08:13:04
Age/Gender	: 42 Y 10 M 12 D /M	Collected	: 06/Mar/2023 08:15:35
UHID/MR NO	: IDCD.0000167037	Received	: 06/Mar/2023 09:39:04
Visit ID	: IDCD0434892223	Reported	: 06/Mar/2023 12:48:47
Ref Doctor	: Dr.Mediwheel - Arcofemi Health Care Ltd.	Status	: Final Report

## DEPARTMENT OF HAEMATOLOGY MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

WEDIWHEEL DAINS OF DASODA MALE ADOVE 40 TK3					
Test Name	Result	Unit	Bio. Ref. Interval	Method	
Blood Indices (MCV, MCH, MCHC)					
MCV	89.70	fl	80-100	CALCULATED PARAMETER	
MCH	30.00	pg	28-35	CALCULATED PARAMETER	
MCHC	33.40	%	30-38	CALCULATED PARAMETER	
RDW-CV	12.80	%	11-16	ELECTRONIC IMPEDANCE	
RDW-SD	43.40	fL	35-60	ELECTRONIC IMPEDANCE	
Absolute Neutrophils Count	4,440.00	/cu mm	3000-7000		
Absolute Eosinophils Count (AEC)	222.00	/cu mm	40-440		

Dr. Shoaib Irfan (MBBS, MD, PDCC)







Add: Indra Deep Complex, Sanjay Gandhi Puram, Faizabad Road, Indira Nagar Ph: 7706041643,7706041644 CIN : U85196UP1992PLC014075



Patient Name	: Mr.VIKAS SRIVASTAVA	Registered On	: 06/Mar/2023 08:13:05
Age/Gender	: 42 Y 10 M 12 D /M	Collected	: 06/Mar/2023 12:56:16
UHID/MR NO	: IDCD.0000167037	Received	: 06/Mar/2023 13:57:52
Visit ID	: IDCD0434892223	Reported	: 06/Mar/2023 14:54:36
Ref Doctor	: Dr.Mediwheel - Arcofemi Health Care Ltd.	Status	: Final Report

# DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
GLUCOSE FASTING , Plasma				
Glucose Fasting	114.80	mg/dl	< 100 Normal 100-125 Pre-diabetes ≥ 126 Diabetes	GOD POD

#### Interpretation:

a) Kindly correlate clinically with intake of hypoglycemic agents, drug dosage variations and other drug interactions.
b) A negative test result only shows that the person does not have diabetes at the time of testing. It does not mean that the person will never get diabetics in future, which is why an Annual Health Check up is essential.
c) I.G.T = Impared Glucose Tolerance.

Glucose PP Sample:Plasma After Meal	125.20	mg/dl	<140 Normal 140-199 Pre-diabetes >200 Diabetes	GOD POD

#### Interpretation:

a) Kindly correlate clinically with intake of hypoglycemic agents, drug dosage variations and other drug interactions.b) A negative test result only shows that the person does not have diabetes at the time of testing. It does not mean that the person will never get diabetics in future, which is why an Annual Health Check up is essential.c) I.G.T = Impared Glucose Tolerance.

Dr. Shoaib Irfan (MBBS, MD, PDCC)

Page 3 of 14







Add: Indra Deep Complex, Sanjay Gandhi Puram, Faizabad Road, Indira Nagar Ph: 7706041643,7706041644 CIN: U85196UP1992PLC014075



Patient Name	: Mr. VIKAS SRIVASTAVA	Registered On	: 06/Mar/2023 08:13:06
Age/Gender	: 42 Y 10 M 12 D /M	Collected	: 06/Mar/2023 08:15:35
UHID/MR NO	: IDCD.0000167037	Received	: 06/Mar/2023 11:26:57
Visit ID	: IDCD0434892223	Reported	: 06/Mar/2023 14:02:19
Ref Doctor	: Dr.Mediwheel - Arcofemi Health Care Ltd.	Status	: Final Report

# DEPARTMENT OF BIOCHEMISTRY

#### MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Unit Bio	o. Ref. Interval	Method
GLYCOSYLATED HAEMOGLOBIN (HBA1C)	** . FDTA BLOOD			
Glycosylated Haemoglobin (HbA1c)	6.00	% NGSP		HPLC (NGSP)
Glycosylated Haemoglobin (HbA1c)	42.00	mmol/mol/IFCC		. ,

mg/dl

#### Interpretation:

#### NOTE:-

Estimated Average Glucose (eAG)

- eAG is directly related to A1c.
- An A1c of 7% -the goal for most people with diabetes-is the equivalent of an eAG of 154 mg/dl.

125

• eAG may help facilitate a better understanding of actual daily control helping you and your health care provider to make necessary changes to your diet and physical activity to improve overall diabetes mnagement.

The following ranges may be used for interpretation of results. However, factors such as duration of diabetes, adherence to therapy and the age of the patient should also be considered in assessing the degree of blood glucose control.

Haemoglobin A1C (%)NGSP	mmol/mol / IFCC Unit	eAG (mg/dl)	<b>Degree of Glucose Control Unit</b>
> 8	>63.9	>183	Action Suggested*
7-8	53.0 -63.9	154-183	Fair Control
< 7	<63.9	<154	Goal**
6-7	42.1 -63.9	126-154	Near-normal glycemia
< 6%	<42.1	<126	Non-diabetic level

\*High risk of developing long term complications such as Retinopathy, Nephropathy, Neuropathy, Cardiopathy, etc. \*\*Some danger of hypoglycemic reaction in Type 1 diabetics. Some glucose intolerant individuals and "subclinical" diabetics may demonstrate HbA1C levels in this area.

N.B.: Test carried out on Automated G8 90 SL TOSOH HPLC Analyser.

#### **<u>Clinical Implications:</u>**

\*Values are frequently increased in persons with poorly controlled or newly diagnosed diabetes.

\*With optimal control, the HbA 1c moves toward normal levels.

\*A diabetic patient who recently comes under good control may still show higher concentrations of glycosylated hemoglobin. This level declines gradually over several months as nearly normal glycosylated \*Increases in glycosylated hemoglobin occur in the following nondiabetic conditions: a. Iron-deficiency anemia b. Splenectomy

Page 4 of 14





Add: Indra Deep Complex, Sanjay Gandhi Puram, Faizabad Road, Indira Nagar Ph: 7706041643,7706041644 CIN : U85196UP1992PLC014075



Patient Name	: Mr.VIKAS SRIVASTAVA	Registered On	: 06/Mar/2023 08:13:06
Age/Gender	: 42 Y 10 M 12 D /M	Collected	: 06/Mar/2023 08:15:35
UHID/MR NO	: IDCD.0000167037	Received	: 06/Mar/2023 11:26:57
Visit ID	: IDCD0434892223	Reported	: 06/Mar/2023 14:02:19
Ref Doctor	: Dr.Mediwheel - Arcofemi Health Care Ltd.	Status	: Final Report

## DEPARTMENT OF BIOCHEMISTRY

## MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test NameResultUnitBio. Ref. IntervalMethod	
---------------------------------------------	--

c. Alcohol toxicity d. Lead toxicity

\*Decreases in A 1c occur in the following non-diabetic conditions: a. Hemolytic anemia b. chronic blood loss

\*Pregnancy d. chronic renal failure. Interfering Factors:

\*Presence of Hb F and H causes falsely elevated values. 2. Presence of Hb S, C, E, D, G, and Lepore (autosomal recessive mutation resulting in a hemoglobinopathy) causes falsely decreased values.

#### Dr. Anupam Singh (MBBS MD Pathology)

Page 5 of 14





Add: Indra Deep Complex, Sanjay Gandhi Puram, Faizabad Road, Indira Nagar Ph: 7706041643,7706041644 CIN : U85196UP1992PLC014075



Patient Name	: Mr.VIKAS SRIVASTAVA	Registered On	: 06/Mar/2023 08:13:06
Age/Gender	: 42 Y 10 M 12 D /M	Collected	: 06/Mar/2023 08:15:35
UHID/MR NO	: IDCD.0000167037	Received	: 06/Mar/2023 11:20:34
Visit ID	: IDCD0434892223	Reported	: 06/Mar/2023 12:53:10
Ref Doctor	: Dr.Mediwheel - Arcofemi Health Care Ltd.	Status	: Final Report

# DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
	Kesut	Onit		Method
BUN (Blood Urea Nitrogen)	11.44	mg/dL	7.0-23.0	CALCULATED
Sample:Serum				
<b>Creatinine</b> Sample:Serum	1.19	mg/dl	Serum 0.7-1.3 Spot Urine-Male- 20- 275 Female-20-320	MODIFIED JAFFES
Uric Acid Sample:Serum	6.67	mg/dl	3.4-7.0	URICASE
LFT (WITH GAMMA GT) * , Serum				
SGOT / Aspartate Aminotransferase (AST)	23.60	U/L	< 35	IFCC WITHOUT P5P
SGPT / Alanine Aminotransferase (ALT)	22.70	U/L	< 40	IFCC WITHOUT P5P
Gamma GT (GGT)	16.40	IU/L	11-50	OPTIMIZED SZAZING
Protein	5.98	gm/dl	6.2-8.0	BIRUET
Albumin	3.56	gm/dl	3.8-5.4	B.C.G.
Globulin	2.42	gm/dl	1.8-3.6	CALCULATED
A:G Ratio	1.47		1.1-2.0	CALCULATED
Alkaline Phosphatase (Total)	62.33	U/L	42.0-165.0	IFCC METHOD
Bilirubin (Total)	1.04	mg/dl	0.3-1.2	JENDRASSIK & GROF
Bilirubin (Direct)	0.47	mg/dl	< 0.30	<b>JENDRASSIK &amp; GROF</b>
Bilirubin (Indirect)	0.57	mg/dl	< 0.8	JENDRASSIK & GROF
LIPID PROFILE (MINI), Serum				
Cholesterol (Total)	211.00	mg/dl	<200 Desirable 200-239 Borderline Higł > 240 High	CHOD-PAP เ
HDL Cholesterol (Good Cholesterol)	36.20	mg/dl	30-70	DIRECT ENZYMATIC
LDL Cholesterol (Bad Cholesterol)	117	mg/dl	< 100 Optimal 100-129 Nr.	CALCULATED
		at T	Optimal/Above Optimal 130-159 Borderline Higł 160-189 High > 190 Very High	
VLDL	58.14	mg/dl	10-33	CALCULATED
Triglycerides	290.70	mg/dl	< 150 Normal 150-199 Borderline Higł 200-499 High	GPO-PAP 1





Add: Indra Deep Complex, Sanjay Gandhi Puram, Faizabad Road, Indira Nagar Ph: 7706041643,7706041644 CIN : U85196UP1992PLC014075



Patient Name	: Mr.VIKAS SRIVASTAVA	Registered On	: 06/Mar/2023 08:13:06
Age/Gender	: 42 Y 10 M 12 D /M	Collected	: 06/Mar/2023 08:15:35
UHID/MR NO	: IDCD.0000167037	Received	: 06/Mar/2023 11:20:34
Visit ID	: IDCD0434892223	Reported	: 06/Mar/2023 12:53:10
Ref Doctor	: Dr.Mediwheel - Arcofemi Health Care Ltd.	Status	: Final Report

# DEPARTMENT OF BIOCHEMISTRY

# MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name

Result

Unit

Bio. Ref. Interval

Method

>500 Very High



Page 7 of 14



Dr. Shoaib Irfan (MBBS, MD, PDCC)



Add: Indra Deep Complex, Sanjay Gandhi Puram, Faizabad Road, Indira Nagar Ph: 7706041643,7706041644 CIN : U85196UP1992PLC014075



Patient Name	: Mr.VIKAS SRIVASTAVA	Registered On	: 06/Mar/2023 08:13:05
Age/Gender	: 42 Y 10 M 12 D /M	Collected	: 06/Mar/2023 13:00:26
UHID/MR NO	: IDCD.0000167037	Received	: 06/Mar/2023 13:22:24
Visit ID	: IDCD0434892223	Reported	: 06/Mar/2023 14:31:16
Ref Doctor	: Dr.Mediwheel - Arcofemi Health Care Ltd.	Status	: Final Report

## DEPARTMENT OF CLINICAL PATHOLOGY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
JRINE EXAMINATION, ROUTINE * , (	Urine			
Color	PALE YELLOW			
Specific Gravity	1.025			
Reaction PH	Acidic ( 6.0 )			DIPSTICK
Protein	ABSENT	mg %	< 10 Absent	DIPSTICK
			10-40 (+)	
			40-200 (++)	
			200-500 (+++) > 500 (++++)	
Sugar	ABSENT	gms%	< 0.5 (+)	DIPSTICK
Sugar	ADJEINT	yms%	< 0.5 (+) 0.5-1.0 (++)	DIPSTICK
			1-2 (+++)	
			> 2 (++++)	
Ketone	ABSENT	mg/dl	0.2-2.81	BIOCHEMISTRY
Bile Salts	ABSENT	0.0		
Bile Pigments	ABSENT			
Urobilinogen(1:20 dilution)	ABSENT			
Microscopic Examination:				
Epithelial cells	1-2/h.p.f			MICROSCOPIC
				EXAMINATION
Pus cells	ABSENT			
RBCs	ABSENT			MICROSCOPIC
				EXAMINATION
Cast	ABSENT			
Crystals	ABSENT			MICROSCOPIC
				EXAMINATION
Others	ABSENT			
UGAR, FASTING STAGE * , Urine				
Sugar, Fasting stage	ABSENT	gms%		

#### Interpretation:

 $\begin{array}{ll} (+) & < 0.5 \\ (++) & 0.5\text{-}1.0 \\ (+++) & 1\text{-}2 \\ (++++) & > 2 \end{array}$ 

Page 8 of 14





Add: Indra Deep Complex, Sanjay Gandhi Puram, Faizabad Road, Indira Nagar Ph: 7706041643,7706041644 CIN : U85196UP1992PLC014075



Patient Name	: Mr.VIKAS SRIVASTAVA	Registered On	: 06/Mar/2023 08:13:05
Age/Gender	: 42 Y 10 M 12 D /M	Collected	: 06/Mar/2023 13:00:26
UHID/MR NO	: IDCD.0000167037	Received	: 06/Mar/2023 13:22:24
Visit ID	: IDCD0434892223	Reported	: 06/Mar/2023 14:31:16
Ref Doctor	: Dr.Mediwheel - Arcofemi Health Care Ltd.	Status	: Final Report

# DEPARTMENT OF CLINICAL PATHOLOGY

# MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
SUGAR, PP STAGE * , Urine				
Sugar, PP Stage	ABSENT			

#### Interpretation:

(+) < 0.5 gms% (++) 0.5-1.0 gms% (+++) 1-2 gms% (++++) > 2 gms%

Dr. Shoaib Irfan (MBBS, MD, PDCC)

Page 9 of 14







Add: Indra Deep Complex, Sanjay Gandhi Puram, Faizabad Road, Indira Nagar Ph: 7706041643,7706041644 CIN : U85196UP1992PLC014075



Patient Name	: Mr.VIKAS SRIVASTAVA	Registered On	: 06/Mar/2023 08:13:06
Age/Gender	: 42 Y 10 M 12 D /M	Collected	: 06/Mar/2023 08:15:35
UHID/MR NO	: IDCD.0000167037	Received	: 06/Mar/2023 10:21:24
Visit ID	: IDCD0434892223	Reported	: 06/Mar/2023 12:21:51
Ref Doctor	: Dr.Mediwheel - Arcofemi Health Care Ltd.	Status	: Final Report

#### DEPARTMENT OF IMMUNOLOGY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
PSA (Prostate Specific Antigen), Total ** Sample:Serum	0.680	ng/mL	< 2.0	CLIA

#### **Interpretation:**

- 1. PSA is detected in the serum of males with normal, benign hypertrophic, and malignant prostate tissue.
- 2. Measurement of serum PSA levels is not recommended as a screening procedure for the diagnosis of cancer because elevated PSA levels also are observed in patients with benign prostatic hypertrophy. However, studies suggest that the measurement of PSA in conjunction with digital rectal examination (DRE) and ultrasound provide a better method of detecting prostate cancer than DRE alone<sup>-</sup>
- 3. PSA levels increase in men with cancer of the prostate, and after radical prostatectomy PSA levels routinely fall to the undetectable range.
- 4. If prostatic tissue remains after surgery or metastasis has occurred, PSA appears to be useful in detecting residual and early recurrence of tumor.
- 5. Therefore, serial PSA levels can help determine the success of prostatectomy, and the need for further treatment, such as radiation, endocrine or chemotherapy, and in the monitoring of the effectiveness of therapy.

#### THYROID PROFILE - TOTAL \*\* , Serum

T3, Total (tri-iodothyronine)	114.42	ng/dl	84.61-201.7	CLIA
T4, Total (Thyroxine)	9.60	ug/dl	3.2-12.6	CLIA
TSH (Thyroid Stimulating Hormone)	4.67	µIU/mL	0.27 - 5.5	CLIA

#### **Interpretation:**

0.3-4.5	µIU/mL	First Trimes	ter
0.5-4.6	µIU/mL	Second Trim	lester
0.8-5.2	µIU/mL	Third Trimes	ster
0.5-8.9	µIU/mL	Adults	55-87 Years
0.7-27	µIU/mL	Premature	28-36 Week
2.3-13.2	µIU/mL	Cord Blood	> 37Week
0.7-64	µIU/mL	Child(21 wk	- 20 Yrs.)
1-39	µIU/mL	Child	0-4 Days
1.7-9.1	µIU/mL	Child	2-20 Week

1) Patients having low T3 and T4 levels but high TSH levels suffer from primary hypothyroidism, cretinism, juvenile myxedema or autoimmune disorders.





Add: Indra Deep Complex, Sanjay Gandhi Puram, Faizabad Road, Indira Nagar Ph: 7706041643,7706041644 CIN : U85196UP1992PLC014075



Patient Name	: Mr.VIKAS SRIVASTAVA	Registered On	: 06/Mar/2023 08:13:06
Age/Gender	: 42 Y 10 M 12 D /M	Collected	: 06/Mar/2023 08:15:35
UHID/MR NO	: IDCD.0000167037	Received	: 06/Mar/2023 10:21:24
Visit ID	: IDCD0434892223	Reported	: 06/Mar/2023 12:21:51
Ref Doctor	: Dr.Mediwheel - Arcofemi Health Care Ltd.	Status	: Final Report

#### DEPARTMENT OF IMMUNOLOGY

#### MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method

2) Patients having high T3 and T4 levels but low TSH levels suffer from Grave's disease, toxic adenoma or sub-acute thyroiditis.

**3**) Patients having either low or normal T3 and T4 levels but low TSH values suffer from iodine deficiency or secondary hypothyroidism.

**4**) Patients having high T3 and T4 levels but normal TSH levels may suffer from toxic multinodular goiter. This condition is mostly a symptomatic and may cause transient hyperthyroidism but no persistent symptoms.

5) Patients with high or normal T3 and T4 levels and low or normal TSH levels suffer either from T3 toxicosis or T4 toxicosis respectively.

6) In patients with non thyroidal illness abnormal test results are not necessarily indicative of thyroidism but may be due to adaptation to the catabolic state and may revert to normal when the patient recovers.

7) There are many drugs for eg. Glucocorticoids, Dopamine, Lithium, Iodides, Oral radiographic dyes, etc. which may affect the thyroid function tests.

**8**) Generally when total T3 and total T4 results are indecisive then Free T3 and Free T4 tests are recommended for further confirmation along with TSH levels.

Dr. Anupam Singh (MBBS MD Pathology)

Page 11 of 14





Add: Indra Deep Complex, Sanjay Gandhi Puram, Faizabad Road, Indira Nagar Ph: 7706041643,7706041644 CIN : U85196UP1992PLC014075



Patient Nam	e : Mr. VIKAS SRIVASTAVA	Registered Or	n : 06/Mar/2023 08:13:07
Age/Gender	: 42 Y 10 M 12 D /M	Collected	: N/A
UHID/MR NO	: IDCD.0000167037	Received	: N/A
Visit ID	: IDCD0434892223	Reported	: 06/Mar/2023 10:44:27
Ref Doctor	: Dr.Mediwheel - Arcofemi Health Care Ltd	. Status	: Final Report

# **DEPARTMENT OF X-RAY**

#### MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

# X-RAY DIGITAL CHEST PA \* (500 mA COMPUTERISED UNIT SPOT FILM DEVICE)

## **DIGITAL CHEST P-A VIEW**

- Soft tissue shadow appears normal.
- Bony cage is normal.
- Diaphragmatic shadows are normal on both sides.
- Costo-phrenic angles are bilaterally clear.
- Trachea is central in position.
- Cardiac size & contours are normal.
- Hilar shadows are normal.
- Pulmonary vascularity & distribution are normal.
- Pulmonary parenchyma did not reveal any significant lesion.

## **IMPRESSION:** NORMAL SKIAGRAM

Dr. Anil Kumar Verma (MBBS.DMRD)





1800-419-0002



Add: Indra Deep Complex, Sanjay Gandhi Puram, Faizabad Road, Indira Nagar Ph: 7706041643,7706041644 CIN : U85196UP1992PLC014075



Patient Name	: Mr.VIKAS SRIVASTAVA	Registered On	: 06/Mar/2023 08:13:07
Age/Gender	: 42 Y 10 M 12 D /M	Collected	: N/A
UHID/MR NO	: IDCD.0000167037	Received	: N/A
Visit ID	: IDCD0434892223	Reported	: 06/Mar/2023 09:49:54
Ref Doctor	: Dr.Mediwheel - Arcofemi Health Care Ltd.	Status	: Final Report

## DEPARTMENT OF ULTRASOUND

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

#### ULTRASOUND WHOLE ABDOMEN (UPPER & LOWER) \*

#### LIVER

- Liver is enlarged in size (~ 172 mm) with grade-I fatty changes.
- No obvious focal lesion is seen. The intra-hepatic biliary radicles are normal.
- Portal vein is normal in caliber.

GALL BLADDER & CBD

- Gall bladder is well distended. Atleast two echogenic foci average size ~ approx 4 to 6 mm giving weak acoustic shadow seen within gall bladder neck region with gall bladder sludge seen.....likely soft calculi. No wall thickening or pericholecystic fluid noted. (Adv:- Follow up USG)
- Visualised proximal common bile duct is normal in caliber.

#### PANCREAS

• The pancreas is normal in size and shape and has a normal homogenous echotexture. Pancreatic duct is not dilated.

#### **KIDNEYS**

- Both the kidneys are normal in size and echotexture.
- Small concretion seen at lower polar region of right kidney.
- The collecting system of both the kidneys is normal and cortico-medullary demarcation is clear.

#### **SPLEEN**

• The spleen is normal in size and has a normal homogenous echo-texture.

#### LYMPH NODES

• No significant lymph node noted.



Page 13 of 14



Add: Indra Deep Complex, Sanjay Gandhi Puram, Faizabad Road, Indira Nagar Ph: 7706041643,7706041644 CIN : U85196UP1992PLC014075



Patient Name	: Mr.VIKAS SRIVASTAVA	Registered On	: 06/Mar/2023 08:13:07
Age/Gender	: 42 Y 10 M 12 D /M	Collected	: N/A
UHID/MR NO	: IDCD.0000167037	Received	: N/A
Visit ID	: IDCD0434892223	Reported	: 06/Mar/2023 09:49:54
Ref Doctor	: Dr.Mediwheel - Arcofemi Health Care Ltd.	Status	: Final Report

# DEPARTMENT OF ULTRASOUND

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

#### URINARY BLADDER

- Urinary bladder is partially distended. Bladder wall is normal in thickness and is regular. Review with full bladder.
- Pre void urine volume is ~ 70 cc.
- Post void residual urine volume is ~ 20 cc.

#### PROSTATE

• Prostate is mildly enlarged in size & measures ~ 41 x 37 x 35 mm, weight~ 27.6 grams.

#### **IMPRESSION**

- Hepatomegaly with grade-I fatty changes in liver.
- Atleast two echogenic foci giving weak acoustic shadow seen within gall bladder neck region with gall bladder sludge seen.....likely soft calculi. (Adv:- Follow up USG)
- Mild prostatomegaly with post void residual urine volume of ~ 20 cc.

Typed by- shanaya

(This report is an expert opinion & not a diagnosis. Kindly intimate us immediately or within 7 days for any reporting / typing error or any query regarding sonographic correlation of clinical findings)

#### \*\*\* End Of Report \*\*\*

(\*\*) Test Performed at Chandan Speciality Lab.

Result/s to Follow: STOOL, ROUTINE EXAMINATION, ECG / EKG, Tread Mill Test (TMT)



Dr. Anil Kuma

(MBBS.DMRD)

This report is not for medico legal purpose. If clinical correlation is not established, kindly repeat the test at no additional cost within seven days.

Facilities: Pathology, Bedside Sample Collection, Health Check-ups, Digital X-Ray, ECG (Bedside also), Allergy Testing, Test And Health Check-ups, Ultrasonography, Sonomammography, Bone Mineral Density (BMD), Doppler Studies, 2D Echo, CT Scan, MRI, Blood Bank, TMT, EEG, PFT, OPG, Endoscopy, Digital Mammography, Electromyography (EMG), Nerve Condition Velocity (NCV), Audiometry, Brainstem Evoked Response Audiometry (BERA), Colonoscopy, Ambulance Services, Online Booking Facilities for Diagnostics, Online Report Viewing \* 365 Days Open \*Facilities Available at Select Location

Page 14 of 14



