MYSORE-BALLAL CIRCLE

MEDALL

--- A MEDALL COMPANY ---

Date 10-Sep-2022 8:55 AM

H-165

Customer Name: MRS.MADHURI KAILASH SAH

Ref Dr Name

Customer Id

:MediWheel

DOB :17 Dec 1983 - 69kg

Age :38Y/FEMALE(1-120/80 mujg

Wisit ID :712227709

Phone No :7549933373 PME-81

[Hill 37

Email Id

:MED111292954

Corp Name

:MediWheel

Address

Dei1-33/32

Package Name: Mediwheel Full Body Health Checkup Female Below 40

s.N	Modality	Study	Accession No	Time	Seq	Signature
1	LAB	BLOOD UREA NITROGEN.				
		(BUN)				
2	LAB	GLUCOSE - FASTING				
3	LAB	GLUCOSE - POSTPRANDIAL				
		(2 HRS)				
4	LAB	GLYCOSYLATED				
		HAEMOGLOBIN (HbA1c)				
5	LAB	LIPID PROFILE				
6	LAB	LIVER FUNCTION TEST (LFT)				1
7	LAB	URIC ACID				
8	LAB	URINE GLUCOSE - FASTING				
9	LAB	URINE GLUCOSE -	1 1 1	,		
		POSTPRANDIAL (2 Hrs)	4 44			M.
10	LAB	COMPLETE BLOOD COUNT	¥	9 ,		2
		WITH ESR	- 0 m	100	/	
11	LAB	THYROID PROFILE/ TFT(T3,	. 1	7		
,1 ·		T4, TSH)		. 1-1		D: 1
12	LAB	STOOL ANALYSIS - ROUTINE				
13	LAB I	JRINE ROUTINE	7 - 1.4	a 5 17	1	
14	LAB (CREATININE	_			
15	AB E	BLOOD GROUP & RH TYPE		1 1		
	lo	Forward Reverse)	7 0 6 9	100	1	

Luni

Patient Details Print Page

					1 South	5-278	
			7	MYS2722054149333	ELECTROCARDIOGRAM ECG	ECHO	23
<u></u>			\	MYS2722054148004	Consultation Physician	CTHERS	2
	7 T T	4		MYS2722054145199	X RAY CHEST	X-RAY	-
7	1)		MYS2722054135592	EYE CHECKUP	JTHERS	
		28	N3080	MYS2722054127528	Treadmitt / 2D Echo V	HERS	MT.
				MYS2722054103462	ULTRASOUND ABDOMEN,	-	
				MYS2722054102651	physical examination	PU.	me of
					BUN/CREATININE RATIO	BU	# * · · ·
-		•	•/	\			

Registerd By

(R.SUNILKUMAR)



FITNESS CERTIFICATE

NAME: mad husi Isailar Sah.	AGE: 38	
Ht: 165 CMS	Wt: 69 KGS	SEX: F

PARAMETERS	MEASUREMENTS	
PULSE / BP (supine)	80 /mt //mmHg 120/80mm	A
INSPIRATION	38	
EXPIRATION	39	
CHEST CIRCUMFERENCE		
PREVIOUS ILLNESS		
VISION	0	
FAMILY HISTORY	FATHER: MOTHER:	

REPORTS:

Anaemia prescribed medicines

DATE:

10 /09/2022 Mysuur

PLACE:

CONSULTANT PHYSICIAN

M.D., D.M.(Cardiologist) Interventional Cardiologist KMC Reg. No.: 90111





Customer Name	MRS.MADHURI KAILASH SAH	Customer ID	MED111292954
Age & Gender	38Y/FEMALE		
Ref Doctor	MediWheel	Visit Date	10/09/2022

ABDOMINO-PELVIC ULTRASONOGRAPHY

LIVER is normal in size and shows slightly increased echotexture. No evidence of focal lesion or intrahepatic biliary ductal dilatation. Hepatic and portal vein radicals are normal.

GALL BLADDER show normal shape and has clear contents. Gall bladder wall is of normal thickness. CBD is of normal calibre.

PANCREAS has normal shape, size and uniform echopattern. No evidence of ductal dilatation or calcification.

SPLEEN is mildly enlarged in size (13.1cm).

KIDNEYS move well with respiration and have normal shape, size and echopattern. Cortico- medullary differentiations are well madeout.

No evidence of calculus or hydronephrosis.

D: 1 ****	Bipolar length (cms)	Parenchymal thickness (cms)
Right Kidney	10.1	1.6
Left Kidney	10.3	1.6

URINARY BLADDER show normal shape and wall thickness. It has clear contents.

UTERUS is anteverted and has normal shape and size. It has uniform myometrial echopattern. Endometrial echo is of normal thickness 5.9mms.

Uterus measures as follows: LS: 8.0cms

AP: 4.3cms

TS: 5.3cms.

OVARIES are normal size, shape and echotexture.

Right ovary measures: 2.1 x 1.7cms POD & adnexa are free.

Left ovary measures: 2.3 x 1.8cms

No evidence of ascites.

IMPRESSION:

- GRADE I FATTY CHANGES IN LIVER.
- > MILD SPLENOMEGALY.

CONSULTANT RADIOLOGISTS

DR. ANITHA ADARSH


DR. MOHAN B




Medall Diagnostics Ballal Circle(Ashoka circle) - Mysore




Customer Name	Sanar Circle(lall Diagnostics Ashoka circle) - Mysore	DIAG exper
Age & Gender	MRS.MADHURI KAILASH SAH	Customer ID	MED111292954
Ref Doctor	38Y/FEMALE MediWheel	Visit Date	10/09/2022





















Customer	MRS.MADHURI KAILASH SAH		
Name	RAILASH SAH	Customer ID	MED111292954
Age & Gender	38Y/FEMALE		
Ref Doctor	MediWheel	Visit Date	10/09/2022

2 D ECHOCARDIOGRAPHIC STUDY

M mode measurement:

AORTA : 3.0cms

LEFT ATRIUM : 3.2cms

LEFT VENTRICLE (DIASTOLE) : 4.6cms

(SYSTOLE) : 2.8cms

VENTRICULAR SEPTUM (DIASTOLE) : 0.8cms

(SYSTOLE) : 1.1cms

POSTERIOR WALL (DIASTOLE) : 0.8cms

(SYSTOLE) : 1.2cms

EDV : 61ml

ESV : 22ml

FRACTIONAL SHORTENING : 37%

EJECTION FRACTION : 63%

RVID : 1.6cms

DOPPLER MEASUREMENTS:

MITRAL VALVE : 'E' - 0.81m/s 'A' - 0.35m/s NO MR

AORTIC VALVE : 1.05m/s NO AR

TRICUSPID VALVE : 'E' - 0.77m/s 'A' - 0.38m/s NO TR

PULMONARY VALVE : 0.79m/s NO PR

You can also conveniently view the reports and trends through our App. Scan QR code to download the App.





Customer Name	MRS.MADHURI KAILASH SAH	Customer ID	
Age & Gender	38Y/FEMALE	oustomer ID	MED111292954
Ref Doctor	MediWheel	Visit Date	10/09/2022

2D ECHOCARDIOGRAPHY FINDINGS:

Left ventricle

: Normal size, Normal systolic function.

No regional wall motion abnormalities.

Left Atrium

: Normal.

Right Ventricle

: Normal.

Right Atrium

: Normal.

Mitral valve

: Normal, No mitral valve prolapsed.

Aortic valve

: Normal, Trileaflet.

Tricuspid valve

: Normal.

Pulmonary valve

: Normal.

IAS

: Intact.

IVS

: Intact.

Pericardium

: No pericardial effusion.


IMPRESSION:

- > NORMAL SIZED CARDIAC CHAMBERS.
- > NORMAL LV SYSTOLIC FUNCTION. EF: 63%.
- NO REGIONAL WALL MOTION ABNORMALITIES.
- NORMAL VALVES.
- > NO CLOTS/ PERICARDIAL EFFUSION VEGETATION.

Vicent

DR. NIKHIL B
INTERVENTIONAL CARDIOLOGIST
NB/TG





Please produce bill copy at the time of collecting the reports. Request you to provide your mobile number or customer id during your subsequent visits.





NETHRADHAMA SUPER SPECIALITY EYE HOSPITAL

(A Unit of Nethradhama Hospitals Pvt. Ltd.)

01 0 011661	OPD	SHE	ET
-------------	-----	-----	----

Date: 10/9/22

Patient's Name : No Nordhy - & Kallach Sah

OP No.... (210151

38 | F

9:50 Pm

Dr. Roopashree, C.R MBBS.MS, FPRS Consultant-Phaco & Refractive KMC No: 105152 -

For Medical Certificate

Sop < 15

ofe, As: BE: WNL

Fundre: BE CDRO.3

BCUA < 6/6, N.6 6/6, N.6 Color Vision < 38/38 38/38.


-RIW SOS/248

Jayanagar Branch : 080-26088000 / 2663 3533 / 2663 3609 / 2245 Mobile : 94480 71816

Rajajinagar Branch : 080-4333 4111 / 2313 2777 / Mobile : 99728 53918

Indiranagar Branch: 080-4333 2555 Mobile: 81973 51609 Mysore Branch : 0821-4293000 Mobile : 94490 03771 Mangalore Lasik Centre : 0824-2213801 Mobile : 97410 26389

Davangere Lasik Centre : 08192-226607/08 Mobile : 94820 01795



Age / Sex : 38 Year(s) / Female **Report On** : 10/09/2022 6:33 PM

Printed On

Type : OP

Ref. Dr : MediWheel



<u>Investigation</u>	Observed Unit	<u>Biological</u>
	Value	Reference Interval

: 11/09/2022 4:10 PM

HAEMATOLOGY

Complete Blood Count With - ESR

Haemoglobin	9.7	g/dL	12.5 - 16.0
-------------	-----	------	-------------

(EDTA Blood/Spectrophotometry)

INTERPRETATION: Haemoglobin values vary in Men, Women & Children. Low haemoglobin values may be due to nutritional deficiency, blood loss, renal failure etc. Higher values are often due to dehydration, smoking, high altitudes, hypoxia etc.

Remark: Kindly correlate clinically.

PCV (Packed Cell Volume) / Haematocrit (EDTA Blood/Derived)	33.4	%	37 - 47
RBC Count (EDTA Blood/Automated Blood cell Counter)	3.53	mill/cu.mm	4.2 - 5.4
MCV (Mean Corpuscular Volume) (EDTA Blood/Derived from Impedance)	95.0	fL	78 - 100
MCH (Mean Corpuscular Haemoglobin) (EDTA Blood/Derived)	27.5	pg	27 - 32
MCHC (Mean Corpuscular Haemoglobin concentration) (EDTA Blood/Derived)	29.0	g/dL	32 - 36
RDW-CV (Derived)	18.0	%	11.5 - 16.0
RDW-SD (Derived)	59.85	fL	39 - 46
Total WBC Count (TC) (EDTA Blood/Derived from Impedance)	5330	cells/cu.mm	4000 - 11000
Neutrophils (Blood/Impedance Variation & Flow Cytometry)	60	%	40 - 75
Lymphocytes (Blood/Impedance Variation & Flow Cytometry)	34	%	20 - 45



PID No. : MED111292954 **Register On** : 10/09/2022 8:56 AM : 712227709 **Collection On** : 10/09/2022 10:17 AM SID No.

Age / Sex : 38 Year(s) / Female Report On

Printed On

Type : OP

Ref. Dr : MediWheel

: 10/09/2022 6:33 PM : 11/09/2022 4:10 PM

(1)
MEDAL

Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
Eosinophils (Blood/Impedance Variation & Flow Cytometry)	01	%	01 - 06
Monocytes (Blood/Impedance Variation & Flow Cytometry)	05	%	01 - 10
Basophils (Blood/Impedance Variation & Flow Cytometry)	00	%	00 - 02
Absolute Neutrophil count (EDTA Blood/Impedance Variation & Flow Cytometry)	3.20	10^3 / μl	1.5 - 6.6
Absolute Lymphocyte Count (EDTA Blood/Impedance Variation & Flow Cytometry)	1.81	10^3 / μl	1.5 - 3.5
Absolute Eosinophil Count (AEC) (EDTA Blood/Impedance Variation & Flow Cytometry)	0.05	10^3 / μl	0.04 - 0.44
Absolute Monocyte Count (EDTA Blood/Impedance Variation & Flow Cytometry)	0.27	10^3 / μl	< 1.0
Absolute Basophil count (EDTA Blood/Impedance Variation & Flow Cytometry)	0.00	10^3 / μl	< 0.2
Platelet Count (EDTA Blood/Derived from Impedance)	132	10^3 / μl	150 - 450
Remark: Kindly correlate clinically.			
MPV (Blood/ <i>Derived</i>)	15.4	fL	8.0 - 13.3
PCT	0.20	%	0.18 - 0.28
ESR (Erythrocyte Sedimentation Rate) (Citrated Blood/Automated ESR analyser)	16	mm/hr	< 20



PID No. : MED111292954 **Register On** : 10/09/2022 8:56 AM : 712227709 SID No. **Collection On** : 10/09/2022 10:17 AM Age / Sex : 38 Year(s) / Female Report On : 10/09/2022 6:33 PM



Type : OP

: 11/09/2022 4:10 PM **Printed On**

Ref. Dr : MediWheel

Investigation	Observed Value	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
BIOCHEMISTRY			
Liver Function Test			
Bilirubin(Total) (Serum/Diazotized Sulfanilic Acid)	0.6	mg/dL	0.1 - 1.2
Bilirubin(Direct) (Serum/Diazotized Sulfanilic Acid)	0.2	mg/dL	0.0 - 0.3
Bilirubin(Indirect) (Serum/Derived)	0.40	mg/dL	0.1 - 1.0
Total Protein (Serum/Biuret)	7.6	gm/dl	6.0 - 8.0
Albumin (Serum/Bromocresol green)	4.5	gm/dl	3.5 - 5.2
Globulin (Serum/ <i>Derived</i>)	3.10	gm/dL	2.3 - 3.6
A : G Ratio (Serum/Derived)	1.45		1.1 - 2.2
INTERPRETATION: Remark: Electrophoresis is the	preferred method		
SGOT/AST (Aspartate Aminotransferase) (Serum/IFCC / Kinetic)	30	U/L	5 - 40
SGPT/ALT (Alanine Aminotransferase) (Serum/IFCC / Kinetic)	24	U/L	5 - 41
Alkaline Phosphatase (SAP) (Serum/PNPP / Kinetic)	84	U/L	42 - 98
GGT(Gamma Glutamyl Transpeptidase) (Serum/IFCC / Kinetic)	16	U/L	< 38



VERIFIED BY



 PID No.
 : MED111292954
 Register On
 : 10/09/2022 8:56 AM

 SID No.
 : 712227709
 Collection On
 : 10/09/2022 10:17 AM

Printed On

Type : OP

Ref. Dr : MediWheel



Investigation	Observed <u>Value</u>	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
<u>Lipid Profile</u>			
Cholesterol Total (Serum/Oxidase / Peroxidase method)	177	mg/dL	Optimal: < 200 Borderline: 200 - 239 High Risk: >= 240
Triglycerides (Serum/Glycerol phosphate oxidase / peroxidase)	138	mg/dL	Optimal: < 150 Borderline: 150 - 199 High: 200 - 499 Very High: >= 500

: 11/09/2022 4:10 PM

INTERPRETATION: The reference ranges are based on fasting condition. Triglyceride levels change drastically in response to food, increasing as much as 5 to 10 times the fasting levels, just a few hours after eating. Fasting triglyceride levels show considerable diurnal variation too. There is evidence recommending triglycerides estimation in non-fasting condition for evaluating the risk of heart disease and screening for metabolic syndrome, as non-fasting sample is more representative of the `usual_circulating level of triglycerides during most part of the day.

HDL Cholesterol (Serum/Immunoinhibition)	51	mg/dL	Optimal(Negative Risk Factor): >= 60 Borderline: 50 - 59 High Risk: < 50
LDL Cholesterol (Serum/Calculated)	98.4	mg/dL	Optimal: < 100 Above Optimal: 100 - 129 Borderline: 130 - 159 High: 160 - 189 Very High: >= 190
VLDL Cholesterol (Serum/Calculated)	27.6	mg/dL	< 30



VERIFIED BY

Dr Shouree K.R.
MBBS MD DNB
Consultant Pathologist
Reg No: KMC 103138

 PID No.
 : MED111292954
 Register On
 : 10/09/2022 8:56 AM

 SID No.
 : 712227709
 Collection On
 : 10/09/2022 10:17 AM

Type : OP

OP Printed On : 11/09/2022 4:10 PM

Ref. Dr : MediWheel



Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
Non HDL Cholesterol (Serum/Calculated)	126.0	mg/dL	Optimal: < 130 Above Optimal: 130 - 159 Borderline High: 160 - 189 High: 190 - 219 Very High: >= 220

INTERPRETATION: 1.Non-HDL Cholesterol is now proven to be a better cardiovascular risk marker than LDL Cholesterol. 2.It is the sum of all potentially atherogenic proteins including LDL, IDL, VLDL and chylomicrons and it is the "new bad cholesterol" and is a co-primary target for cholesterol lowering therapy.

Total Cholesterol/HDL Cholesterol Ratio (Serum/Calculated)	3.5	Optimal: < 3.3 Low Risk: 3.4 - 4.4 Average Risk: 4.5 - 7.1 Moderate Risk: 7.2 - 11.0 High Risk: > 11.0
Triglyceride/HDL Cholesterol Ratio (TG/HDL) (Serum/Calculated)	2.7	Optimal: < 2.5 Mild to moderate risk: 2.5 - 5.0 High Risk: > 5.0
LDL/HDL Cholesterol Ratio (Serum/Calculated)	1.9	Optimal: 0.5 - 3.0 Borderline: 3.1 - 6.0 High Risk: > 6.0



VERIFIED BY



Printed On

Type : OP

Ref. Dr : MediWheel



Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
Glycosylated Haemoglobin (HbA1c)			
HbA1C (Whole Blood/ <i>HPLC</i>)	5.1	%	Normal: 4.5 - 5.6 Prediabetes: 5.7 - 6.4 Diabetic: >= 6.5

: 11/09/2022 4:10 PM

INTERPRETATION: If Diabetes - Good control: 6.1 - 7.0 %, Fair control: 7.1 - 8.0 %, Poor control >= 8.1 %

Estimated Average Glucose 99.67 mg/dL

(Whole Blood)

INTERPRETATION: Comments

HbA1c provides an index of Average Blood Glucose levels over the past 8 - 12 weeks and is a much better indicator of long term glycemic control as compared to blood and urinary glucose determinations.

Conditions that prolong RBC life span like Iron deficiency anemia, Vitamin B12 & Folate deficiency,

hypertriglyceridemia, hyperbilirubinemia, Drugs, Alcohol, Lead Poisoning, Asplenia can give falsely elevated HbAlC values.

Conditions that shorten RBC survival like acute or chronic blood loss, hemolytic anemia, Hemoglobinopathies, Splenomegaly, Vitamin E ingestion, Pregnancy, End stage Renal disease can cause falsely low HbAlc.



VERIFIED BY

Dr Shouree K.R MBBS MD DNB Consultant Pathologist Reg No : KMC 103138

PID No. : MED111292954 Register On : 10/09/2022 8:56 AM

Printed On

Age / Sex: 38 Year(s) / Female **Report On**: 10/09/2022 6:33 PM

Type : OP

Ref. Dr : MediWheel

Collection On : 10/09/2022 10:17 AM

: 11/09/2022 4:10 PM



Investigation	Observed Unit	Biological
<u></u>	<u>Value</u>	Reference Interval

IMMUNOASSAY

THYROID PROFILE / TFT

T3 (Triiodothyronine) - Total 1.25 ng/ml 0.7 - 2.04

(Serum/Chemiluminescent Immunometric Assay (CLIA))

INTERPRETATION:

Comment:

Total T3 variation can be seen in other condition like pregnancy, drugs, nephrosis etc. In such cases, Free T3 is recommended as it is Metabolically active.

T4 (Thyroxine) - Total 13.02 Microg/dl 4.2 - 12.0

(Serum/Chemiluminescent Immunometric Assay (CLIA))

INTERPRETATION:

Comment:

Total T4 variation can be seen in other condition like pregnancy, drugs, nephrosis etc. In such cases, Free T4 is recommended as it is Metabolically active.

Remark: Kindly correlate clinically.

TSH (Thyroid Stimulating Hormone) **8.57** µIU/mL 0.35 - 5.50

(Serum/Chemiluminescent Immunometric Assay (CLIA))

INTERPRETATION:

Reference range for cord blood - upto 20

1 st trimester: 0.1-2.5 2 nd trimester 0.2-3.0 3 rd trimester: 0.3-3.0

(Indian Thyroid Society Guidelines)

Comment:

- 1.TSH reference range during pregnancy depends on Iodine intake, TPO status, Serum HCG concentration, race, Ethnicity and BMI.
- 2.TSH Levels are subject to circadian variation, reaching peak levels between 2-4am and at a minimum between 6-10PM. The variation can be of the order of 50%, hence time of the day has influence on the measured serum TSH concentrations.
- 3. Values&lt 0.03 µIU/mL need to be clinically correlated due to presence of rare TSH variant in some individuals.

Remark: Kindly correlate clinically.



 PID No.
 : MED111292954
 Register On
 : 10/09/2022 8:56 AM

 SID No.
 : 712227709
 Collection On
 : 10/09/2022 10:17 AM

Age / Sex: 38 Year(s) / Female **Report On**: 10/09/2022 6:33 PM

Type : OP

P Printed On : 11/09/2022 4:10 PM

Ref. Dr : MediWheel



<u>Investigation</u>	<u>Observed</u>	<u>Unit</u>	<u>Biological</u>
_	Value		Reference Interval

CLINICAL PATHOLOGY

PHYSICAL EXAMINATION

Colour	Pale yellow	Yellow to Amber
--------	-------------	-----------------

(Urine/Physical examination)

Volume 30 ml

(Urine/Physical examination)

Appearance Clear

(Urine)

CHEMICAL EXAMINATION

pH 7.0	4.5 - 8.0
--------	-----------

(Urine)

Specific Gravity 1.005 1.002 - 1.035

(Urine/Dip Stick Reagent strip method)

Protein Negative Negative

(Urine/Dip Stick *Reagent strip method)

Glucose Nil Nil

(Urine)

Ketone Nil Nil

(Urine/Dip Stick Reagent strip method)

Leukocytes Negative leuco/uL Negative

(Urine)

Nitrite Nil Nil

(Urine/Dip Stick Reagent strip method)

Bilirubin Negative mg/dL Negative

(Urine)



VERIFIED BY



PID No. : MED111292954 Register On : 10/09/2022 8:56 AM : 712227709 SID No. Collection On : 10/09/2022 10:17 AM Age / Sex : 38 Year(s) / Female Report On : 10/09/2022 6:33 PM



Type : OP

: 11/09/2022 4:10 PM **Printed On**

Ref. Dr : MediWheel

Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
Blood	Nil		Nil
(Urine)			
Urobilinogen	Normal		Within normal limits
(Urine/Dip Stick Reagent strip method)			
Urine Microscopy Pictures			
RBCs	Nil	/hpf	NIL
(Urine/Microscopy)			
Pus Cells	2-3	/hpf	< 5
(Urine/Microscopy)		-	
Epithelial Cells	1-2	/hpf	No ranges
(Urine/Microscopy)		•	Ç
Others	Nil		Nil
(Urine)			



VERIFIED BY



 PID No.
 : MED111292954
 Register On
 : 10/09/2022 8:56 AM

 SID No.
 : 712227709
 Collection On
 : 10/09/2022 10:17 AM

 Age / Sex
 : 38 Year(s) / Female
 Report On
 : 10/09/2022 6:33 PM

Printed On



Type : OP

Ref. Dr : MediWheel

<u>Investigation</u>	<u>Observed</u>	<u>Unit</u>	<u>Biological</u>
-	<u>Value</u>		Reference Interval

: 11/09/2022 4:10 PM

Stool Analysis - ROUTINE

Colour (Stool)	Brown	Brown
Blood (Stool)	Not present	Not present
Mucus (Stool)	Not present	Not present
Reaction (Stool)	Alkaline	Alkaline
Consistency	Semi solid	Semi solid

(Stool)

Ova Nil Nil (Stool)

Others Nil Nil (Stool)

Cysts Nil Nil (Stool)

Trophozoites Nil Nil

(Stool)

RBCs Nil /hpf Nil (Stool)

Pus Cells 2-3 /hpf Nil (Stool)

Macrophages Nil Nil

(Stool)
Epithelial Cells
Nil /hpf
Nil

Epithelial Cells Nil /hpf Nil (Stool)



VERIFIED BY



PID No. : MED111292954 Register On : 10/09/2022 8:56 AM

SID No. : 712227709 Collection On : 10/09/2022 10:17 AM

 $\textbf{Age / Sex} \quad \textbf{:} \quad 38 \ \text{Year(s) / Female} \qquad \qquad \textbf{Report On} \qquad \textbf{:} \quad 10/09/2022 \ 6:33 \ \text{PM}$

Printed On

Type : OP

Ref. Dr : MediWheel



InvestigationObservedUnitBiologicalValueReference Interval

IMMUNOHAEMATOLOGY

BLOOD GROUPING AND Rh TYPING

(EDTA Blood/Agglutination)

Remark: Test to be confirmed by gel method.

'B' 'Positive'

Dr Shouree K.R MBBS MD DNB Consultant Pathologist Reg No : KMC 103138

: 11/09/2022 4:10 PM

PID No. : MED111292954 : 10/09/2022 8:56 AM Register On

Printed On

: 712227709 SID No. Collection On : 10/09/2022 10:17 AM

Age / Sex : 38 Year(s) / Female Report On 10/09/2022 6:33 PM Type : OP

Ref. Dr : MediWheel

Diabetic: >= 126

Investigation	Observed Value	<u>Unit</u>	<u>Biological</u> Reference Interval
BIOCHEMISTRY			
BUN / Creatinine Ratio	12.2		
Glucose Fasting (FBS) (Plasma - F/GOD- POD)	99	mg/dL	Normal: < 100 Pre Diabetic: 100 - 125

: 11/09/2022 4:10 PM

INTERPRETATION: Factors such as type, quantity and time of food intake, Physical activity, Psychological stress, and drugs can influence blood glucose level.

Nil Urine sugar, Fasting Nil (Urine - F) Glucose Postprandial (PPBS) 123 mg/dL 70 - 140

(Plasma - PP/GOD - POD)

INTERPRETATION:

Factors such as type, quantity and time of food intake, Physical activity, Psychological stress, and drugs can influence blood glucose level. Fasting blood glucose level may be higher than Postprandial glucose, because of physiological surge in Postprandial Insulin secretion, Insulin resistance, Exercise or Stress, Dawn Phenomenon, Somogyi Phenomenon, Anti- diabetic medication during treatment for Diabetes.

Urine Sugar (PP-2 hours) (Urine - PP)	Negative		Negative
Blood Urea Nitrogen (BUN) (Serum/Urease UV / derived)	8.6	mg/dL	7.0 - 21
Creatinine (Serum/Jaffe Kinetic)	0.7	mg/dL	0.6 - 1.1

INTERPRETATION: Elevated Creatinine values are encountered in increased muscle mass, severe dehydration, Pre-eclampsia, increased ingestion of cooked meat, consuming Protein/ Creatine supplements, Diabetic Ketoacidosis, prolonged fasting, renal dysfunction and drugs such as cefoxitin ,cefazolin, ACE inhibitors ,angiotensin II receptor antagonists, N-acetylcyteine , chemotherapeutic agent such as flucytosine

Uric Acid 5.7 2.6 - 6.0mg/dL

(Serum/Uricase/Peroxidase)



VERIFIED BY

Dr Shouree K.R. MBBS MD DNB Consultant Pathologist Reg No: KMC 103138

 PID No.
 : MED111292954
 Register On
 : 10/09/2022 8:56 AM

 SID No.
 : 712227709
 Collection On
 : 10/09/2022 10:17 AI

 SID No.
 : 712227709
 Collection On : 10/09/2022 10:17 AM

 Age / Sex : 38 Year(s) / Female
 Report On : 10/09/2022 6:33 PM

Type : OP Printed On

Ref. Dr : MediWheel

MEDALI

-- End of Report --

: 11/09/2022 4:10 PM



Name	MADHURI KAILASH SAH	ID	MED111292954
Age & Gender	38Y/F	Visit Date	Sep 10 2022 8:55AM
Ref Doctor	MediWheel		

X – RAY CHEST PA VIEW

LUNGS:

Both lung fields are clear.

Vascular markings are normal.

Tracheal air lucency is normal.

No evidence of abnormal hilar opacities.

Costophrenic angle recesses are normal.

CARDIA:

Cardia is normal shape and configuration.

Diaphragm, Thoracic cage, soft tissues are normal.

IMPRESSION:

• NO SIGNIFICANT DIAGNOSTIC ABNORMALITY.

DR. MOHAN. B

(DMRD, DNB, EDIR, FELLOW IN CARDIAC

MRI)

CONSULTANT RADIOLOGIST