PID No.
 : MED110879440
 Register On
 : 15/01/2022 10:02 AM

 SID No.
 : 922003315
 Collection On
 : 15/01/2022 2:11 PM

 Age / Sex
 : 33 Year(s) / Male
 Report On
 : 16/01/2022 12:01 PM



Type : OP

Printed On : 17/01/2022 12:18 PM

Ref. Dr : MediWheel

Investigation	Observed Value	<u>Unit</u>	Biological Reference Interval
HAEMATOLOGY			
Complete Blood Count With - ESR			
Haemoglobin (EDTA Blood/Spectrophotometry)	15.5	g/dL	13.5 - 18.0
Packed Cell Volume(PCV)/Haematocrit (EDTA Blood/Derived from Impedance)	45.4	%	42 - 52
RBC Count (EDTA Blood/Impedance Variation)	5.25	mill/cu.mm	4.7 - 6.0
Mean Corpuscular Volume(MCV) (EDTA Blood/Derived from Impedance)	87.0	fL	78 - 100
Mean Corpuscular Haemoglobin(MCH) (EDTA Blood/Derived from Impedance)	29.5	pg	27 - 32
Mean Corpuscular Haemoglobin concentration(MCHC) (EDTA Blood/Derived from Impedance)	34.0	g/dL	32 - 36
RDW-CV (EDTA Blood/Derived from Impedance)	14.1	%	11.5 - 16.0
RDW-SD (EDTA Blood/Derived from Impedance)	42.93	fL	39 - 46
Total Leukocyte Count (TC) (EDTA Blood/Impedance Variation)	4400	cells/cu.mm	4000 - 11000
Neutrophils (EDTA Blood/Impedance Variation & Flow Cytometry)	46.5	%	40 - 75
Lymphocytes (EDTA Blood/Impedance Variation & Flow Cytometry)	38.6	%	20 - 45
Eosinophils (EDTA Blood/Impedance Variation & Flow Cytometry)	6.3	%	01 - 06



VERIFIED BY



Name : **Mr. DEEPAK N PID No.** : MED110879440

SID No. : 922003315

NO. . 322003313

Age / Sex : 33 Year(s) / Male

Type : OP

Ref. Dr : MediWheel

Register On : 15/01/2022 10:02 AM

Collection On : 15/01/2022 2:11 PM

Report On : 16/01/2022 12:01 PM

Printed On : 17/01/2022 12:18 PM



<u>Investigation</u>	Observed <u>Value</u>	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
Monocytes (EDTA Blood/Impedance Variation & Flow Cytometry)	8.1	%	02 - 10
Basophils (EDTA Blood/Impedance Variation & Flow Cytometry)	0.5	%	00 - 02
Absolute Neutrophil count (EDTA Blood/Impedance Variation & Flow Cytometry)	2.05	10^3 / μl	1.5 - 6.6
Absolute Lymphocyte Count (EDTA Blood/Impedance Variation & Flow Cytometry)	1.70	10^3 / μl	1.5 - 3.5
Absolute Eosinophil Count (AEC) (EDTA Blood/Impedance Variation & Flow Cytometry)	0.28	10^3 / μl	0.04 - 0.44
Absolute Monocyte Count (EDTA Blood/Impedance Variation & Flow Cytometry)	0.36	10^3 / μl	< 1.0
Absolute Basophil count (EDTA Blood/Impedance Variation & Flow Cytometry)	0.02	10^3 / μl	< 0.2
Platelet Count (EDTA Blood/Impedance Variation)	316	10^3 / μl	150 - 450
MPV (EDTA Blood/Derived from Impedance)	7.3	fL	7.9 - 13.7
PCT (EDTA Blood/Automated Blood cell Counter)	0.23	%	0.18 - 0.28
ESR (Erythrocyte Sedimentation Rate) (EDTA Blood/Modified Westergren)	7	mm/hr	< 15



VERIFIED BY



: MediWheel

 PID No.
 : MED110879440
 Register On
 : 15/01/2022 10:02 AM

 SID No.
 : 922003315
 Collection On
 : 15/01/2022 2:11 PM

 Age / Sex
 : 33 Year(s) / Male
 Report On
 : 16/01/2022 12:01 PM

Printed On



Type : OP

Ref. Dr

Investigation BIOCHEMISTRY	Observed <u>Value</u>	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
Liver Function Test			
Bilirubin(Total) (Serum/Diazotized Sulfanilic Acid)	0.9	mg/dL	0.1 - 1.2
Bilirubin(Direct) (Serum/Diazotized Sulfanilic Acid)	0.4	mg/dL	0.0 - 0.3
Bilirubin(Indirect) (Serum/Derived)	0.5	mg/dL	0.1 - 1.0
Total Protein (Serum/Biuret)	7.0	g/dL	6.0 - 8.3
Albumin (Serum/Bromocresol green)	4.2	g/dL	3.5 - 5.2
Globulin (Serum/Derived)	2.8	g/dL	2.3 - 3.5
A : G Ratio (Serum/Derived)	1.5		1.1 - 2.2
SGOT/AST (Aspartate Aminotransferase) (Serum/IFCC Kinetic)	26	U/L	5 - 40
SGPT/ALT (Alanine Aminotransferase) (Serum/IFCC / Kinetic)	24	U/L	5 - 41
Alkaline Phosphatase (SAP) (Serum/IFCC Kinetic)	76	U/L	53 - 128

27

: 17/01/2022 12:18 PM



VERIFIED BY

(Serum/SZASZ standarised IFCC)



< 55

U/L

APPROVED BY

GGT(Gamma Glutamyl Transpeptidase)

PID No. : MED110879440 Register On : 15/01/2022 10:02 AM : 922003315 SID No. Collection On : 15/01/2022 2:11 PM Age / Sex : 33 Year(s) / Male Report On : 16/01/2022 12:01 PM



: OP **Type**

: 17/01/2022 12:18 PM **Printed On**

Ref. Dr : MediWheel

Investigation	Observed Value	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
<u>Lipid Profile</u>			
Cholesterol Total (Serum/Cholesterol oxidase/Peroxidase)	205	mg/dL	Optimal: < 200 Borderline: 200 - 239 High Risk: >= 240
Triglycerides (Serum/Glycerol phosphate oxidase / peroxidase)	240	mg/dL	Optimal: < 150 Borderline: 150 - 199 High: 200 - 499 Very High: >=500

INTERPRETATION: The reference ranges are based on fasting condition. Triglyceride levels change drastically in response to food, increasing as much as 5 to 10 times the fasting levels, just a few hours after eating. Fasting triglyceride levels show considerable diurnal variation too. There is evidence recommending triglycerides estimation in non-fasting condition for evaluating the risk of heart disease and screening for metabolic syndrome, as non-fasting sample is more representative of the "usual" circulating level of triglycerides during most part of the day.

HDL Cholesterol (Serum/Immunoinhibition)	37	mg/dL	Optimal(Negative Risk Factor): >= 60 Borderline: 40 - 59 High Risk: < 40
LDL Cholesterol (Serum/Calculated)	120	mg/dL	Optimal: < 100 Above Optimal: 100 - 129 Borderline: 130 - 159 High: 160 - 189 Very High: >= 190
VLDL Cholesterol (Serum/Calculated)	48	mg/dL	< 30
Non HDL Cholesterol (Serum/Calculated)	168.0	mg/dL	Optimal: <130 Above Optimal: 130 - 159 Borderline High: 160 - 189 High: 190 - 219 Very High: >= 220

INTERPRETATION: 1. Non-HDL Cholesterol is now proven to be a better cardiovascular risk marker than LDL Cholesterol. 2.It is the sum of all potentially atherogenic proteins including LDL, IDL, VLDL and chylomicrons and it is the "new bad cholesterol" and is a co-primary target for cholesterol lowering therapy.



VERIFIED BY



 PID No.
 : MED110879440
 Register On
 : 15/01/2022 10:02 AM

 SID No.
 : 922003315
 Collection On
 : 15/01/2022 2:11 PM

 Age / Sex
 : 33 Year(s) / Male
 Report On
 : 16/01/2022 12:01 PM

Printed On



Type : OP

Ref. Dr : MediWheel

Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
Total Cholesterol/HDL Cholesterol Ratio (Serum/Calculated)	5.5		Optimal: < 3.3 Low Risk: 3.4 - 4.4 Average Risk: 4.5 - 7.1 Moderate Risk: 7.2 - 11.0 High Risk: > 11.0
Triglyceride/HDL Cholesterol Ratio	6.5		Ontimal: < 2.5

: 17/01/2022 12:18 PM

Triglyceride/HDL Cholesterol Ratio
(TG/HDL)
(Serum/Calculated)

Coptimal: < 2.5
Mild to moderate risk: 2.5 - 5.0
High Risk: > 5.0

Coptimal: 0.5 - 3.0
Coptimal: 0.5 -



VERIFIED BY



 PID No.
 : MED110879440
 Register On
 : 15/01/2022 10:02 AM

 SID No.
 : 922003315
 Collection On
 : 15/01/2022 2:11 PM

 Age / Sex
 : 33 Year(s) / Male
 Report On
 : 16/01/2022 12:01 PM



Type : OP Printed On : 17/01/2022 12:18 PM

Ref. Dr : MediWheel

Investigation	Observed Value	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
Glycosylated Haemoglobin (HbA1c)			
HbA1C (Whole Blood/HPLC)	5.1	%	Normal: 4.5 - 5.6 Prediabetes: 5.7 - 6.4 Diabetic: >= 6.5

INTERPRETATION: If Diabetes - Good control: 6.1 - 7.0 %, Fair control: 7.1 - 8.0 %, Poor control >= 8.1 %

Estimated Average Glucose 99.67 mg/dL

(Whole Blood)

INTERPRETATION: Comments

HbA1c provides an index of Average Blood Glucose levels over the past 8 - 12 weeks and is a much better indicator of long term glycemic control as compared to blood and urinary glucose determinations.

Conditions that prolong RBC life span like Iron deficiency anemia, Vitamin B12 & Folate deficiency,

hypertriglyceridemia,hyperbilirubinemia,Drugs, Alcohol, Lead Poisoning, Asplenia can give falsely elevated HbAlC values. Conditions that shorten RBC survival like acute or chronic blood loss, hemolytic anemia, Hemoglobinopathies, Splenomegaly,Vitamin E ingestion, Pregnancy, End stage Renal disease can cause falsely low HbAlc.



VERIFIED BY



Age / Sex : 33 Year(s) / Male

 PID No.
 : MED110879440
 Register On
 : 15/01/2022 10:02 AM

 SID No.
 : 922003315
 Collection On
 : 15/01/2022 2:11 PM

Report On

MEDALL

Type : OP

Printed On : 17/01/2022 12:18 PM

: 16/01/2022 12:01 PM

Ref. Dr : MediWheel

Investigation	<u>Observed</u>	<u>Unit</u>	<u>Biological</u>
•	<u>Value</u>		Reference Interval

IMMUNOASSAY

THYROID PROFILE / TFT

T3 (Triiodothyronine) - Total 0.969 ng/mL 0.7 - 2.04

(Serum/CMIA)

INTERPRETATION:

Comment:

Total T3 variation can be seen in other condition like pregnancy, drugs, nephrosis etc. In such cases, Free T3 is recommended as it is Metabolically active.

T4 (Thyroxine) - Total 7.60 μg/dL 4.2 - 12.0

(Serum/CMIA)

INTERPRETATION:

Comment:

Total T4 variation can be seen in other condition like pregnancy, drugs, nephrosis etc. In such cases, Free T4 is recommended as it is Metabolically active.

TSH (Thyroid Stimulating Hormone) 1.77 µIU/mL 0.35 - 5.50

(Serum/Chemiluminescent Microparticle

Immunoassay(CMIA))

INTERPRETATION:

Reference range for cord blood - upto 20

1 st trimester: 0.1-2.5 2 nd trimester 0.2-3.0 3 rd trimester: 0.3-3.0

(Indian Thyroid Society Guidelines)

Comment:

- 1.TSH reference range during pregnancy depends on Iodine intake, TPO status, Serum HCG concentration, race, Ethnicity and BMI.
- 2.TSH Levels are subject to circadian variation, reaching peak levels between 2-4am and at a minimum between 6-10PM. The variation can be of the order of 50%, hence time of the day has influence on the measured serum TSH concentrations.
- 3. Values&lt 0.03 µIU/mL need to be clinically correlated due to presence of rare TSH variant in some individuals.



 PID No.
 : MED110879440
 Register On
 : 15/01/2022 10:02 AM

 SID No.
 : 922003315
 Collection On
 : 15/01/2022 2:11 PM

 Age / Sex
 : 33 Year(s) / Male
 Report On
 : 16/01/2022 12:01 PM



Type : OP Printed On : 17/01/2022 12:18 PM

Ref. Dr : MediWheel

<u>Investigation</u>	<u>Observed</u>	<u>Unit</u>	<u>Biological</u>
	Value		Reference Interval

CLINICAL PATHOLOGY

PHYSICAL EXAMINATION

Colour	Pale yellow
--------	-------------

(Urine)

Volume 20 mL

(Urine)

Appearance Clear Clear

(Urine)

CHEMICAL EXAMINATION(Automated-

<u>Urineanalyser)</u>

pH 5.0 4.5 - 8.0

(Urine/AUTOMATED URINANALYSER)

Specific Gravity 1.005 1.002 - 1.035

(Urine)

Protein Negative Negative

(Urine)

Glucose Negative Negative

(Urine)

Ketones Negative Negative

(Urine)

Leukocytes Negative leuco/uL Negative

(Urine)

Nitrite Negative Negative

 $(Urine/A\,UTOMATED\,\,URINANALYSER)$

Bilirubin Negative Negative

 $(Urine/A\,UTOMATED\,\,URINANALYSER)$

Blood Negative Negative

(Urine/AUTOMATED URINANALYSER)



VERIFIED BY



PID No. : MED110879440 **Register On** : 15/01/2022 10:02 AM : 922003315 SID No. Collection On : 15/01/2022 2:11 PM Age / Sex : 33 Year(s) / Male Report On : 16/01/2022 12:01 PM



Type : OP

: 17/01/2022 12:18 PM **Printed On** Ref. Dr : MediWheel

Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
Urobilinogen (Urine/AUTOMATED URINANALYSER)	0.2		0.2 - 1.0
MICROSCOPY(URINE DEPOSITS)			
Pus Cells (Urine/Flow cytometry)	0-2	/hpf	3-5
Epithelial Cells (Urine)	0-2	/hpf	1-2
RBCs (Urine/Flow cytometry)	Nil	/hpf	2-3
Others (Urine)	Nil		Nil



VERIFIED BY



 PID No.
 : MED110879440
 Register On
 : 15/01/2022 10:02 AM

 SID No.
 : 922003315
 Collection On
 : 15/01/2022 2:11 PM

 Age / Sex
 : 33 Year(s) / Male
 Report On
 : 16/01/2022 12:01 PM

(*) MEDALL

Type : OP

Printed On : 17/01/2022 12:18 PM

Ref. Dr : MediWheel

Investigation	Observed Value	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
BIOCHEMISTRY			
BUN / Creatinine Ratio	14		6 - 22
Glucose Fasting (FBS) (Plasma - F/GOD - POD)	95	mg/dL	Normal: < 100 Pre Diabetic: 100 - 125 Diabetic: >= 126

INTERPRETATION: Factors such as type, quantity and time of food intake, Physical activity, Psychological stress, and drugs can influence blood glucose level.

Glucose Fasting - Urine	Negative		Negative
(Urine - F)			
Glucose Postprandial (PPBS)	108	mg/dL	70 - 140
(Plasma - PP/GOD - POD)			

INTERPRETATION:

Factors such as type, quantity and time of food intake, Physical activity, Psychological stress, and drugs can influence blood glucose level. Fasting blood glucose level may be higher than Postprandial glucose, because of physiological surge in Postprandial Insulin secretion, Insulin resistance, Exercise or Stress, Dawn Phenomenon, Somogyi Phenomenon, Anti- diabetic medication during treatment for Diabetes.

Glucose Postprandial - Urine (Urine - PP)	Negative		Negative
Blood Urea Nitrogen (BUN) (Serum/Urease-GLDH)	14	mg/dL	7.0 - 21
Creatinine (Serum/Jaffe Kinetic)	1.0	mg/dL	0.9 - 1.3

INTERPRETATION: Elevated Creatinine values are encountered in increased muscle mass, severe dehydration, Pre-eclampsia, increased ingestion of cooked meat, consuming Protein/ Creatine supplements, Diabetic Ketoacidosis, prolonged fasting, renal dysfunction and drugs such as cefoxitin, cefazolin, ACE inhibitors, angiotensin II receptor antagonists, N-acetylcyteine, chemotherapeutic agent such as flucytosine etc.

Uric Acid 6.9 mg/dL 3.5 - 7.2 (Serum/*Uricase/Peroxidase*)



VERIFIED BY



PID No. : MED110879440 Register On : 15/01/2022 10:02 AM : 922003315 SID No. Collection On : 15/01/2022 2:11 PM Age / Sex : 33 Year(s) / Male Report On : 16/01/2022 12:01 PM

: OP **Type**

Printed On : 17/01/2022 12:18 PM

Ref. Dr : MediWheel

Investigation Observed <u>Unit</u> **Biological** Value Reference Interval

IMMUNOHAEMATOLOGY

BLOOD GROUPING AND Rh TYPING 'O' 'Positive'

 $({\rm EDTA~Blood} Agglutination)$



VERIFIED BY



APPROVED BY

-- End of Report --



	1	
B	TEDALI	ŕ

Sign-up & Health Assessment Form

To be filled by Customer				
me: Mr/Ms/Mrs D ce pak	LWILLITT	interioristic properties and the state of th	and the same of th	erencemannen
ender: OMale OFemale Ag	e: 3 3 years DOB: //	mana mananananananananananananananananan		
obile: a 74 10 44	Llo 4 Pincode:			
nail:			apricant transformation and an arrangement between the second and the second and the second and the second and	····
en e				***************************************
		by Customer History		
•	Have you been previously diagnosed with?	THISTOPY	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	~~~
a Bar code	Diabetes (Sugar)	O Yes	O No	***************************************
,	Hypertension (BP)	O Yes	O No	
.	Cardiovascular Disease (Heart)	O yes	O No	
Wal	Asthma/Allergies (Dust, Pollen, Food, Animals, etc.)	O yes	O No	
Vitals	Neurological Problems (Nerve)	O Yes	О по	
To be filled by Technician	Are you currently taking medications for?		O No	***************************************
Height: L & Y . cms	Diabetes (Sugar)	O Yes	O No	
Waist: 43. in.	Hypertension (BP)	O yes	O No	
	Cardiovascular Disease (Heart)	O yes	O No	
Hip: U Ø . in.	Liver Disease	O yes	О No	
Weight: 92.0 kg	Cancer	O Yes	О No	
Fat: 33.7%	Tuberculosis (TB)	O Yes	O No	
	Family Hi	story	O NO	CONTRACTOR SCHOOLS
Visc. Fat: 4.5%	Is there a history of below diseases in your family?			
RM: 1 7 6 1 cal	Diabetes (Sugar)	O Yes	O No	Met books and a second as
The second contract of	Hypertension (BP)	O Yes	O No	
BMI: 2 7 . 2 kg/m²	Cardiovascular Disease (Heart) Cancer	O yes	O No	,
Body Age: L q years		O Yes	O No	
ys. BP: 1'4 4 mmHg	Lifestyl Do you exercise regularly?	O Yes		contrate market mark
73DI.	Do you consume alcohol more than 2 times a week?	O yes	O No	
via.BP: 1 0 3 mmHg	Do you smoke/chew tobacco?	O Yes	O No	
	Are you vegetarian?	O yes	O No	
ر ۱ ا	Genera	O Yes	O No	ETHERWARE COUNTY
and the second s	Do you see a doctor at least once in 6 months?	O Yes	O No	
·	Do you undergo a health checkup every year?	O yes	O No	
on one constitution of the	How would you rate your overall Health?	0 0	0 0	
	ANOTHER S HE	nt Good Normal	Poor Very Poor	004000000000000000000000000000000000000
el secondo	Is there a family history of Breast Cancer?	O Yes	O No	***************************************
*	Is there a family history of Endometrial (Uterus) Cancer?	O yes	O No	
COLUMN ACTION AC	Is there a family history of Ovarian Cancer?	O Yes	O No	
· ·	Do you have irregular periods?	O Yes	O No	
	Do you have heavy bleeding during periods?	O yes	O No	
	Do you have scanty periods?	O _{Yes}	O No	
i	Have you attained Menopause?	O Yes	O No	
\$ " · · · · · · · · · · · · · · · · · ·	Do you have children?	O Yes	O No	100
	Was it a normal delivery?	O Yes	O No	
	Did you have diabetes/hypertension during delivery?	Orver		



Name	MR.DEEPAK N	ID	MED110879440
Age & Gender	33Y/MALE	Visit Date	15/01/2022
Ref Doctor	MediWheel	71010 2400	10/01/2022

ABDOMINO-PELVIC ULTRASONOGRAPHY

LIVER is normal in shape, size and has uniform echopattern. No evidence of focal lesion or intrahepatic biliary ductal dilatation. Hepatic and portal vein radicals are normal.

GALL BLADDER show normal shape and has clear contents. Gall bladder wall is of normal thickness. CBD is of normal calibre.

PANCREAS has normal shape, size and uniform echopattern. No evidence of ductal dilatation or calcification.

SPLEEN show normal shape, size and echopattern.

No demonstrable Para -aortic lymphadenopathy.

KIDNEYS move well with respiration and have normal shape, size and echopattern. Cortico- medullary differentiations are well madeout.

No evidence of calculus or hydronephrosis.

The kidney measures as follows

	Bipolar length (cms)	Parenchymal thickness (cms)
Right Kidney	10.5	1.8
Left Kidney	9.5	1.9

URINARY BLADDER show normal shape and wall thickness.

It has clear contents. No evidence of diverticula.

PROSTATE shows normal shape, size (wt-14.6gms) and echopattern.

No evidence of ascites.

Impression: No sonological abnormality detected.

CONSULTANT RADIOLOGISTS:

DR. PRAJNA SHENOY

DR. MAHESH. M. S

DR. RADHA KRISHNA. A.

DR. HIMA BINDU.P Ms/d

DR. H. K. ANAND



Name	MR.DEEPAK N	ID	MED110879440
Age & Gender	33Y/MALE	Visit Date	15/01/2022
Ref Doctor	MediWheel		10/01/2022

2D ECHOCARDIOGRAPHIC STUDY

M mode measurement:

AORTA		:	2.98	cms
LEFT ATRIUM		•	3.10	cms
AVS		:	1.63	cms
LEFT VENTRICLE	(DIASTOLE)	:	4.90	cms
	(SYSTOLE)	:	3.22	cms
VENTRICULAR SEPTUM	(DIASTOLE)	:	1.02	cms
	(SYSTOLE)	:	1.84	cms
POSTERIOR WALL	(DIASTOLE)	;	1.02	cms
	(SYSTOLE)	:	2.16	cms
EDV		:	112	ml
ESV		:	41	ml
FRACTIONAL SHORTENI	NG	:	35	%
EJECTION FRACTION		, :	65	%
EPSS		: ",		cms
RVID	ý	:	1.80	cms

DOPPLER MEASUREMENTS

MITRAL VALVE	: 'E' – 0.69 m/s 'A' – 0.79 m/s E/A REVERSED	NO MR
AORTIC VALVE	: 1.32 m/s	NO AR
TRICUSPID VALVE	: 'E' - 0.68 m/s 'A' - m/s	NO TR
PULMONARY VALVE	: 0.84 m/s	NO PR



1	Name	MR.DEEPAK N	ID	MED110879440
	Age & Gender	33Y/MALE	Visit Date	15/01/2022
L	Ref Doctor	MediWheel		

:2:

2D ECHOCARDIOGRAPHY FINDINGS:

Left Ventricle Normal size, Normal systolic function.

No regional wall motion abnormalities

Left Atrium Normal

Right Ventricle Normal

Right Atrium Normal.

Mitral valve Normal, No mitral valve prolapse.

Aortic valve ? Bileaflet

Tricuspid valve Normal.

Pulmonary valve Normal.

IAS Intact.

IVS Intact.

Pericardium No Pericardial effusion.

IMPRESSION:

? BILEAFLET AORTIC VALVE

NORMAL SIZED CARDIAC CHAMBERS.

> NORMAL LV SYSTOLIC FUNCTION. EF: 65 %

NO REGIONAL WALL MOTION ABNORMALITIES.

NO CLOTS / PERICARDIAL EFFUSION / VEGETATION.

(KINDLY CORRELATE CLINICALLY AND WITH ECG)

DR.SRIDHAR.L MD, DM, FICC. **CONSULTANT CARDIOLOGIST** Ls/rk

> Dr. SRIDHAR .L MD,(Med), DM(Cardio), FICE nterventional Cardiologist



Name	DEEPAK N	Custom on ID) (TIP) () ()
A 22 Pr C - 1		Customer ID	MED110879440
Age & Gender	33Y/M	Visit Date	Jan 15 2022 9:25AM
Ref Doctor		MediWheel	Juli 13 2022 3.23AW

X - RAY CHEST PA VIEW

Bilateral lung fields appear normal.

Cardiac size is within normal limits.

Bilateral hilar regions appear normal.

Bilateral domes of diaphragm and costophrenic angles are normal.

Visualised bones and soft tissues appear normal.

Impression: Essentially normal study.

DR. H.K. ANAND

DR. SHWETHA S

DR. PRAJNA SHENOY

DR. MAHESH M S

CONSULTANT RADIOLOGISTS

