

Add: M-214/215,Sec G Lda Colony Near Power House Chauraha Kanpur Road Ph: 9235432707,

CIN: U85110DL2003PLC308206



Patient Name : Mr.GAUTAM Registered On : 05/Sep/2021 10:23:28 : 05/Sep/2021 10:28:06 Age/Gender : 52 Y 8 M 3 D /M Collected UHID/MR NO : 05/Sep/2021 10:58:02 : CDCA.0000070974 Received Visit ID : CDCA0167052122 Reported : 05/Sep/2021 14:10:24

Ref Doctor : Dr.Mediwheel - Arcofemi Health Care Ltd. Status : Final Report

DEPARTMENT OF HAEMATOLOGY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
Pland Croup (ADO 9 Db typing) * 3/ //				
Blood Group (ABO & Rh typing) * , Blood				
Blood Group	A POSITIVE			
Rh (Anti-D)	POSITIVE			
COMPLETE BLOOD COUNT (CBC) * , Blood				
Haemoglobin	12.10	g/dl	13.5-17.5	PHOTOMETRIC
TLC (WBC)	5,700.00	/Cu mm	4000-10000	ELECTRONIC
				IMPEDANCE
DLC				
Polymorphs (Neutrophils)	59.00	%	55-70	ELECTRONIC
Lymphocytos	36.00	%	25-40	IMPEDANCE ELECTRONIC
Lymphocytes	30.00	/0	20-40	IMPEDANCE
Monocytes	3.00	%	3-5	ELECTRONIC
				IMPEDANCE
Eosinophils	2.00	%	1-6	ELECTRONIC
	0.00	0/		IMPEDANCE
Basophils	0.00	%	< 1	ELECTRONIC IMPEDANCE
ESR				IIVII EDANGE
Observed	22.00	Mm for 1st hr.		
Corrected	12.00	Mm for 1st hr.		
PCV (HCT)	38.00	cc %	40-54	
Platelet count				
Platelet Count	1.2	LACS/cu mm	1.5-4.0	ELECTRONIC
				IMPEDANCE
PDW (Platelet Distribution width)	17.00	fL	9-17	ELECTRONIC
DICD (Distalat Laure Call Datia)	ND	0/	25 / 0	IMPEDANCE
P-LCR (Platelet Large Cell Ratio)	NR	%	35-60	ELECTRONIC IMPEDANCE
PCT (Platelet Hematocrit)	0.14	%	0.108-0.282	ELECTRONIC
To the later of the material,	0.11	,,	0.100 0.202	IMPEDANCE
MPV (Mean Platelet Volume)	14.80	fL	6.5-12.0	ELECTRONIC
				IMPEDANCE
RBC Count				



RBC Count



ELECTRONIC IMPEDANCE

4.00

Mill./cu mm 4.2-5.5



Add: M-214/215,Sec G Lda Colony Near Power House Chauraha Kanpur Road Ph: 9235432707,

CIN: U85110DL2003PLC308206



Patient Name : Mr.GAUTAM Registered On : 05/Sep/2021 10:23:28 Age/Gender : 52 Y 8 M 3 D /M Collected : 05/Sep/2021 10:28:06 UHID/MR NO : CDCA.0000070974 : 05/Sep/2021 10:58:02 Received Visit ID : CDCA0167052122 Reported : 05/Sep/2021 14:10:24

Ref Doctor : Dr.Mediwheel - Arcofemi Health Care Ltd. Status : Final Report

DEPARTMENT OF HAEMATOLOGY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
Blood Indices (MCV, MCH, MCHC)				
MCV	96.90	fl	80-100	CALCULATED PARAMETER
MCH	30.30	pg	28-35	CALCULATED PARAMETER
MCHC	31.20	<u>,</u> %	30-38	CALCULATED PARAMETER
RDW-CV	13.70	%	11-16	ELECTRONIC IMPEDANCE
RDW-SD	50.40	fL	35-60	ELECTRONIC IMPEDANCE
Absolute Neutrophils Count Absolute Eosinophils Count (AEC)	3,363.00 114.00	/cu mm /cu mm	3000-7000 40-440	









Add: M-214/215,Sec G Lda Colony Near Power House Chauraha Kanpur Road Ph: 9235432707,

CIN: U85110DL2003PLC308206



Patient Name : Mr.GAUTAM : 05/Sep/2021 10:23:28 Registered On Age/Gender : 52 Y 8 M 3 D /M Collected : 05/Sep/2021 15:36:00 UHID/MR NO : CDCA.0000070974 Received : 05/Sep/2021 16:18:52 Visit ID : CDCA0167052122 Reported : 05/Sep/2021 16:58:07

Ref Doctor : Dr.Mediwheel - Arcofemi Health Care Ltd. Status : Final Report

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
Glucose Fasting * Sample:Plasma	108.91	mg/dl	< 100 Normal 100-125 Pre-diabetes ≥ 126 Diabetes	GOD POD

Interpretation:

- a) Kindly correlate clinically with intake of hypoglycemic agents, drug dosage variations and other drug interactions.
- b) A negative test result only shows that the person does not have diabetes at the time of testing. It does not mean that the person will never get diabetics in future, which is why an Annual Health Check up is essential.
- c) I.G.T = Impared Glucose Tolerance.

Glucose PP *	156.41	mg/dl	<140 Normal	GOD POD
Sample:Plasma After Meal			140-199 Pre-diabetes	
			>200 Diabetes	

Interpretation:

- a) Kindly correlate clinically with intake of hypoglycemic agents, drug dosage variations and other drug interactions.
- b) A negative test result only shows that the person does not have diabetes at the time of testing. It does not mean that the person will never get diabetics in future, which is why an Annual Health Check up is essential.
- c) I.G.T = Impared Glucose Tolerance.









Add: M-214/215,Sec G Lda Colony Near Power House Chauraha Kanpur Road Ph: 9235432707,

CIN: U85110DL2003PLC308206



Patient Name : Mr.GAUTAM : 05/Sep/2021 10:23:28 Registered On Age/Gender : 52 Y 8 M 3 D /M Collected : 05/Sep/2021 10:28:06 UHID/MR NO : CDCA.0000070974 Received : 05/Sep/2021 16:52:20 Visit ID : CDCA0167052122 Reported : 05/Sep/2021 18:17:25

Ref Doctor : Dr.Mediwheel - Arcofemi Health Care Ltd. Status : Final Report

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method	
GLYCOSYLATED HAEMOGLOBIN (HBA1C)	** , EDTA BLOOD				
Glycosylated Haemoglobin (HbA1c)	6.00	% NGSP		HPLC (NGSP)	
Glycosylated Haemoglobin (Hb-A1c)	42.00	mmol/mol/IFCC			

mg/dl

Interpretation:

NOTE:-

Estimated Average Glucose (eAG)

- eAG is directly related to A1c.
- An A1c of 7% -the goal for most people with diabetes-is the equivalent of an eAG of 154 mg/dl.

125

· eAG may help facilitate a better understanding of actual daily control helping you and your health care provider to make necessary changes to your diet and physical activity to improve overall diabetes mnagement.

The following ranges may be used for interpretation of results. However, factors such as duration of diabetes, adherence to therapy and the age of the patient should also be considered in assessing the degree of blood glucose control.

Haemoglobin A1C (%)NGSP	mmol/mol / IFCC Unit	eAG (mg/dl)	Degree of Glucose Control Unit
> 8	>63.9	>183	Action Suggested*
7-8	53.0 -63.9	154-183	Fair Control
< 7	<63.9	<154	Goal**
6-7	42.1 -63.9	126-154	Near-normal glycemia
< 6%	<42.1	<126	Non-diabetic level

^{*}High risk of developing long term complications such as Retinopathy, Nephropathy, Neuropathy, Cardiopathy, etc.

N.B.: Test carried out on Automated G8 90 SL TOSOH HPLC Analyser.





^{**}Some danger of hypoglycemic reaction in Type 1diabetics. Some glucose intolerant individuals and "subclinical" diabetics may demonstrate HbA1C levels in this area.



Add: M-214/215,Sec G Lda Colony Near Power House Chauraha Kanpur Road Ph: 9235432707,

CIN: U85110DL2003PLC308206



Patient Name : Mr.GAUTAM : 05/Sep/2021 10:23:28 Registered On Age/Gender : 52 Y 8 M 3 D /M Collected : 05/Sep/2021 10:28:06 UHID/MR NO : CDCA.0000070974 Received : 05/Sep/2021 16:52:20 Visit ID : CDCA0167052122 Reported : 05/Sep/2021 18:17:25

Ref Doctor : Dr.Mediwheel - Arcofemi Health Care Ltd. Status : Final Report

DEPARTMENT OF BIOCHEMISTRY


MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name Result Unit Bio. Ref. Interval Method

Clinical Implications:

- *Values are frequently increased in persons with poorly controlled or newly diagnosed diabetes.
- *With optimal control, the HbA 1c moves toward normal levels.
- *A diabetic patient who recently comes under good control may still show higher concentrations of glycosylated hemoglobin. This level declines gradually over several months as nearly normal glycosylated *Increases in glycosylated hemoglobin occur in the following non-diabetic conditions: a. Iron-deficiency anemia b. Splenectomy
- c. Alcohol toxicity d. Lead toxicity
- *Decreases in A 1c occur in the following non-diabetic conditions: a. Hemolytic anemia b. chronic blood loss
- *Pregnancy d. chronic renal failure. Interfering Factors:
- *Presence of Hb F and H causes falsely elevated values. 2. Presence of Hb S, C, E, D, G, and Lepore (autosomal recessive mutation resulting in a hemoglobinopathy) causes falsely decreased values.











Add: M-214/215,Sec G Lda Colony Near Power House Chauraha Kanpur Road Ph: 9235432707,

CIN: U85110DL2003PLC308206



Patient Name : Mr.GAUTAM Registered On : 05/Sep/2021 10:23:28 Age/Gender : 52 Y 8 M 3 D /M Collected : 05/Sep/2021 10:28:06 UHID/MR NO : CDCA.0000070974 Received : 05/Sep/2021 11:25:36 Visit ID : CDCA0167052122 Reported : 05/Sep/2021 12:02:45 Ref Doctor : Dr.Mediwheel - Arcofemi Health Care Ltd. Status : Final Report

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
BUN (Blood Urea Nitrogen) * Sample:Serum	13.20	mg/dL	7.0-23.0	CALCULATED
Creatinine * Sample:Serum	1.20	mg/dl	0.7-1.3	MODIFIED JAFFES
e-GFR (Estimated Glomerular Filtration Rate) * Sample:Serum	63.00	ml/min/1.73m2	2 - 90-120 Normal - 60-89 Near Normal	CALCULATED
Uric Acid * Sample:Serum	8.10	mg/dl	3.4-7.0	URICASE
L.F.T.(WITH GAMMA GT) * , Serum				
SGOT / Aspartate Aminotransferase (AST) SGPT / Alanine Aminotransferase (ALT) Gamma GT (GGT) Protein Albumin Globulin A:G Ratio Alkaline Phosphatase (Total) Bilirubin (Total) Bilirubin (Direct) Bilirubin (Indirect) LIPID PROFILE (MINI) * , Serum	33.30 37.30 63.89 6.69 4.17 2.52 1.65 90.82 1.03 0.41 0.62	U/L U/L IU/L gm/dl gm/dl gm/dl U/L mg/dl mg/dl mg/dl	< 35 < 40 11-50 6.2-8.0 3.8-5.4 1.8-3.6 1.1-2.0 42.0-165.0 0.3-1.2 < 0.30 < 0.8	IFCC WITHOUT P5P IFCC WITHOUT P5P OPTIMIZED SZAZING BIRUET B.C.G. CALCULATED CALCULATED IFCC METHOD JENDRASSIK & GROF JENDRASSIK & GROF JENDRASSIK & GROF
Cholesterol (Total)	250.00	mg/dl	<200 Desirable 200-239 Borderline High > 240 High	CHOD-PAP
HDL Cholesterol (Good Cholesterol) LDL Cholesterol (Bad Cholesterol)	37.47 177	mg/dl mg/dl	30-70 < 100 Optimal 100-129 Nr. Optimal/Above Optimal 130-159 Borderline High 160-189 High > 190 Very High	DIRECT ENZYMATIC CALCULATED
VLDL Triglycerides	35.92 179.60	mg/dl mg/dl	10-33 < 150 Normal 150-199 Borderline High	CALCULATED GPO-PAP







Add: M-214/215,Sec G Lda Colony Near Power House Chauraha Kanpur Road Ph: 9235432707,

CIN: U85110DL2003PLC308206



Patient Name Age/Gender : Mr.GAUTAM : 52 Y 8 M 3 D /N Registered On Collected : 05/Sep/2021 10:23:28

Age/Gender UHID/MR NO : 52 Y 8 M 3 D /M : CDCA.0000070974

Received

: 05/Sep/2021 10:28:06 : 05/Sep/2021 11:25:36

Visit ID

: CDCA0167052122

Reported

: 05/Sep/2021 12:02:45

Ref Doctor

: Dr.Mediwheel - Arcofemi Health Care Ltd. Status

: Final Report

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name Result Unit Bio. Ref. Interval Method

200-499 High >500 Very High











Add: M-214/215,Sec G Lda Colony Near Power House Chauraha Kanpur Road Ph: 9235432707,

CIN: U85110DL2003PLC308206



Patient Name : Mr.GAUTAM Registered On : 05/Sep/2021 10:23:28 Age/Gender : 52 Y 8 M 3 D /M Collected : 05/Sep/2021 15:36:00 UHID/MR NO : CDCA.0000070974 Received : 05/Sep/2021 16:20:01 Visit ID : CDCA0167052122 Reported : 05/Sep/2021 17:31:26

Ref Doctor : Dr.Mediwheel - Arcofemi Health Care Ltd. Status : Final Report

DEPARTMENT OF CLINICAL PATHOLOGY MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
IRINE EXAMINATION, ROUTINE *	* . Urine			
Color	YELLOW			
Specific Gravity	1.025			
Reaction PH	Acidic (5.0)			DIPSTICK
Protein	ABSENT	mg %	< 10 Absent	DIPSTICK
Trotom	ABOLIVI	, mg 70	10-40 (+)	DII OTTOR
			40-200 (++)	
			200-500 (+++)	
			> 500 (++++)	
Sugar	ABSENT	gms%	< 0.5 (+)	DIPSTICK
			0.5-1.0 (++)	
			1-2 (+++)	
Ketone	ABSENT		> 2 (++++)	DIPSTICK
Bile Salts	ABSENT	1 3 1		DIPSTICK
	ABSENT			
Bile Pigments Urobilinogen(1:20 dilution)	ABSENT			
Microscopic Examination:	ADSLINI			
	ADOFNIT			MODOCOODIO
Epithelial cells	ABSENT			MICROSCOPIC
Pus cells .	ABSENT			EXAMINATION MICROSCOPIC
rus cells	ADSLINI			EXAMINATION
RBCs	ABSENT			MICROSCOPIC
ND03	ADSERT			EXAMINATION
Cast	ABSENT			270
Crystals	ABSENT			MICROSCOPIC
,				EXAMINATION
Others	ABSENT			
TOOL, ROUTINE EXAMINATION *	, Stool			
Color	BROWNISH			
Consistency	SEMI SOLID			
Reaction (PH)	Acidic (6.5)			
Mucus	ABSENT			
Blood	ABSENT			
Worm	ABSENT			
Pus cells	ABSENT			







Add: M-214/215,Sec G Lda Colony Near Power House Chauraha Kanpur Road Ph: 9235432707,

CIN: U85110DL2003PLC308206



Patient Name : Mr.GAUTAM Registered On : 05/Sep/2021 10:23:28 Age/Gender : 52 Y 8 M 3 D /M Collected : 05/Sep/2021 15:36:00 UHID/MR NO : CDCA.0000070974 Received : 05/Sep/2021 16:20:01 Visit ID : CDCA0167052122 Reported : 05/Sep/2021 17:31:26

Ref Doctor : Dr.Mediwheel - Arcofemi Health Care Ltd. Status : Final Report

DEPARTMENT OF CLINICAL PATHOLOGY MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method	
RBCs	ABSENT				
Ova	ABSENT				
Cysts	ABSENT				
Others	ABSENT				
CLICAD EACTING CTAGE * 1/mins					

SUGAR, FASTING STAGE * , Urine

Sugar, Fasting stage	ABSENT	gms%
0 0		0

Interpretation:

/		_
/ I \	_	115
(+)	_	0.5

(++) 0.5-1.0

(+++) 1-2

(++++) > 2

SUGAR, PP STAGE * , Urine

Sugar, PP Stage

ABSENT

Interpretation:

(+) < 0.5 gms%

(++) 0.5-1.0 gms%

(+++) 1-2 gms%

(++++) > 2 gms%











Add: M-214/215,Sec G Lda Colony Near Power House Chauraha Kanpur Road Ph: 9235432707,

CIN: U85110DL2003PLC308206



Patient Name : Mr.GAUTAM : 05/Sep/2021 10:23:28 Registered On Age/Gender : 52 Y 8 M 3 D /M Collected : 05/Sep/2021 10:28:06 UHID/MR NO : CDCA.0000070974 Received : 05/Sep/2021 16:17:07 Visit ID : CDCA0167052122 Reported : 05/Sep/2021 17:13:30 : Final Report Ref Doctor : Dr.Mediwheel - Arcofemi Health Care Ltd. Status

DEPARTMENT OF IMMUNOLOGY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method	
PSA (Prostate Specific Antigen), Total ** Sample:Serum	0.510	ng/mL	< 3.0	CLIA	

Interpretation:

- 1. PSA is detected in the serum of males with normal, benign hypertrophic, and malignant prostate tissue.
- 2. Measurement of serum PSA levels is not recommended as a screening procedure for the diagnosis of cancer because elevated PSA levels also are observed in patients with benign prostatic hypertrophy. However, studies suggest that the measurement of PSA in conjunction with digital rectal examination (DRE) and ultrasound provide a better method of detecting prostate cancer than DRE alone.
- 3. PSA levels increase in men with cancer of the prostate, and after radical prostatectomy PSA levels routinely fall to the undetectable range.
- 4. If prostatic tissue remains after surgery or metastasis has occurred, PSA appears to be useful in detecting residual and early recurrence of tumor.
- 5. Therefore, serial PSA levels can help determine the success of prostatectomy, and the need for further treatment, such as radiation, endocrine or chemotherapy, and in the monitoring of the effectiveness of therapy.

THYROID PROFILE - TOTAL **, Serum

T3, Total (tri-iodothyronine)	136.63	ng/dl	84.61-201.7	CLIA
T4, Total (Thyroxine)	9.35	ug/dl	3.2-12.6	CLIA
TSH (Thyroid Stimulating Hormone)	0.96	μIU/mL	0.27 - 5.5	CLIA

Interpretation:

0.3-4.5	$\mu IU/mL$	First Trimester			
0.4-4.2	μIU/mL	Adults 21-54 Years			
0.5-4.6	$\mu IU/mL$	Second Trimester			
0.5 - 8.9	$\mu IU/mL$	Adults	55-87 Years		
0.7-64	$\mu IU/mL$	Child(21 wk - 20 Yrs.)			
0.7 - 27	$\mu IU/mL$	Premature	28-36 Week		
0.8-5.2	$\mu IU/mL$	Third Trimes	ster		
1-39	$\mu IU/mL$	Child	0-4 Days		
1.7-9.1	$\mu IU/mL$	Child	2-20 Week		
2.3-13.2	μIU/mL	Cord Blood	> 37Week		

1) Patients having low T3 and T4 levels but high TSH levels suffer from primary hypothyroidism, cretinism, juvenile myxedema or autoimmune disorders.







Add: M-214/215,Sec G Lda Colony Near Power House Chauraha Kanpur Road Ph: 9235432707,

CIN: U85110DL2003PLC308206



Patient Name : Mr.GAUTAM : 05/Sep/2021 10:23:28 Registered On Age/Gender : 52 Y 8 M 3 D /M Collected : 05/Sep/2021 10:28:06 UHID/MR NO : CDCA.0000070974 Received : 05/Sep/2021 16:17:07 Visit ID : CDCA0167052122 Reported : 05/Sep/2021 17:13:30

Ref Doctor : Dr.Mediwheel - Arcofemi Health Care Ltd. Status : Final Report

DEPARTMENT OF IMMUNOLOGY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name Result Unit Bio. Ref. Interval Method

- 2) Patients having high T3 and T4 levels but low TSH levels suffer from Grave's disease, toxic adenoma or sub-acute thyroiditis.
- **3**) Patients having either low or normal T3 and T4 levels but low TSH values suffer from iodine deficiency or secondary hypothyroidism.
- **4)** Patients having high T3 and T4 levels but normal TSH levels may suffer from toxic multinodular goiter. This condition is mostly a symptomatic and may cause transient hyperthyroidism but no persistent symptoms.
- 5) Patients with high or normal T3 and T4 levels and low or normal TSH levels suffer either from T3 toxicosis or T4 toxicosis respectively.
- 6) In patients with non thyroidal illness abnormal test results are not necessarily indicative of thyroidism but may be due to adaptation to the catabolic state and may revert to normal when the patient recovers.
- 7) There are many drugs for eg. Glucocorticoids, Dopamine, Lithium, Iodides, Oral radiographic dyes, etc. which may affect the thyroid function tests.
- 8) Generally when total T3 and total T4 results are indecisive then Free T3 and Free T4 tests are recommended for further confirmation along with TSH levels.











Add: M-214/215,Sec G Lda Colony Near Power House Chauraha Kanpur Road Ph: 9235432707,

CIN: U85110DL2003PLC308206



Patient Name : Mr.GAUTAM Registered On : 05/Sep/2021 10:23:29

 Age/Gender
 : 52 Y 8 M 3 D /M
 Collected
 : N/A

 UHID/MR NO
 : CDCA.0000070974
 Received
 : N/A

Visit ID : CDCA0167052122 Reported : 06/Sep/2021 15:40:18

Ref Doctor : Dr.Mediwheel - Arcofemi Health Care Ltd. Status : Final Report

DEPARTMENT OF X-RAY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

X-RAY DIGITAL CHEST PA **

(500 mA COMPUTERISED UNIT SPOT FILM DEVICE)

DIGITAL CHEST P-A VIEW

- Prominent aortic knuckle seen.
- Bilateral bronchovascular markings appears prominent.
- Soft tissue shadow appears normal.
- Bony cage is normal.
- Diaphragmatic shadows are normal on both sides.
- Costo-phrenic angles are bilaterally clear.
- Trachea is central in position.
- Cardiac size & contours are normal.
- Hilar shadows are normal.
- Pulmonary parenchyma did not reveal any significant lesion.
- CORADS-2.

Please correlate clinically.

Typed by anoop

(This report is a professional opinion & not a diagnosis. Kindly intimate us immediately or within 7 days for any reporting / typing error or any query regarding radiological correlation of clinical findings).



Dr. Anil Kumar Verma (MBBS,DMRD)







Add: M-214/215,Sec G Lda Colony Near Power House Chauraha Kanpur Road Ph: 9235432707,

CIN: U85110DL2003PLC308206



Patient Name : Mr.GAUTAM Registered On : 05/Sep/2021 10:23:29

 Age/Gender
 : 52 Y 8 M 3 D /M
 Collected
 : N/A

 UHID/MR NO
 : CDCA.0000070974
 Received
 : N/A

Visit ID : CDCA0167052122 Reported : 05/Sep/2021 12:57:54

Ref Doctor : Dr.Mediwheel - Arcofemi Health Care Ltd. Status : Final Report

DEPARTMENT OF ULTRASOUND

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

ULTRASOUND WHOLE ABDOMEN (UPPER & LOWER) *

LIVER

• Liver is normal in size measuring 14.3 cm in longitudinal span & shows mild diffuse increase in parenchymal echogenicity.

PORTAL SYSTEM

- The intra hepatic portal channels are normal.
- Portal vein is normal at the porta.
- Porta hepatis is normal.

BILIARY SYSTEM

- The intra-hepatic biliary radicles are normal.
- Common duct are normal at the porta. (4.9 mm)
- The gall bladder is surgically absent.

PANCREAS

• The pancreas is normal in size and shape and has a normal homogenous echotexture.

RIGHT KIDNEY (11.3 x 4.0 cm)

- Right kidney is normal in size and shape and cortical echotexture.
- The collecting system is not dilated.
- The upper part of right ureter is normal.
- The vesicoureteric junction is normal.
- Corticomedullary demarcation is clear.
- Renal respiratory excursions are normal.

LEFT KIDNEY (11.6 x 6.2 cm)

- Left kidney is normal in size and shape and cortical echotexture.
- The collecting system is not dilated.
- The upper part of left ureter is normal.
- The vesicoureteric junction is normal.
- Corticomedullary demarcation is clear.
- Renal respiratory excursions are normal.



Home Sample Collection 1800-419-0002



Add: M-214/215,Sec G Lda Colony Near Power House Chauraha Kanpur Road Ph: 9235432707,

CIN: U85110DL2003PLC308206



Patient Name : Mr.GAUTAM Registered On : 05/Sep/2021 10:23:29

 Age/Gender
 : 52 Y 8 M 3 D /M
 Collected
 : N/A

 UHID/MR NO
 : CDCA.0000070974
 Received
 : N/A

Visit ID : CDCA0167052122 Reported : 05/Sep/2021 12:57:54

Ref Doctor : Dr. Mediwheel - Arcofemi Health Care Ltd. Status : Final Report

DEPARTMENT OF ULTRASOUND MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

SPLEEN

• The spleen is normal in size (9.3 cm) and has a homogenous echotexture.

ILIAC FOSSA

• Scan over the iliac fossae does not reveal any fluid collection or mass.

URINARY BLADDER

- The urinary bladder is normal. Bladder wall is normal in thickness and regular.
- Pre void urine volume 408 cc.
- Post void residual urine volume Nil.

PROSTATE

• The prostate gland is mildly enlarged in size measuring 4.0 x 3.6 x 3.6 cm (Vol- 28.3 cc).

IMPRESSION

- Grade-I fatty liver.
- Grade-I prostatomegaly.

*** End Of Report ***

(**) Test Performed at Chandan Speciality Lab.

Result/s to Follow:

ECG / EKG, TREAD MILL TEST





This report is not for medico legal purpose. If clinical correlation is not established, kindly repeat the test at no additional cost within seven days.

Facilities: Pathology, Bedside Sample Collection, Health Check-ups, Digital X-Ray, ECG (Bedside also), Allergy Testing, Test And Health Check-ups, Ultrasonography, Sonomammography, Bone Mineral Density (BMD), Doppler Studies, 2D Echo, CT Scan, MRI, Blood Bank, TMT, EEG, PFT, OPG, Endoscopy, Digital Mammography, Electromyography (EMG), Nerve Condition Velocity (NCV), Audiometry, Brainstem Evoked Response Audiometry (BERA), Colonoscopy, Ambulance Services, Online Booking Facilities for Diagnostics, Online Report Viewing *

*Facilities Available at Select Location



