

भारत सरकार Government of India






Priti Kumari DOB: 19/12/1987 Female





8572 9373 0650

मेरा आधार, मेरी पहचान





9065875700 mloomarogyamdiagnostics.com

info@aarogyamdiagnostics.com
www.aarogyamdiagnostics.com

Age/Sex:-35Yrs/F

Date :-04/07/23

Name :- Priti Kumari Pt's ID :- 18/40242 Refd by :- Corp

Thanks for referral.

Liver

REPORT OF USG OF WHOLE ABDOMEN

:- Normal in size (12.1cm) with normal echotexture. No focal or diffuse lesion is seen. IHBR are not dilated. PV is normal in course and calibre with echofree

lumen.

G. Bladder: It is normal in shape, size & position. It is echofree & shows no evidence of

calculus, mass or sludge.

CBD :- It is normal in calibre & is echofree.

Pancreas :- Normal in shape, size & echotexture. No evidence of parenchymal / ductal calcification is seen. No definite peripancreatic collection is seen.

Spleen :- Mild enlarged in size (12.1cm) with normal echotexture. No focal lesion is seen. No evidence of varices is noticed.

Kidneys :- Both kidneys are normal in shape, size & position. Sinus as well as cortical echoes are normal. No evidence of calculus, space occupying lesion or hydronephrosis is seen.

Right Kidney measures 9.2cm and Left Kidney measures 9.6cm.

Ureters :- Ureters are not dilated.

U. Bladder:- It is echofree. No evidence of calculus, mass or diverticulum is seen.

Uterus :- Enlarged in size (10.4cm x 5.7cm) and anteverted in position and Enlarged hypoechoic area of measuring size 4.0cm x 3.7cm seen in fundus region-Uterine Fibroid.

Ovaries :- Both ovaries show normal echotexture and follicular pattern. Right ovary measures 2.6cm x 1.6cm and Left ovary measures 2.3cm x 1.9cm. No pelvic (POD) collection is seen.

Others :- No ascites or abdominal adenopathy is seen.

No free subphrenic / basal pleural space collection is seen.

IMPRESSION:-

Mild Splenomegaly.

A/V Bulky Uterus with a large Uterine Fibroid.

Otherwise Normal Scan.

Dr. U. Kamar MBBS, MD(Radiø-Diagnosis) Consultant Radiologist



9264278360, 9065875700, 8789391403

info@aarogyamdiagnostics.com

www.aarogyamdiagnostics.com

Date 04/07/2023 Srl No. 5 Patient Id 2307040005
Name Mrs. PRITI KUMARI Age 35 Yrs. Sex F
Ref. By Dr.BOB

Test Name Value Unit Normal Value

BOB

HB A1C 5.2 %

EXPECTED VALUES:

Metabolicaly healthy patients = 4.8 - 5.5 % HbAIC

Good Control = 5.5 - 6.8 % HbAIC Fair Control = 6.8-8.2 % HbAIC Poor Control = >8.2 % HbAIC

REMARKS:-

In vitro quantitative determination of HbAIC in whole blood is utilized in long term monitoring of glycemia

The **HbAIC** level correlates with the mean glucose concentration prevailing in the course of the patient's recent history (approx - 6-8 weeks) and therefore provides much more reliable information for glycemia monitoring than do determinations of blood glucose or urinary glucose.

It is recommended that the determination of **HbAIC** be performed at intervals of 4-6 weeksduring Diabetes

Mellitus therapy.

Results of **HbAIC** should be assessed in conjunction with the patient's medical history, clinical examinations and other findings.

**** End Of Report ****

Dr.R.B.RAMAN MBBS, MD

CONSULTANT PATHOLOGIST



9264278360, 9065875700, 8789391403

info@aarogyamdiagnostics.com

www.aarogyamdiagnostics.com

Date	04/07/2023	Srl No. 5	Patient Id 2307040005		
Name	Mrs. PRITI KUMARI	Age 35 Yrs.	Sex F		
Ref. By Dr.BOB					

Test Name	Value	Unit	Normal Value	
COMPLETE BLOOD COUNT (CBC)				
HAEMOGLOBIN (Hb)	9.0	gm/dl	11.5 - 16.5	
TOTAL LEUCOCYTE COUNT (TLC)	6,800	/cumm	4000 - 11000	
DIFFERENTIAL LEUCOCYTE COUNT (DI	_C)			
NEUTROPHIL	64	%	40 - 75	
LYMPHOCYTE	30	%	20 - 45	
EOSINOPHIL	01	%	01 - 06	
MONOCYTE	05	%	02 - 10	
BASOPHIL	00	%	0 - 0	
ESR (WESTEGREN`s METHOD)	16	mm/lst hr.	0 - 20	
R B C COUNT	3.06	Millions/cmm	3.8 - 4.8	
P.C.V / HAEMATOCRIT	28.02	%	35 - 45	
MCV	91.57	fl.	80 - 100	
MCH	29.41	Picogram	27.0 - 31.0	
MCHC	32.1	gm/dl	33 - 37	
PLATELET COUNT	2.30	Lakh/cmm	1.50 - 4.00	
BLOOD GROUP ABO	"B"			
RH TYPING	POSITIVE			
BLOOD SUGAR FASTING	70.3	mg/dl	70 - 110	
SERUM CREATININE	0.90	mg%	0.5 - 1.3	
BLOOD UREA	21.0	mg /dl	15.0 - 45.0	
SERUM URIC ACID	5.1	mg%	2.5 - 6.0	
LIVER FUNCTION TEST (LFT)				

LIVER FUNCTION TEST (LFT)



9264278360, 9065875700, 8789391403

www.aarogyamdiagnostics.com

Date Name Ref. By Di	04/07/2023 Mrs. PRITI KUMARI r.BOB	Srl No. 5 Age 3	5 5 Yrs.	Patient Id Sex	2307040005 F
Test Name		Value	Unit	Normal Va	lue
BILIRUBIN T	TOTAL	0.68	mg/dl	0 - 1.0	
CONJUGAT	ED (D. Bilirubin)	0.23	mg/dl	0.00 - 0.40)
UNCONJUC	GATED (I.D.Bilirubin)	0.45	mg/dl	0.00 - 0.70)
TOTAL PRO	DTEIN	6.3	gm/dl	6.6 - 8.3	
ALBUMIN		3.5	gm/dl	3.4 - 5.2	
GLOBULIN		2.8	gm/dl	2.3 - 3.5	
A/G RATIO		1.25			
SGOT		38.2	IU/L	5 - 35	
SGPT		43.2	IU/L	5.0 - 45.0	
ALKALINE I	PHOSPHATASE I	62.2	U/L	35.0 - 104	.0
GAMMA GT		22.9	IU/L	6.0 - 42.0	
LFT INTE	RPKEI				
LIPID PROF	ILE				
TRIGLYCER	RIDES	66.8	mg/dL	25.0 - 165	.0
TOTAL CHO	DLESTEROL	98.1	mg/dL	29.0 - 199	.0
H D L CHOL	ESTEROL DIRECT	43.4	mg/dL	35.1 - 88.0)
VLDL		13.36	mg/dL	4.7 - 22.1	
L D L CHOL	ESTEROL DIRECT	41.34	mg/dL	63.0 - 129	.0
TOTAL CHO	DLESTEROL/HDL RATIO	2.26		0.0 - 4.97	
LDL / HDL	CHOLESTEROL RATIO	0.953		0.00 - 3.5	5
THYROID P	ROFILE				
QUANTITY		10	ml.		



9264278360, 9065875700, 8789391403

www.aarogyamdiagnostics.com

Date 04/07/2023 Srl No. 5 Patient Id 2307040005
Name Mrs. PRITI KUMARI Age 35 Yrs. Sex F
Ref. By Dr.BOB

•	Test Name	Value	Unit	Normal Value
COLOUR		PALE YELLOW	<i>I</i>	
	TRANSPARENCY	CLEAR		
	SPECIFIC GRAVITY	1.025		
	PH	6.5		
	ALBUMIN	NIL		
	SUGAR	NIL		
MICROSCOPIC EXAMINATION				
	PUS CELLS	1-3	/HPF	
	RBC'S	NIL	/HPF	
	CASTS	NIL		
	CRYSTALS	NIL		
	EPITHELIAL CELLS	2-4	/HPF	
	BACTERIA	NIL		
	OTHERS	NIL		

Assay performed on enhanced chemi lumenescence system (Centaur-Siemens)

Serum T3,T4 & TSH measurements form the three components of Thyroid screening panel, useful in diagnosing various disorders of Thyroid gland function.

- 1. Primary hypothyroidism is accompanied by depressed serum T3 and T4 values and elevated serum TSH level.
- 2. Primary hyperthyroidism is accompanied by elevated serum T3 and T4 levels along with depressed TSH values.
- 3. Normal T4 levels are accompanied by increased T3 in patients with T3 thyrotoxicosis.



9264278360, 9065875700, 8789391403

www.aarogyamdiagnostics.com

Date 04/07/2023 Srl No. 5 Patient ld 2307040005

Name Mrs. PRITI KUMARI Age 35 Yrs. Sex I

Ref. By Dr.BOB

Test Name Value Unit Normal Value

- 4. Slightly elevated T3 levels may be found in pregnancy and estrogen therapy, while depressed levels may be encountered in severe illness, renal failure and during therapy with drugs like propranolol and propyl thiouracil.
- 5. Although elevated TSH levels are nearly always indicative of primary hyporthyroidism, and may be seen in secondary thyrotoxicosis.

**** End Of Report ****

Dr.R.B.RAMAN MBBS, MD

CONSULTANT PATHOLOGIST









MC-2024

Lab Facility: Unipath House, Besides Sahjanand College, Opp. Kamdhenu Complex, Panjarapole, Ambawadi, Ahmedabad-380015 Gujarat
Phone: +91-79-49006800 I WhatsApp: 6356005900 I Email: info@unipath.in I Website: www.unipath.in
Regd. Of·ce: 5th Floor, Doctor House, Nr. Parimal Garden, Ahmedabad-380006 Gujarat

CIN: U85195GJ2009PLC057059

		30704100077	TEST REPO	RT		
Reg.No	: 307041000	77	Reg.Date	: 05-Jul-2023 12:21	Collection	: 05-Jul-2023 12:21
Name	: PRITI KUM	ARI			Received	: 05-Jul-2023 12:21
Age	: 35 Years		Sex	: Female	Report	: 05-Jul-2023 14:31
Referred By	: AAROGYAM	DIAGNOSTICS @ PATNA	A		Dispatch	: 05-Jul-2023 14:52
Referral Dr	: 🗆		Status	: Final	Location	: 41 - PATNA

Test Name	Results	Units	Bio. Ref. Interval				
THYROID FUNCTION TEST							
T3 (triiodothyronine)	0.67	ng/mL	0.6 - 1.52				
T4 (Thyroxine)	6.23	µg/dL	5.5 - 11.0				
TSH (ultra sensitive)	4.493	μIU/mL	0.35 - 4.94				

Sample Type: Serum

Comments:

Thyroid stimulating hormone (TSH) is synthesized and secreted by the anterior pituitary in response to a negative feedback mechanism involving concentrations of FT3 (free T3) and FT4 (free T4). Additionally, the hypothalamic tripeptide, thyrotropin-relasing hormone (TRH), directly stimulates TSH production. TSH stimulates thyroid cell production and hypertrophy, also stimulate the thyroid gland to synthesize and secrete T3 and T4. Quantification of TSH is significant to differentiate primary (thyroid) from secondary (pituitary) and tertiary (hypothalamus) hypothyroidism. In primary hypothyroidism, TSH levels are significantly elevated, while in secondary and tertiary hypothyroidism, TSH levels are low.

TSH levels During Pregnancy:

First Trimester : 0.1 to 2.5 μIU/mL
 Second Trimester : 0.2 to 3.0 μIU/mL
 Third trimester : 0.3 to 3.0 μIU/mL

Referance : Carl A.Burtis, Edward R. Ashwood, David E.Bruns. Tietz Textbook of Clinical Chemistry and Molecular Diagnostics. 5th Eddition. Philadelphia: WB Sounders, 2012:2170

----- End Of Report -----

-3. s. sec

Dr. Jwalant Shah M.D. Pathology G-7593

Dr. Hiral Arora

M.D. Biochemistry Reg. No.:- G-32999

Page 1 of 1