Name	: Mr. VASUDEVAN B	
PID No.	: MED121623990	Register On : 25/01/2023 8:21 AM
SID No.	: 522301279	Collection On : 25/01/2023 9:07 AM
Age / Sex	: 44 Year(s) / Male	Report On : 25/01/2023 4:23 PM
Туре	: OP	Printed On : 27/01/2023 8:16 AM
Ref. Dr	: MediWheel	

Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	<u>Biological</u> Reference Interval
HAEMATOLOGY			
Complete Blood Count With - ESR			
Haemoglobin (EDTA Blood'Spectrophotometry)	14.8	g/dL	13.5 - 18.0
Packed Cell Volume(PCV)/Haematocrit (EDTA Blood)	43.0	%	42 - 52
RBC Count (EDTA Blood)	4.62	mill/cu.mm	4.7 - 6.0
Mean Corpuscular Volume(MCV) (EDTA Blood)	93.2	fL	78 - 100
Mean Corpuscular Haemoglobin(MCH) (EDTA Blood)	32.0	pg	27 - 32
Mean Corpuscular Haemoglobin concentration(MCHC) (EDTA Blood)	34.3	g/dL	32 - 36
RDW-CV	14.7	%	11.5 - 16.0
RDW-SD	47.95	fL	39 - 46
Total Leukocyte Count (TC) (EDTA Blood)	4900	cells/cu.mm	4000 - 11000
Neutrophils (Blood)	55.1	%	40 - 75
Lymphocytes (Blood)	31.2	%	20 - 45
Eosinophils (Blood)	4.6	%	01 - 06
Monocytes (Blood)	8.8	%	01 - 10



Name	: Mr. VASUDEVAN B	
PID No.	: MED121623990	Register On : 25/01/2023 8:21 AM
SID No.	: 522301279	Collection On : 25/01/2023 9:07 AM
Age / Sex	: 44 Year(s) / Male	Report On : 25/01/2023 4:23 PM
Туре	: OP	Printed On : 27/01/2023 8:16 AM
Ref. Dr	: MediWheel	

Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	Biological Reference Interval
Basophils (Blood)	0.3	%	00 - 02
INTERPRETATION: Tests done on Automated Five	Part cell counter. All	abnormal results are r	eviewed and confirmed microscopically.
Absolute Neutrophil count (EDTA Blood)	2.70	10^3 / µl	1.5 - 6.6
Absolute Lymphocyte Count (EDTA Blood)	1.53	10^3 / µl	1.5 - 3.5
Absolute Eosinophil Count (AEC) (EDTA Blood)	0.23	10^3 / µl	0.04 - 0.44
Absolute Monocyte Count (EDTA Blood)	0.43	10^3 / µl	< 1.0
Absolute Basophil count (EDTA Blood)	0.01	10^3 / µl	< 0.2
Platelet Count (EDTA Blood)	247	10^3 / µl	150 - 450
MPV (Blood)	9.3	fL	7.9 - 13.7
PCT (Automated Blood cell Counter)	0.23	%	0.18 - 0.28
ESR (Erythrocyte Sedimentation Rate) (Citrated Blood)	6	mm/hr	< 15

Dr Anusha.K.S Sr.Consultant Pathologist Reg No : 100674 APPROVED BY

Name	: Mr. VASUDEVAN B	
PID No.	: MED121623990	Register On : 25/01/2023 8:21 AM
SID No.	: 522301279	Collection On : 25/01/2023 9:07 AM
Age / Sex	: 44 Year(s) / Male	Report On : 25/01/2023 4:23 PM
Туре	: OP	Printed On : 27/01/2023 8:16 AM
Ref. Dr	: MediWheel	

Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
BIOCHEMISTRY			
Liver Function Test			
Bilirubin(Total) (Serum/DCA with ATCS)	0.71	mg/dL	0.1 - 1.2
Bilirubin(Direct) (Serum/Diazotized Sulfanilic Acid)	0.24	mg/dL	0.0 - 0.3
Bilirubin(Indirect) (Serum/Derived)	0.47	mg/dL	0.1 - 1.0
SGOT/AST (Aspartate Aminotransferase) (Serum/ <i>Modified IFCC</i>)	22.76	U/L	5 - 40
SGPT/ALT (Alanine Aminotransferase) (Serum/ <i>Modified IFCC</i>)	33.11	U/L	5 - 41
GGT(Gamma Glutamyl Transpeptidase) (Serum/IFCC / Kinetic)	23.08	U/L	< 55
Alkaline Phosphatase (SAP) (Serum/ <i>Modified IFCC</i>)	102.6	U/L	53 - 128
Total Protein (Serum/Biuret)	7.35	gm/dl	6.0 - 8.0
Albumin (Serum/Bromocresol green)	4.55	gm/dl	3.5 - 5.2
Globulin (Serum/Derived)	2.80	gm/dL	2.3 - 3.6
A : G RATIO	1.63		1.1 - 2.2

(Serum/Derived)



Name	: Mr. VASUDEVAN B	
PID No.	: MED121623990	Register On : 25/01/2023 8:21 AM
SID No.	: 522301279	Collection On : 25/01/2023 9:07 AM
Age / Sex	: 44 Year(s) / Male	Report On : 25/01/2023 4:23 PM
Туре	: OP	Printed On : 27/01/2023 8:16 AM
Ref. Dr	: MediWheel	

Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	Biological Reference Interval
Lipid Profile			
Cholesterol Total (Serum/CHOD-PAP with ATCS)	205.06	mg/dL	Optimal: < 200 Borderline: 200 - 239 High Risk: >= 240
Triglycerides (Serum/GPO-PAP with ATCS)	89.31	mg/dL	Optimal: < 150 Borderline: 150 - 199 High: 200 - 499 Very High: >=500

INTERPRETATION: The reference ranges are based on fasting condition. Triglyceride levels change drastically in response to food, increasing as much as 5 to 10 times the fasting levels, just a few hours after eating. Fasting triglyceride levels show considerable diurnal variation too. There is evidence recommending triglycerides estimation in non-fasting condition for evaluating the risk of heart disease and screening for metabolic syndrome, as non-fasting sample is more representative of the `usual_circulating level of triglycerides during most part of the day.

HDL Cholesterol (Serum/Immunoinhibition)	37.76	mg/dL	Optimal(Negative Risk Factor): >= 60 Borderline: 40 - 59 High Risk: < 40
LDL Cholesterol (Serum/Calculated)	149.4	mg/dL	Optimal: < 100 Above Optimal: 100 - 129 Borderline: 130 - 159 High: 160 - 189 Very High: >= 190
VLDL Cholesterol (Serum/Calculated)	17.9	mg/dL	< 30
Non HDL Cholesterol (Serum/ <i>Calculated</i>)	167.3	mg/dL	Optimal: < 130 Above Optimal: 130 - 159 Borderline High: 160 - 189 High: 190 - 219 Very High: >= 220



Name	: Mr. VASUDEVAN B	
PID No.	: MED121623990	Register On : 25/01/2023 8:21 AM
SID No.	: 522301279	Collection On : 25/01/2023 9:07 AM
Age / Sex	: 44 Year(s) / Male	Report On : 25/01/2023 4:23 PM
Туре	: OP	Printed On : 27/01/2023 8:16 AM
Ref. Dr	: MediWheel	

Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	<u>Biological</u> Reference Interval
INTERPRETATION: 1.Non-HDL Cholesterol is now 2.It is the sum of all potentially atherogenic proteins in co-primary target for cholesterol lowering therapy.			
Total Cholesterol/HDL Cholesterol Ratio (Serum/Calculated)	5.4		Optimal: < 3.3 Low Risk: 3.4 - 4.4 Average Risk: 4.5 - 7.1 Moderate Risk: 7.2 - 11.0 High Risk: > 11.0
Triglyceride/HDL Cholesterol Ratio (TG/HDL) (Serum/ <i>Calculated</i>)	2.4		Optimal: < 2.5 Mild to moderate risk: 2.5 - 5.0 High Risk: > 5.0
LDL/HDL Cholesterol Ratio (Serum/Calculated)	4		Optimal: 0.5 - 3.0 Borderline: 3.1 - 6.0 High Risk: > 6.0

Dr Anusha.K.S Sr.Consultant Pathologist Reg No : 100674 APPROVED BY

Name	: Mr. VASUDEVAN B	
PID No.	: MED121623990	Register On : 25/01/2023 8:21 AM
SID No.	: 522301279	Collection On : 25/01/2023 9:07 AM
Age / Sex	: 44 Year(s) / Male	Report On : 25/01/2023 4:23 PM
Туре	: OP	Printed On : 27/01/2023 8:16 AM
Ref. Dr	: MediWheel	

Investigation Glycosylated Haemoglobin (HbA1c)	<u>Observed</u> <u>Value</u>	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
HbA1C (Whole Blood/ <i>HPLC</i>)	5.8	%	Normal: 4.5 - 5.6 Prediabetes: 5.7 - 6.4 Diabetic: >= 6.5
INTERPRETATION: If Diabetes - Good control : 6.1 - 7.0 %, Fair control : 7.1 - 8.0 %, Poor control >= 8.1 %			

Estimated Average Glucose	119.76	mg/dL
8		U

(Whole Blood)

INTERPRETATION: Comments

HbA1c provides an index of Average Blood Glucose levels over the past8 - 12 weeks and is a much better indicator of long term glycemic control as compared to blood and urinary glucose determinations.

Conditions that prolong RBC life span like Iron deficiency anemia, Vitamin B12 & Folate deficiency,

hypertriglyceridemia, hyperbilirubinemia, Drugs, Alcohol, Lead Poisoning, Asplenia can give falsely elevated HbA1C values.

Conditions that shorten RBC survival like acute or chronic blood loss, hemolytic anemia, Hemoglobinopathies, Splenomegaly, Vitamin E ingestion, Pregnancy, End stage Renal disease can cause falsely low HbA1c.



Name	: Mr. VASUDEVAN B	
PID No.	: MED121623990	Register On : 25/01/2023 8:21 AM
SID No.	: 522301279	Collection On : 25/01/2023 9:07 AM
Age / Sex	: 44 Year(s) / Male	Report On : 25/01/2023 4:23 PM
Туре	: OP	Printed On : 27/01/2023 8:16 AM
Ref. Dr	: MediWheel	

Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	<u>Biological</u> Reference Interval
IMMUNOASSAY			
<u>THYROID PROFILE / TFT</u>			
T3 (Triiodothyronine) - Total (Serum/ <i>ECLIA</i>)	1.30	ng/ml	0.7 - 2.04
INTERPRETATION: Comment : Total T3 variation can be seen in other condition like preg Metabolically active.	nancy, drugs, nepł	nrosis etc. In such case	es, Free T3 is recommended as it is
T4 (Tyroxine) - Total (Serum/ <i>ECLIA</i>)	5.32	µg/dl	4.2 - 12.0
INTERPRETATION: Comment : Total T4 variation can be seen in other condition like preg Metabolically active.	mancy, drugs, nepł	rrosis etc. In such case	es, Free T4 is recommended as it is
TSH (Thyroid Stimulating Hormone) (Serum/ECLIA)	2.94	µIU/mL	0.35 - 5.50
INTERPRETATION: Reference range for cord blood - upto 20 1 st trimester: 0.1-2.5 2 nd trimester 0.2-3.0 3 rd trimester : 0.3-3.0 (Indian Thyroid Society Guidelines) Comment : 1.TSH reference range during pregnancy depends on Iodi 2.TSH Levels are subject to circadian variation, reaching of the order of 50%,hence time of the day has influence o 3.Values&lt0.03 uIU/mL need to be clinically correla	peak levels betwee n the measured ser	n 2-4am and at a min um TSH concentratio	imum between 6-10PM. The variation can be ns.

3. Values&lt,0.03 µIU/mL need to be clinically correlated due to presence of rare TSH variant in some individuals.



Name	: Mr. VASUDEVAN B		
PID No.	: MED121623990	Register On	: 25/01/2023 8:21 AM
SID No.	: 522301279	Collection On	: 25/01/2023 9:07 AM
Age / Sex	: 44 Year(s) / Male	Report On	: 25/01/2023 4:23 PM
Туре	: OP	Printed On	: 27/01/2023 8:16 AM
Ref. Dr	: MediWheel		

Investigation	<u>Observed</u> <u>Value</u>	Unit	<u>Biological</u> <u>Reference Interval</u>
CLINICAL PATHOLOGY			
<u>PHYSICAL EXAMINATION (URINE</u> <u>COMPLETE)</u>			
Colour (Urine)	Pale yellow		Yellow to Amber
Appearance (Urine)	Clear		Clear
Volume(CLU) (Urine)	15		
<u>CHEMICAL EXAMINATION (URINE</u> <u>COMPLETE)</u>			
pH (Urine)	5.0		4.5 - 8.0
Specific Gravity (Urine)	1.004		1.002 - 1.035
Ketone (Urine)	Negative		Negative
Urobilinogen (Urine)	Normal		Normal
Blood (Urine)	Negative		Negative
Nitrite (Urine)	Negative		Negative
Bilirubin (Urine)	Negative		Negative
Protein (Urine)	Negative		Negative



Name	: Mr. VASUDEVAN B	
PID No.	: MED121623990	Register On : 25/01/2023 8:21 AM
SID No.	: 522301279	Collection On : 25/01/2023 9:07 AM
Age / Sex	: 44 Year(s) / Male	Report On : 25/01/2023 4:23 PM
Туре	: OP	Printed On : 27/01/2023 8:16 AM
Ref. Dr	: MediWheel	

Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	<u>Biological</u> Reference Interval
Glucose (Urine/GOD - POD)	Negative		Negative
Leukocytes(CP) (Urine)	Negative		Negative
<u>MICROSCOPIC EXAMINATION</u> (URINE COMPLETE)			
Pus Cells (Urine)	0-1	/hpf	NIL
Epithelial Cells (Urine)	0-1	/hpf	NIL
RBCs (Urine)	NIL	/HPF	NIL
Others (Urine)	NIL		

INTERPRETATION: Note: Done with Automated Urine Analyser & Automated urine sedimentation analyser. All abnormal reports are reviewed and confirmed microscopically.

mishall Dr Anusha.K.S Sr.Consultant Pathologist Reg No : 100674 APPROVED BY

Name	: Mr. VASUDEVAN B	
PID No.	: MED121623990	Register On : 25/01/2023 8:21 AM
SID No.	: 522301279	Collection On : 25/01/2023 9:07 AM
Age / Sex	: 44 Year(s) / Male	Report On : 25/01/2023 4:23 PM
Туре	: OP	Printed On : 27/01/2023 8:16 AM
Ref. Dr	: MediWheel	

Investigation

<u>Observed</u> <u>Value</u> Biological Reference Interval

IMMUNOHAEMATOLOGY

BLOOD GROUPING AND Rh TYPING (EDTA Blood/Agglutination) 'O' 'Positive'

INTERPRETATION: Note: Slide method is screening method. Kindly confirm with Tube method for transfusion.



<u>Unit</u>

Name	: Mr. VASUDEVAN B	
PID No.	: MED121623990	Register On : 25/01/2023 8:21 AM
SID No.	: 522301279	Collection On : 25/01/2023 9:07 AM
Age / Sex	: 44 Year(s) / Male	Report On : 25/01/2023 4:23 PM
Туре	: OP	Printed On : 27/01/2023 8:16 AM
Ref. Dr	: MediWheel	

Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	<u>Biological</u> Reference Interval
BIOCHEMISTRY			
BUN / Creatinine Ratio	9.06		6.0 - 22.0
Glucose Fasting (FBS) (Plasma - F/GOD-PAP)	89.61	mg/dL	Normal: < 100 Pre Diabetic: 100 - 125 Diabetic: >= 126

INTERPRETATION: Factors such as type, quantity and time of food intake, Physical activity, Psychological stress, and drugs can influence blood glucose level.

Glucose, Fasting (Urine)	Negative		Negative
(Urine - F/GOD - POD)			
Glucose Postprandial (PPBS)	93.88	mg/dL	70 - 140
(Plasma - PP/GOD-PAP)			

INTERPRETATION:

Factors such as type, quantity and time of food intake, Physical activity, Psychological stress, and drugs can influence blood glucose level. Fasting blood glucose level may be higher than Postprandial glucose, because of physiological surge in Postprandial Insulin secretion, Insulin resistance, Exercise or Stress, Dawn Phenomenon, Somogyi Phenomenon, Anti- diabetic medication during treatment for Diabetes.

Urine Glucose(PP-2 hours) (Urine - PP)	Negative		Negative
Blood Urea Nitrogen (BUN) (Serum/Urease UV / derived)	7.8	mg/dL	7.0 - 21
Creatinine	0.86	mg/dL	0.9 - 1.3

(Serum/Modified Jaffe)

INTERPRETATION: Elevated Creatinine values are encountered in increased muscle mass, severe dehydration, Pre-eclampsia, increased ingestion of cooked meat, consuming Protein/ Creatine supplements, Diabetic Ketoacidosis, prolonged fasting, renal dysfunction and drugs such as cefoxitin ,cefazolin, ACE inhibitors ,angiotensin II receptor antagonists,N-acetylcyteine , chemotherapeutic agent such as flucytosine etc.

Uric Acid	6.50	mg/dL	3.5 - 7.2
(Serum/Enzymatic)			

Dr Anusha.K.S Sr.Consultant Pathologist Reg No : 100674 APPROVED BY

Name	: Mr. VASUDEVAN B	
PID No.	: MED121623990	Register On : 25/01/2023 8:21 AM
SID No.	: 522301279	Collection On : 25/01/2023 9:07 AM
Age / Sex	: 44 Year(s) / Male	Report On : 25/01/2023 4:23 PM
Туре	: OP	Printed On : 27/01/2023 8:16 AM
Ref. Dr	: MediWheel	

Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	Biological Reference Interval
IMMUNOASSAY			
Prostate specific antigen - Total(PSA) (Serum/Manometric method)	0.632	ng/ml	Normal: 0.0 - 4.0 Inflammatory & Non Malignant conditions of Prostate & genitourinary system: 4.01 - 10.0 Suspicious of Malignant disease of Prostate: > 10.0



-- End of Report --

Name	MR.VASUDEVAN B	ID	MED121623990
Age & Gender	44Y/MALE	Visit Date	25 Jan 2023
Ref Doctor Name	MediWheel	-	

ABDOMINO-PELVIC ULTRASONOGRAPHY

LIVER is normal in shape, enlarged in size (16.3cms) and has increased echogenicity. No evidence of focal lesion or intrahepatic biliary ductal dilatation. Hepatic and portal vein radicals are normal.

GALL BLADDER shows normal shape and has clear contents. Wall is of normal thickness. CBD is not dilated.

PANCREAS Head appears normal. Rest of the pancreas is obscured by bowel gas shadows. No evidence of ductal dilatation or calcification.

SPLEEN shows normal shape, size and echopattern.

BOTH KIDNEYS

Right kidney: Normal in shape, size and echopattern. Cortico-medullary differentiation is well madeout. No evidence of calculus or hydronephrosis.

Left kidney: Normal in shape, size and echopattern. Cortico-medullary differentiation is well madeout. No evidence of calculus or hydronephrosis.

The kidney measures as follows:

·	Bipolar length (cms)	Parenchymal thickness (cms)
Right Kidney	10.4	1.5
Left Kidney	9.9	1.6

URINARY BLADDER shows normal shape and wall thickness. It has clear contents. No evidence of diverticula.

PROSTATE shows normal shape, size and echopattern.

No evidence of ascites.

IMPRESSION:

- Hepatomegaly with grade I fatty infiltration of liver.
- No other significant sonological abnormality detected.

DR.KAMESH G CONSULTANT RADIOLOGIST Kg/Lr

Name	MR.VASUDEVAN B	ID	MED121623990
Age & Gender	44Y/MALE	Visit Date	25 Jan 2023
Ref Doctor Name	MediWheel		

ECHO CARDIOGRAPHIC STUDY

		M-	Mod	le		
AORTA				32		mm
LEFT ARTIUM				32		mm
RIGHT VENTRICLE				24		mm
LEFT VENTRICLE (Diastole	e)			46		mm
LEFT VENTRICLE (Systole))			30	i i	mm
VENTRICULAR SEPTUM (Diastole)			09		mm
POSTERIOR WALL (Diasto	le)			10	l	mm
END DIASTOLIC VOLUME	3			99	1	ml
END SYSTOLIC VOLUME				64		ml
STROKE VOLUME				35		ml
FRACTIONAL SHORTENIN	١G			35		%
EJECTION FRACTION	JECTION FRACTION		64		%	
	DOP	PLER / O	COL	OU	R FLOW	
MITRAL VALVE	E- 0.9	A -0.6	m/s	se	NO MR	
			c			
AORTIC VALVE	1.0	-	m/s	se	NO AR	
			c			
TRICUSPID VALVE	-	-	m/s	se	NO TR	
			c			
PULMONARY VALVE	0.8	-	m/s	se	NO PR	
			c			

Name	MR.VASUDEVAN B	ID	MED121623990
Age & Gender	44Y/MALE	Visit Date	25 Jan 2023
Ref Doctor Name	MediWheel	-	

FINDINGS

LEFT VENTRICLE	SIZE	NORMAL	
	THICKNESS	NORMAL	
LV FUNCTION	REGIONAL WALL MOTION ABNORMALITY	ABSENT	
LEFT ATRIUM	NORMAL		
RIGHT VENTRICLE	NORMAL		
RIGHT ATRIUM	NORMAL		
MITRAL VALVE	NORMAL		
AORTIC VALVE	NORMAL		
PULMONARY VALVE	NORMAL		
TRICUSPID VALVE	NORMAL		
INTER ATRIAL SEPTUM	INTACT		
INTER VENTRICULAR SEPTUM	INTACT		
PERICARDIUM	NORMAL, NO EFFUSION		
GREAT VESSELS	AORTA - NORMAL PULMONARY ARTERY - NORMAL		

CONCLUSION:

- NORMAL CHAMBER DIMENSIONS.
- NORMAL VALVES
- NO REGIONAL WALL MOTION ABNORMALITIES
- NORMAL LV SYSTOLIC FUNCTION.LVEF- 64 %
- NO CLOTS / VEGETATION / PE.

DR NAGESH M B CONSULTANT CARDIOLOGIST (PLEASE CORRELATE WITH ECG & CLINICAL FINDINGS)

Name	VASUDEVAN B	Customer ID	MED121623990
Age & Gender	44Y/M	Visit Date	Jan 25 2023 8:12AM
Ref Doctor	MediWheel	-	

X - RAY CHEST PA VIEW

Bilateral lung fields appear normal.

Cardiac size is within normal limits.

Bilateral hilar regions appear normal.

Bilateral domes of diaphragm and costophrenic angles are normal.

Visualised bones and soft tissues appear normal.

IMPRESSION:

• No significant abnormality detected.

G. Kamel

DR.G KAMESH CONSULTANT RADIOLOGIST

	OPTICAL STO	RE
	Unique Collection	Ph: 9611444957
	Vyalikaval Main road No 12 cakshmi Nila 2nd Main Road, Vyalikaval, Bengaluru Ka	
1	Name Vasudevon Age 44/M	Ph No 9421123696
	CHIEF COMPLAINTS	
	RE / LE / BE OOV > Blurring > Eveache / B itching / Pricking / Redness	
	Visual Activity	
	I RI LI Distance/ Near 66 666 With PH With Glasses/CI	
	Color Vision: BB-Normal	
istance lear	SPH (YL AXIS YN SPH (YL Plane 616 - Plane	Axis VN
avise	Constant use / Near Use / Distance Only	Reaviewar H L 25 Tol



MEDICAL EXAMINATION CERTIFICATE

NAME

:

:

AGE

Vasudevan . B HH 48 I Male

GPE :

Height	;	179	Weight :	90.5	
ВР	:	(42/79	Pulse :	62/min	

Systemic Examination :

CVS- BISZT PA- NAD rs- NNBS cns- NAD

Eye Check up :

Enclosed

VA -

N-

Color Vision -

After personal Examination of the case do hereby certify that

Mr/Ms/, Mrs Vasudevan B 1 is found Physically Fit / Unfit to work -it

1

Fit

Unfit

Pending

16-2.3-8hanco Signature

Dr. SHANKAR K.R.S Bac. MBES., KMC No: 15130

You can also conveniently view the reports and trends through our App. Scan QR code to download the App.



Please produce bill copy at the time of collecting the reports. Request you to provide your mobile number or customer id during your subsequent visits.

