

T.V. Kumar

M. S. Choudary

Dr. M.S. CHOUDARY, MBBS, DLO, MS
Regd. No: 9747 (A.P. Med. Council)
MAGANTICLINIC & DIAGNOSTICS
D.No: 39, No: 102
Sri Ranga Heights, Ground Floor
Kaleswara Rao Road, Governorpet
VIJAYAWADA-520 002. Ph: 6664639

CERTIFICATE OF MEDICAL FITNESS

This is to certify that I have conducted the clinical examination

of T. VISWANADH KALYAN on 04/09/2022

After reviewing the medical history and on clinical examination it has been found that he/she is

	Tick
<ul style="list-style-type: none"> • <input checked="" type="checkbox"/> Medically Fit 	<input checked="" type="checkbox"/>
<ul style="list-style-type: none"> • Fit with restrictions/recommendations <p>Though following restrictions have been revealed, in my opinion, these are not impediments to the job.</p> <p>1.....</p> <p>2.....</p> <p>3.....</p> <p>However the employee should follow the advice/medication that has been communicated to him/her.</p> <p>Review after _____</p>	<input type="checkbox"/>
<ul style="list-style-type: none"> • Currently Unfit. Review after _____ recommended 	<input type="checkbox"/>
<ul style="list-style-type: none"> • Unfit 	<input type="checkbox"/>

T. V. Kalan

Dr. M. S. Choudary

**Medical Officer
The Apollo Clinic, (Location)**

Dr. M.S. CHOUDARY, MBBS, DLO, MS

Reg. No: 5747 (A.P. Med. Council)

MAGANTI CLINIC & DIAGNOSTICS

D.No: 2011/102/102

Sri Ranga Heights, Ground Floor

Kaleswara Rao Road, Governorpet

VIJAYAWADA-520 002. Ph: 6664639

This certificate is not meant for medico-legal purposes

MER- MEDICAL EXAMINATION REPORT

Date of Examination	04/09/2022		
NAME	T. VISWANADH KALYAN		
AGE	37	Gender	MALE
HEIGHT(cm)	175	WEIGHT (kg)	86
B.P.	$\frac{120}{80}$		
ECG	N		
X Ray	N		
Vision Checkup	NORMAL	$\frac{6}{6}$	N COLOR VISION -
Present Ailments	NO		
Details of Past ailments (If Any)	NIL		
Comments / Advice : She / He is Physically Fit	FIT		

T. V. Kalyan

M. S. Choudary

Signature with Stamp of Medical Examiner

Dr. M.S. CHOUDARY, MBBS, DLO, MS
 Regd. No: 9747 (A.P. Med. Council)
 MAGANTI CLINIC, ADIPATI DIAGNOSTICS
 D.No: 29-3, Hospital No:102
 Sri Ranga Heights, Ground Floor
 Kaleswara Rao Road, Governorpet
 VIJAYAWADA-520 002. Ph: 6664639



ADARSH DIAGNOSTICS

ISO 9001 : 2015 CERTIFIED

D.No. 29-3-23, Flat No : 102, Opp. I.V. Palace Road, Sri Ranga Heights,
Ground Floor, Kaleswara Rao Road, Governorpet,
VIJAYAWADA - 520 002. © (0866) 6664639, Fax : 2431916

BOB

Name of the life to be Assured:-T.VISWANADH KALYAN Age:-37/M

BLOOD EXAMINATION REPORT

RANDOM BLOOD SUGAR(RBS):	98 mg%	(N.VALUE:60 – 140 mg%)
S.CHOLESTEROL	: 188 mg%	(N.VALUE:130 – 250 mg%)
S.TRIGLY CERIDES	: 142 mg%	(N.VALUE:UP TO 175 mg%)
HDL	: 47.6mg%	(N.VALUE:35 – 55 mg%)
V L D L	: 25.4 mg%	(N.VALUE: UP TO 30 mg%)
LDL	: 110.8	(N.VALUE:UP TO 150 mg%)
UREA	: 24 mg%	(N.VALUE:10 – 50 mg%)
BUN	: 16 mg%	(N.VALUE:08 – 20 mg%)
S.CREATININE	: 0.8 mg%	(N.VALUE:0.5 – 1.6 mg%)
S.PROTEINS	: 7.2 gms%	(N.VALUE:6.0 – 8.0 gms%)
ALBUMIN	: 4.4 gms%	(N.VALUE:3.5 – 5.6 gms%)
GLOBULIN	: 2.8 gms%	(N.VALUE:2.0 – 3.6 gms%)
A.G. RATIO	: 1.57	
S.URIC ACID	: 4.9 mg%	(N.VALUE:2.5 – 7.0 mg%)
S.BILIRUBIN	: 0.8 mg%	(N.VALUE: 0.2 – 1.2 mg%)
DIRECT BILIRUBIN	: 0.1 mg%	(N.VALUE:0.0 – 0.2 mg%)
INDIRECT BILIRUBIN	: 0.7 mg%	
S G O T	: 24 IU/ML	(N.VALUE:8 – 35 IU/ML)
S G P T	: 29 IU/ML	(N.VALUE:13 – 40 IU/ML)
S.ALKLINE PHOSPHATESE	: 7.5 KA UNITES	(N.VALUE:4 – 11 KA UNITES)
GGTP	: 13 IU/ML	(N.VALUE:4 – 24 IU/ML)
Hbs Ag	: NEGATIVE(-VE)	

Dated at Vijayawada on the 04TH day of September 2022

(Signature)
(Pathologist/Dr. Incharge)

ADARSH DIAGNOSTICS

D.No: 29-3-23 Flat No: 102
SRI RANGA HEIGHTS GROUND FLOOR
Kaleswara Rao Road, Governorpet
VIJAYAWADA-520 002. Ph: 6664639

X-RAY, ECG, E.E.G. PATHOLOGICAL, SEROLOGICAL, BIO-CHEMICAL, IMMUNOASSAY, BLOOD BANK,
TREAD- MILL STRESS TEST : ULTRA SOUND SCAN WITH 2-D ECHO CARDIOGRAPHY, HOLTER RECORD,
AUDIOMETRY AND 24 HOURS AMBULANCE, ENDOSCOPY



ADARSH DIAGNOSTICS

ISO 9001 : 2015 CERTIFIED

D.No. 29-3-23, Flat No : 102, Opp. I.V. Palace Road, Sri Ranga Heights,
Ground Floor, Kaleswara Rao Road, Governorpet,
VIJAYAWADA - 520 002. ☎ (0866) 6664639, Fax : 2431916

BOB

Name of the life to be Assured:-T.VISWANADH KALYAN Age:-37/M

URINE EXAMINATION REPORT

MACROSCOPY

QUANTITY	:	8.5ML
APPEARANCE	:	CLEAR
COLOUR	:	PALE YELLOW
SP GRAVITY	:	1.018
REACTION	:	ACIDIC


CHEMICAL

BILE SALTS	:	NEGATIVE(-VE)
BILE PIGEMENTS	:	NEGATIVE(-VE)
UROBILINOGEN	:	NORMAL
ACETONE	:	NEGATIVE(-VE)
OCCULT BLOOD	:	NEGATIVE(-VE)
ALBUMIN	:	NIL
URINE SUGAR	:	NIL

MICRO

R B C	:	NIL
CAST	:	NIL
PUS CELLS	:	2-3/HPF
E P CELLS	:	NIL
CRYSTALS	:	NIL
BACTERIA	:	NIL

Dated at Vijayawada on the 04TH day of September 2022


(Pathologist/Dr.Incharge) **ADARSH DIAGNOSTICS**
D.No: 29-3-23, Flat No: 102
RANGA HEIGHS, GROUND FLOOR
Kaleswara Rao Road, Governorpet
VIJAYAWADA-520 002. Ph: 6664639

X-RAY, ECG, E.E.G. PATHOLOGICAL, SEROLOGICAL, BIO-CHEMICAL, IMMUNOASSAY, BLOOD BANK,
TREAD- MILL STRESS TEST : ULTRA SOUND SCAN WITH 2-D ECHO CARDIOGRAPHY, HOLTER RECORD,
AUDIOMETRY AND 24 HOURS AMBULANCE, ENDOSCOPY



ADARSH DIAGNOSTICS

ISO 9001 : 2015 CERTIFIED

D.No. 29-3-23, Flat No : 102, Opp. I.V. Palace Road, Sri Ranga Heights,
Ground Floor, Kaleswara Rao Road, Governorpet,
VIJAYAWADA - 520 002. © (0866) 6664639, Fax : 2431916

BOB

Name of the life to be Assured:-T.VISWANADH KALYAN Age:-37/M

BLOOD EXAMINATION REPORT

TEST	CBC	RESULT	NORMAL .RANGE
HAEMOGLOBIN(HGB)	:	14.2 gm%	(12.0 – 16.0 g/100ml)
P C V (HAEMATOCRIT)	:	43.6 gm%	(36 - 48 %)
MCV	:	88.05 CU.MM	(76 - 92 CU MM)
MCH	:	29.06 MM.G	(27 - 32 MM G)
MCHC	:	33.3 %	(30 - 35 %)
RDW	:	NORMAL	
M P V	:	NORMAL	
INDICES	:	NORMAL	
T R B C	:	4.73 miil/cumm	(3.9 – 6.5miil/cumm)
PLATELET COUNT	:	2.1 lakhs/c.mm	(1.5 - 4.0 lakshs/c.mm)
T W B C	:	7,900 cells/cumm	(4,000-10,000cells/cumm)
DIFFERENTIAL COUNT			
NEUTROPHILS	:	64 %	(40 - 74 %)
LYMPHOCYTES	:	32 %	(20 - 45%)
EOSINOPHILS	:	04 %	(2 - 06 %)
MONOCYTES	:	---	(00 - 02 %)
BASOPHILS	:	---	(< 1%)
E S R	:	18 mm/ 1st hour	(02 - 12mm/1 st hour)

Dated at Vijayawada on the 04TH day of September 2022

Abu

(Pathologist/Dr.Incharge)

ADARSH DIAGNOSTICS

D.No: 29-3-23, Flat No: 102
SRI RANGA HEIGHTS, GROUND FLOOR
Kaleswara Rao Road, Governorpet
VIJAYAWADA-520 002. Ph: 6664639

X-RAY, ECG, E.E.G, PATHOLOGICAL, SEROLOGICAL, BIO-CHEMICAL, IMMUNOASSAY, BLOOD BANK,
TREAD- MILL STRESS TEST : ULTRA SOUND SCAN WITH 2-D ECHO CARDIOGRAPHY, HOLTER RECORD,
AUDIOMETRY AND 24 HOURS AMBULANCE, ENDOSCOPY



ADARSH DIAGNOSTICS

ISO 9001 : 2015 CERTIFIED

D.No. 29-3-23, Flat No : 102, Opp. I.V. Palace Road, Sri Ranga Heights,
Ground Floor, Kaleswara Rao Road, Governorpet,
VIJAYAWADA - 520 002. © (0866) 6664639, Fax : 2431916

BOB

Name of the life to be Assured:-T.VISWANADH KALYAN Age:-37/M

BLOOD EXAMINATION REPORT

GLYCOSYLATED HEMOGLOBIN TEST : HbA1c
(MEAN BLOOD GLUCOSE LEVEL FOR THE LAST 2 MONTHS)

RESULT	:	5.6 %
IMPRESSION	:	NON DIABETIC
INTERPRETATION OF TEST	:	
HbA1c		%OF GLUCOSE CONTROL
>10 %	:	POOR
9% - 10 %	:	FAIR
8% - 9%	:	GOOD
7% - 8%	:	CONTROL
6% - 7 %	:	NEAR NORMAL
<6	:	NON DIABETIC

Dated at Vijayawada on the 04TH day of September 2022

(Pathologist/DR.Incharge)

ADARSH DIAGNOSTICS
D.No: 29-3-23 Flat No: 102
SRI RANGA HEIGHTS - GROUND FLOOR
Kaleswara Rao Road, Governorpet
VIJAYAWADA-520 002. Ph: 6664639

X-RAY, ECG, E.E.G, PATHOLOGICAL, SEROLOGICAL, BIO-CHEMICAL, IMMUNOASSAY, BLOOD BANK,
TREAD- MILL STRESS TEST : ULTRA SOUND SCAN WITH 2-D ECHO CARDIOGRAPHY, HOLTER RECORD,
AUDIOMETRY AND 24 HOURS AMBULANCE, ENDOSCOPY



ADARSH DIAGNOSTICS

ISO 9001 : 2015 CERTIFIED

D.No. 29-3-23, Flat No : 102, Opp. I.V. Palace Road, Sri Ranga Heights,
Ground Floor, Kaleswara Rao Road, Governorpet,
VIJAYAWADA - 520 002. © (0866) 6664639, Fax : 2431916

BOB

Name of the life to be Assured:-T.VISWANADH KALYAN Age:-37/M

BLOOD EXAMINATION REPORT

T3 (N.VALUE)	:	178 ng/dl
	:	70 – 204 ng/dl)
T4 (N.VALUE)	:	8.1 ug/dl
	:	5.5 -11.0ug/dl)
THYROID STIMULATING HORMONE TSH (N.VALUE)	:	3.2uIU/ml
	:	0.35-5.50 uIU/ml)

Dated at Vijayawada on the 04TH day of September 2022


(Pathologist/Dr.Inchrge)

ADARSH DIAGNOSTICS

D.No: 29-3-23, Flat No: 102
SRI RANGA HEIGHTS GROUND FLOOR
Kaleswara Rao Road, Governorpet
VIJAYAWADA-520 002. Ph: 6664639



ADARSH DIAGNOSTICS

ISO 9001 : 2015 CERTIFIED

D.No. 29-3-23, Flat No : 102, Opp. I.V. Palace Road, Sri Ranga Heights,
Ground Floor, Kaleswara Rao Road, Governorpet,
VIJAYAWADA - 520 002. © (0866) 6664639, Fax : 2431916


BOB

Name of the life to be Assured:- T.VISWANADH KALYAN Age:- 37/M

ECG REPORT

RATE : 71 bpm
RHYTHM : SINUS
P : NORMAL
P R INTERVAL : 143 ms
Q R S INTERVAL : 74 ms
S T SEGEMENT : ISO ELECTRIC
T WAVES : NORMAL
Q WAVES : NIL
HYPERTRPHY : NO
QT : 351 ms
Q R S AXIS : 39 Deg
IMPRESSION : NORMAL ECG

Dated at Vijayawada on the 04th day of september 2022


CONSULTANT CARDIOLOGIST
Dr. MAGANTI PRASAD (M.B.B.S;POST GRADUATE IN CARDIOLOGY) ,
Regd.No:14414 (M.P.MED.COUNCIL)
CONSULTANT CARDIOLOGIST
MAGANTI CLINIC
VIJAYAWADA.


X-RAY, ECG, E.E.G. PATHOLOGICAL, SEROLOGICAL, BIO-CHEMICAL, IMMUNOASSAY, BLOOD BANK,
TREAD- MILL STRESS TEST : ULTRA SOUND SCAN WITH 2-D ECHO CARDIOGRAPHY, HOLTER RECORD,
AUDIOMETRY AND 24 HOURS AMBULANCE, ENDOSCOPY

Rate 71 . Sinus rhythm.....normal P axis, V-rate 50- 99
 . Consider right atrial enlargement..... P >0.24mV limb lead
 PR 143 . Abnormal R-wave progression, early transition..... QRS area >0 in V2
 QRS 74 . Artifact in lead(s) I, II, aVR, aVF, V2 and baseline wander in lead(s) V2
 QT 351
 QTc 382

--AXIS--
 P 35
 QRS 39
 T 14
 12 Lead; Standard Placement

- OTHERWISE NORMAL ECG -

Requested by: BANK OF BARODA
 Unconfirmed Diagnosis



Dr. MAGANTI S.V.R.K.V. PRASAD
 M.B.B.S;PGDHS;DC(CARDIOLOGY)
 Regd.No:14414 (A.P.MED.COUNCIL)
 CONSULTANT CARDIOLOGIST
 MAGANTI CLINIC
 VIJAYAWADA.

Device: Speed: 25 mm/sec Limb: 10 mm/mV Chest: 10.0 mm/mV
 F 60~ 0.15-100 Hz PH100B CL P?

PHILIPS

RECORDED M379A



ADARSH DIAGNOSTICS

ISO 9001 : 2015 CERTIFIED

D.No. 29-3-23, Flat No : 102, Opp. I.V. Palace Road, Sri Ranga Heights,
Ground Floor, Kaleswara Rao Road, Governorpet,
VIJAYAWADA - 520 002. ☎ (0866) 6664639, Fax : 2431916

BOB

Name of the life to be Assured:- T.VISWANADH KALYAN Age:- 37/M

X-RAY CHEST AP VIEW

CARDIAC SIZE IS NORMAL.

LUNG FIELDS ARE CLEAR

BOTH HILA ARE NORMAL

C.P ANGLES ARE CLEAR

NO BONY LESION

IMPRESSION: NORMAL STUDY

Dated at Vijayawada on the 04th day of SEPTEMBER 2022


CONSULTANT RADIOLOGIST/Dr.Incharge

DR. G. PRASADA RAO

MBBS, DMRD

Rg. No: 17266

Consulting Radiologist

X-RAY, ECG, E.E.G, PATHOLOGICAL, SEROLOGICAL, BIO-CHEMICAL, IMMUNOASSAY, BLOOD BANK,
TREAD- MILL STRESS TEST : ULTRA SOUND SCAN WITH 2-D ECHO CARDIOGRAPHY, HOLTER RECORD,
AUDIOMETRY AND 24 HOURS AMBULANCE, ENDOSCOPY



ADARSH DIAGNOSTICS

ISO 9001 : 2015 CERTIFIED

D.No. 29-3-23, Flat No : 102, Opp. I.V. Palace Road, Sri Ranga Heights,
Ground Floor, Kaleswara Rao Road, Governorpet,
VIJAYAWADA - 520 002. © (0866) 6664639, Fax : 2431916

BOB

Name of the life to be Assured:T.V.KALYAN Age:-37/M

2-D ECHOCARDIOGRAPHY

AORTA : 3.0 CM LEFT ATRIUM: 3.5 CMS
LEFT VENTRICLE : 5.1 X 3.0 CM IVS: 1.3 CM LVPW :1.4 CMS
LVEF:62%
MITRAL VALVE : NORMAL
AORTIC VALVE : NORMAL
TRICUSPID VALVE : NORMAL
PULMONARY VALVE : NORMAL
RIGHT ATRIUM : NORMAL
RIGHT VENTRICLE : NORMAL
PULMONARY ARTERY : NORMAL
PERICARDIUM : NORMAL
IAS : INTACT
IVS : INTACT
OTHERS : NIL
DOPPLER STUDY : MV :E<A /NO TR
AJV:1.2M/SEC PJV:1.5M/SEC
IMPRESSION : NO RWMA
GOOD LV FUNCTION (EF :62%)
NORMAL SIZED CHAMBERS.

Dated at Vijayawada on the 04th day of SEPTEMBER 2022

CONSULTANT CARDIOLOGIST


Dr. MAGANTI S.V.R.K.V. PRASAD
M.B.B.S;PGDHS (CARDIOLOGY)
Regd.No:1482 (M.C.COUNCIL)
CONSULTANT CARDIOLOGIST
MAGANTI CLINIC
VIJAYAWADA.

X-RAY, ECG, E.E.G. PATHOLOGICAL, SEROLOGICAL, BIO-CHEMICAL, IMMUNOASSAY, BLOOD BANK,
TREAD- MILL STRESS TEST : ULTRA SOUND SCAN WITH 2-D ECHO CARDIOGRAPHY, HOLTER RECORD,
AUDIOMETRY AND 24 HOURS AMBULANCE, ENDOSCOPY

T.V.KALYAN,37M,
05-01-01-004539

Philips Healthcare

01/01/2005 PHILIPS
00:49:41




+20
cm/s
-20
NO PRESET
S4-2
MI 0.6
TIS 1.8
F4 Gn 100
Color
1.9 MHz
PW
1.9 MHz
Gn 50
Angle 0
11.0 cm
+ C
m /
s -
16cm
Gate
Size
Position

T.V.KALYAN,37M,
05-01-01-004539

Philips Healthcare

01/01/2005 PHILIPS
00:49:17




+20
cm/s
-20
NO PRESET
S4-2
MI 1.5
TIS 0.9
F4 Gn 100
Color
1.9 MHz
Gn 70
G/2/4
M-Mode
9Hz 16cm
Line
Size
Position

T.V.KALYAN,37M,
05-01-01-004539

Philips Healthcare

01/01/2005 PHILIPS
00:49:08




+20
cm/s
-20
NO PRESET
S4-2
MI 1.6
TIS 0.6
F4 Gn 100
232dB/C4
G/2/4
M-Mode
57Hz 16cm
Line
Size

T.V.KALYAN,37M,
05-01-01-004539

Philips Healthcare

01/01/2005 PHILIPS
00:48:55



+20
cm/s
-20
NO PRESET
S4-2
MI 1.6
TIS 0.7
F4 Gn 100
232dB/C4
G/2/4
M-Mode
64Hz 16cm
Off
Size



ADARSH DIAGNOSTICS

ISO 9001 : 2015 CERTIFIED

D.No. 29-3-23, Flat No : 102, Opp. I.V. Palace Road, Sri Ranga Heights,
Ground Floor, Kaleswara Rao Road, Governorpet,
VIJAYAWADA - 520 002. © (0866) 6664639, Fax : 2431916

BOB

PATIENT NAME: T.V.KALYAN

DATE:04/09/2022

REF. Dr. :

AGE:37 ; SEX:M

ULTRASONOGRAM OF TOTAL ABDOMEN

LIVER	:	NORMAL IN SIZE WITH HOMOGENOUS PARENCHYMAL ECHOTEXTURE. NO MASS OR CYST IN LIVER.NO DILATATION OF INTRA HEPATIC BILIARY RADICLES.
GALL BLADDER	:	NORMAL. NO CALCULI. NO MASS LESION DISTENDED
PANCREAS	:	NORMAL. NO CALCULI. NO MASS LESION.
C B D	:	NORMAL. NO CALCULI.
PORTAL VEIN	:	NORMAL MEASURES 09 MM.
SPLEEN	:	NORMAL WITH HOMOGENOUS PARENCHYMAL ECHOTEXTURE MEASURED 98 MM.
DIAPHRAGM	:	BOTH DOMES MOVING WELL WITH RESPIRATION. NO SUB DIAPHRAGMATIC PATHOLOGY.
RIGHT KIDNEY	:	SIZE 8.9 X 4.4 CMS. NORMAL IN SIZE AND ECHOPATTERN, C.M.D MAINTAINED. P.C.S.NORMAL, NO CALCULI NO HYDRONEPHROSIS. URETER NOT DILATED.
LEFT KIDNEY	:	SIZE 8.4 X 4.4 CMS. NORMAL IN SIZE AND ECHOPATTERN.C.M.D.MAINTAINED. PCS NORMAL.NO CALCULI NO HYDRONEPHROSIS. URETER NOT DILATED.
URINARY BLADDER	:	NORMAL .NO CALCULI. NO MASS LESION.
PROSTATE	:	NORMAL IN SIZE AND ECHOTEXTURE .
OTHERS	:	NIL.
IMPRESSION	:	NORMAL STUDY. TO CORRELATE CLINICALLY.

See
RADIOLOGIST/Dr.Incharge

ADARSH DIAGNOSTICS

D.No: 29-3-23, Flat No: 102
SRI RANGA HEIGHTS, GROUND FLOOR
Kaleswara Rao Road, Governorpet
VIJAYAWADA - 520 002. © (0866) 6664639

X-RAY, ECG, E.E.G. PATHOLOGICAL, SEROLOGICAL, BIO-CHEMICAL, IMMUNOASSAY, BLOOD BANK, TREAD- MILL STRESS TEST : ULTRA SOUND SCAN WITH 2-D ECHO CARDIOGRAPHY, HOLTER RECORD, AUDIOMETRY AND 24 HOURS AMBULANCE, ENDOSCOPY

T.V.KALYAN,37M,
05-01-01-004539

Philips Healthcare

01/01/2005
00:47:59

PHILIPS



+ Length 8.46 cm
x Length 4.42 cm

NO PRESET
C5-2
MI 1.1
TIS 0.3
F4 Gn 83
232dB/C4
G/2/3

30Hz 16cm

T.V.KALYAN,37M,
05-01-01-004539

Philips Healthcare

01/01/2005
00:47:06

PHILIPS



+ Length 8.91 cm
x Length 4.44 cm

NO PRESET
C5-2
MI 1.1
TIS 0.3
F4 Gn 83
232dB/C4
G/2/3

30Hz 16cm