

R

E

	PHYSICAL EXAMINATION REPORT
Patient Name	Dy alasurus Sir Muh Sex/Age M/h G
	nyankawar Sjugh Sex/Age M/49 28 323 Location - hauf.
Date	25 3 23 Location 7 1901
History and Co	mplaints
	Clo-PM
	- Polyuria.
EXAMINATION	FINDINGS:
Height (cms):	173 Temp (0c):
Weight (kg):	9 5 Skin:
<b>Blood Pressure</b>	170 110 Nails:
Pulse	Lymph Node:
	76 44
Systems:	AREAS OF SPECIAL EXPERISE
Cardiovascular:	
Respiratory:	
Genitourinary:	INAL
GI System:	
CNS:	
Impression:	A Ge Ratio. 1500
A.C-	- Hughi of Lumphorytosis 2D
petic -	- Huigh Bip., A A Ge Ratio. 750- Essivophilia., Lymphorytosis. 2D BSL (F (Diabetic) LV PP (Diabetic) LV
	BSL (Diabetic) LV
DU	1 SCe-fatty liver, Hern

	- Physician's Consultation to high B
Adv	ice: - ND Raliania SOM Fasina
Ħ	Cymphorytosis, Phili
	Surgeon's Consultation for
	ice: - Physician's Consultation Bo Mah Bi - No. Reduction . Bom, Essimilian For Herry's. Phulli - Surgeon's Consultation For Herry'a.
1)	Hypertension:
2)	IHD (
3)	Arrhythmia
4)	
5)	Diabetes Mellitus Siuce & yo
	Asthama
6)	Pulmonary Disease
7)	
8)	Thyroid/ Endocrine disorders
9)	Nervous disorders
10)	GI system
11)	Genital urinary disorder
12)	Rheumatic joint diseases or symptoms
13)	Blood disease or disorder
14)	Cancer/lump growth/cyst
15)	Congenital disease
16)	Surgeries (2000), Knee Surgery (LZ.)
17)	Musculoskeletal System
	Musculoskeletal System
PERS	ONAL HISTORY:
)	Alcohol Quit (2014) 2003.
()	Smoking a celit (2017)
)_	Diet
)/	Medication - Tab. Ce ycomet.
	Manage Kulkarni
1	M.B.B.S Hyurveoluz Por

R

REGD. OFFICE: Suburban Diagnostics (India) Pvt. Ltd., Aston, 2<sup>rd</sup> Floor, Sundervan Complex, Above Mercedes Showroom, Andheri West, Mumbai - 400053.

CENTRAL REFERENCE LABORATORY: Shop No. 9, 101 to 105, Skyline Wealth Space Building, Near Dmart, Premier Road, Vidyavihar (W), Mumbai - 400086.



: 2308420660

Name

: MR.SHYAM KUMAR SINGH

Age / Gender

: 44 Years / Male

Consulting Dr. Reg. Location

: G B Road, Thane West (Main Centre)

Authenticity Check

Use a QR Code Scanner Application To Scan the Code

Collected Reported

: 25-Mar-2023 / 07:55 :25-Mar-2023 / 11:10

R

E

P

0

## MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/TMT

O N. MESAXOIGWIN		te Blood Count), Blood	
PARAMETER	RESULTS	<b>BIOLOGICAL REF RANGE</b>	METHOD
RBC PARAMETERS			
Haemoglobin	15.0	13.0-17.0 g/dL	Spectrophotometric
RBC	5.09	4.5-5.5 mil/cmm	Elect. Impedance
PCV	47.6	40-50 %	Measured
MCV	93.5	80-100 fl	Calculated
MCH	29.5	27-32 pg	Calculated
MCHC	31.5	31.5-34.5 g/dL	Calculated
RDW	13.7	11.6-14.0 %	Calculated
WBC PARAMETERS			Suitatuca
WBC Total Count	11240	4000-10000 /cmm	Elect. Impedance
WBC DIFFERENTIAL AND	ABSOLUTE COUNTS		and impedance
Lymphocytes	38.1	20-40 %	
Absolute Lymphocytes	4282.4	1000-3000 /cmm	Calculated
Monocytes	5.4	2-10 %	catediated
Absolute Monocytes	607.0	200-1000 /cmm	Calculated
Neutrophils	42.7	40-80 %	- and a deco
Absolute Neutrophils	4799.5	2000-7000 /cmm	Calculated
Eosinophils	13.6	1-6 %	outediated.
Absolute Eosinophils	1528.6	20-500 /cmm	Calculated
Basophils	0.2	0.1-2 %	
Absolute Basophils	22.5	20-100 /cmm	Calculated
Immature Leukocytes			and the same

WBC Differential Count by Absorbance & Impedance method/Microscopy.

DIATE	THE REST	DADA	BAFTEDO
FLAIR		PAKA	METERS

Platelet Count	197000	150000-400000 /cmm	Elect. Impedance
MPV	11.5	6-11 fl	Calculated
PDW	20.6	11-18 %	Calculated
RBC MORPHOLOGY		1, 10 %	Catculated

Page 1 of 15



: 2308420660

Name

: MR. SHYAM KUMAR SINGH

Age / Gender

: 44 Years / Male

Consulting Dr.

: -

Reg. Location

: G B Road, Thane West (Main Centre)



R

E

P

0

R

Use a QR Code Scanner Application To Scan the Code

Collected Reported

: 25-Mar-2023 / 07:55 : 25-Mar-2023 / 10:34

Hypochromia

Microcytosis

Macrocytosis

Anisocytosis

Poikilocytosis

Polychromasia

Target Cells

Basophilic Stippling

Normoblasts

Others

Normocytic, Normochromic

**WBC MORPHOLOGY** 

PLATELET MORPHOLOGY

Υ

COMMENT

Eo

Megaplatelets seen on smear Eosinophilia, Lymphocytosis

Specimen: EDTA Whole Blood

ESR, EDTA WB-ESR

5

2-15 mm at 1 hr.

Sedimentation

\*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD G B Road Lab, Thane West
\*\*\* End Of Report \*\*\*







Dr.AMIT TAORI M.D ( Path ) Pathologist

Page 2 of 15



: 2308420660

Name

: MR. SHYAM KUMAR SINGH

Age / Gender

: 44 Years / Male

Consulting Dr.

: -

Reg. Location

: G B Road, Thane West (Main Centre)

**Authenticity Check** 

R

E P

0

R

Use a QR Code Scanner Application To Scan the Code

Collected Reported

: 25-Mar-2023 / 07:55 :25-Mar-2023 / 13:03

## MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/TMT

PARAMETER

RESULTS

**BIOLOGICAL REF RANGE** METHOD

GLUCOSE (SUGAR) FASTING,

Fluoride Plasma

149.5

Non-Diabetic: < 100 mg/dl Impaired Fasting Glucose:

Hexokinase

Hexokinase

100-125 mg/dl

Diabetic: >/= 126 mg/dl

GLUCOSE (SUGAR) PP, Fluoride 282.6

Plasma PP/R

Non-Diabetic: < 140 mg/dl Impaired Glucose Tolerance:

140-199 mg/dl

Diabetic: >/= 200 mg/dl

Urine Sugar (Fasting)

Absent

Absent

Urine Ketones (Fasting)

Absent

Absent

\*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD G B Road Lab, Thane West \*\*\* End Of Report \*\*\*







Dr.AMIT TAORI M.D (Path) Pathologist

Page 3 of 15



: 2308420660

Name

: MR. SHYAM KUMAR SINGH

Age / Gender

: 44 Years / Male

Consulting Dr. Reg. Location

: G B Road, Thane West (Main Centre)

Authenticity Check

Use a QR Code Scanner Application To Scan the Code

Collected Reported

98-107 mmol/l

: 25-Mar-2023 / 07:55 :25-Mar-2023 / 11:24 R

E

0

R

т

### MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/TMT KIDNEY FUNCTION TESTS

	TAID I TELL	ONCHON ILSIS	
PARAMETER	RESULTS	BIOLOGICAL REF RANGE	METHOD
BLOOD UREA, Serum	16.4	12.8-42.8 mg/dl	Urease & GLDH
BUN, Serum	7.7	6-20 mg/dl	Calculated
CREATININE, Serum	0.77	0.67-1.17 mg/dl	Enzymatic
eGFR, Serum	117	>60 ml/min/1.73sqm	Calculated
Note: eGFR estimation is calcula	ted using MDRD (Modification	on of diet in renal disease study group) equ	ation
TOTAL PROTEINS, Serum	6.1	6.4-8.3 g/dL	Biuret

note. Edi k estillation is calcula	rea using MDRD (Modif	ication of diet in renal disease study gr	oup) equation
TOTAL PROTEINS, Serum	6.1	6.4-8.3 g/dL	Biure
ALBUMIN, Serum	4.5	3.5-5.2 g/dl	RCG

3.5-5.2 g/dL BCG GLOBULIN, Serum 1.6 2.3-3.5 g/dL Calculated A/G RATIO, Serum 2.8 1 - 2 Calculated URIC ACID, Serum 5.1 3.5-7.2 mg/dl Uricase

PHOSPHORUS, Serum 3.1 2.7-4.5 mg/dl Ammonium molybdate CALCIUM, Serum 8.9 8.6-10.0 mg/dl N-BAPTA SODIUM, Serum 139 135-148 mmol/l ISE POTASSIUM, Serum 4.6 3.5-5.3 mmol/l ISE

100





CHLORIDE, Serum



ISE

Dr.AMIT TAORI M.D (Path) Pathologist

Page 4 of 15

<sup>\*</sup>Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD G B Road Lab, Thane West \*\*\* End Of Report \*\*\*



: 2308420660

Name

: MR.SHYAM KUMAR SINGH

Age / Gender

: 44 Years / Male

Consulting Dr.

Reg. Location

: G B Road, Thane West (Main Centre)

Authenticity Check

Use a QR Code Scanner Application To Scan the Code

Collected

: 25-Mar-2023 / 07:55 Reported :25-Mar-2023 / 11:10

## MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/TMT **GLYCOSYLATED HEMOGLOBIN (HbA1c)**

PARAMETER

**RESULTS** 

BIOLOGICAL REF RANGE METHOD

Glycosylated Hemoglobin (HbA1c), EDTA WB - CC

7.0

Non-Diabetic Level: < 5.7 % Prediabetic Level: 5.7-6.4 %

HPLC

Estimated Average Glucose (eAG), EDTA WB - CC

154.2

Diabetic Level: >/= 6.5 % mg/dl

Calculated

R

E

Kindly correlate clinically.

#### Intended use:

- In patients who are meeting treatment goals, HbA1c test should be performed at least 2 times a year
- In patients whose therapy has changed or who are not meeting glycemic goals, it should be performed quarterly
- For microvascular disease prevention, the HbA1C goal for non pregnant adults in general is Less than 7%.

#### Clinical Significance:

- HbA1c, Glycosylated hemoglobin or glycated hemoglobin, is hemoglobin with glucose molecule attached to it.
- The HbA1c test evaluates the average amount of glucose in the blood over the last 2 to 3 months by measuring the percentage of glycosylated hemoglobin in the blood.

#### Test Interpretation:

- The HbA1c test evaluates the average amount of glucose in the blood over the last 2 to 3 months by measuring the percentage of Glycosylated hemoglobin in the blood.
- HbA1c test may be used to screen for and diagnose diabetes or risk of developing diabetes.
- To monitor compliance and long term blood glucose level control in patients with diabetes.
- Index of diabetic control, predicting development and progression of diabetic micro vascular complications.

#### Factors affecting HbA1c results:

Increased in: High fetal hemoglobin, Chronic renal failure, Iron deficiency anemia, Splenectomy, Increased serum triglycerides, Alcohol ingestion, Lead/opiate poisoning and Salicylate treatment.

Decreased in: Shortened RBC lifespan (Hemolytic anemia, blood loss), following transfusions, pregnancy, ingestion of large amount of Vitamin E or Vitamin C and Hemoglobinopathies

Reflex tests: Blood glucose levels, CGM (Continuous Glucose monitoring)

References: ADA recommendations, AACC, Wallach's interpretation of diagnostic tests 10th edition.

Donit Taan

Dr.AMIT TAORI M.D (Path) Pathologist

Page 5 of 15



: 2308420660

Name

: MR. SHYAM KUMAR SINGH

Age / Gender

: 44 Years / Male

Consulting Dr.

: -

Reg. Location

: G B Road, Thane West (Main Centre)


Authenticity Check

R

E

0

R



Collected

:25-Mar-2023 / 07:55 Reported :25-Mar-2023 / 11:10

\*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD G B Road Lab, Thane West
\*\*\* End Of Report \*\*\*

Page 6 of 15



: 2308420660

Name

: MR.SHYAM KUMAR SINGH

Age / Gender

: 44 Years / Male

Consulting Dr. Reg. Location

: G B Road, Thane West (Main Centre)

Authenticity Check

Use a QR Code Scanner Application To Scan the Code

Collected Reported

: 25-Mar-2023 / 07:55 :25-Mar-2023 / 13:32

## MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/TMT PROSTATE SPECIFIC ANTIGEN (PSA)

PARAMETER

RESULTS

BIOLOGICAL REF RANGE METHOD

R

E

TOTAL PSA, Serum

0.378

<4.0 ng/ml

CLIA

Clinical Significance:

PSA is detected in the serum of males with normal, benign hyper-plastic, and malignant prostate tissue.

Monitoring patients with a history of prostate cancer as an early indicator of recurrence and response to treatment.

Prostate cancer screening 4. The percentage of Free PSA (FPSA) in serum is described as being significantly higher in patients with BPH than in patients with prostate cancer. 5. Calculation of % free PSA (ie. FPSA/TPSA x 100 ), has been suggested as way of improving the differentiation of BPH and Prostate cancer.

Increased In- Prostate diseases, Cancer, Prostatitis, Benign prostatic hyperplasia, Prostatic ischemia, Acute urinary retention, Manipulations like Prostatic massage, Cystoscopy, Needle biopsy, Transurethral resection, Digital rectal examination, Radiation therapy, Indwelling catheter Vigorous bicycle exercise, Drugs (e.g., testosterone), Physiologic fluctuations. Also found in small amounts in other cancers (sweat and salivary glands, breast, colon, lung, ovary) and in Skene glands of female urethra and in term placenta ,Acute renal failure, Acute myocardial infarction.

Decreased In- Ejaculation within 24-48 hours, Castration, Antiandrogen drugs (e.g., finasteride), Radiation therapy, Prostatectomy, PSA falls 17% in 3 days after lying in hospital, Artifactual (e.g., improper specimen collection; very high PSA levels). Finasteride (5-α reductase inhibitor) reduces PSA by 50% after 6 months in men without cancer.

Reflex Tests: % FREE PSA , USG Prostate

#### Limitations:

tPSA values determined on patient samples by different testing procedures cannot be directly compared with one another and could be the cause of erroneous medical interpretations. If there is a change in the tPSA assay procedure used while monitoring therapy, then the tPSA values obtained upon changing over to the new procedure must be confirmed by parallelmeasurements with both methods. Immediate PSA testing following digital rectal examination, ejaculation, prostatic massage, indwelling catheterization, ultrasonography and needle biopsy of prostate is not recommended as they falsely elevate levels.

Patients who have been regularly exposed to animals or have received immunotherapy or diagnostic procedures utilizing immunoglobulins or immunoglobulin fragments may produce antibodies, e.g. HAMA, that interferes with immunoassays.

- PSA results should be interpreted in light of the total clinical presentation of the patient, including: symptoms, clinical history, data from additional tests, and other appropriate information.
- Serum PSA concentrations should not be interpreted as absolute evidence for the presence or absence of prostate cancer.

#### Reference:

- Wallach's Interpretation of diagnostic tests
- Total PSA Pack insert





Dr.ANUPA DIXIT M.D.(PATH)

Consultant Pathologist & Lab Director

Page 7 of 15



: 2308420660

Name

: MR.SHYAM KUMAR SINGH

Age / Gender

: 44 Years / Male

Consulting Dr. Reg. Location

: -

: G B Road, Thane West (Main Centre)

Authenticity Check

R

E

P

0

R

Use a QR Code Scanner Application To Scan the Code

Collected

Reported

: 25-Mar-2023 / 07:55 : 25-Mar-2023 / 13:32

\*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD SDRL, Vidyavihar Lab
\*\*\* End Of Report \*\*\*

Page 8 of 15



: 2308420660

Name

: MR.SHYAM KUMAR SINGH

Age / Gender

: 44 Years / Male

Consulting Dr.

Reg. Location

: G B Road, Thane West (Main Centre)



**Authenticity Check** 

R

E

P

0

R

Use a QR Code Scanner Application To Scan the Code

Collected

: 25-Mar-2023 / 12:12 Reported :25-Mar-2023 / 17:19

## MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/TMT **EXAMINATION OF FAECES**

PARAMETER	RESULTS	BIOLOGICAL REF RANGE
PHYSICAL EXAMINATION		
Colour	Brown	Brown
Form and Consistency	Semi Solid	Semi Solid
Mucus	Absent	Absent
Blood	Absent	Absent
CHEMICAL EXAMINATION		7,000110
Reaction (pH)	Acidic (6.0)	
Occult Blood	Absent	Absent
MICROSCOPIC EXAMINATION		Absent
Protozoa	Absent	Absent
Flagellates	Absent	Absent
Ciliates	Absent	Absent
Parasites	Absent	Absent
Macrophages	Absent	Absent
Mucus Strands	Absent	Absent
Fat Globules	Absent	Absent
RBC/hpf	Absent	Absent
WBC/hpf	Absent	Absent
Yeast Cells	Absent	Absent
Undigested Particles	Present +	
Concentration Method (for ova)	No ova detected	Absent

<sup>\*</sup>Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD G B Road Lab, Thane West \*\*\* End Of Report \*\*\*





Daniel Taon

Dr.AMIT TAORI M.D (Path) Pathologist

Page 9 of 15



: 2308420660

Name

: MR.SHYAM KUMAR SINGH

Age / Gender

: 44 Years / Male

Consulting Dr.

Reg. Location

: G B Road, Thane West (Main Centre)

Authenticity Check

R

E

0

R

Use a QR Code Scanner Application To Scan the Code

Collected

: 25-Mar-2023 / 07:55 Reported :25-Mar-2023 / 13:47

## MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/TMT URINE EXAMINATION REPORT

PARAMETER	RESULTS	BIOLOGICAL REF RANGE	METHOD
PHYSICAL EXAMINATION			
Color	Pale yellow	Pale Yellow	
Reaction (pH)	Acidic (6.0)	4.5 - 8.0	- Chi
Specific Gravity	1.015	1.010-1.030	Chemical Indicator
Transparency	Slight hazy	Clear	Chemical Indicator
Volume (ml)	40	ctear	
CHEMICAL EXAMINATION		1	
Proteins	Absent	Absent	oll Indicates
Glucose	Absent	Absent	pH Indicator
Ketones	Absent	Absent	GOD-POD
Blood	Absent	Absent	Legals Test Peroxidase
Bilirubin	Absent	Absent	Diazonium Salt
Urobilinogen	Normal	Normal	Diazonium Salt
Nitrite	Absent	Absent	Griess Test
MICROSCOPIC EXAMINATIO	N	1,000,110	011632 1626
Leukocytes(Pus cells)/hpf	1-2	0-5/hpf	
Red Blood Cells / hpf	Absent	0-2/hpf	
Epithelial Cells / hpf	1-2		
Casts	Absent	Absent	
Crystals	Absent	Absent	
Amorphous debris	Absent	Absent	
Bacteria / hpf	3-4	Less than 20/hpf	
Interpretation: The concentration va	alues of Chemical analytos someoned		

Interpretation: The concentration values of Chemical analytes corresponding to the grading given in the report are as follows:

- Protein: (1+ -25 mg/dl, 2+ -75 mg/dl, 3+ 150 mg/dl, 4+ 500 mg/dl)
- Glucose:(1+ 50 mg/dl, 2+ -100 mg/dl, 3+ -300 mg/dl,4+ -1000 mg/dl)
- Ketone: (1+ -5 mg/dl, 2+ -15 mg/dl, 3+ 50 mg/dl, 4+ 150 mg/dl)

Reference: Pack insert

\*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD G B Road Lab, Thane West \*\*\* End Of Report \*\*\*







Donit Toom

Dr.AMIT TAORI M.D (Path) Pathologist

Page 10 of 15



: 2308420660

Name

: MR.SHYAM KUMAR SINGH

Age / Gender

: 44 Years / Male

Consulting Dr.

Reg. Location

: G B Road, Thane West (Main Centre)

Collected

Reported

: 25-Mar-2023 / 07:55 :25-Mar-2023 / 13:47



R

E

Usc a QR Code Scanner Application To Scan the Code

## MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/TMT **BLOOD GROUPING & Rh TYPING**

PARAMETER

RESULTS

**ABO GROUP** 

B

Rh TYPING

Positive

NOTE: Test performed by Semi- automated column agglutination technology (CAT)

Specimen: EDTA Whole Blood and/or serum

Clinical significance:

ABO system is most important of all blood group in transfusion medicine

#### Limitations:

- ABO blood group of new born is performed only by cell (forward) grouping because allo antibodies in cord blood are of maternal origin.
- Since A & B antigens are not fully developed at birth, both Anti-A & Anti-B antibodies appear after the first 4 to 6 months of life. As a result, weaker reactions may occur with red cells of newborns than of adults.
- Confirmation of newborn's blood group is indicated when A & B antigen expression and the isoagglutinins are fully developed at 2 to 4 years of age & remains constant throughout life.
- Cord blood is contaminated with Wharton's jelly that causes red cell aggregation leading to false positive result
- The Hh blood group also known as Oh or Bombay blood group is rare blood group type. The term Bombay is used to refer the phenotype that lacks normal expression of ABH antigens because of inheritance of hh genotype.


#### Refernces:

- Denise M Harmening, Modern Blood Banking and Transfusion Practices- 6th Edition 2012. F.A. Davis company. Philadelphia 1.
- AABB technical manual

\*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD G B Road Lab, Thane West \*\*\* End Of Report \*\*\*







Dr.AMIT TAORI M.D (Path) Pathologist

Page 11 of 15



: 2308420660

Name

: MR.SHYAM KUMAR SINGH

Age / Gender

: 44 Years / Male

Consulting Dr.

. .

Reg. Location

: G B Road, Thane West (Main Centre)



R

E

Use a QR Code Scanner Application To Scan the Code

Collected Reported

: 25-Mar-2023 / 07:55 : 25-Mar-2023 / 11:24

## MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/TMT

PARAMETER	RESULTS		
	KESOLIS	BIOLOGICAL REF RANGE	METHOD
CHOLESTEROL, Serum	136.8	Desirable: <200 mg/dl Borderline High: 200-239mg/dl	CHOD-POD
TRIGLYCERIDES, Serum	98.2	High: >/=240 mg/dl Normal: <150 mg/dl	GPO-POD
UDI CUOI FOTEROL A	3 (Stress Test) 2D Edio	Borderline-high: 150 - 199 mg/dl High: 200 - 499 mg/dl Very high:>/=500 mg/dl	
HDL CHOLESTEROL, Serum	31.6	Desirable: >60 mg/dl Borderline: 40 - 60 mg/dl Low (High risk): <40 mg/dl	Homogeneous enzymatic colorimetric assay
NON HDL CHOLESTEROL, Serum	105.2	Desirable: <130 mg/dl Borderline-high:130 - 159 mg/dl High:160 - 189 mg/dl Very high: >/=190 mg/dl	Calculated
LDL CHOLESTEROL, Serum	85.0	Optimal: <100 mg/dl Near Optimal: 100 - 129 mg/dl Borderline High: 130 - 159 mg/dl High: 160 - 189 mg/dl Very High: >/= 190 mg/dl	Calculated
VLDL CHOLESTEROL, Serum	20.2	< /= 30 mg/dl	Calculated
CHOL / HDL CHOL RATIO, Serum	4.3	0-4.5 Ratio	Calculated
LDL CHOL / HDL CHOL RATIO, Serum	2.7	0-3.5 Ratio	Calculated

<sup>\*</sup>Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD G B Road Lab, Thane West
\*\*\* End Of Report \*\*\*









Dr.AMIT TAORI M.D ( Path ) Pathologist

170:0000

Page 12 of 15



: 2308420660

Name

: MR. SHYAM KUMAR SINGH

Age / Gender

: 44 Years / Male

Consulting Dr.

Reg. Location

: G B Road, Thane West (Main Centre)



R

E

T

Use a QR Code Scanner Application To Scan the Code

Collected Reported

: 25-Mar-2023 / 07:55 :25-Mar-2023 / 10:30

## MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/TMT THYROID FUNCTION TESTS

PARAMETER	RESULTS	BIOLOGICAL REF RANGE	METHOD
Free T3, Serum	4.9	3.5-6.5 pmol/L	ECLIA
Free T4, Serum	16.5	11.5-22.7 pmol/L	ECLIA
sensitiveTSH, Serum	3.96	0.35-5.5 microIU/ml	FCLIA

Page 13 of 15



: 2308420660

Name

: MR.SHYAM KUMAR SINGH

Age / Gender

: 44 Years / Male

Consulting Dr.

: -

Reg. Location

: G B Road, Thane West (Main Centre)

**Authenticity Check** 

R

E

Use a QR Code Scanner Application To Scan the Code

Collected

Reported

:25-Mar-2023 / 07:55 :25-Mar-2023 / 10:30

#### Interpretation:

A thyroid panel is used to evaluate thyroid function and/or help diagnose various thyroid disorders.

#### Clinical Significance:

1)TSH Values between high abnormal upto 15 microIU/ml should be correlated clinically or repeat the test with new sample as physiological

can give falsely high TSH.

2)TSH values may be trasiently altered becuase of non thyroidal illness like severe infections, liver disease, renal and heart severe burns, trauma and surgery etc.

TSH	FT4/T4	FT3/T3	Interpretation
High	Normal	Normal	Subclinical hypothyroidism, poor compliance with thyroxine, drugs like amiodarone, Recovery phase of non-thyroidal illness, TSH Resistance.
High	Low	Low	Hypothyroidism, Autoimmune thyroiditis, post radio iodine Rx, post thyroidectomy, Anti thyroid drugs, tyrosine kinase inhibitors & amiodarone, amyloid deposits in thyroid, thyroid tumors & congenital hypothyroidism.
Low	High	High	Hyperthyroidism, Graves disease, toxic multinodular goiter, toxic adenoma, excess iodine or thyroxine intake, pregnancy related (hyperemesis gravidarum, hydatiform mole)
Low	Normal	Normal	Subclinical Hyperthyroidism, recent Rx for Hyperthyroidism, drugs like steroids & dopamine), Non thyroidal illness.
Low	Low	Low	Central Hypothyroidism, Non Thyroidal Illness, Recent Rx for Hyperthyroidism.
High	High	High	Interfering anti TPO antibodies, Drug interference: Amiodarone, Heparin, Beta Blockers, steroids & anti epileptics.

Diurnal Variation: TSH follows a diurnal rhythm and is at maximum between 2 am and 4 am, and is at a minimum between 6 pm and 10 pm. The variation is on the order of 50 to 206%. Biological variation: 19.7% (with in subject variation)

Reflex Tests: Anti thyroid Antibodies, USG Thyroid , TSH receptor Antibody. Thyroglobulin, Calcitonin

#### Limitations:

- 1. Samples should not be taken from patients receiving therapy with high biotin doses (i.e. >5 mg/day) until atleast 8 hours following the last biotin administration.
- 2. Patient samples may contain heterophilic antibodies that could react in immunoassays to give falsely elevated or depressed results. this assay is designed to minimize interference from heterophilic antibodies.

#### Reference:

- 1.O.koulouri et al. / Best Practice and Research clinical Endocrinology and Metabolism 27(2013)
- 2. Interpretation of the thyroid function tests, Dayan et al. THE LANCET . Vol 357
- 3. Tietz , Text Book of Clinical Chemistry and Molecular Biology -5th Edition
- 4. Biological Variation: From principles to Practice-Callum G Fraser (AACC Press)

\*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD G B Road Lab, Thane West \*\*\* End Of Report \*\*\*





Omist aon

Dr.AMIT TAORI M.D (Path) Pathologist

Page 14 of 15



: 2308420660

Name

: MR.SHYAM KUMAR SINGH

Age / Gender

: 44 Years / Male

Consulting Dr. Reg. Location

: G B Road, Thane West (Main Centre)

Authenticity Check

Use a QR Code Scanner Application To Scan the Code

Collected Reported

: 25-Mar-2023 / 07:55 :25-Mar-2023 / 11:24 R

E

P

0

R

## MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/TMT LIVER FUNCTION TESTS

PARAMETER	RESULTS	BIOLOGICAL REF RANGE	METHOD
BILIRUBIN (TOTAL), Serum	0.71	0.1-1.2 mg/dl	Diazo
BILIRUBIN (DIRECT), Serum	0.32	0-0.3 mg/dl	Diazo
BILIRUBIN (INDIRECT), Serum	0.39	0.1-1.0 mg/dl	Calculated
TOTAL PROTEINS, Serum	6.1	6.4-8.3 g/dL	Biuret
ALBUMIN, Serum	4.5	3.5-5.2 g/dL	BCG
GLOBULIN, Serum	1.6	2.3-3.5 g/dL	Calculated
A/G RATIO, Serum	2,8	1 - 2	Calculated
SGOT (AST), Serum	24.6	5-40 U/L	IFCC without pyridoxal phosphate activation
SGPT (ALT), Serum	56.4	5-45 U/L	IFCC without pyridoxal phosphate activation
GAMMA GT, Serum	21.4	3-60 U/L	IFCC
ALKALINE PHOSPHATASE, Serum	93.4	40-130 U/L	PNPP

\*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD G B Road Lab, Thane West \*\*\* End Of Report \*\*\*







Dr.AMIT TAORI M.D (Path) Pathologist

R E P 0 R

Date: 25/3/23

Name: Shyam Kruas

CID:

Singh Sex/Age: 1-44

EYE CHECK UP

Chief complaints:

Systemic Diseases:

Past history:

1312 66 HV 36 A12

Unaided Vision:

Aided Vision:

3262 21/02 NIG

Refraction:

(Right Eye)

(Left Eye)

	Sph	Cyl	Axis	Vn	Sph	Cyl	Axis	Vn
Distance								
Near								

Colour Vision: Normal / Abnormal

use son speels

MR. PRAKASH KUDVA



: 2308420660

Name

: Mr SHYAM KUMAR SINGH

Age / Sex

: 44 Years/Male

Ref. Dr

Reg. Location

: G B Road, Thane West Main Centre

Reg. Date Reported

Application To Scan the Code : 25-Mar-2023

: 25-Mar-2023 / 13:13

Use a QR Code Scanner

**Authenticity Check** <<QRCode>>

R

E

X-RAY CHEST PA VIEW

Both lung fields are clear.

Both costo-phrenic angles are clear.

The cardiac size and shape are within normal limits.

The domes of diaphragm are normal in position and outlines.

The skeleton under review appears normal.

## **IMPRESSION:**

NO SIGNIFICANT ABNORMALITY IS DETECTED.

-- End of Report-

Dr Gauri Varma **Consultant Radiologist** MBBS / DMRE MMC- 2007/12/4113

Proces

Click here to view images << ImageLink>>

Page no 1 of 1



REG NO.: 2308420660	SEX : MALE	
NAME : MR. SHYAM KUMAR SINGH		
	AGE: 44 YRS	
REF BY :		
	DATE: 25.03.2023	

## **2D ECHOCARDIOGRAPHY**

## M - MODE FINDINGS:

LVIDD	52	mm
LVIDS	30	mm
LVEF	60	%
IVS	15	mm
PW	7	mm
AO	18	mm
LA	33	mm

#### 2D ECHO:

- All cardiac chambers are normal in size
- Left ventricular contractility: Normal
- Regional wall motion abnormality: Absent.
- Systolic thickening: Normal. LVEF = 60%
- tricuspid, aortic, pulmonary valves are: Normal.
- Great arteries: Aorta and pulmonary artery are: Normal.
- Inter artrial and inter ventricular septum are intact.
- Pulmonary veins, IVC, hepatic veins are normal.
- No pericardial effusion. No intracardiac clots or vegetation.

.022-6178-0000



PATIENT NAME: MR.SHYAM KUMAR SINGH

## **COLOR DOPPLER:**

- Mitral valve doppler E- 0.9 m/s, A 0.7 m/s.
- Mild TR.
- No aortic / mitral regurgition. Aortic velocity 1.3 m/s, PG 7.1 mmHg
- No significant gradient across aortic valve.
- No diastolic dysfunction.

## **IMPRESSION:**

- MODERATE CONCENTRIC HYPERTROPHY OF LV
- NO REGIONAL WALL MOTION ABNORMALITY AT REST.
- NORMAL LV SYSTOLIC FUNCTION.

----- END OF THE REPORT-----

DR.YOGESH KHARCHE
DNB(MEDICINE) DNB (CARDIOLOGY)
CONSULTANAT INTERVENTIONAL CARDIOLOGIST.

022 6170 0000

R

E

P

0



: 2308420660

Name

: Mr SHYAM KUMAR SINGH

Age / Sex

Reg. Location

: 44 Years/Male

Ref. Dr

:

:

: G B Road, Thane West Main Centre

Reg. Date

Reported

Authenticity Check



Use a QR Code Scanner Application To Scan the Code R

E

0

R

: 25-Mar-2023

: 25-Mar-2023 / 9:44

#### **USG WHOLE ABDOMEN**

## **EXCESSIVE BOWEL GAS:**

<u>LIVER:</u> Liver appears normal in size and *shows increased echoreflectivity.* There is no intra-hepatic biliary radical dilatation. No evidence of any focal lesion.

<u>GALL BLADDER:</u>Gall bladder is distended and appears normal. Wall thickness is within normal limits. There is no evidence of any calculus.

PORTAL VEIN: Portal vein is normal. CBD: CBD is normal.

<u>PANCREAS:</u> Pancreas appears normal in echotexture. There is no evidence of any focal lesion or calcification. Pancreatic duct is not dilated.

SPLEEN: Spleen is normal in size, shape and echotexture. No focal lesion is seen.

<u>URINARY BLADDER:</u> Urinary bladder is distended and normal. Wall thickness is within normal limits.

<u>PROSTATE:</u> Prostate is normal in size and echotexture . No evidence of any focal lesion. Median lobe does not show significant hypertrophy.

No free fluid or significant lymphadenopathy is seen.

There is a small defect in the anterior abdominal wall at umbilical region with herniation of fat within, suggestive of umbilical hernia.

Click here to view images http://3.111.232.119/iRISViewer/NeoradViewer?AccessionNo=2023032507530476



: 2308420660

Name

: Mr SHYAM KUMAR SINGH

Age / Sex

: 44 Years/Male

Ref. Dr

.

: G B Road, Thane West Main Centre

Reg. Date

Reported

**Authenticity Check** 



Use a QR Code Scanner Application To Scan the Cod® R

E

: 25-Mar-2023

: 25-Mar-2023 / 9:44

#### IMPRESSION:

Reg. Location

- GRADE I FATTY INFILTRATION OF LIVER.
- SMALL UMBILICAL HERNIA IS NOTED.

Advice: Clinical co-relation sos further evaluation and follow up.

Note:Investigations have their limitations. Solitary radiological investigations never confirm the final diagnosis. They only help in diagnosing the disease in correlation to clinical symptoms and other related tests. USG is known to have inter-observer variations. Further/follow-up imaging may be needed in some cases for confirmation / exclusion of diagnosis.

----End of Report----

GRocks

Dr Gauri Varma Consultant Radiologist MBBS / DMRE MMC- 2007/12/4113

Click here to view images http://3.111.232.119/iRISViewer/NeoradViewer?AccessionNo=2023032507530476

# PRECISE TESTING . HEALTHIER LIVING SUBURBAN DIAGNOSTICS

Date and Time: 25th Mar 23 8:54 AM SUBURBAN DIAGNOSTICS - G B ROAD, THANE WEST SHYAM KUMAR SINGH Patient Name: Patient ID:

2308420660

44 3 17 years months days

Gender Male

Heart Rate 67bpm

Patient Vitals

NA NA Weight:

Pulse:

NA

NA Spo2:

NA Resp:

Others:

Measurements


74ms ORSD:

420ms

443ms 150ms

36° 14° 58°

P-R-T:



ECG Within Normal Limits: Sinus Rhythm. Please correlate clinically.

REPORTED BY

DR SHAILAJA PILLAI MBBS, MD Physican MD Physican 49972

Disclaimer: 1) Analysis in this report is based on ECG alone and should be used as an adjunct to clinical history physician. 2) Partent vitals are as antered by the clinician and not derived from the ECG.