

AMI PATEL (34 F)

ID: 2598

Date: 08/07/2023

Exec Time: 0m 0s

Stage Time: 0m 9s

HR: 84 bpm

B.P: 118/78

Protocol: Bruce

Stage: Stair

Speed: 0 mph

Grade: 0 %

(THR: 167 bpm)

ST Level (mm) ST Slope (mv/s)

ST Level (mm) ST Slope (mv/s)




Chart Speed: 25 mm/sec

Filter: 35 Hz

Mains Filtr: ON

Ampl: 10 mm


ISO = R: 60ms

L = R + 60ms

Post L: J: 60ms

Linked Median

AMI Patel



AMI PATEL (34 F)

ID: 2598

Date: 08/07/2023

Exec Time : 0 m 0 s

Stage Time : 0 m 10 s

HR: 84 bpm

Protocol: Bruce

Stage: Standing

Speed: 0 mph

Grade: 0 %

(THR: 167 bpm)

B.P: 118/78

ST Level (mm) ST Slope (mV/s)

ST Level (mm) ST Slope (mV/s)




Chart Speed: 25 mm/sec
Schiffel Standard V 4.5f

Filter: 35 Hz

Main Filter: ON


Ampl: 10 mm

ISO = R: 60 ms

T: R: 60 ms

POST: J + 50 ms

Linked Median



VS

AMI PATEL (34 F)

ID: 2598

Date: 08/07/2023

Exec Time: 0 m 0 s

Stage Time: 0 m 11 s HR: 84 bpm

Protocol: Bruce

Stage: Hyperventilation

Speed: 0 mph

Grade: 0 %

(T HR: 167 bpm)

BP: 118/78

ST Level (mm) ST Slope (mV/s)

I 0.0 0.0

II 0.4 0.4

III 0.4 0.4

aVR 0.0 0.7

aVL 0.2 0.4

aVF 0.2 0.7

V1 0.2 0.2

V2 0.2 0.0

V3 0.0 0.0

V4 0.0 0.4

V5 0.0 0.7

V6 0.0 0.7

ST Level (mm) ST Slope (mV/s)

I 0.0 0.0

II 0.4 0.4

III 0.4 0.4

aVR 0.0 0.7

aVL 0.2 0.4

aVF 0.2 0.7

V1 0.2 0.2

V2 0.2 0.0

V3 0.0 0.0

V4 0.0 0.4

V5 0.0 0.7

V6 0.0 0.7




Chart Speed: 25 mm/sec
Safelite Standard V4-51

Filter: 35 Hz

Main Filter: ON


Amp: 10 mm

ISO = R: 60 ms

L: R: 60 ms

Pqd U = J = 60 ms

Linked Median



VS

AMI PATEL (34 F)

Protocol: Brugada

ID: 2598

Date: 08/01/2023 Exec Time: 2 m 54 s Stage Time: 2 m 54 s HR: 111 bpm

Stage: 1

Speed: 1.7 mph Grade: 10% (THR: 167 bpm) R.P: 126 / 85

ST Level (mm) ST Slope (mV/s)

ST Level (mm) ST Slope (mV/s)




Chart Speed: 25 mm/sec
Schluter Standard V4 5/1

Filter: 35 Hz

Mains Fil: ON


Amp: 10 mm

50 = R: 60 ms

J = R: 50 ms

Post: J + 60 ms

Linked Median



VS

AMI PATEL (34 F)

ID: 2598

Date: 08/07/2023 Exec Time: 5 m 54 s Siege Time: 2 m 54 s HR: 140 bpm

Project: Bruce

Stage: 2

Speed: 2.5 mph Grade: 12% (THR: 167 bpm) BP: 134/94

ST Level (mm) ST Slope (mV/s)

ST Level (mm) ST Slope (mV/s)




Chart Speed: 25 mm/sec
Scriber Standard V.A.51

Filter: 35 Hz


Main: filt ON

Amp: 1.0 mm

SP-R: 60 ms J-R: 60 ms

PGST: J + 60 ms

Linked Median



VS

AMI/PATEL (34 F)

ID: 2599

Date: 08/07/2023

Exec Time: 8 m 13 s Stage Time: 2 m 13 s HR: 167 bpm

Protocol: Bruce

Stage: Peak Ex

Speed: 3.4 mph

Grade: 14.0%

(T)HR: 167 bpm

B.P: 142 / 102

ST Level (mm) ST Slope (mV/s)

0.4 1.1

1.1 3.5

1.8 2.5

2.5 0.4

0.2 0.4

0.2 2.5

0.2 2.5

0.2 2.5

0.2 2.5

0.2 2.5

0.2 2.5

0.2 2.5

0.2 2.5

0.2 2.5

0.2 2.5

0.4 1.1

1.1 3.5

1.8 2.5

2.5 0.4

0.2 0.4

0.2 2.5

0.2 2.5

0.2 2.5

0.2 2.5

0.2 2.5

0.2 2.5

0.2 2.5

0.2 2.5

0.2 2.5

0.4 1.1

1.1 3.5

1.8 2.5

2.5 0.4

0.2 0.4

0.2 2.5

0.2 2.5

0.2 2.5

0.2 2.5

0.2 2.5

0.2 2.5

0.2 2.5

0.2 2.5

0.2 2.5

0.4 1.1

1.1 3.5

1.8 2.5

2.5 0.4

0.2 0.4

0.2 2.5

0.2 2.5

0.2 2.5

0.2 2.5

0.2 2.5

0.2 2.5

0.2 2.5

0.2 2.5

0.2 2.5

0.4 1.1

1.1 3.5

1.8 2.5

2.5 0.4

0.2 0.4

0.2 2.5

0.2 2.5

0.2 2.5

0.2 2.5

0.2 2.5

0.2 2.5

0.2 2.5

0.2 2.5

0.2 2.5

0.4 1.1

1.1 3.5

1.8 2.5

2.5 0.4

0.2 0.4

0.2 2.5

0.2 2.5

0.2 2.5

0.2 2.5

0.2 2.5

0.2 2.5

0.2 2.5

0.2 2.5

0.2 2.5

0.4 1.1

1.1 3.5

1.8 2.5

2.5 0.4

0.2 0.4

0.2 2.5

0.2 2.5

0.2 2.5

0.2 2.5

0.2 2.5

0.2 2.5

0.2 2.5

0.2 2.5

0.2 2.5

0.4 1.1

1.1 3.5

1.8 2.5

2.5 0.4

0.2 0.4

0.2 2.5

0.2 2.5

0.2 2.5

0.2 2.5

0.2 2.5

0.2 2.5

0.2 2.5

0.2 2.5

0.2 2.5

0.4 1.1

1.1 3.5

1.8 2.5

2.5 0.4

0.2 0.4

0.2 2.5

0.2 2.5

0.2 2.5

0.2 2.5

0.2 2.5

0.2 2.5

0.2 2.5

0.2 2.5

0.2 2.5

0.4 1.1

1.1 3.5

1.8 2.5

2.5 0.4

0.2 0.4

0.2 2.5

0.2 2.5

0.2 2.5

0.2 2.5

0.2 2.5

0.2 2.5

0.2 2.5

0.2 2.5

0.2 2.5

0.4 1.1

1.1 3.5

1.8 2.5

2.5 0.4

0.2 0.4

0.2 2.5

0.2 2.5

0.2 2.5

0.2 2.5

0.2 2.5

0.2 2.5

0.2 2.5

0.2 2.5

0.2 2.5

0.4 1.1

1.1 3.5

1.8 2.5

2.5 0.4

0.2 0.4

0.2 2.5

0.2 2.5

0.2 2.5

0.2 2.5

0.2 2.5

0.2 2.5

0.2 2.5

0.2 2.5

0.2 2.5

0.4 1.1

1.1 3.5

1.8 2.5

2.5 0.4

0.2 0.4

0.2 2.5

0.2 2.5

0.2 2.5

0.2 2.5

0.2 2.5

0.2 2.5

0.2 2.5

0.2 2.5

0.2 2.5

0.4 1.1

1.1 3.5

1.8 2.5

2.5 0.4

0.2 0.4

0.2 2.5

0.2 2.5

0.2 2.5

0.2 2.5

0.2 2.5

0.2 2.5

0.2 2.5

0.2 2.5

0.2 2.5

0.4 1.1

1.1 3.5

1.8 2.5

2.5 0.4

0.2 0.4

0.2 2.5

0.2 2.5

0.2 2.5

0.2 2.5

0.2 2.5

0.2 2.5

0.2 2.5

0.2 2.5

0.2 2.5

0.4 1.1

1.1 3.5

1.8 2.5

2.5 0.4

0.2 0.4

0.2 2.5

0.2 2.5

0.2 2.5

0.2 2.5

0.2 2.5

0.2 2.5

0.2 2.5

0.2 2.5

0.2 2.5

0.4 1.1

1.1 3.5

1.8 2.5

2.5 0.4

0.2 0.4

0.2 2.5

0.2 2.5

0.2 2.5

0.2 2.5

0.2 2.5

0.2 2.5

0.2 2.5

0.2 2.5

0.2 2.5

0.4 1.1

1.1 3.5

1.8 2.5

2.5 0.4

0.2 0.4

0.2 2.5

0.2 2.5

0.2 2.5

0.2 2.5

0.2 2.5

0.2 2.5

0.2 2.5

0.2 2.5

0.2 2.5

0.4 1.1

1.1 3.5

1.8 2.5

2.5 0.4

0.2 0.4

0.2 2.5

0.2 2.5

0.2 2.5

0.2 2.5

0.2 2.5

0.2 2.5

0.2 2.5

0.2 2.5

0.2 2.5

0.4 1.1

1.1 3.5

1.8 2.5

2.5 0.4

0.2 0.4

0.2 2.5

0.2 2.5

0.2 2.5

0.2 2.5

0.2 2.5

0.2 2.5

0.2 2.5

0.2 2.5

0.2 2.5

0.4 1.1

1.1 3.5

1.8 2.5

2.5 0.4

0.2 0.4

0.2 2.5

0.2 2.5

0.2

AMI PATEL (34 F)

ID: 2598

Date: 08/07/2023

Exec Time: 8 m 19 s Stage Time: 0 m 64 s HR: 126 bpm

Protector Bruce

Stage: Recovery(1)

Speed: 1 mph

Grade: 0 %

(THR: 167 bpm)

B.P: 136/96

ST Level (mm) ST Slope (mV/s)

ST Level (mm) ST Slope (mV/s)




Chart Speed: 25 mm/sec

Filter: 35 Hz

Main Filter ON

Ampl: 10 mm


SP: R: 60 ms

J: R: 60 ms

Pqd: J: V: 60 ms

Schiller Standard V 4.57

Linked Median



AMI PATEL (34 F)

ID: 2598

Date: 08/07/2023

Exec Time: 8 m 19 s Stage Time: 0 m 54 s HR: 94 bpm

Protocol: Bruce

Stage: Recovery(2)

Speed: 0 mph

Grade: 0 %

(THR: 167 bpm)

B.P: 130/90

ST Level (mm) ST Slope (mV/s)

ST Level (mm) ST Slope (mV/s)




Chart Speed: 25 mm/sec
Sensit: Standard V4.5V

Filter: 35 Hz

Main: Filt: ON

Amp: 10 mm

60 = R + 60 ms

J = R + 90 ms

Pos: J + 50 ms

Linked Median



AMIPATEL (34 F)

ID: 2598

Date: 08/07/2023 Exec Time: 8 m 19 s Stage Time: 0 m 15 s HR: 91 bpm

Protocol: Blume

Stage: Recovery(3)

Speed: 0 mph

Grade: 0 %

(T)HR: 167 bpm

B.P: 124/78

ST Level (mm) ST Slope (mV/s)

ST Level (mm) ST Slope (mV/s)




Chart Speed 25 mm/sec

Schiller Spindel V4.31

Filter: 35 Hz

Medias: Fil-On

Ampl: 10 mm


ISO - R: 60 ms

J - R: 100 ms

Post J - T: 80 ms

Linked Median

Handwritten signature



Curovis Healthcare Pvt Ltd, Ahmedabad

Patient Details
Date: 08/07/2023

Time: 11:39:52 AM

Name: AMI PATEL ID: 2598

Age: 34 y

Sex: F

Height: 155 cms

Weight: 61 Kgs

Clinical History:
Medications:
Test Details
Protocol: Bruce

Pr.MHR: 186 bpm

THR: 167 (90% of Pr.MHR) bpm

Total Exec. Time: 8 m 19 s

Max. HR: 167 (90% of Pr.MHR) bpm

Max. Mets: 10.20

Max. BP: 142 / 102 mmHg

Max. BP x HR: 23714 mmHg/min

Min. BP x HR: 6162 mmHg/min

Test Termination Criteria: Target HR attained


Protocol Details

Stage Name	Stage Time (min - sec)	Mets	Speed (mph)	Grade (%)	Heart Rate (bpm)	Max. BP (mm/Hg)	Max. ST Level (mm)	Max. ST Slope (mV/s)
Supine	0 : 15	1.0	0	0	79	118 / 78	-0.64 III	0.71 V5
Standing	0 : 1	1.0	0	0	79	118 / 78	-0.64 III	0.71 V5
Hyperventilation	0 : 1	1.0	0	0	79	118 / 78	-0.64 III	0.71 V5
1	3 : 0	4.6	1.7	10	112	126 / 86	-1.27 II	1.77 V5
2	3 : 0	7.0	2.5	12	142	134 / 94	-1.70 III	4.25 V5
Peak Ex	2 : 19	10.2	3.4	14	167	142 / 102	-1.49 III	3.89 V3
Recovery(1)	1 : 0	1.8	1	0	126	136 / 96	-1.49 aVR	5.66 V3
Recovery(2)	1 : 0	1.0	0	0	91	130 / 90	-1.49 aVR	5.66 V3
Recovery(3)	0 : 21	1.0	0	0	90	124 / 84	-0.85 aVR	3.18 V3

Interpretation

The patient exercised according to the Bruce protocol for 8 m 19 s achieving a work level of Max. METS: 10.20. Resting heart rate initially 79 bpm, rose to a max. heart rate of 167 (90% of Pr.MHR) bpm. Resting blood Pressure 118 / 78 mmHg, rose to a maximum blood pressure of 142 / 102 mmHg.

Negative Stress Test



Ref. Doctor:

(Summary Report edited by user)

Dr. Jay Soraj
 M.D. (General Medicine)
 Reg. No. G-23899

Doctor: _____

(c) Schiller Healthcare India Pvt. Ltd. V 3.51