<u>Final</u>



Male

Units

PATIENT NAME: RAJESH KUMAR SINGH BOBE10151 REF. DOCTOR: SELF

ACCESSION NO: **0002WC059577** AGE/SEX

PATIENT ID : RAJEM09056626

CLIENT PATIENT ID: ABHA NO :

Results

DRAWN :30/03/2023 07:59:29 RECEIVED :30/03/2023 08:01:30 REPORTED :31/03/2023 13:37:50

:56 Years

Biological Reference Interval

MEDI WHEEL FULL BODY HEALTH CHECK UP ABOVE 40 MALE

XRAY-CHEST

Test Report Status

IMPRESSION NO ABNORMALITY DETECTED

TMT OR ECHO

TMT OR ECHO NORMAL

ECG

ECG WITHIN NORMAL LIMITS

MEDICAL HISTORY

RELEVANT PRESENT HISTORY HYPERTENSION SINCE 3 YRS RELEVANT PAST HISTORY MALARIA 25 YRS BACK

OPERATED NODULA ON NECK 1977

RELEVANT PERSONAL HISTORY

RELEVANT FAMILY HISTORY

HISTORY OF MEDICATIONS

NOT SIGNIFICANT

NOT SIGNIFICANT

ANTHROPOMETRIC DATA & BMI

HEIGHT IN METERS 1.63 mts
WEIGHT IN KGS. 82.2 Kgs

BMI 8 BMI & Weight Status as follows/sqmts

Below 18.5: Underweight 18.5 - 24.9: Normal 25.0 - 29.9: Overweight 30.0 and Above: Obese

GENERAL EXAMINATION

MENTAL / EMOTIONAL STATE NORMAL
PHYSICAL ATTITUDE NORMAL
GENERAL APPEARANCE / NUTRITIONAL OVERWEIGHT

STATUS

BUILT / SKELETAL FRAMEWORK

FACIAL APPEARANCE

SKIN

UPPER LIMB

LOWER LIMB

NORMAL

NORMAL

NORMAL

NORMAL

NECK LYMPHATICS / SALIVARY GLANDS NOT ENLARGED OR TENDER

Sterke

Dr. J N Shukla ,MBBS, AFIH Consultant Physician





Page 1 Of 25

View Details

View Report

SRL Ltd PRIME SQUARE BUILDING,PLOT NO 1,GAIWADI INDUSTRIAL ESTATE,S.V. ROAD,GOREGAON (W) Mumbai, 400062 MAHARASHTRA, INDIA





Male

PATIENT NAME: RAJESH KUMAR SINGH BOBE10151 REF. DOCTOR: SELF

ACCESSION NO: 0002WC059577

PATIENT ID : RAJEM09056626

CLIENT PATIENT ID: ABHA NO : DRAWN :30/03/2023 07:59:29
RECEIVED :30/03/2023 08:01:30
REPORTED :31/03/2023 13:37:50

:56 Years

AGE/SEX

Test Report Status <u>Final</u> Results Biological Reference Interval Units

THYROID GLAND NOT ENLARGED

CAROTID PULSATION NORMAL TEMPERATURE NORMAL

103-a, dena bhavan patel estate jogeshwari w

PULSE 88/MIN REGULAR, ALL PERIPHERAL PULSES WELL FELT, NO CAROTID

BRUIT

RESPIRATORY RATE NORMAL

CARDIOVASCULAR SYSTEM

BP 114/80 MM HG mm/Hg

(SUPINE) NORMAL

PERICARDIUM NORMAL APEX BEAT NORMAL

HEART SOUNDS S1, S2 HEARD NORMALLY

MURMURS ABSENT

RESPIRATORY SYSTEM

SIZE AND SHAPE OF CHEST

MOVEMENTS OF CHEST

BREATH SOUNDS INTENSITY

NORMAL

BREATH SOUNDS QUALITY VESICULAR (NORMAL)

ADDED SOUNDS ABSENT

PER ABDOMEN

APPEARANCE NORMAL
VENOUS PROMINENCE ABSENT
LIVER NOT PALPABLE
SPLEEN NOT PALPABLE

HERNIA ABSENT

TERNIA A

CENTRAL NERVOUS SYSTEM

HIGHER FUNCTIONS NORMAL
CRANIAL NERVES NORMAL
CEREBELLAR FUNCTIONS NORMAL
SENSORY SYSTEM NORMAL
MOTOR SYSTEM NORMAL
REFLEXES NORMAL

MUSCULOSKELETAL SYSTEM

Sherke

Dr. J N Shukla ,MBBS, AFIH Consultant Physician





Page 2 Of 25

View Details

View Report

SRL Ltd

PRIME SQUARE BUILDING, PLOT NO 1, GAIWADI INDUSTRIAL ESTATE, S.V. ROAD, GOREGAON (W) Mumbai, 400062





ACCESSION NO: 0002WC059577

PATIENT ID : RAJEM09056626

CLIENT PATIENT ID:

DRAWN :30/03/2023 07:59:29
RECEIVED :30/03/2023 08:01:30
REPORTED :31/03/2023 13:37:50

:56 Years

AGE/SEX

Test Report Status <u>Final</u> Results Biological Reference Interval Units

SPINE NORMAL JOINTS NORMAL

103-a, dena bhavan patel estate jogeshwari w

BASIC EYE EXAMINATION

CONJUNCTIVA NORMAL
EYELIDS NORMAL
EYE MOVEMENTS NORMAL
CORNEA NORMAL

DISTANT VISION RIGHT EYE WITHOUT REDUCE VISUAL ACUITY (6/9)

GLASSES

DISTANT VISION LEFT EYE WITHOUT REDUCE VISUAL ACUITY (6/9)

GLASSES

NEAR VISION RIGHT EYE WITHOUT GLASSES REDUCE VISUAL ACUITY (N10)
NEAR VISION LEFT EYE WITHOUT GLASSES REDUCE VISUAL ACUITY (N10)

COLOUR VISION NORMAL (17/17)

BASIC ENT EXAMINATION

EXTERNAL EAR CANAL NORMAL TYMPANIC MEMBRANE NORMAL

NOSE NO ABNORMALITY DETECTED

SINUSES NORMAL

THROAT NO ABNORMALITY DETECTED

TONSILS NOT ENLARGED

BASIC DENTAL EXAMINATION

TEETH NORMAL GUMS HEALTHY

SUMMARY

RELEVANT HISTORY

RELEVANT GP EXAMINATION FINDINGS

RELEVANT LAB INVESTIGATIONS

RAISED ESR (17)
RAISED HBA1C (6.1)
RAISED EAG (128.4)

RAISED FBS (116) RAISED CHOLESTEROL (232) RAISED TRIGLYCERIDES (171)

RAISED LDL (156) RAISED NON HDL (190)

RELEVANT NON PATHOLOGY DIAGNOSTICS USG-MILD FATTY LIVER.

Sherke

Dr. J N Shukla ,MBBS, AFIH Consultant Physician





Page 3 Of 25

View Details

View Report



SRL Ltd PRIME SQUARE BUILDING,PLOT NO 1,GAIWADI INDUSTRIAL ESTATE,S.V. ROAD,GOREGAON (W) Mumbai, 400062 MAHARASHTRA, INDIA





ACCESSION NO: 0002WC059577 AGE/SEX

PATIENT ID : RAJEM09056626

CLIENT PATIENT ID: ABHA NO : DRAWN :30/03/2023 07:59:29
RECEIVED :30/03/2023 08:01:30

:56 Years

REPORTED :31/03/2023 13:37:50

Test Report Status <u>Final</u> Results Biological Reference Interval Units

REMARKS / RECOMMENDATIONS

103-a, dena bhavan patel estate jogeshwari w

HYPERLIPIDEMIA, RAISED FBS/RAISED HBA1C, RAISED ESR PRE DIABETIC WITH RAISED BLOOD LIPIDS MONITOR BP/BLOOD SUGAR/BLOOD LIPIDS REGULARLY FOLLOW UP WITH PHYSICIAN

Marke

Dr. J N Shukla ,MBBS, AFIH Consultant Physician





Page 4 Of 25

View Details



PRIME SQUARE BUILDING,PLOT NO 1,GAIWADI INDUSTRIAL ESTATE,S.V. ROAD,GOREGAON (W) Mumbai, 400062 MAHARASHTRA, INDIA







> ACCESSION NO: 0002WC059577 AGE/SEX :56 Years

PATIENT ID : RAJEM09056626

CLIENT PATIENT ID: ABHA NO

DRAWN :30/03/2023 07:59:29 RECEIVED: 30/03/2023 08:01:30 REPORTED :31/03/2023 13:37:50

Test Report Status Results Units <u>Final</u>

MEDI WHEEL FULL BODY HEALTH CHECK UP ABOVE 40 MALE

ULTRASOUND ABDOMEN

ULTRASOUND ABDOMEN

-MILD FATTY LIVER.

- GRADE I PROSTATOMEGALY (VOLUME ~ 38 CC) WITH PVR OF 16 CC.

SUGGEST: PSA CORRELATION.

103-a, dena bhavan patel estate jogeshwari w

Interpretation(s)

MEDIČAL

THIS REPORT CARRIES THE SIGNATURE OF OUR LABORATORY DIRECTOR. THIS IS AN INVIOLABLE FEATURE OF OUR LAB MANAGEMENT SOFTWARE. HOWEVER, ALL EXAMINATIONS AND INVESTIGATIONS HAVE BEEN CONDUCTED BY OUR PANEL OF DOCTORS.

Dr. J N Shukla , MBBS, AFIH **Consultant Physician**





Page 5 Of 25

PERFORMED AT:

PRIME SQUARE BUILDING, PLOT NO 1, GAIWADI INDUSTRIAL ESTATE, S.V. ROAD, GOREGAON (W) Mumbai, 400062 MAHARÁSHTRA, INDIA







PATIENT NAME: RAJESH KUMAR SINGH BOBE10151 REF. DOCTOR: SELF

> ACCESSION NO: 0002WC059577 AGE/SEX

PATIENT ID : RAJEM09056626

CLIENT PATIENT ID: ABHA NO

DRAWN :30/03/2023 07:59:29 RECEIVED: 30/03/2023 08:01:30 REPORTED :31/03/2023 13:37:50

:56 Years

Test Report Status Final Results **Biological Reference Interval** Units

н	AEMATOLOGY - CBC		
MEDI WHEEL FULL BODY HEALTH CHECK UP A	BOVE 40 MALE		
BLOOD COUNTS, EDTA WHOLE BLOOD			
HEMOGLOBIN (HB) METHOD: PHOTOMETRIC MEASUREMENT	13.9	13.0 - 17.0	g/dL
RED BLOOD CELL (RBC) COUNT METHOD: COULTER PRINCIPLE	5.41	4.5 - 5.5	mil/μL
WHITE BLOOD CELL (WBC) COUNT METHOD: COULTER PRINCIPLE	5.40	4.0 - 10.0	thou/μL
PLATELET COUNT METHOD: ELECTRONIC IMPEDENCE & MICROSCOPY	204	150 - 410	thou/μL
RBC AND PLATELET INDICES			
HEMATOCRIT (PCV) METHOD: CALCULATED PARAMETER	42.9	40.0 - 50.0	%
MEAN CORPUSCULAR VOLUME (MCV) METHOD: DERIVED PARAMETER FROM RBC HISTOGRAM	79.2 Low	83.0 - 101.0	fL
MEAN CORPUSCULAR HEMOGLOBIN (MCH) METHOD: CALCULATED PARAMETER	25.7 Low	27.0 - 32.0	pg
MEAN CORPUSCULAR HEMOGLOBIN CONCENTRATION (MCHC) METHOD: CALCULATED PARAMETER	32.5	31.5 - 34.5	g/dL
RED CELL DISTRIBUTION WIDTH (RDW) METHOD: DERIVED PARAMETER FROM RBC HISTOGRAM	14.6 High	11.6 - 14.0	%
MENTZER INDEX	14.6		
MEAN PLATELET VOLUME (MPV) METHOD: DERIVED PARAMETER FROM PLATELET HISTOGRAM	10.7	6.8 - 10.9	fL
WBC DIFFERENTIAL COUNT			0.4
NEUTROPHILS METHOD: VCSN TECHNOLOGY/ MICROSCOPY	58	40 - 80	%
LYMPHOCYTES METHOD: VCSN TECHNOLOGY/ MICROSCOPY	31	20 - 40	%
MONOCYTES METHOD: VCSN TECHNOLOGY/ MICROSCOPY	7	2.0 - 10.0	%
EOSINOPHILS METHOD: VCSN TECHNOLOGY/ MICROSCOPY	3	1.0 - 6.0	%

Dr. Reena Mittal, MD **Senior Consultant** Hematopathologist

Dr. Sushant Chikane **Consultant Pathologist**





Page 6 Of 25

PRIME SQUARE BUILDING, PLOT NO 1, GAIWADI INDUSTRIAL ESTATE, S.V. ROAD, GOREGAON (W) Mumbai, 400062 MAHARÁSHTRA, INDIA







PATIENT NAME: RAJESH KUMAR SINGH BOBE10151 REF. DOCTOR: SELF

ACCESSION NO: 0002WC059577

PATIENT ID : RAJEM09056626

CLIENT PATIENT ID: ABHA NO

DRAWN :30/03/2023 07:59:29 RECEIVED: 30/03/2023 08:01:30 REPORTED :31/03/2023 13:37:50

:56 Years

AGE/SEX

	i		
Test Report Status <u>Final</u>	Results	Biological Reference 1	interval Units
BASOPHILS	1	0 - 1	%
METHOD: VCSN TECHNOLOGY/ MICROSCOPY			
ABSOLUTE NEUTROPHIL COUNT	3.20	2.0 - 7.0	thou/μL
METHOD: CALCULATED PARAMETER			
ABSOLUTE LYMPHOCYTE COUNT	1.70	1.0 - 3.0	thou/μL
METHOD: CALCULATED PARAMETER			
ABSOLUTE MONOCYTE COUNT	0.38	0.2 - 1.0	thou/μL
METHOD: CALCULATED PARAMETER			
ABSOLUTE EOSINOPHIL COUNT	0.16	0.02 - 0.50	thou/µL
METHOD: CALCULATED PARAMETER			
ABSOLUTE BASOPHIL COUNT	0.05	0.02 - 0.10	thou/μL
METHOD: CALCULATED PARAMETER			
NEUTROPHIL LYMPHOCYTE RATIO (NLR)	1.9		
METHOD : CALCULATED			

Interpretation(s)
BLOOD COUNTS,EDTA WHOLE BLOOD-The cell morphology is well preserved for 24hrs. However after 24-48 hrs a progressive increase in MCV and HCT is observed leading to a decrease in MCHC. A direct smear is recommended for an accurate differential count and for examination of RBC morphology.

RBC AND PLATELET INDICES-Mentzer index (MCV/RBC) is an automated cell-counter based calculated screen tool to differentiate cases of Iron deficiency anaemia(>13) from Beta thalassaemia trait

(<13) in patients with microcytic anaemia. This needs to be interpreted in line with clinical correlation and suspicion. Estimation of HbA2 remains the gold standard for diagnosing a case of beta thalassaemia trait.

WBC DIFFERENTIAL COUNT-The optimal threshold of 3.3 for NLR showed a prognostic possibility of clinical symptoms to change from mild to severe in COVID positive patients. When age = 49.5 years old and NLR = 3.3, 46.1% COVID-19 patients with mild disease might become severe. By contrast, when age < 49.5 years old and NLR < 3.3, COVID-19 patients tend to show mild disease.

(Reference to - The diagnostic and predictive role of NLR, d-NLR and PLR in COVID-19 patients; A.-P. Yang, et al.; International Immunopharmacology 84 (2020) 106504 This ratio element is a calculated parameter and out of NABL scope.

Dr. Reena Mittal, MD Senior Consultant Hematopathologist

Dr. Sushant Chikane **Consultant Pathologist**



Page 7 Of 25





PRIME SQUARE BUILDING, PLOT NO 1, GAIWADI INDUSTRIAL ESTATE, S.V. ROAD, GOREGAON (W) Mumbai, 400062







REF. DOCTOR: SELF PATIENT NAME: RAJESH KUMAR SINGH BOBE10151

> ACCESSION NO: 0002WC059577 AGE/SEX :56 Years

PATIENT ID : RAJEM09056626

CLIENT PATIENT ID: ABHA NO

:30/03/2023 07:59:29 DRAWN RECEIVED: 30/03/2023 08:01:30

REPORTED :31/03/2023 13:37:50

Test Report Status Results **Biological Reference Interval Final** Units

HAEMATOLOGY

MEDI WHEEL FULL BODY HEALTH CHECK UP ABOVE 40 MALE

ERYTHROCYTE SEDIMENTATION RATE (ESR), WHOLE BLOOD

103-a, dena bhavan patel estate jogeshwari w

0 - 14mm at 1 hr E.S.R

METHOD: AUTOMATED (PHOTOMETRICAL CAPILLARY STOPPED FLOW KINETIC ANALYSIS)

Interpretation(s)

ERYTHROCYTE SEDIMENTATION RATE (ESR), WHOLE BLOOD-TEST DESCRIPTION :

Erythrocyte sedimentation rate (ESR) is a test that indirectly measures the degree of inflammation present in the body. The test actually measures the rate of fall (sedimentation) of erythrocytes in a sample of blood that has been placed into a tall, thin, vertical tube. Results are reported as the millimetres of clear fluid (plasma) that are present at the top portion of the tube after one hour. Nowadays fully automated instruments are available to measure ESR.

ESR is not diagnostic; it is a non-specific test that may be elevated in a number of different conditions. It provides general information about the presence of an inflammatory condition.CRP is superior to ESR because it is more sensitive and reflects a more rapid change.

TEST INTERPRETATION

Increase in: Infections, Vasculities, Inflammatory arthritis, Renal disease, Anemia, Malignancies and plasma cell dyscrasias, Acute allergy Tissue injury, Pregnancy, Estrogen medication, Aging

Finding a very accelerated ESR(>100 mm/hour) in patients with ill-defined symptoms directs the physician to search for a systemic disease (Paraproteinemias,

Disseminated malignancies, connective tissue disease, severe infections such as bacterial endocarditis). In pregnancy BRI in first trimester is 0-48 mm/hr(62 if anemic) and in second trimester (0-70 mm /hr(95 if anemic). ESR returns to normal 4th week post partum. Decreased in: Polycythermia vera, Sickle cell anemia

False elevated ESR: Increased fibrinogen, Drugs(Vitamin A, Dextran etc), Hypercholesterolemia False Decreased: Poikilocytosis, (SickleCells, spherocytes), Microcytosis, Low fibrinogen, Very high WBC counts, Drugs(Quinine, salicylates)

REFERENCE :

1. Nathan and Oski's Haematology of Infancy and Childhood, 5th edition; 2. Paediatric reference intervals. AACC Press, 7th edition. Edited by S. Soldin; 3. The reference for the adult reference range is "Practical Haematology by Dacie and Lewis, 10th edition.

Dr. Reena Mittal, MD Senior Consultant Hematopathologist

Dr. Sushant Chikane Consultant Pathologist





Page 8 Of 25



PRIME SQUARE BUILDING, PLOT NO 1, GAIWADI INDUSTRIAL ESTATE, S.V. ROAD, GOREGAON (W) Mumbai, 400062







> ACCESSION NO: 0002WC059577 AGE/SEX

PATIENT ID : RAJEM09056626

CLIENT PATIENT ID: ABHA NO

DRAWN :30/03/2023 07:59:29 RECEIVED: 30/03/2023 08:01:30

:56 Years

REPORTED :31/03/2023 13:37:50

Test Report Status Results **Biological Reference Interval** Units <u>Final</u>

IMMUNOHAEMATOLOGY

MEDI WHEEL FULL BODY HEALTH CHECK UP ABOVE 40 MALE

ABO GROUP & RH TYPE, EDTA WHOLE BLOOD

103-a, dena bhavan patel estate jogeshwari w

ABO GROUP В

METHOD: HAEMAGGLUTINATION (AUTOMATED)

RH TYPE **POSITIVE**

METHOD: HAEMAGGLUTINATION (AUTOMATED)

Interpretation(s)
ABO GROUP & RH TYPE, EDTA WHOLE BLOODBlood group is identified by antigens and antibodies present in the blood. Antigens are protein molecules found on the surface of red blood cells. Antibodies are found in plasma. To determine blood group, red cells are mixed with different antibody solutions to give A,B,O or AB.

Disclaimer: "Please note, as the results of previous ABO and Rh group (Blood Group) for pregnant women are not available, please check with the patient records for availability of the same.

The test is performed by both forward as well as reverse grouping methods.

Dr. Sushant Chikane **Consultant Pathologist** Page 9 Of 25











> ACCESSION NO: 0002WC059577 AGE/SEX :56 Years

PATIENT ID : RAJEM09056626

CLIENT PATIENT ID: ABHA NO

DRAWN :30/03/2023 07:59:29 RECEIVED: 30/03/2023 08:01:30

REPORTED :31/03/2023 13:37:50

Test Report Status Results **Biological Reference Interval** Units <u>Final</u>

BIOCHEMISTRY

MEDI WHEEL FULL BODY HEALTH CHECK UP ABOVE 40 MALE

GLYCOSYLATED HEMOGLOBIN(HBA1C), EDTA WHOLE **BLOOD**

103-a, dena bhavan patel estate jogeshwari w

6.1 High HBA1C Non-diabetic Adult < 5.7

Pre-diabetes 5.7 - 6.4

Diabetes diagnosis: > or = 6.5Therapeutic goals: < 7.0 Action suggested: > 8.0 (ADA Guideline 2021)

METHOD: ION-EXCHANGE HPLC

ESTIMATED AVERAGE GLUCOSE(EAG) 128.4 High mg/dL < 116

GLUCOSE FASTING, FLUORIDE PLASMA

FBS (FASTING BLOOD SUGAR) 116 High Normal < 100 mg/dL

Impaired fasting glucose: 100 to

125

Diabetes mellitus: > = 126 (on

more than 1 occassion) (ADA guidelines 2021)

METHOD: SPECTROPHOTOMETRY HEXOKINASE

Dr. Sneha Wadalkar, M.D (Reg.no.MMC2012/06/1868) **Junior Biochemist**





Page 10 Of 25



SRL Ltd PRIME SQUARE BUILDING, PLOT NO 1, GAIWADI INDUSTRIAL ESTATE, S.V. ROAD, GOREGAON (W) Mumbai, 400062 MAHARÁSHTRA, INDIA





REF. DOCTOR: SELF



PATIENT NAME: RAJESH KUMAR SINGH BOBE10151

ACCESSION NO : 0002WC059577

РАПЕНТ ID : RAJEM09056626

CLIENT PATIENT ID: ABHA NO : DRAWN :30/03/2023 07:59:29
RECEIVED :30/03/2023 08:01:30
REPORTED :31/03/2023 13:37:50

:56 Years


Test Report Status Final

103-a, dena bhavan patel estate jogeshwari w

Results

Biological Reference Interval Units

AGE/SEX



GLUCOSE, POST-PRANDIAL, PLASMA

PPBS(POST PRANDIAL BLOOD SUGAR)

127

Normal <140 Impaired glucose

tolerance:140 to 199
Diabetes mellitus : > = 200
(on more than 1 occassion)

ADA guideline 2021

METHOD: SPECTROPHOTOMETRY HEXOKINASE

S. S. Wadal

Dr. Sneha Wadalkar, M.D (Reg.no.MMC2012/06/1868) Junior Biochemist



mg/dL



Page 11 Of 25

View Details





SRL Ltd PRIME SQUARE BUILDING,PLOT NO 1,GAIWADI INDUSTRIAL ESTATE,S.V. ROAD,GOREGAON (W) Mumbai, 400062 MAHARASHTRA, INDIA







PATIENT NAME: RAJESH KUMAR SINGH BOBE10151 REF. DOCTOR: SELF

ACCESSION NO: 0002WC059577


PATIENT ID : RAJEM09056626

CLIENT PATIENT ID: ABHA NO : DRAWN :30/03/2023 07:59:29
RECEIVED :30/03/2023 08:01:30
REPORTED :31/03/2023 13:37:50

:56 Years

AGE/SEX

Test Report Status <u>Final</u> Results Biological Reference Interval Units



LIPID PROFILE, SERUM

CHOLESTEROL, TOTAL **232 High** Desirable : < 200 mg/dL

Borderline : 200 - 239 High : > / = 240

METHOD: SPECTROPHOTOMETRY, ENZYMATIC COLORIMETRIC - CHOLETSEROL OXIDASE, ESTERASE, PEROXIDASE

TRIGLYCERIDES **171 High** Normal: < 150 mg/dL

Borderline high: 150 - 199

High: 200 - 499 Very High: >/= 500

METHOD: SPECTROPHOTOMETRY, ENZYMATIC ENDPOINT WITH GLYCEROL BLANK

HDL CHOLESTEROL 42 At Risk: < 40 mg/dL

Desirable: > or = 60 METHOD: SPECTROPHOTOMETRY, HOMOGENEOUS DIRECT ENZYMATIC COLORIMETRIC

CHOLESTEROL LDL **156 High** Optimal : < 100 mg/dL Near optimal/above optimal :

100-129

Borderline high: 130-159

High: 160-189

Very high: = 190

METHOD: CALCULATED PARAMETER

8.8. Wadal

Dr. Sneha Wadalkar, M.D (Reg.no.MMC2012/06/1868) Junior Biochemist





Page 12 Of 25

/iew Details

View Report

SRL Ltd

CIN - U74899PB1995PLC045956







ACCESSION NO: 0002WC059577 AGE/SEX

103-a, dena bhavan patel estate jogeshwari w

CLIENT PATIENT ID: ABHA NO : DRAWN :30/03/2023 07:59:29
RECEIVED :30/03/2023 08:01:30
REPORTED :31/03/2023 13:37:50

:56 Years

	i	
Test Report Status <u>Final</u>	Results	Biological Reference Interval Units
NON HDL CHOLESTEROL METHOD : CALCULATED PARAMETER	190 High	Desirable: < 130 mg/dL Above Desirable: 130 -159 Borderline High: 160 - 189 High: 190 - 219 Very high: > / = 220
VERY LOW DENSITY LIPOPROTEIN METHOD: CALCULATED PARAMETER	34.0 High	< or = 30.0 mg/dL
CHOL/HDL RATIO	5.5 High	Low Risk: 3.3 - 4.4 Average Risk: 4.5 - 7.0 Moderate Risk: 7.1 - 11.0 High Risk: > 11.0
METHOD: CALCULATED PARAMETER		
LDL/HDL RATIO	4.1 High	Desirable/Low Risk: 0.5 - 3.0 Borderline/Moderate Risk: 3.1 - 6.0 High Risk: > 6.0

METHOD: CALCULATED PARAMETER

Interpretation(s)

Serum lipid profile is measured for cardiovascular risk prediction. Lipid Association of India recommends LDL-C as primary target and Non HDL-C as co-primary treatment target.

Risk Stratification for ASCVD (Atherosclerotic cardiovascular disease) by Lipid Association of India

Risk Category		
Extreme risk group	A.CAD with > 1 feature of high risk group	
	B. CAD with > 1 feature of Very high risk g	group or recurrent ACS (within 1 year) despite LDL-C < or =
	50 mg/dl or polyvascular disease	
Very High Risk	1. Established ASCVD 2. Diabetes with 2 n	major risk factors or evidence of end organ damage 3.
	Familial Homozygous Hypercholesterolemi	a
High Risk	1. Three major ASCVD risk factors. 2. Diabetes with 1 major risk factor or no evidence of end organ	
	damage. 3. CKD stage 3B or 4. 4. LDL > 190 mg/dl 5. Extreme of a single risk factor. 6. Coronary	
	Artery Calcium - CAC >300 AU. 7. Lipoprotein a >/= 50mg/dl 8. Non stenotic carotid plaque	
Moderate Risk	2 major ASCVD risk factors	
Low Risk	0-1 major ASCVD risk factors	
Major ASCVD (Ath	erosclerotic cardiovascular disease) Risk Fa	actors
1. Age > or = 45 years in males and > or = 55 years in females 3. Current Cigarette smoking or tobacco use		
Family history of premature ASCVD 4. High blood pressure		
5. Low HDL		
		no wielz gatagowies proposed by I AI in 2020

Newer treatment goals and statin initiation thresholds based on the risk categories proposed by LAI in 2020.

Risk Group Treatment Goals Consider Drug Therapy

8.8. Wadal

Dr. Sneha Wadalkar, M.D (Reg.no. MMC2012/06/1868) Junior Biochemist





Page 13 Of 25



View Report

CIN - U74899PB1995PLC045956







ACCESSION NO: 0002WC059577

PATIENT ID : RAJEM09056626

CLIENT PATIENT ID: ABHA NO

DRAWN :30/03/2023 07:59:29 RECEIVED: 30/03/2023 08:01:30

:56 Years

REPORTED :31/03/2023 13:37:50

Test Report Status <u>Final</u>

103-a, dena bhavan patel estate jogeshwari w

Results

Biological Reference Interval Units

AGE/SEX

	LDL-C (mg/dl)	Non-HDL (mg/dl)	LDL-C (mg/dl)	Non-HDL (mg/dl)
Extreme Risk Group Category A	<50 (Optional goal < OR = 30)	< 80 (Optional goal <or 60)<="" =="" td=""><td>>OR = 50</td><td>>OR = 80</td></or>	>OR = 50	>OR = 80
Extreme Risk Group Category B	<or 30<="" =="" td=""><td><or 60<="" =="" td=""><td>> 30</td><td>>60</td></or></td></or>	<or 60<="" =="" td=""><td>> 30</td><td>>60</td></or>	> 30	>60
Very High Risk	<50	<80	>OR= 50	>OR= 80
High Risk	<70	<100	>OR= 70	>OR= 100
Moderate Risk	<100	<130	>OR= 100	>OR= 130
Low Risk	<100	<130	>OR= 130*	>OR= 160

^{*}After an adequate non-pharmacological intervention for at least 3 months.

References: Management of Dyslipidaemia for the Prevention of Stroke: Clinical Practice Recommendations from the Lipid Association of India. Current Vascular Pharmacology, 2022, 20, 134-155.

LIVER FUNCTION PROFILE, SERUM

BILIRUBIN, TOTAL	0.38	Upto 1.2	mg/dL
METHOD: SPECTROPHOTOMETRY, COLORIMETRIC-DIAZO METHOD			
BILIRUBIN, DIRECT	0.17	< or = 0.3	mg/dL
METHOD: SPECTROPHOTOMETRY, JENDRASSIK & GROFF - DIAZOTIZ	ZATION		
BILIRUBIN, INDIRECT	0.21	0.0 - 0.9	mg/dL
METHOD: CALCULATED PARAMETER			
TOTAL PROTEIN	7.0	6.0 - 8.0	g/dL
METHOD: SPECTROPHOTOMETRY, COLORIMETRIC-BIURET, REAGEN	T BLANK, SERUM BLANK		
ALBUMIN	4.1	3.97 - 4.94	g/dL
METHOD: SPECTROPHOTOMETRY, BROMOCRESOL GREEN(BCG) - DY	E BINDING		
GLOBULIN	2.9	2.0 - 3.5	g/dL
METHOD: CALCULATED PARAMETER			
ALBUMIN/GLOBULIN RATIO	1.4	1.0 - 2.1	RATIO
METHOD : CALCULATED PARAMETER			
ASPARTATE AMINOTRANSFERASE	16	Upto 40	U/L
(AST/SGOT) METHOD: SPECTROPHOTOMETRY, WITHOUT PYRIDOXAL PHOSPHATE	: ACTIVATION(PSD) - IECC		
	` '	Unto 41	U/L
ALANINE AMINOTRANSFERASE (ALT/SGPT)	20	Upto 41	U/L
METHOD: SPECTROPHOTOMETRY, WITHOUT PYRIDOXAL PHOSPHATE	` '		
ALKALINE PHOSPHATASE	76	40 - 129	U/L
METHOD: SPECTROPHOTOMETRY, PNPP, AMP BUFFER - IFCC			
GAMMA GLUTAMYL TRANSFERASE (GGT)	42	< 60	U/L
METHOD: SPECTROPHOTOMETRY, ENZYMATIC COLORIMETRIC - G-G	LUTAMYL-CARBOXY-NITROANILIDE - 1	IFCC	
LACTATE DEHYDROGENASE	131	< 232	U/L
METHOD: SPECTROPHOTOMETRY, LACTATE TO PYRUVATE - UV-IFCC			

Dr. Sneha Wadalkar, M.D (Reg.no.MMC2012/06/1868) **Junior Biochemist**





Page 14 Of 25







PRIME SQUARE BUILDING, PLOT NO 1, GAIWADI INDUSTRIAL ESTATE, S.V. ROAD, GOREGAON (W) Mumbai, 400062







ACCESSION NO: 0002WC059577

PATIENT ID : RAJEM09056626

CLIENT PATIENT ID: ABHA NO

DRAWN :30/03/2023 07:59:29 RECEIVED: 30/03/2023 08:01:30 REPORTED :31/03/2023 13:37:50

:56 Years

AGE/SEX


Test Report Status Results **Biological Reference Interval** Units <u>Final</u>

BLOOD UREA NITROGEN (BUN), SERUM

103-a, dena bhavan patel estate jogeshwari w

BLOOD UREA NITROGEN 9 6 - 20 mg/dL

METHOD: SPECTROPHOTOMETRY, UREASE -COLORIMETRIC



CREATININE, SERUM

CREATININE 0.84 Low 0.90 - 1.30mg/dL

METHOD: SPECTROPHOTOMETRY, JAFFE'S ALKALINE PICRATE KINETIC - RATE BLANKED - IFCC-IDMS STANDARIZED

Dr. Sneha Wadalkar, M.D (Reg.no.MMC2012/06/1868) **Junior Biochemist**











PRIME SQUARE BUILDING, PLOT NO 1, GAIWADI INDUSTRIAL ESTATE, S.V. ROAD, GOREGAON (W) Mumbai, 400062 MAHARÁSHTRA, INDIA

CIN - U74899PB1995PLC045956

Tel: 9111591115, Fax



Page 15 Of 25





PATIENT NAME: RAJESH KUMAR SINGH BOBE10151 REF. DOCTOR: SELF


ACCESSION NO: 0002WC059577

PATIENT ID : RAJEM09056626

CLIENT PATIENT ID: ABHA NO

AGE/SEX :56 Years DRAWN :30/03/2023 07:59:29 RECEIVED: 30/03/2023 08:01:30 REPORTED :31/03/2023 13:37:50

Test Report Status Results **Biological Reference Interval** Units <u>Final</u>



BUN/CREAT RATIO

BUN/CREAT RATIO 10.60 8 - 15

METHOD: CALCULATED PARAMETER

URIC ACID, SERUM

4.0 3.4 - 7.0mg/dL

METHOD: SPECTROPHOTOMETRY, ENZYMATIC COLORIMETRIC- URICASE

TOTAL PROTEIN, SERUM

7.0 g/dL TOTAL PROTEIN 6.0 - 8.0

METHOD: SPECTROPHOTOMETRY, COLORIMETRIC-BIURET, REAGENT BLANK, SERUM BLANK

ALBUMIN, SERUM

ALBUMIN g/dL 4.1 3.97 - 4.94

 ${\tt METHOD: SPECTROPHOTOMETRY, BROMOCRESOL\ GREEn(BCG)-DYE\ BINDING}$

GLOBULIN

GLOBULIN 2.9 2.0 - 3.5g/dL

METHOD: CALCULATED PARAMETER

Dr. Sneha Wadalkar, M.D (Reg.no.MMC2012/06/1868) **Junior Biochemist**





Page 16 Of 25





PRIME SQUARE BUILDING, PLOT NO 1, GAIWADI INDUSTRIAL ESTATE, S.V. ROAD, GOREGAON (W) Mumbai, 400062







ACCESSION NO: 0002WC059577

PATIENT ID : RAJEM09056626 103-a, dena bhavan patel estate jogeshwari w

CLIENT PATIENT ID: ABHA NO

DRAWN :30/03/2023 07:59:29 RECEIVED: 30/03/2023 08:01:30 REPORTED :31/03/2023 13:37:50

:56 Years

AGE/SEX

Test Report Status Results **Biological Reference Interval** Units <u>Final</u>

ELECTROLYTES (NA/K/CL), SERUM

134 Low SODIUM, SERUM 136 - 145 mmol/L METHOD: ISE INDIRECT POTASSIUM, SERUM 4.60 3.5 - 5.1mmol/L METHOD: ISE INDIRECT 101 98 - 106 CHLORIDE, SERUM mmol/L

METHOD: ISE INDIRECT

Interpretation(s)

Sodium	Potassium	Chloride
Decreased in:CCF, cirrhosis, vomiting, diarrhea, excessive sweating, salt-losing nephropathy, adrenal insufficiency, nephrotic syndrome, water intoxication, SIADH. Drugs: thiazides, diuretics, ACE inhibitors, chlorpropamide, carbamazepine, anti depressants (SSRI), antipsychotics.	Decreased in: Low potassium intake, prolonged vomiting or diarrhea, RTA types I and II, hyperaldosteronism, Cushing's syndrome, osmotic diuresis (e.g., hyperglycemia), alkalosis, familial periodic paralysis, trauma (transient). Drugs: Adrenergic agents, diuretics.	Decreased in: Vomiting, diarrhea, renal failure combined with salt deprivation, over-treatment with diuretics, chronic respiratory acidosis, diabetic ketoacidosis, excessive sweating, SIADH, salt-losing nephropathy, porphyria, expansion of extracellular fluid volume, adrenalinsufficiency, hyperaldosteronism, metabolic alkalosis. Drugs: chronic laxative, corticosteroids, diuretics.
Increased in: Dehydration (excessivesweating, severe vomiting or diarrhea),diabetes mellitus, diabetesinsipidus, hyperaldosteronism, inadequate water intake. Drugs: steroids, licorice,oral contraceptives.	Increased in: Massive hemolysis, severe tissue damage, rhabdomyolysis, acidosis, dehydration,renal failure, Addison's disease, RTA type IV, hyperkalemic familial periodic paralysis. Drugs: potassium salts, potassium- sparing diuretics,NSAIDs, beta-blockers, ACE inhibitors, highdose trimethoprim-sulfamethoxazole.	Increased in: Renal failure, nephrotic syndrome, RTA, dehydration, overtreatment with saline, hyperparathyroidism, diabetes insipidus, metabolic acidosis from diarrhea (Loss of HCO3-), respiratory alkalosis, hyperadrenocorticism. Drugs: acetazolamide, androgens, hydrochlorothiazide, salicylates.
Interferences: Severe lipemia or hyperproteinemi, if sodium analysis involves a dilution step can cause spurious results. The serum sodium falls about 1.6 mEq/L for each 100 mg/dL increase in blood glucose.	Interferences: Hemolysis of sample, delayed separation of serum, prolonged fist clenching during blood drawing, and prolonged tourniquet placement. Very high WBC/PLT counts may cause spurious. Plasma potassium levels are normal.	Interferences:Test is helpful in assessing normal and increased anion gap metabolic acidosis and in distinguishing hypercalcemia due to hyperparathyroidism (high serum chloride) from that due to malignancy (Normal serum chloride)

Interpretation(s)
GLYCOSYLATED HEMOGLOBIN(HBA1C), EDTA WHOLE BLOOD-Used For:

- 1. Evaluating the long-term control of blood glucose concentrations in diabetic patients.
- 2. Diagnosing diabetes.3. Identifying patients at increased risk for diabetes (prediabetes).

The ADA recommends measurement of HbA1c (typically 3-4 times per year for type 1 and poorly controlled type 2 diabetic patients, and 2 times per year for well-controlled type 2 diabetic patients) to determine whether a patients metabolic control has remained continuously within the target range.

1. eAG (Estimated average glucose) converts percentage HbA1c to md/dl, to compare blood glucose levels.

Dr. Sneha Wadalkar, M.D (Reg.no.MMC2012/06/1868) **Junior Biochemist**





Page 17 Of 25



PERFORMED AT:

PRIME SQUARE BUILDING, PLOT NO 1, GAIWADI INDUSTRIAL ESTATE, S.V. ROAD, GOREGAON (W) Mumbai, 400062







REF. DOCTOR: SELF PATIENT NAME: RAJESH KUMAR SINGH BOBE10151

> ACCESSION NO : 0002WC059577 AGE/SEX :56 Years

PATIENT ID 103-a, dena bhavan patel estate jogeshwari w

:30/03/2023 07:59:29 : RAJEM09056626 DRAWN CLIENT PATIENT ID: RECEIVED: 30/03/2023 08:01:30

REPORTED :31/03/2023 13:37:50 ABHA NO

Test Report Status Results **Biological Reference Interval Final** Units

2. eAG gives an evaluation of blood glucose levels for the last couple of months. 3. eAG is calculated as eAG (mg/dl) = 28.7 * HbA1c - 46.7

HbA1c Estimation can get affected due to :

1. Shortened Erythrocyte survival: Any condition that shortens erythrocyte survival or decreases mean erythrocyte age (e.g. recovery from acute blood loss,hemolytic anemia) will falsely lower HbA1c test results.Fructosamine is recommended in these patients which indicates diabetes control over 15 days.

- 2.Vitamin C & E are reported to falsely lower test results.(possibly by inhibiting glycation of hemoglobin.
 3. Iron deficiency anemia is reported to increase test results. Hypertriglyceridemia, uremia, hyperbilirubinemia, chronic alcoholism, chronic ingestion of salicylates & opiates addiction are reported to interfere with some assay methods, falsely increasing results.
- 4. Interference of hemoglobinopathies in HbA1c estimation is seen in
- a) Homozygous hemoglobinopathy. Fructosamine is recommended for testing of HbA1c. b) Heterozygous state detected (D10 is corrected for HbS & HbC trait.)
- c) HbF > 25% on alternate paltform (Boronate affinity chromatography) is recommended for testing of HbA1c.Abnormal Hemoglobin electrophoresis (HPLC method) is recommended for detecting a hemoglobinopathy

GLUCOSE FASTING, FLUORIDE PLASMA-TEST DESCRIPTION

Normally, the glucose concentration in extracellular fluid is closely regulated so that a source of energy is readily available to tissues and sothat no glucose is excreted in the

Increased in:Diabetes mellitus, Cushing's syndrome (10 – 15%), chronic pancreatitis (30%). Drugs:corticosteroids,phenytoin, estrogen, thiazides.

Decreased in:Pancreatic islet cell disease with increased insulin,insulinoma,adrenocortical insufficiency,hypopituitarism,diffuse liver disease, malignancy(adrenocortical,stomach,fibrosarcoma),infant of a diabetic mother,enzyme deficiency

diseases(e.g.galactosemia), Drugs-insulin, ethanol, propranolol; sulfonylureas, tolbutamide, and other oral hypoglycemic agents.

NOTE: While random serum glucose levels correlate with home glucose monitoring results (weekly mean capillary glucose values), there is wide fluctuation within individuals. Thus, glycosylated hemoglobin (HbA1c) levels are favored to monitor glycemic control.

High fasting glucose level in comparison to post prandial glucose level may be seen due to effect of Oral Hypoglycaemics & Insulin treatment, Renal Glyosuria, Glycaemic index & response to food consumed, Alimentary Hypoglycemia, Increased insulin response & sensitivity etc.

GLUCOSE, POST-PRANDIAL, PLASMA-High fasting glucose level in comparison to post prandial glucose level may be seen due to effect of Oral Hypoglycaemics & Insulin treatment, Renal Glyosuria, Glycaemic index & response to food consumed, Alimentary Hypoglycemia, Increased insulin response & sensitivity etc. Additional test HbA1c LIVER FUNCTION PROFILE, SERUM-

Bilirubin is a yellowish pigment found in bile and is a breakdown product of normal heme catabolism. Bilirubin is excreted in bile and urine, and elevated levels may give yellow discoloration in jaundice. **Elevated levels** results from increased bilirubin production (eg, hemolysis and ineffective erythropoiesis), decreased bilirubin excretion (eg, obstruction and hepatitis), and abnormal bilirubin metabolism (eg, hereditary and neonatal jaundice). Conjugated (direct) bilirubin is elevated more than unconjugated (indirect) bilirubin in Viral hepatitis, Drug reactions, Alcoholic liver disease Conjugated (direct) bilirubin is also elevated more than unconjugated (indirect) bilirubin when there is some kind of blockage of the bile ducts like in Gallstones getting into the bile ducts, tumors &Scarring of the bile ducts. Increased unconjugated (indirect) bilirubin may be a result of Hemolytic or pernicious anemia, Transfusion reaction & a common metabolic condition termed Gilbert syndrome, due to low levels of the enzyme that attaches sugar molecules to bilirubin.

AST is an enzyme found in various parts of the body. AST is found in the liver, heart, skeletal muscle, kidneys, brain, and red blood cells, and it is commonly measured clinically as a marker for liver health. AST levels increase during chronic viral hepatitis, blockage of the bile duct, cirrhosis of the liver, liver cancer, kidney failure, hemolytic anemia, pancreatitis, hemochromatosis. AST levels may also increase after a heart attack or strenuous activity. ALT test measures the amount of this enzyme in the blood. ALT is found mainly in the liver, but also in smaller amounts in the kidneys, heart, muscles, and pancreas. It is commonly measured as a part of a diagnostic evaluation of hepatocellular injury, to determine liver health. AST levels increase during acute hepatitis, sometimes due to a viral infection, ischemia to the liver, chronic henatitis obstruction of hile ducts cirrhosis.

ALP is a protein found in almost all body tissues. Tissues with higher amounts of ALP include the liver, bile ducts and bone. Elevated ALP levels are seen in Biliary obstruction, Osteoblastic bone tumors, osteomalacia, hepatitis, Hyperparathyroidism, Leukemia, Lymphoma, Pagets disease,Rickets,Sarcoidosis etc. Lower-than-normal ALP levels seen

in Hypophosphatasia, Malnutrition, Protein deficiency, Wilsons disease. **GGT** is an enzyme found in cell membranes of many tissues mainly in the liver, kidney and pancreas. It is also found in other tissues including intestine, spleen, heart, brain and seminal vesicles. The highest concentration is in the kidney, but the liver is considered the source of normal enzyme activity. Serum GGT has been widely used as an index of liver dysfunction. Elevated serum GGT activity can be found in diseases of the liver, biliary system and pancreas. Conditions that increase serum GGT are obstructive liver disease, high alcohol consumption and use of enzyme-inducing drugs etc.

Total Protein also known as total protein, is a biochemical test for measuring the total amount of protein in serum. Protein in the plasma is made up of albumin and globulin. Higher-than-normal levels may be due to: Chronic inflammation or infection, including HIV and hepatitis B or C, Multiple myeloma, Waldenstroms disease.Lower-than-normal levels may be due to: Agammaglobulinemia,Bleeding (hemorrhage),Burns,Glomerulonephritis,Liver disease, Malabsorption,Malnutrition,Nephrotic syndrome,Protein-losing enteropathy etc.

Albumin is the most abundant protein in human blood plasma. It is produced in the liver. Albumin constitutes about half of the blood serum protein. Low blood albumin levels (hypoalbuminemia) can be caused by:Liver disease like cirrhosis of the liver, nephrotic syndrome,protein-losing enteropathy,Burns,hemodilution,increased vascular permeability or decreased lymphatic clearance,malnutrition and wasting etc

BLOOD UREA NITROGEN (BUN), SERUM-**Causes of Increased** levels include Pre renal (High protein diet, Increased protein catabolism, GI haemorrhage, Cortisol, Dehydration, CHF Renal), Renal Failure, Post Renal (Malignancy, Nephrolithiasis, Prostatism) **Causes of decreased** level include Liver disease, SIADH.

CREATININE, SERUM-**Higher than normal level may be due to:**

• Blockage in the urinary tract, Kidney problems, such as kidney damage or failure, infection, or reduced blood flow, Loss of body fluid (dehydration), Muscle problems, such as breakdown of muscle fibers, Problems during pregnancy, such as seizures (eclampsia)), or high blood pressure caused by pregnancy (preeclampsia) Lower than normal level may be due to:

S.S. Wadal

Dr. Sneha Wadalkar, M.D (Reg.no.MMC2012/06/1868)

Junior Biochemist





Page 18 Of 25

View Report



PRIME SQUARE BUILDING, PLOT NO 1, GAIWADI INDUSTRIAL ESTATE, S.V. ROAD, GOREGAON (W) Mumbai, 400062 MAHARÁSHTRA, INDIA







ACCESSION NO: 0002WC059577

103-a, dena bhavan patel estate jogeshwari w

PATIENT ID : RAJEM09056626

CLIENT PATIENT ID: ABHA NO

:30/03/2023 07:59:29 DRAWN RECEIVED: 30/03/2023 08:01:30

:56 Years

AGE/SEX

REPORTED :31/03/2023 13:37:50

Test Report Status Results **Biological Reference Interval** <u>Final</u> Units

Myasthenia Gravis, Muscuophy

URIC ACID, SERUM-Causes of Increased levels:-Dietary(High Protein Intake,Prolonged Fasting,Rapid weight loss),Gout,Lesch nyhan syndrome,Type 2 DM,Metabolic syndrome Causes of decreased levels-Low Zinc intake,OCP,Multiple Sclerosis

TOTAL PROTEIN, SERUM-is a biochemical test for measuring the total amount of protein in serum. Protein in the plasma is made up of albumin and globulin. Higher-than-normal levels may be due to: Chronic inflammation or infection, including HIV and hepatitis B or C, Multiple myeloma, Waldenstroms disease.

Lower-than-normal levels may be due to: Agammaglobulinemia, Bleeding (hemorrhage), Burns, Glomerulonephritis, Liver disease, Malabsorption, Malnutrition, Nephrotic syndrome,Protein-losing enteropathy etc. ALBUMIN, SERUM-

Human serum albumin is the most abundant protein in human blood plasma. It is produced in the liver. Albumin constitutes about half of the blood serum protein. Low blood albumin levels (hypoalbuminemia) can be caused by: Liver disease like cirrhosis of the liver, nephrotic syndrome, protein-losing enteropathy, Burns, hemodilution, increased vascular permeability or decreased lymphatic clearance, malnutrition and wasting etc.

S. S. Wadal

Dr. Sneha Wadalkar, M.D (Reg.no.MMC2012/06/1868) **Junior Biochemist**





Page 19 Of 25

View Report



PRIME SQUARE BUILDING, PLOT NO 1, GAIWADI INDUSTRIAL ESTATE, S.V. ROAD, GOREGAON (W) Mumbai, 400062 MAHARÁSHTRA, INDIA

Patient Ref. No. 2000011697284





ACCESSION NO: 0002WC059577

PATIENT ID : RAJEM09056626

CLIENT PATIENT ID: ABHA NO

AGE/SEX :56 Years DRAWN :30/03/2023 07:59:29 RECEIVED: 30/03/2023 08:01:30

REPORTED :31/03/2023 13:37:50

Test Report Status Results **Biological Reference Interval** Units <u>Final</u>

CLINICAL PATH - URINALYSIS

MEDI WHEEL FULL BODY HEALTH CHECK UP ABOVE 40 MALE

PHYSICAL EXAMINATION, URINE

103-a, dena bhavan patel estate jogeshwari w

COLOR PALE YELLOW

APPEARANCE CLEAR

CHEMICAL EXAMINATION, URINE

•			
PH	6.5	5.00 - 7.50	
SPECIFIC GRAVITY	1.000 Low	1.010 - 1.030	
PROTEIN	NOT DETECTED	NOT DETECTED	
GLUCOSE	NOT DETECTED	NOT DETECTED	
KETONES	NOT DETECTED	NOT DETECTED	
BLOOD	NOT DETECTED	NOT DETECTED	
BILIRUBIN	NOT DETECTED	NOT DETECTED	
UROBILINOGEN	NOT DETECTED		
NITRITE	NOT DETECTED	NOT DETECTED	
LEUKOCYTE ESTERASE	NOT DETECTED	NOT DETECTED	
MICROSCOPIC EXAMINATION, URINE			
RED BLOOD CELLS	NOT DETECTED	NOT DETECTED	/HPF
PUS CELL (WBC'S)	0-1	0-5	/HPF
EPITHELIAL CELLS	0-1	0-5	/HPF
CASTS	NOT DETECTED		
CRYSTALS	NOT DETECTED		
BACTERIA	NOT DETECTED	NOT DETECTED	

NOT DETECTED

NOT DETECTED

METHOD: URINE ROUTINE & MICROSCOPY EXAMINATION BY INTEGRATED AUTOMATED SYSTEM

Interpretation(s)

YEAST

The following table describes the probable conditions, in which the analytes are present in urine

Presence of	Conditions
Proteins	Inflammation or immune illnesses
Pus (White Blood Cells)	Urinary tract infection, urinary tract or kidney stone, tumors or any kind of kidney impairment

Dr. Sneha Wadalkar, M.D (Reg.no.MMC2012/06/1868) **Junior Biochemist**





Page 20 Of 25



SRL Ltd

PRIME SQUARE BUILDING, PLOT NO 1, GAIWADI INDUSTRIAL ESTATE, S.V. ROAD, GOREGAON (W) Mumbai, 400062 MAHARÁSHTRA, INDIA







ACCESSION NO: 0002WC059577

PATIENT ID : RAJEM09056626

CLIENT PATIENT ID: ABHA NO : DRAWN :30/03/2023 07:59:29
RECEIVED :30/03/2023 08:01:30
REPORTED :31/03/2023 13:37:50

:56 Years

Test Report Status Final

103-a, dena bhavan patel estate jogeshwari w

Results

Biological Reference Interval Units

AGE/SEX

Glucose	Diabetes or kidney disease
Ketones	Diabetic ketoacidosis (DKA), starvation or thirst
Urobilinogen	Liver disease such as hepatitis or cirrhosis
Blood	Renal or genital disorders/trauma
Bilirubin	Liver disease
Erythrocytes	Urological diseases (e.g. kidney and bladder cancer, urolithiasis), urinary tract infection and glomerular diseases
Leukocytes	Urinary tract infection, glomerulonephritis, interstitial nephritis either acute or chronic, polycystic kidney disease, urolithiasis, contamination by genital secretions
Epithelial cells	Urolithiasis, bladder carcinoma or hydronephrosis, ureteric stents or bladder catheters for prolonged periods of time
Granular Casts	Low intratubular pH, high urine osmolality and sodium concentration, interaction with Bence-Jones protein
Hyaline casts	Physical stress, fever, dehydration, acute congestive heart failure, renal diseases
Calcium oxalate	Metabolic stone disease, primary or secondary hyperoxaluria, intravenous infusion of large doses of vitamin C, the use of vasodilator naftidrofuryl oxalate or the gastrointestinal lipase inhibitor orlistat, ingestion of ethylene glycol or of star fruit (Averrhoa carambola) or its juice
Uric acid	arthritis
Bacteria	Urinary infectionwhen present in significant numbers & with pus cells.
Trichomonas vaginalis	Vaginitis, cervicitis or salpingitis

g. g. wadal

Dr. Sneha Wadalkar, M.D (Reg.no. MMC2012/06/1868) Junior Biochemist





Page 21 Of 25







PRIME SQUARE BUILDING, PLOT NO 1, GAIWADI INDUSTRIAL ESTATE, S.V. ROAD, GOREGAON (W) Mumbai, 400062 MAHARASHTRA, INDIA







Male

PATIENT NAME: RAJESH KUMAR SINGH BOBE10151 REF. DOCTOR: SELF

> ACCESSION NO: 0002WC059577 AGE/SEX

PATIENT ID : RAJEM09056626

CLIENT PATIENT ID: ABHA NO

:30/03/2023 07:59:29 DRAWN RECEIVED: 30/03/2023 08:01:30

:56 Years

REPORTED :31/03/2023 13:37:50

Test Report Status Results **Biological Reference Interval** Units <u>Final</u>

CLINICAL PATH - STOOL ANALYSIS

MEDI WHEEL FULL BODY HEALTH CHECK UP ABOVE 40 MALE

PHYSICAL EXAMINATION, STOOL

103-a, dena bhavan patel estate jogeshwari w

BROWN COLOUR

SEMI FORMED CONSISTENCY

MUCUS NOT DETECTED NOT DETECTED

VISIBLE BLOOD ABSENT **ABSENT**

ADULT PARASITE NOT DETECTED

METHOD: MICROSCOPIC EXAMINATION

CHEMICAL EXAMINATION, STOOL

STOOL PH 6.0

OCCULT BLOOD NOT DETECTED NOT DETECTED

METHOD: MODIFIED GUAIAC METHOD

MICROSCOPIC EXAMINATION, STOOL

PUS CELLS 0 - 1/hpf

NOT DETECTED NOT DETECTED /HPF RED BLOOD CELLS

METHOD: MICROSCOPIC EXAMINATION

NOT DETECTED NOT DETECTED **CYSTS**

METHOD: MICROSCOPIC EXAMINATION

OVA NOT DETECTED

METHOD: MICROSCOPIC EXAMINATION

NOT DETECTED NOT DETECTED I ARVAF

METHOD: MICROSCOPIC EXAMINATION

NOT DETECTED NOT DETECTED TROPHOZOITES

METHOD: MICROSCOPIC EXAMINATION

FAT ABSENT CHARCOT LEYDEN CRYSTALS **ABSENT**

Interpretation(s)

Stool routine analysis is only a screening test for disorders of gastrointentestinal tract like infection, malabsorption, etc. The following table describes the probable conditions, in which the analytes are present in stool.

PRESENCE OF	CONDITION	
Pus cells	Pus in the stool is an indication of infection	

Dr. Ekta Patil, MD (Reg.No. MMC2008/04/1142) Senior Microbiologist





Page 22 Of 25



PRIME SQUARE BUILDING, PLOT NO 1, GAIWADI INDUSTRIAL ESTATE, S.V. ROAD, GOREGAON (W) Mumbai, 400062 MAHARÁSHTRA, INDIA



Test Report Status





PATIENT NAME: RAJESH KUMAR SINGH BOBE10151 REF. DOCTOR: SELF

ACCESSION NO: 0002WC059577 AGE/SEX

103-a, dena bhavan patel estate jogeshwari w

Final

PATIENT ID : RAJEM09056626

CLIENT PATIENT ID: ABHA NO :

Results

DRAWN :30/03/2023 07:59:29
RECEIVED :30/03/2023 08:01:30
REPORTED :31/03/2023 13:37:50

:56 Years

Biological Reference Interval Units

Red Blood cells	Parasitic or bacterial infection or an inflammatory bowel condition such as ulcerative colitis	
Parasites	Infection of the digestive system. Stool examination for ova and parasite detects presence of parasitic infestation of gastrointestinal tract. Various forms of parasite that can be detected include cyst, trophozoite and larvae. One negative result does not rule out the possibility of parasitic infestation. Intermittent shedding of parasites warrants examinations of multiple specimens tested on consecutive days. Stool specimens for parasitic examination should be collected before initiation of antidiarrheal therapy or antiparasitic therapy. This test does not detect presence of opportunistic parasites like Cyclospora, Cryptosporidia and Isospora species. Examination of Ova and Parasite has been carried out by direct and concentration techniques.	
Mucus	Mucus is a protective layer that lubricates, protects& reduces damage due to bacteria or viruses.	
Charcot-Leyden crystal	Parasitic diseases.	
Ova & cyst	Ova & cyst indicate parasitic infestation of intestine.	
Frank blood	Bleeding in the rectum or colon.	
Occult blood	Occult blood indicates upper GI bleeding.	
Macrophages	Macrophages in stool are an indication of infection as they are protective cells.	
Epithelial cells	Epithelial cells that normally line the body surface and internal organs show up in stool when there is inflammation or infection.	
Fat	Increased fat in stool maybe seen in conditions like diarrhoea or malabsorption.	
рН	Normal stool pH is slightly acidic to neutral. Breast-fed babies generally have an acidic stool.	

ADDITIONAL STOOL TESTS:

- Stool Culture: This test is done to find cause of GI infection, make decision about best treatment for GI infection & to find out if treatment for GI infection worked.
- Fecal Calprotectin: It is a marker of intestinal inflammation. This test is done to differentiate Inflammatory Bowel Disease (IBD) from Irritable Bowel Syndrome (IBS).
- 3. Fecal Occult Blood Test(FOBT): This test is done to screen for colon cancer & to evaluate possible cause of unexplained anaemia.
- 4. <u>Clostridium Difficile Toxin Assay</u>: This test is strongly recommended in healthcare associated bloody or waterydiarrhoea, due to overuse of broad spectrum antibiotics which alter the normal GI flora.
- 5. Biofire (Film Array) GI PANEL: In patients of Diarrhoea, Dysentry, Rice watery Stool, FDA approved, Biofire Film Array Test, (Real Time Multiplex PCR) is strongly recommended as it identifies organisms, bacteria, fungi, virus, parasite and other opportunistic pathogens, Vibrio cholera infections only in 3 hours. Sensitivity 96% & Specificity 99%.
- 6. Rota Virus Immunoassay: This test is recommended in severe gastroenteritis in infants & children associated with watery diarrhoea, vomitting& abdominal cramps. Adults are also affected. It is highly contagious in nature.

Dr. Ekta Patil,MD (Reg.No. MMC2008/04/1142) Senior Microbiologist



Page 23 Of 25

View Details





SRL Ltd PRIME SQUARE BUILDING,PLOT NO 1,GAIWADI INDUSTRIAL ESTATE,S.V. ROAD,GOREGAON (W) Mumbai, 400062 MAHARASHTRA, INDIA







ACCESSION NO: 0002WC059577

PATIENT ID : RAJEM09056626

CLIENT PATIENT ID: ABHA NO

:30/03/2023 07:59:29 DRAWN RECEIVED: 30/03/2023 08:01:30

:56 Years

AGE/SEX

REPORTED :31/03/2023 13:37:50

Biological Reference Interval Test Report Status Results Units **Final**

SPECIALISED CHEMISTRY - HORMONE

MEDI WHEEL FULL BODY HEALTH CHECK UP ABOVE 40 MALE

THYROID PANEL, SERUM

ng/dL 80.0 - 200.0 T3 125.0

METHOD: COMPETITIVE ELECTROCHEMILUMINESCENCE IMMUNOASSAY

103-a, dena bhavan patel estate jogeshwari w

μg/dL 5.10 - 14.10 T4 6.43

METHOD: COMPETITIVE ELECTROCHEMILUMINESCENCE IMMUNOASSAY

TSH (ULTRASENSITIVE) 3.570 0.270 - 4.200μIU/mL

METHOD: SANDWICH ELECTROCHEMILUMINESCENCE IMMUNOASSAY

Interpretation(s)

Triiodothyronine T3, Thyroxine T4, and Thyroid Stimulating Hormone TSH are thyroid hormones which affect almost every physiological process in the body, including growth, development, metabolism, body temperature, and heart rate.

Production of T3 and its prohormone thyroxine (T4) is activated by thyroid-stimulating hormone (TSH), which is released from the pituitary gland. Elevated concentrations of T3, and T4 in the blood inhibit the production of TSH.

Excessive secretion of thyroxine in the body is hyperthyroidism, and deficient secretion is called hypothyroidism.

In primary hypothyroidism, TSH levels are significantly elevated, while in secondary and tertiary hyporthyroidism, TSH levels are low. Below mentioned are the guidelines for Pregnancy related reference ranges for Total T4, TSH & Total T3. Measurement of the serum TT3 level is a more sensitive test for the diagnosis of hyperthyroidism, and measurement of TT4 is more useful in the diagnosis of hypothyroidism. Most of the thyroid hormone in blood is bound to transport proteins. Only a very small fraction of the circulating hormone is free and biologically active. It is advisable to detect Free T3, FreeT4 along with TSH, instead of testing for albumin bound Total T3, Total T4.

Sr. No.	TSH	Total T4	FT4	Total T3	Possible Conditions
1	High	Low	Low	Low	(1) Primary Hypothyroidism (2) Chronic autoimmune Thyroiditis (3)
					Post Thyroidectomy (4) Post Radio-Iodine treatment
2	High	Normal	Normal	Normal	(1)Subclinical Hypothyroidism (2) Patient with insufficient thyroid
					hormone replacement therapy (3) In cases of Autoimmune/Hashimoto
					thyroiditis (4). Isolated increase in TSH levels can be due to Subclinical
					inflammation, drugs like amphetamines, Iodine containing drug and
					dopamine antagonist e.g. domperidone and other physiological reasons.
3	Normal/Low	Low	Low	Low	(1) Secondary and Tertiary Hypothyroidism
4	Low	High	High	High	(1) Primary Hyperthyroidism (Graves Disease) (2) Multinodular Goitre
	100000000				(3)Toxic Nodular Goitre (4) Thyroiditis (5) Over treatment of thyroid
					hormone (6) Drug effect e.g. Glucocorticoids, dopamine, T4
					replacement therapy (7) First trimester of Pregnancy
5	Low	Normal	Normal	Normal	(1) Subclinical Hyperthyroidism
6	High	High	High	High	(1) TSH secreting pituitary adenoma (2) TRH secreting tumor
7	Low	Low	Low	Low	(1) Central Hypothyroidism (2) Euthyroid sick syndrome (3) Recent
		1			treatment for Hyperthyroidism

Dr. Sneha Wadalkar, M.D (Reg.no.MMC2012/06/1868) **Junior Biochemist**





Page 24 Of 25



PRIME SQUARE BUILDING, PLOT NO 1, GAIWADI INDUSTRIAL ESTATE, S.V. ROAD, GOREGAON (W) Mumbai, 400062 MAHARÁSHTRA, INDIA







PATIENT NAME: RAJESH KUMAR SINGH BOBE10151 REF. DOCTOR: SELF

ACCESSION NO: 0002WC059577 AGE/SEX:56 Years

РАПЕНТ ID : RAJEM09056626

CLIENT PATIENT ID: ABHA NO : DRAWN :30/03/2023 07:59:29
RECEIVED :30/03/2023 08:01:30
REPORTED :31/03/2023 13:37:50

Test Report Status <u>Final</u> Results Biological Reference Interval Units

8	Normal/Low	Normal	Normal	High	(1) T3 thyrotoxicosis (2) Non-Thyroidal illness
9	Low	High	High	Normal	(1) T4 Ingestion (2) Thyroiditis (3) Interfering Anti TPO antibodies

REF: 1. TIETZ Fundamentals of Clinical chemistry 2.Guidlines of the American Thyroid association during pregnancy and Postpartum, 2011. NOTE: It is advisable to detect Free T3,FreeT4 along with TSH, instead of testing for albumin bound Total T3, Total T4.TSH is not affected by variation in thyroid - binding protein. TSH has a diurnal rhythm, with peaks at 2:00 - 4:00 a.m. And troughs at 5:00 - 6:00 p.m. With ultradian variations.

End Of Report
Please visit www.srlworld.com for related Test Information for this accession

CONDITIONS OF LABORATORY TESTING & REPORTING

- 1. It is presumed that the test sample belongs to the patient named or identified in the test requisition form.
- 2. All tests are performed and reported as per the turnaround time stated in the SRL Directory of Services.
- 3. Result delays could occur due to unforeseen circumstances such as non-availability of kits / equipment breakdown / natural calamities / technical downtime or any other unforeseen event.
- 4. A requested test might not be performed if:
 - i. Specimen received is insufficient or inappropriate
 - ii. Specimen quality is unsatisfactory
 - iii. Incorrect specimen type
 - iv. Discrepancy between identification on specimen container label and test requisition form

- 5. SRL confirms that all tests have been performed or assayed with highest quality standards, clinical safety & technical integrity.
- 6. Laboratory results should not be interpreted in isolation; it must be correlated with clinical information and be interpreted by registered medical practitioners only to determine final diagnosis.
- 7. Test results may vary based on time of collection, physiological condition of the patient, current medication or nutritional and dietary changes. Please consult your doctor or call us for any clarification.
- 8. Test results cannot be used for Medico legal purposes.
- 9. In case of queries please call customer care (91115 91115) within 48 hours of the report.

SRL Limited

Fortis Hospital, Sector 62, Phase VIII, Mohali 160062

S. S. Wadal

Dr. Sneha Wadalkar, M.D (Reg.no.MMC2012/06/1868) Junior Biochemist





Page 25 Of 25

View Details

View Report



SRL Ltd PRIME SQUARE BUILDING,PLOT NO 1,GAIWADI INDUSTRIAL ESTATE,S.V. ROAD,GOREGAON (W) Mumbai, 400062

