

To be filled by Customer

Name: Mr/Ms/Mrs Bhagyalakshmi S. C

Gender: Male Female Age: years DOB:

Mobile: Pincode:

Email:

Bar code

Vitals

To be filled by Technician

Height: cms

Waist: in.

Hip: in.

Weight: kg

Fat: %

Visc. Fat: %

RM: cal

BMI: kg/m²

Body Age: years

Sys. BP: mmHg

Dia. BP: mmHg

87 plus

To be filled by Customer

Medical History

Have you been previously diagnosed with?

Diabetes (Sugar) Yes No

Hypertension (BP) Yes No

Cardiovascular Disease (Heart) Yes No

Asthma/Allergies (Dust, Pollen, Food, Animals, etc.) Yes No

Neurological Problems (Nerve) Yes No

Are you currently taking medications for?

Diabetes (Sugar) Yes No

Hypertension (BP) Yes No

Cardiovascular Disease (Heart) Yes No

Liver Disease Yes No

Cancer Yes No

Tuberculosis (TB) Yes No

Family History

Is there a history of below diseases in your family?

Diabetes (Sugar) Yes No

Hypertension (BP) Yes No

Cardiovascular Disease (Heart) Yes No

Cancer Yes No

Lifestyle

Do you exercise regularly? Yes No

Do you consume alcohol more than 2 times a week? Yes No

Do you smoke/chew tobacco? Yes No

Are you vegetarian? Yes No

General

Do you see a doctor at least once in 6 months? Yes No

Do you undergo a health checkup every year? Yes No

How would you rate your overall Health?

Excellent Good Normal Poor Very Poor

Women's Health

Is there a family history of Breast Cancer? Yes No

Is there a family history of Endometrial (Uterus) Cancer? Yes No

Is there a family history of Ovarian Cancer? Yes No

Do you have irregular periods? Yes No

Do you have heavy bleeding during periods? Yes No

Do you have scanty periods? Yes No

Have you attained Menopause? Yes No

Do you have children? Yes No

Was it a normal delivery? Yes No

Did you have diabetes/hypertension during delivery? Yes No

Signature:



ಭಾರತೀಯ ವಿಶಿಷ್ಟ ಗುರುತು ಪ್ರಾಧಿಕಾರ

ಭಾರತ ಸರ್ಕಾರ

Unique Identification Authority of India
Government of India

ನೋಂದಾವಣೆ ಕ್ರಮ ಸಂಖ್ಯೆ / Enrollment No. : 1208/71162/15798

To

ಭಾಗ್ಯಲಕ್ಷ್ಮಿ ಎಸ್ ಎಲ್

Bhaghyalakshmi S L

W/O: Shivashankar V

Room No 1, Ramakka Building 51st Cross

Behind SVP High School Vidhyanagar

Sarjapura


Sarjapura

Anekal Bangalore

Karnataka 562125

9342635411

89570679



MIN895706795FT



ನಿಮ್ಮ ಅಧಾರ ಸಂಖ್ಯೆ / Your Aadhaar No. :

5331 1062 2154

ಆಧಾರ್ - ಶ್ರೀಸಾಮಾನ್ಯನ ಅಧಿಕಾರ



ಭಾರತ ಸರ್ಕಾರ

Government of India



ಭಾಗ್ಯಲಕ್ಷ್ಮಿ ಎಸ್ ಎಲ್

Bhaghyalakshmi S L

ಜನ್ಮ ದಿನಾಂಕ / DOB : 11/06/1979

ಸ್ತ್ರೀ / Female




5331 1062 2154

ಆಧಾರ್ - ಶ್ರೀಸಾಮಾನ್ಯನ ಅಧಿಕಾರ

42 Years

Female

QRS : 76 ms
QT / QTcBz : 384 / 459 ms
PR : 138 ms
P : 90 ms
RR / PP : 700 / 697 ms
P / QRS / T : 25 / 1 / -2 degrees



Dr. Sridhar

Normal ECG, AVF


Technician: koms
Ordering Ph: MEDIWHEEL
Referring Ph: MEDIWHEEL
Attending Ph:

(Needs Clinical Correlation
for further Management)

DR. SRIDHAR .L
MD (Med), (Int. Cardiol), FCC
Interventional Cardiologist
K.M.C. No.: 32248

hw + 20°

unspecific normal changes




GE MAC2000 1 1 12SL™ V241 25 mm/s 10 mm/mV ADS 0.56-20 Hz 50 Hz 4x2.5x3_25_R1 1/1

Unconfirmed

Customer Name	BHAGYALAKSHMI S.C	Customer ID	
Age & Gender	43 / F	Visit Date	23/4/22

Eye Screening



With spectacles / without spectacles (strike out whichever is not applicable)

	Right Eye	Left Eye
Near Vision	N6	N6
Distance Vision	6/6	6/6
Colour Vision	Normal	Normal

Observation / Comments: — Normal

Dr. Ravi V
DR. RAVI V HALAKATTI
M.S. (OPHTH)
EYE SURGEON
Regd. No. 11801

Name	BHAGYALAKSHMI	Customer ID	MED111064994
Age & Gender	42Y/F	Visit Date	Apr 23 2022 9:35AM
Ref Doctor	MediWheel		

X - RAY CHEST PA VIEW

Bilateral lung fields appear normal.

Cardiac size is within normal limits.

Bilateral hilar regions appear normal.

Bilateral domes of diaphragm and costophrenic angles are normal.

Visualised bones and soft tissues appear normal.

Impression: Essentially normal study.



DR. H.K. ANAND

DR. SHWETHA S

DR. PRAJNA SHENOY

DR. MAHESH M S

CONSULTANT RADIOLOGISTS



Name	MS.BHAGYALAKSHMI	ID	MED111064994
Age & Gender	42Y/FEMALE	Visit Date	23/04/2022
Ref Doctor	MediWheel		

ABDOMINO-PELVIC ULTRASONOGRAPHY

LIVER is normal in shape, size and has uniform echopattern.
No evidence of focal lesion or intrahepatic biliary ductal dilatation.
Hepatic and portal vein radicals are normal.

GALL BLADDER show normal shape and has clear contents.
Gall bladder wall is of normal thickness.
CBD is of normal calibre.

PANCREAS has normal shape, size and uniform echopattern.
No evidence of ductal dilatation or calcification.

SPLEEN show normal shape, size and echopattern.

No demonstrable Para -aortic lymphadenopathy.

KIDNEYS move well with respiration and have normal shape, size and echopattern.
Cortico- medullary differentiations are well madeout.
No evidence of calculus or hydronephrosis.

The kidney measures as follows

	Bipolar length (cms)	Parenchymal thickness (cms)
Right Kidney	10.8	1.4
Left Kidney	10.6	1.2

URINARY BLADDER show normal shape and wall thickness.
It has clear contents. No evidence of diverticula.

UTERUS is anteverted and bulky in size.
Large posterior wall subserous fibroid measuring 9.9 x 7.0 x 6.9cms, vol – 255cc is noted.
Endometrial echo is of normal thickness – 5.4mms.

Uterus measures as follows:

LS: 8.4cms AP: 3.8cms TS: 5.1cms. (Excluding the fibroid)

..2



Name	MS.BHAGYALAKSHMI	ID	MED111064994
Age & Gender	42Y/FEMALE	Visit Date	23/04/2022
Ref Doctor	MediWheel		

:2:

OVARIES are normal size, shape and echotexture

Ovaries measures as follows:

Right ovary: 2.4 x 1.5cms.

Left ovary: 2.7 x 2.1cms.

POD & adnexa are free.

No evidence of ascites.

Impression: *Bulky uterus with a large fibroid.*


CONSULTANT RADIOLOGISTS:

DR. H. K. ANAND

DR. PRAJNA SHENOY

DR. MAHESH. M. S

DR. RADHA KRISHNA. A.



DR. HIMA BINDU.P

Hbp/d



Name	MS.BHAGYALAKSHMI	ID	MED111064994
Age & Gender	42Y/FEMALE	Visit Date	23/04/2022
Ref Doctor	MediWheel		

X-ray mammogram (mediolateral oblique and craniocaudal views) followed by Sonomammography was performed.

BILATERAL MAMMOGRAPHY

Breast composition category II - There are scattered areas of fibroglandular density

No evidence of focal soft tissue lesion.

No evidence of cluster microcalcification.

Subcutaneous fat deposition is within normal limits.

Few left axillary lymphnodes are seen.

BILATERAL SONOMAMMOGRAPHY

Bilateral breasts show hyperechoic parenchymal echotexture with multiple cysts, largest measuring 5.4 x 4.6mm at 10 o' clock position of right breast in periareolar region and measuring 7 x 3mm at 4 o' clock position of left breast.

Well-defined oval heteroechoic lesions are noted in left breast measuring 8 x 4mm at 7-8 o' clock position and 7 x 4mm at 11 o' clock position.

No evidence of ductal dilatation.

Benign appearing bilateral axillary lymphnodes are seen, largest measuring 6 x 4mm (right) and 7 x 5 mm (left).

Impression:

- *Fibrocystic disease in bilateral breasts.*
- *Benign breast lesions in left breast.*

Note: No previous reports available for comparison.

ASSESSMENT: BI-RADS CATEGORY -2

BI-RADS CLASSIFICATION

CATEGORY RESULT

2 Benign finding. Routine mammogram in 1 year recommended.

CONSULTANT RADIOLOGISTS:

DR. H. K. ANAND

DR. PRAJNA SHENOY

DR. MAHESH. M. S

DR. RADHA KRISHNA. A.



DR. HIMA BINDU.P

Hbp/d



Name	MS.BHAGYALAKSHMI	ID	MED111064994
Age & Gender	42Y/FEMALE	Visit Date	23/04/2022
Ref Doctor	MediWheel		

2D ECHOCARDIOGRAPHIC STUDY

M mode measurement:

AORTA	:	3.22	cms
LEFT ATRIUM	:	3.10	cms
AVS	:	1.92	cms
LEFT VENTRICLE (DIASTOLE)	:	4.33	cms
(SYSTOLE)	:	2.82	cms
VENTRICULAR SEPTUM (DIASTOLE)	:	0.90	cms
(SYSTOLE)	:	1.47	cms
POSTERIOR WALL (DIASTOLE)	:	1.02	cms
(SYSTOLE)	:	2.12	cms
EDV	:	84	ml
ESV	:	30	ml
FRACTIONAL SHORTENING	:	34	%
EJECTION FRACTION	:	64	%
EPSS	:		cms
RVID	:	1.96	cms

DOPPLER MEASUREMENTS

MITRAL VALVE	: 'E' -1.55m/s 'A' -1.17m/s	GRADE I MR
AORTIC VALVE	:1.39 m/s	NO AR
TRICUSPID VALVE	: PASP : 30 mmHg	GRADE I TR
PULMONARY VALVE	:0.84 m/s	NO PR



Name	MS.BHAGYALAKSHMI	ID	MED111064994
Age & Gender	42Y/FEMALE	Visit Date	23/04/2022
Ref Doctor	MediWheel		

:2:

2D ECHOCARDIOGRAPHY FINDINGS:

Left Ventricle	:	Normal size, Normal systolic function. No regional wall motion abnormalities
Left Atrium	:	Normal
Right Ventricle	:	Normal
Right Atrium	:	Normal.
Mitral valve	:	Mild AML prolapse.
Aortic valve	:	Normal, Trileaflet
Tricuspid valve	:	Normal.
Pulmonary valve	:	Normal.
IAS	:	Intact.
IVS	:	Intact.
Pericardium	:	No Pericardial effusion.

IMPRESSION :

- MILD MITRAL REGURGITATION
- MILD TRICUSPID REGURGITATION (PASP 30 mmHg)
- ADEQUATE LV SYSTOLIC FUNCTION. EF: 64 %
- NO REGIONAL WALL MOTION ABNORMALITIES.
- NO CLOTS / PERICARDIAL EFFUSION / VEGETATION.

(KINDLY CORRELATE CLINICALLY AND WITH ECG)

DR.SRIDHAR.L MD,DM,FICC.
CONSULTANT CARDIOLOGIST
Ls/ml

Dr. SRIDHAR .L
MD,(Med), DM(Cardio), FICC
Interventional Cardiologist
K.M.C. No.: 32248



Name : Ms. BHAGYALAKSHMI
PID No. : MED111064994
SID No. : 922023663
Age / Sex : 42 Year(s) / Female
Type : OP
Ref. Dr : MediWheel

Register On : 23/04/2022 9:37 AM
Collection On : 23/04/2022 10:02 AM
Report On : 24/04/2022 11:34 AM
Printed On : 25/04/2022 9:06 PM




<u>Investigation</u>	<u>Observed Value</u>	<u>Unit</u>	<u>Biological Reference Interval</u>
----------------------	-----------------------	-------------	--------------------------------------


HAEMATOLOGY

Complete Blood Count With - ESR

Haemoglobin (EDTA Blood/Spectrophotometry)	12.8	g/dL	12.5 - 16.0
Packed Cell Volume(PCV)/Haematocrit (EDTA Blood/Derived from Impedance)	38.2	%	37 - 47
RBC Count (EDTA Blood/Impedance Variation)	4.13	mill/cu.mm	4.2 - 5.4
Mean Corpuscular Volume(MCV) (EDTA Blood/Derived from Impedance)	93.0	fL	78 - 100
Mean Corpuscular Haemoglobin(MCH) (EDTA Blood/Derived from Impedance)	31.0	pg	27 - 32
Mean Corpuscular Haemoglobin concentration(MCHC) (EDTA Blood/Derived from Impedance)	33.5	g/dL	32 - 36
RDW-CV (EDTA Blood/Derived from Impedance)	12.2	%	11.5 - 16.0
RDW-SD (EDTA Blood/Derived from Impedance)	39.71	fL	39 - 46
Total Leukocyte Count (TC) (EDTA Blood/Impedance Variation)	5480	cells/cu.mm	4000 - 11000
Neutrophils (EDTA Blood/Impedance Variation & Flow Cytometry)	54.77	%	40 - 75
Lymphocytes (EDTA Blood/Impedance Variation & Flow Cytometry)	34.94	%	20 - 45
Eosinophils (EDTA Blood/Impedance Variation & Flow Cytometry)	2.02	%	01 - 06


Dr. Arjun C.P
MBBS, MD Pathology
Reg. No. KMC 89655

VERIFIED BY


DR SHAMIM JAVED
MD PATHOLOGY
KMC 88902


APPROVED BY

Name : Ms. BHAGYALAKSHMI
PID No. : MED111064994
SID No. : 922023663
Age / Sex : 42 Year(s) / Female
Type : OP
Ref. Dr : MediWheel


Register On : 23/04/2022 9:37 AM
Collection On : 23/04/2022 10:02 AM
Report On : 24/04/2022 11:34 AM
Printed On : 25/04/2022 9:06 PM



<u>Investigation</u>	<u>Observed Value</u>	<u>Unit</u>	<u>Biological Reference Interval</u>
Monocytes (EDTA Blood/Impedance Variation & Flow Cytometry)	7.97	%	01 - 10
Basophils (EDTA Blood/Impedance Variation & Flow Cytometry)	0.31	%	00 - 02
Absolute Neutrophil count (EDTA Blood/Impedance Variation & Flow Cytometry)	3.00	10 ³ / µl	1.5 - 6.6
Absolute Lymphocyte Count (EDTA Blood/Impedance Variation & Flow Cytometry)	1.91	10 ³ / µl	1.5 - 3.5
Absolute Eosinophil Count (AEC) (EDTA Blood/Impedance Variation & Flow Cytometry)	0.11	10 ³ / µl	0.04 - 0.44
Absolute Monocyte Count (EDTA Blood/Impedance Variation & Flow Cytometry)	0.44	10 ³ / µl	< 1.0
Absolute Basophil count (EDTA Blood/Impedance Variation & Flow Cytometry)	0.02	10 ³ / µl	< 0.2
Platelet Count (EDTA Blood/Impedance Variation)	229.3	10 ³ / µl	150 - 450
MPV (EDTA Blood/Derived from Impedance)	8.54	fL	8.0 - 13.3
PCT (EDTA Blood/Automated Blood cell Counter)	0.20	%	0.18 - 0.28
ESR (Erythrocyte Sedimentation Rate) (EDTA Blood/Modified Westergren)	3	mm/hr	< 20


Dr. Arjun C.P
MBBS, MD Pathology
Reg No:KMC 89655

VERIFIED BY


DR SHAMIM JAVED
MD PATHOLOGY
KMC 88902

APPROVED BY

Name : Ms. BHAGYALAKSHMI
PID No. : MED111064994
SID No. : 922023663
Age / Sex : 42 Year(s) / Female
Type : OP
Ref. Dr : MediWheel

Register On : 23/04/2022 9:37 AM
Collection On : 23/04/2022 10:02 AM
Report On : 24/04/2022 11:34 AM
Printed On : 25/04/2022 9:06 PM



<u>Investigation</u>	<u>Observed Value</u>	<u>Unit</u>	<u>Biological Reference Interval</u>
----------------------	-----------------------	-------------	--------------------------------------


BIOCHEMISTRY

Liver Function Test

Bilirubin(Total) (Serum/Diazotized Sulfanilic Acid)	0.3	mg/dL	0.1 - 1.2
Bilirubin(Direct) (Serum/Diazotized Sulfanilic Acid)	0.2	mg/dL	0.0 - 0.3
Bilirubin(Indirect) (Serum/Derived)	0.1	mg/dL	0.1 - 1.0
Total Protein (Serum/Biuret)	6.7	gm/dL	6.0 - 8.0
Albumin (Serum/Bromocresol green)	4.1	gm/dL	3.5 - 5.2
Globulin (Serum/Derived)	2.6	gm/dL	2.3 - 3.6
A : G Ratio (Serum/Derived)	1.6		1.1 - 2.2
SGOT/AST (Aspartate Aminotransferase) (Serum/IFCC Kinetic)	20	U/L	5 - 40
SGPT/ALT (Alanine Aminotransferase) (Serum/IFCC / Kinetic)	16	U/L	5 - 41
Alkaline Phosphatase (SAP) (Serum/IFCC Kinetic)	65	U/L	42 - 98
GGT(Gamma Glutamyl Transpeptidase) (Serum/SZASZ standarised IFCC)	15	U/L	< 38


Dr SURAJ JAIN
Consultant Pathologist
Reg No : 80423

VERIFIED BY


DR SHAMIM JAVED
MD PATHOLOGY
KMC 88902

APPROVED BY

Name : Ms. BHAGYALAKSHMI

PID No. : MED111064994

SID No. : 922023663

Age / Sex : 42 Year(s) / Female

Type : OP

Ref. Dr : MediWheel

Register On : 23/04/2022 9:37 AM

Collection On : 23/04/2022 10:02 AM

Report On : 24/04/2022 11:34 AM

Printed On : 25/04/2022 9:06 PM



<u>Investigation</u>	<u>Observed Value</u>	<u>Unit</u>	<u>Biological Reference Interval</u>
<u>Lipid Profile</u>			
Cholesterol Total (Serum/Cholesterol oxidase/Peroxidase)	168	mg/dL	Optimal: < 200 Borderline: 200 - 239 High Risk: >= 240
Triglycerides (Serum/Glycerol phosphate oxidase / peroxidase)	85	mg/dL	Optimal: < 150 Borderline: 150 - 199 High: 200 - 499 Very High: >= 500


INTERPRETATION: The reference ranges are based on fasting condition. Triglyceride levels change drastically in response to food, increasing as much as 5 to 10 times the fasting levels, just a few hours after eating. Fasting triglyceride levels show considerable diurnal variation too. There is evidence recommending triglycerides estimation in non-fasting condition for evaluating the risk of heart disease and screening for metabolic syndrome, as non-fasting sample is more representative of the "usual" circulating level of triglycerides during most part of the day.

HDL Cholesterol (Serum/Immuno-inhibition)	54	mg/dL	Optimal(Negative Risk Factor): >= 60 Borderline: 50 - 59 High Risk: < 50
LDL Cholesterol (Serum/Calculated)	97	mg/dL	Optimal: < 100 Above Optimal: 100 - 129 Borderline: 130 - 159 High: 160 - 189 Very High: >= 190
VLDL Cholesterol (Serum/Calculated)	17	mg/dL	< 30
Non HDL Cholesterol (Serum/Calculated)	114.0	mg/dL	Optimal: < 130 Above Optimal: 130 - 159 Borderline High: 160 - 189 High: 190 - 219 Very High: >= 220

INTERPRETATION: 1.Non-HDL Cholesterol is now proven to be a better cardiovascular risk marker than LDL Cholesterol.
2.It is the sum of all potentially atherogenic proteins including LDL, IDL, VLDL and chylomicrons and it is the "new bad cholesterol" and is a co-primary target for cholesterol lowering therapy.



VERIFIED BY



APPROVED BY

Name : Ms. BHAGYALAKSHMI

PID No. : MED111064994

SID No. : 922023663

Age / Sex : 42 Year(s) / Female

Type : OP

Ref. Dr : MediWheel

Register On : 23/04/2022 9:37 AM

Collection On : 23/04/2022 10:02 AM

Report On : 24/04/2022 11:34 AM


Printed On : 25/04/2022 9:06 PM



<u>Investigation</u>	<u>Observed Value</u>	<u>Unit</u>	<u>Biological Reference Interval</u>
Total Cholesterol/HDL Cholesterol Ratio (Serum/Calculated)	3.1		Optimal: < 3.3 Low Risk: 3.4 - 4.4 Average Risk: 4.5 - 7.1 Moderate Risk: 7.2 - 11.0 High Risk: > 11.0
Triglyceride/HDL Cholesterol Ratio (TG/HDL) (Serum/Calculated)	1.6		Optimal: < 2.5 Mild to moderate risk: 2.5 - 5.0 High Risk: > 5.0
LDL/HDL Cholesterol Ratio (Serum/Calculated)	1.8		Optimal: 0.5 - 3.0 Borderline: 3.1 - 6.0 High Risk: > 6.0



VERIFIED BY



APPROVED BY

Name : Ms. BHAGYALAKSHMI
PID No. : MED111064994
SID No. : 922023663
Age / Sex : 42 Year(s) / Female
Type : OP
Ref. Dr : MediWheel

Register On : 23/04/2022 9:37 AM
Collection On : 23/04/2022 10:02 AM
Report On : 24/04/2022 11:34 AM
Printed On : 25/04/2022 9:06 PM



<u>Investigation</u>	<u>Observed Value</u>	<u>Unit</u>	<u>Biological Reference Interval</u>
<u>Glycosylated Haemoglobin (HbA1c)</u>			
HbA1C (Whole Blood/HPLC)	5.2	%	Normal: 4.5 - 5.6 Prediabetes: 5.7 - 6.4 Diabetic: \geq 6.5

INTERPRETATION: If Diabetes - Good control : 6.1 - 7.0 % , Fair control : 7.1 - 8.0 % , Poor control \geq 8.1 %

Estimated Average Glucose 102.54 mg/dL
(Whole Blood)

INTERPRETATION: Comments


HbA1c provides an index of Average Blood Glucose levels over the past 8 - 12 weeks and is a much better indicator of long term glycemc control as compared to blood and urinary glucose determinations.

Conditions that prolong RBC life span like Iron deficiency anemia, Vitamin B12 & Folate deficiency, hypertriglyceridemia, hyperbilirubinemia, Drugs, Alcohol, Lead Poisoning, Asplenia can give falsely elevated HbA1C values.

Conditions that shorten RBC survival like acute or chronic blood loss, hemolytic anemia, Hemoglobinopathies, Splenomegaly, Vitamin E ingestion, Pregnancy, End stage Renal disease can cause falsely low HbA1c.



VERIFIED BY



APPROVED BY

Name : Ms. BHAGYALAKSHMI
PID No. : MED111064994
SID No. : 922023663
Age / Sex : 42 Year(s) / Female
Type : OP
Ref. Dr : MediWheel

Register On : 23/04/2022 9:37 AM
Collection On : 23/04/2022 10:02 AM
Report On : 24/04/2022 11:34 AM
Printed On : 25/04/2022 9:06 PM



<u>Investigation</u>	<u>Observed Value</u>	<u>Unit</u>	<u>Biological Reference Interval</u>
----------------------	-----------------------	-------------	--------------------------------------

IMMUNOASSAY

THYROID PROFILE / TFT

T3 (Triiodothyronine) - Total (Serum/CMIA)	1.23	ng/mL	0.7 - 2.04
---	------	-------	------------

INTERPRETATION:

Comment :

Total T3 variation can be seen in other condition like pregnancy, drugs, nephrosis etc. In such cases, Free T3 is recommended as it is Metabolically active.

T4 (Thyroxine) - Total (Serum/CMIA)	8.41	µg/dL	4.2 - 12.0
--	------	-------	------------

INTERPRETATION:

Comment :

Total T4 variation can be seen in other condition like pregnancy, drugs, nephrosis etc. In such cases, Free T4 is recommended as it is Metabolically active.

TSH (Thyroid Stimulating Hormone) (Serum/Chemiluminescent Microparticle Immunoassay(CMIA))	3.59	µIU/mL	0.35 - 5.50
---	------	--------	-------------

INTERPRETATION:

Reference range for cord blood - upto 20

1 st trimester: 0.1-2.5

2 nd trimester 0.2-3.0

3 rd trimester : 0.3-3.0

(Indian Thyroid Society Guidelines)

Comment :

1.TSH reference range during pregnancy depends on Iodine intake, TPO status, Serum HCG concentration, race, Ethnicity and BMI.

2.TSH Levels are subject to circadian variation, reaching peak levels between 2-4am and at a minimum between 6-10PM.The variation can be of the order of 50%,hence time of the day has influence on the measured serum TSH concentrations.

3.Values&lt;0.03 µIU/mL need to be clinically correlated due to presence of rare TSH variant in some individuals.

Dr. Arjun C.P
MBBS, MD Pathology
Reg No:KMC 89655

VERIFIED BY

DR SHAMIM JAVED
MD PATHOLOGY
KMC 88902

APPROVED BY

Name : Ms. BHAGYALAKSHMI
PID No. : MED111064994
SID No. : 922023663
Age / Sex : 42 Year(s) / Female
Type : OP
Ref. Dr : MediWheel

Register On : 23/04/2022 9:37 AM
Collection On : 23/04/2022 10:02 AM
Report On : 24/04/2022 11:34 AM
Printed On : 25/04/2022 9:06 PM



<u>Investigation</u>	<u>Observed Value</u>	<u>Unit</u>	<u>Biological Reference Interval</u>
----------------------	-----------------------	-------------	--------------------------------------

CLINICAL PATHOLOGY

PHYSICAL EXAMINATION


Colour (Urine)	Pale Yellow		
Appearance (Urine)	Clear		Clear
Volume (Urine)	15	mL	

CHEMICAL EXAMINATION(Automated-Urineanalyser)

pH (Urine/AUTOMATED URINANALYSER)	5.0		4.5 - 8.0
Specific Gravity (Urine)	1.020		1.002 - 1.035
Ketones (Urine)	Negative		Negative
Urobilinogen (Urine/AUTOMATED URINANALYSER)	0.2		0.2 - 1.0
Blood (Urine/AUTOMATED URINANALYSER)	Negative		Negative
Nitrite (Urine/AUTOMATED URINANALYSER)	Negative		Negative
Bilirubin (Urine/AUTOMATED URINANALYSER)	Negative		Negative
Protein (Urine)	Negative		Negative
Glucose (Urine)	Negative		Negative


DR .VANITHA.R.SWAMY MD
Consultant Pathologist
Reg No : 99049

VERIFIED BY


DR SHAMIM JAVED
MD PATHOLOGY
KMC 88902

APPROVED BY

Name : Ms. BHAGYALAKSHMI
PID No. : MED111064994
SID No. : 922023663
Age / Sex : 42 Year(s) / Female
Type : OP
Ref. Dr : MediWheel

Register On : 23/04/2022 9:37 AM
Collection On : 23/04/2022 10:02 AM
Report On : 24/04/2022 11:34 AM
Printed On : 25/04/2022 9:06 PM



<u>Investigation</u>	<u>Observed Value</u>	<u>Unit</u>	<u>Biological Reference Interval</u>
Leukocytes (Urine)	Negative	leuco/uL	Negative
<u>MICROSCOPY(URINE DEPOSITS)</u>			
Pus Cells (Urine/Flow cytometry)	2-3	/hpf	3-5
Epithelial Cells (Urine)	6-8	/hpf	1-2
RBCs (Urine/Flow cytometry)	Nil	/hpf	NIL
Others (Urine)	Nil		Nil
Casts (Urine/Flow cytometry)	Nil	/hpf	0 - 1
Crystals (Urine)	Nil		NIL


DR .VANITHA.R.SWAMY MD
Consultant Pathologist
Reg.No : 99049
VERIFIED BY


DR SHAMIM JAVED
MD PATHOLOGY
KMC 88902
APPROVED BY

Name : Ms. BHAGYALAKSHMI
 PID No. : MED111064994
 SID No. : 922023663
 Age / Sex : 42 Year(s) / Female
 Type : OP
 Ref. Dr : MediWheel

Register On : 23/04/2022 9:37 AM
 Collection On : 23/04/2022 10:02 AM
 Report On : 24/04/2022 11:34 AM
 Printed On : 25/04/2022 9:06 PM



<u>Investigation</u>	<u>Observed Value</u>	<u>Unit</u>	<u>Biological Reference Interval</u>
----------------------	-----------------------	-------------	--------------------------------------

BIOCHEMISTRY

BUN / Creatinine Ratio	16		6 - 22
Glucose Fasting (FBS) (Plasma - F/GOD - POD)	87	mg/dL	Normal: < 100 Pre Diabetic: 100 - 125 Diabetic: >= 126

INTERPRETATION: Factors such as type, quantity and time of food intake, Physical activity, Psychological stress, and drugs can influence blood glucose level.

Glucose Fasting - Urine (Urine - F)	Negative		Negative
--	----------	--	----------

Glucose Postprandial (PPBS) (Plasma - PP/GOD - POD)	135	mg/dL	70 - 140
--	-----	-------	----------

INTERPRETATION:

Factors such as type, quantity and time of food intake, Physical activity, Psychological stress, and drugs can influence blood glucose level. Fasting blood glucose level may be higher than Postprandial glucose, because of physiological surge in Postprandial Insulin secretion, Insulin resistance, Exercise or Stress, Dawn Phenomenon, Somogyi Phenomenon, Anti- diabetic medication during treatment for Diabetes.

Blood Urea Nitrogen (BUN) (Serum/Urease-GLDH)	10	mg/dL	7.0 - 21
--	----	-------	----------


Creatinine (Serum/Jaffe Kinetic)	0.7	mg/dL	0.6 - 1.1
-------------------------------------	-----	-------	-----------

INTERPRETATION: Elevated Creatinine values are encountered in increased muscle mass, severe dehydration, Pre-eclampsia, increased ingestion of cooked meat, consuming Protein/ Creatine supplements, Diabetic Ketoacidosis, prolonged fasting, renal dysfunction and drugs such as cefoxitin ,cefazolin, ACE inhibitors ,angiotensin II receptor antagonists, N-acetylcysteine, chemotherapeutic agent such as flucytosine etc.

Uric Acid (Serum/Uricase/Peroxidase)	3.4	mg/dL	2.6 - 6.0
---	-----	-------	-----------


 Dr SURAJ JAIN
 Consultant Pathologist
 Reg No : 80423

VERIFIED BY


 DR SHAMIM JAVED
 MD PATHOLOGY
 KMC 88902

APPROVED BY

Name : Ms. BHAGYALAKSHMI
PID No. : MED111064994
SID No. : 922023663
Age / Sex : 42 Year(s) / Female
Type : OP
Ref. Dr : MediWheel

Register On : 23/04/2022 9:37 AM
Collection On : 23/04/2022 10:02 AM
Report On : 24/04/2022 11:34 AM
Printed On : 25/04/2022 9:06 PM



<u>Investigation</u>	<u>Observed Value</u>	<u>Unit</u>	<u>Biological Reference Interval</u>
----------------------	-----------------------	-------------	--------------------------------------


IMMUNOHAEMATOLOGY

BLOOD GROUPING AND Rh TYPING
(EDTA Blood/Agglutination)

'O' 'Positive'



DR .VANITHA.R.SWAMY MD
Consultant Pathologist
Reg No : 99049
VERIFIED BY



DR SHAMIM JAVED
MD PATHOLOGY
KMC 88902
APPROVED BY

-- End of Report --

Name : Ms. BHAGYALAKSHMI Register On : 23/04/2022 9:37 AM
PID No. : MED111064994 Collection On : 23/04/2022 10:02 AM
SID No. : 922023663 Report On : 24/04/2022 11:34 AM
Age / Sex : 42 Year(s) / Female Printed On : 25/04/2022 9:07 PM
Ref. Dr : MediWheel OP / IP : OP



PAP Smear by LBC(Liquid based Cytology)

Nature of Specimen: Cervical smear.

Lab NO : GC-493/22

Specimen type : Liquid based preparation


Specimen adequacy : Satisfactory for evaluation.


Endocervical / Transformation zone cells : Absent.

General categorization : Within normal limits.

DESCRIPTION : Smear shows superficial squamous cells and intermediate cells in a background of sparse inflammatory cells.

INTERPRETATION : Negative for intraepithelial lesion or malignancy


DR .VANITHA.R.SWAMY MD
Consultant Pathologist
Reg No : 99049


DR SHAMIM JAVED
MD PATHOLOGY
KMC 88902