
Chandan Diagnostic



Age / Gender:36/FemaleDate and Time:4th Jan 23 11:13 AMPatient ID:CHLD0126882223Patient Name:Mrs.PUSHPA TAMTA PKG10000239







Add: Opp. Vishal Megamart,Nainital Road,Haldwani Ph: ,9235400975 CIN : U85110DL2003PLC308206



Patient Name	: Mrs.PUSHPA TAMTA PKG10000239	Registered On	: 04/Jan/2023 10:33:43
Age/Gender	: 36 Y 6 M 0 D /F	Collected	: 04/Jan/2023 10:55:44
UHID/MR NO	: CHLD.000086057	Received	: 04/Jan/2023 11:09:10
Visit ID	: CHLD0126882223	Reported	: 04/Jan/2023 13:14:55
Ref Doctor	: Dr.MEDIWHEEL ARCOFEMI HEALTH CARE LTD HLD	Status	: Final Report

DEPARTMENT OF HAEM ATOLOGY

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Blood Group (ABO & Fh typing)*, Blood Blood Group AB Rh (Anti-D) POSITIVE Complete Blood Count (CBC)*, Whole Blood Haemoglobin 13.90 g/dl 1 Day- 14.5-22.5 g/dl 1 Wk- 13.5-19.5 g/dl 1 Wk- 13.5-19.5 g/dl 1 Wk- 13.5-19.5 g/dl 0.5-2 Yr- 10.5-13.5 g/dl 2-6 Yr- 11.5-15.5 g/dl 2-6 Yr- 11.5-15.5 g/dl 0.5-2 Yr- 10.5-13.5 g/dl 2-6 Yr- 11.5-15.5 g/dl 2-6 Yr- 11.5-15.5 g/dl 1 UWE(N) 8,800.00 /Cu mm 4000-10000 ELECTRONIC IMP DLC TLC (WBC) 8,800.00 % 55-70 ELECTRONIC IMP Polymorphs (Neutrophils) 65.00 % 55-70 ELECTRONIC IMP Lymphocytes 29.00 % 3-5 ELECTRONIC IMP Monocytes 2.00 % 3-5 ELECTRONIC IMP	
Blood Group Rh (Anti-D) POSITIVE Complete Blood Count (CBC) * , Whole Blood Haemoglobin 13.90 g/dl 1 Day-14.5-22.5 g/dl 1 Wk-13.5-19.5 g/dl 1 Mo-10.0-18.0 g/dl 3-6 Mo-9.5-13.5 g/dl 0.5-2 Yr-10.5-13.5 g/dl 0.5-2 Yr-10.5-13.5 g/dl 6-12 Yr-11.5-15.5 g/dl 6-12 Yr-11.5-15.5 g/dl 12-18 Yr 13.0-16.0 g/dl Male-13.5-17.5 g/dl Female-12.0-15.5 g/dl Female-12.0	
Rh (Anti-D) POSITIVE Complete Blood Count (CBC) * , Whole Blood Haemoglobin 13.90 g/dl 1 Day-14.5-22.5 g/dl 1 Wk-13.5-19.5 g/dl 1 Wk-13.5-19.5 g/dl 1 Wk-13.5-19.5 g/dl 1 Wk-13.5-19.5 g/dl 1 Wk-13.5-19.5 g/dl 2-6 Yr - 10.5-13.5 g/dl 0.5-2 Yr - 10.5-13.5 g/dl 2-6 Yr - 11.5-15.5 g/dl 2-6 Yr - 11.5-15.5 g/dl 6-12 Yr - 10.5-13.5 g/dl 2-6 Yr - 11.5-15.5 g/dl 12-18 Yr 13.0-16.0 g/dl 3-6 Hoo-9.5-13.5 g/dl TLC (WBC) 8,800.00 /Cu mm 4000-10000 ELECTRONIC IMP DLC Polymorphs (Neutrophils) 65.00 % 55-70 ELECTRONIC IMP Lymphocytes 29.00 % 25-40 ELECTRONIC IMP Monocytes 2.00 % 3-5 ELECTRONIC IMP	
Rh (Anti-D) POSITIVE Complete Blood Count (CBC) * , Whole Blood Haemoglobin 13.90 g/dl 1 Day-14.5-22.5 g/dl 1 Wk-13.5-19.5 g/dl 1 Wk-13.5-19.5 g/dl 1 Wk-13.5-19.5 g/dl 1 Wk-13.5-19.5 g/dl 1 Wk-13.5-19.5 g/dl 2-6 Yr - 10.5-13.5 g/dl 0.5-2 Yr - 10.5-13.5 g/dl 2-6 Yr - 11.5-15.5 g/dl 2-6 Yr - 11.5-15.5 g/dl 6-12 Yr - 10.5-13.5 g/dl 2-6 Yr - 11.5-15.5 g/dl 12-18 Yr 13.0-16.0 g/dl 3-6 Hoo-9.5-13.5 g/dl TLC (WBC) 8,800.00 /Cu mm 4000-10000 ELECTRONIC IMP DLC Polymorphs (Neutrophils) 65.00 % 55-70 ELECTRONIC IMP Lymphocytes 29.00 % 25-40 ELECTRONIC IMP Monocytes 2.00 % 3-5 ELECTRONIC IMP	
Haemoglobin 13.90 g/dl 1 Day-14.5-22.5 g/dl 1 Wk- 13.5-19.5 g/dl 1 Wk- 13.5-19.5 g/dl 1 Mo- 10.0-18.0 g/dl 3-6 Mo- 9.5-13.5 g/dl 3-6 Mo- 9.5-13.5 g/dl 0.5-2 Yr- 10.5-13.5 g/dl 2-6 Yr- 11.5-15.5 g/dl 2-6 Yr- 11.5-15.5 g/dl 2-6 Yr- 11.5-15.5 g/dl 12-18 Yr 13.0-16.0 g/dl g/dl Male- 13.5-17.5 g/dl TLC (WBC) 8,800.00 /Cu mm DLC TLC (WBC) 8,800.00 Polymorphs (Neutrophils) 65.00 % 55-70 ELECTRONIC IMP Lymphocytes 29.00 % 25-40 ELECTRONIC IMP Monocytes 2.00 % 3-5 ELECTRONIC IMP	
Haemoglobin 13.90 g/dl 1 Day-14.5-22.5 g/dl 1 Wk- 13.5-19.5 g/dl 1 Wk- 13.5-19.5 g/dl 1 Mo- 10.0-18.0 g/dl 3-6 Mo- 9.5-13.5 g/dl 3-6 Mo- 9.5-13.5 g/dl 0.5-2 Yr- 10.5-13.5 g/dl 2-6 Yr- 11.5-15.5 g/dl 2-6 Yr- 11.5-15.5 g/dl 2-6 Yr- 11.5-15.5 g/dl 12-18 Yr 13.0-16.0 g/dl Male- 13.5-17.5 g/dl TLC (WBC) 8,800.00 /Cu mm DLC TLC (WBC) 8,800.00 Polymorphs (Neutrophils) 65.00 % 55-70 ELECTRONIC IMP Lymphocytes 29.00 % 2.00 % 3-5	
I Wk- 13.5-19.5 g/dl 1 Mo- 10.0-18.0 g/dl 3-6 Mo- 9.5-13.5 g/dl 0.5-2 Yr- 10.5-13.5 g/dl 0.5-2 Yr- 10.5-13.5 g/dl 2-6 Yr- 11.5-15.5 g/dl 6-12 Yr- 11.5-15.5 g/dl 1 Male- 13.5-17.5 g/dl 1 Male- 13.5-17.5 g/dl Female- 12.0-15.5 g/dl Polymorphs (Neutrophils) 65.00 % 55-70 ELECTRONIC IMP Lymphocytes 29.00 % 25-40 Monocytes 2.00 % 3-5	
I Mo- 10.0-18.0 g/dl 3-6 Mo- 9.5-13.5 g/dl 0.5-2 Yr- 10.5-13.5 g/dl 2-6 Yr- 11.5-15.5 g/dl 6-12 Yr- 11.5-15.5 g/dl 12-18 Yr 13.0-16.0 g/dl Male- 13.5-17.5 g/dl Female 12.0-15.5 g/dl Female 12.0-15.5 g/dl Polymorphs (Neutrophils) 65.00 % 55-70 ELECTRONIC IMP Lymphocytes 29.00 % 25-40 Monocytes 2.00 % 3-5	
3-6 Mo- 9.5-13.5 g/dl 0.5-2 Yr- 10.5-13.5 g/dl 2-6 Yr- 11.5-15.5 g/dl 2-6 Yr- 11.5-15.5 g/dl 6-12 Yr- 11.5-15.5 g/dl 12-18 Yr 13.0-16.0 g/dl Male- 13.5-17.5 g/dl Female- 12.0-15.5 g/dl DLC Polymorphs (Neutrophils) 65.00 % 55-70 ELECTRONIC IMP Lymphocytes 29.00 % 25-40 ELECTRONIC IMP Monocytes 2.00 % 3-5 ELECTRONIC IMP	
0.5-2 Yr- 10.5-13.5 g/dl 2-6 Yr- 11.5-15.5 g/dl 6-12 Yr- 11.5-15.5 g/dl 12-18 Yr 13.0-16.0 g/dl Male- 13.5-17.5 g/dl Female- 12.0-15.5 g/dl Female- 12.0-15.5 g/dl DLC Polymorphs (Neutrophils) 65.00 % 55-70 ELECTRONIC IMP Lymphocytes 29.00 % 25-40 Monocytes 2.00 % 3-5	
2-6 Yr- 11.5-15.5 g/dl 6-12 Yr- 11.5-15.5 g/dl 12-18 Yr 13.0-16.0 g/dl Male- 13.5-17.5 g/dl Female- 12.0-15.5 g/dl Polymorphs (Neutrophils) 65.00 65.00 % 55-70 ELECTRONIC IMP Lymphocytes 29.00 % 25-40 ELECTRONIC IMP Monocytes 2.00 % 3-5 ELECTRONIC IMP	
6-12 Yr-11.5-15.5 g/dl 12-18 Yr 13.0-16.0 g/dl Male-13.5-17.5 g/dl Female-12.0-15.5 g/dl Female-12.0-15.5 g/dl DLC Polymorphs (Neutrophils) 65.00 % 55-70 ELECTRONIC IMP Lymphocytes 29.00 % 25-40 ELECTRONIC IMP Monocytes 2.00 % 3-5 ELECTRONIC IMP	
12-18 Yr 13.0-16.0 g/dl Male- 13.5-17.5 g/dl Female- 12.0-15.5 g/dl Female- 12.0-15.5 g/dl Female- 12.0-15.5 g/dl DLC 8,800.00 /Cu mm 4000-10000 ELECTRONIC IMP DLC 90lymorphs (Neutrophils) 65.00 % 55-70 ELECTRONIC IMP Lymphocytes 29.00 % 25-40 ELECTRONIC IMP Monocytes 2.00 % 3-5 ELECTRONIC IMP	
g/dl Male- 13.5-17.5 g/dl Female- 12.0-15.5 g/dl <br< td=""><td></td></br<>	
TLC (WBC)8,800.00/Cu mmMale- 13.5-17.5 g/dl Female- 12.0-15.5 g/dlDLCPolymorphs (Neutrophils)65.00%55-70ELECTRONIC IMPLymphocytes29.00%25-40ELECTRONIC IMPMonocytes2.00%3-5ELECTRONIC IMP	
TLC (WBC)8,800.00/Cu mmFemale- 12.0-15.5 g/dlDLC8,800.00/Cu mm4000-10000ELECTRONIC IMPPolymorphs (Neutrophils)65.00%55-70ELECTRONIC IMPLymphocytes29.00%25-40ELECTRONIC IMPMonocytes2.00%3-5ELECTRONIC IMP	
TLC (WBC)8,800.00/Cu mm4000-10000ELECTRONIC IMPDLCPolymorphs (Neutrophils)65.00%55-70ELECTRONIC IMPLymphocytes29.00%25-40ELECTRONIC IMPMonocytes2.00%3-5ELECTRONIC IMP	
DLCPolymorphs (Neutrophils)65.00%55-70ELECTRONIC IMPLymphocytes29.00%25-40ELECTRONIC IMPMonocytes2.00%3-5ELECTRONIC IMP	PEDANCE
Polymorphs (Neutrophils)65.00%55-70ELECTRONIC IMPLymphocytes29.00%25-40ELECTRONIC IMPMonocytes2.00%3-5ELECTRONIC IMP	
Lymphocytes29.00%25-40ELECTRONIC IMPMonocytes2.00%3-5ELECTRONIC IMP	PEDANCE
Monocytes 2.00 % 3-5 ELECTRONIC IMP	
•	
Basophils 0.00 % < 1 ELECTRONIC IMP	
ESR	
Observed 20.00 Mm for 1st hr.	
Corrected NR Mm for 1st hr. < 20	
PCV (HCT) 44.00 % 40-54	
Platelet count	
Platelet Count 1.62 LACS/cu mm 1.5-4.0 ELECTRONIC IMPEDANCE/MIC	CROSCOPIC
PDW (Platelet Distribution width) 16.40 fL 9-17 ELECTRONIC IMP	
P-LCR (Platelet Large Cell Ratio) 54.60 % 35-60 ELECTRONIC IMP	
PCT (Platelet Hematocrit) 0.23 % 0.108-0.282 ELECTRONIC IMP	
MPV (Mean Platelet Volume) 14.00 fL 6.5-12.0 ELECTRONIC IMP RBC Count	
RBC Count4.97Mill./cu mm 3.7-5.0ELECTRONIC IMP	PEDANCE





Add: Opp. Vishal Megamart,Nainital Road,Haldwani Ph: ,9235400975 CIN : U85110DL2003PLC308206



Patient Name	: Mrs.PUSHPA TAMTA PKG10000239	Registered On	: 04/Jan/2023 10:33:43	
Age/Gender	: 36 Y 6 M 0 D /F	Collected	: 04/Jan/2023 10:55:44	
UHID/MR NO	: CHLD.000086057	Received	: 04/Jan/2023 11:09:10	
Visit ID	: CHLD0126882223	Reported	: 04/Jan/2023 13:14:55	
Ref Doctor	: Dr.MEDIWHEEL ARCOFEMI HEALTH CARE LTD HLD	Status	: Final Report	

DEPARTMENT OF HAEM ATOLOGY

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
Blood Indices (MCV, MCH, MCHC)				
MCV	86.50	fl	80-100	CALCULATED PARAMETER
МСН	28.00	pg	28-35	CALCULATED PARAMETER
МСНС	32.30	%	30-38	CALCULATED PARAMETER
RDW-CV	12.00	%	11-16	ELECTRONIC IMPEDANCE
RDW-SD	34.70	fL	35-60	ELECTRONIC IMPEDANCE
Absolute Neutrophils Count	5,720.00	/cu mm	3000-7000	
Absolute Eosinophils Count (AEC)	352.00	/cu mm	40-440	



Dr Vinod Ojha MD Pathologist







Add: Opp. Vishal Megamart,Nainital Road,Haldwani Ph: ,9235400975 CIN : U85110DL2003PLC308206



Patient Name	: Mrs.PUSHPA TAMTA PKG10000239	Registered On	: 04/Jan/2023 10:33:44
Age/Gender	: 36 Y 6 M 0 D /F	Collected	: 04/Jan/2023 10:55:44
UHID/MR NO	: CHLD.0000086057	Received	: 04/Jan/2023 11:09:11
Visit ID	: CHLD0126882223	Reported	: 04/Jan/2023 12:03:29
Ref Doctor	: Dr.MEDIWHEEL ARCOFEMI HEALTH CARE LTD HLD	Status	: Final Report

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name	Result	Unit	Bio. Ref. Interva	al Method
GLUCOSE FASTING, Plasma				
Glucose Fasting	91.60	100-	0 Normal 125 Pre-diabetes 6 Diabetes	GOD POD
Interpretation:		2		

a) Kindly correlate clinically with intake of hypoglycemic agents, drug dosage variations and other drug interactions.
b) A negative test result only shows that the person does not have diabetes at the time of testing. It does not mean that the person will never get diabetics in future, which is why an Annual Health Check up is essential.
c) I.G.T = Impared Glucose Tolerance.

Glucose PP		104.50	mg/dl	<140 Normal	GOD POD
Sample:Plasma After Meal				140-199 Pre-diabete	es
				>200 Diabetes	

Interpretation:

a) Kindly correlate clinically with intake of hypoglycemic agents, drug dosage variations and other drug interactions.b) A negative test result only shows that the person does not have diabetes at the time of testing. It does not mean that the person will never get diabetics in future, which is why an Annual Health Check up is essential.c) I.G.T = Impared Glucose Tolerance.

GLYCOSYLATED HAEM OGLOBIN (HBA1C) * , EDTA BLOOD						
Glycosylated Haemoglobin (HbA1c)		4.90	% NGSP	HPLC (NGSP)		
Glycosylated Haemoglobin (HbA1c)		30.00	mmol/mol/IFCC			
Estimated Average Glucose (eAG)		94	mg/dl			

Interpretation:

NOTE:-

- eAG is directly related to A1c.
- An A1c of 7% -the goal for most people with diabetes-is the equivalent of an eAG of 154 mg/dl.
- eAG may help facilitate a better understanding of actual daily control helping you and your health care provider to make necessary changes to your diet and physical activity to improve overall diabetes mnagement.





Add: Opp. Vishal Megamart,Nainital Road,Haldwani Ph: ,9235400975 CIN : U85110DL2003PLC308206



Patient Name	: Mrs.PUSHPA TAMTA PKG10000239	Registered On	: 04/Jan/2023 10:33:44
Age/Gender	: 36 Y 6 M 0 D /F	Collected	: 04/Jan/2023 10:55:44
UHID/MR NO	: CHLD.000086057	Received	: 04/Jan/2023 11:09:11
Visit ID	: CHLD0126882223	Reported	: 04/Jan/2023 12:03:29
Ref Doctor	: Dr.MEDIWHEEL ARCOFEMI HEALTH CARE LTD HLD	Status	: Final Report

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method	

The following ranges may be used for interpretation of results. However, factors such as duration of diabetes, adherence to therapy and the age of the patient should also be considered in assessing the degree of blood glucose control.

Haemoglobin A1C (%)NGSP	mmol/mol / IFCC Unit	eAG (mg/dl)	Degree of Glucose Control Unit
> 8	>63.9	>183	Action Suggested*
7-8	53.0 -63.9	154-183	Fair Control
< 7	<63.9	<154	Goal**
6-7	42.1 -63.9	126-154	Near-normal glycemia
< 6%	<42.1	<126	Non-diabetic level

*High risk of developing long term complications such as Retinopathy, Nephropathy, Neuropathy, Cardiopathy, etc. **Some danger of hypoglycemic reaction in Type 1 diabetics. Some glucose intolerant individuals and "subclinical" diabetics may demonstrate HbA1C levels in this area.

N.B.: Test carried out on Automated G8 90 SL TOSOH HPLC Analyser.

Clinical Implications:

*Values are frequently increased in persons with poorly controlled or newly diagnosed diabetes.

*With optimal control, the HbA 1c moves toward normal levels.

*A diabetic patient who recently comes under good control may still show higher concentrations of glycosylated hemoglobin. This level declines gradually over several months as nearly normal glycosylated *Increases in glycosylated hemoglobin occur in the following non-diabetic conditions: a. Iron-deficiency anemia b. Splenectomy

c. Alcohol toxicity d. Lead toxicity

*Decreases in A 1c occur in the following non-diabetic conditions: a. Hemolytic anemia b. chronic blood loss

*Pregnancy d. chronic renal failure. Interfering Factors:

*Presence of Hb F and H causes falsely elevated values. 2. Presence of Hb S, C, E, D, G, and Lepore (autosomal recessive mutation resulting in a hemoglobinopathy) causes falsely decreased values.

BUN (Blood Urea Nitrogen) Sample:Serum	11.86	mg/dL	7.0-23.0	CALCULATED
Creatinine Sample:Serum	0.85	mg/dl	Serum 0.7-1.3 Spot Urine-Male- 20- 275 Female-20-320	MODIFIED JAFFES
Uric Acid Sample:Serum	3.63	mg/dl	2.5-6.0	URICASE



Page 4 of 11



Add: Opp. Vishal Megamart,Nainital Road,Haldwani Ph: ,9235400975 CIN : U85110DL2003PLC308206



Patient Name	: Mrs.PUSHPA TAMTA PKG10000239	Registered On	: 04/Jan/2023 10:33:44
Age/Gender	: 36 Y 6 M 0 D /F	Collected	: 04/Jan/2023 10:55:44
UHID/MR NO	: CHLD.0000086057	Received	: 04/Jan/2023 11:09:11
Visit ID	: CHLD0126882223	Reported	: 04/Jan/2023 12:03:29
Ref Doctor	: Dr.MEDIWHEEL ARCOFEMI HEALTH CARE LTD HLD	Status	: Final Report

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name	Result	L	Init Bio. Ref. Interv	al Method
LFT (WITH GAMMA GT) * , Serum				
SGOT / Aspartate Aminotransferase (AST)	22.06	U/L	< 35	IFCC WITHOUT P5P
SGPT / Alanine Aminotransferase (ALT)	15.40	U/L	< 40	IFCC WITHOUT P5P
Gamma GT (GGT)	14.52	IU/L	11-50	OPTIMIZED SZAZING
Protein	7.75	gm/dl	6.2-8.0	BIRUET
Albumin	4.92	gm/dl	3.8-5.4	B.C.G.
Globulin	2.83	gm/dl	1.8-3.6	CALCULATED
A:G Ratio	1.74		1.1-2.0	CALCULATED
Alkaline Phosphatase (Total)	73.00	U/L	42.0-165.0	IFCC METHOD
Bilirubin (Total)	0.61	mg/dl	0.3-1.2	JENDRASSIK & GROF
Bilirubin (Direct)	0.23	mg/dl	< 0.30	JENDRASSIK & GROF
Bilirubin (Indirect)	0.38	mg/dl	< 0.8	JENDRASSIK & GROF
LIPID PROFILE (MINI), Serum				
Cholesterol (Total)	211.95	mg/dl	<200 Desirable 200-239 Borderline Hig > 240 High	CHOD-PAP h
HDL Cholesterol (Good Cholesterol)	53.50	mg/dl	30-70	DIRECT ENZYMATIC
LDL Cholesterol (Bad Cholesterol)	134	mg/dl	< 100 Optimal	CALCULATED
			100-129 Nr. Optimal/Above Optima 130-159 Borderline Hig 160-189 High	I
N/I DI	24.29	100 g / d	> 190 Very High	
VLDL	24.28	mg/dl	10-33	CALCULATED
Triglycerides	121.38	mg/dl	< 150 Normal 150-199 Borderline Hig 200-499 High >500 Very High	GPO-PAP h



Dr Vinod Ojha MD Pathologist



Add: Opp. Vishal Megamart,Nainital Road,Haldwani Ph: ,9235400975 CIN : U85110DL2003PLC308206



Patient Name	: Mrs.PUSHPA TAMTA PKG10000239	Registered On	: 04/Jan/2023 10:33:44
Age/Gender	: 36 Y 6 M 0 D /F	Collected	: 04/Jan/2023 15:39:40
UHID/MR NO	: CHLD.0000086057	Received	: 04/Jan/2023 15:46:41
Visit ID	: CHLD0126882223	Reported	: 04/Jan/2023 15:58:41
Ref Doctor	: Dr.MEDIWHEEL ARCOFEMI HEALTH CARE LTD HLD	Status	: Final Report

DEPARTMENT OF CLINICAL PATHOLOGY

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
URINE EXAMINATION, ROUTINE*	, Urine			
Color	PALE YELLOW			
Specific Gravity	1.015			
Reaction PH	Acidic (6.0)			DIPSTICK
Protein	ABSENT	mg %	< 10 Absent	DIPSTICK
			10-40 (+)	
			40-200 (++)	
			200-500 (+++) > 500 (++++)	
Sugar	ABSENT	gms%	< 0.5 (+)	DIPSTICK
Sugai	Abjent	g111370	0.5-1.0 (++)	DIFSTICK
			1-2 (+++)	
			> 2 (++++)	
Ketone	ABSENT	mg/dl	0.2-2.81	BIOCHEMISTRY
Bile Salts	ABSENT			
Bile Pigments	ABSENT			
Urobilinogen(1:20 dilution)	ABSENT		1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1	
Microscopic Examination:				
Epithelial cells	2-3/h.p.f			MICROSCOPIC
				EXAMINATION
Puscells	1-2/h.p.f			
RBCs	ABSENT			MICROSCOPIC
				EXAMINATION
Cast	ABSENT			
Crystals	3-5 CALCIUM			MICROSCOPIC EXAMINATION
Others	OXALATE/h.p.f ABSENT			EXAMINATION
Others	ADJEINT			
SUGAR, FASTING STAGE*, Urine				
Sugar, Fasting stage	ABSENT	gms%		
Interpretation:				
(+) < 0.5		,		
(++) 0.5-1.0				
(+++) 1-2				
(++++) > 2				





Add: Opp. Vishal Megamart,Nainital Road,Haldwani Ph: ,9235400975 CIN : U85110DL2003PLC308206



Patient Name	: Mrs.PUSHPA TAMTA PKG10000239	Registered On	: 04/Jan/2023 10:33:44
Age/Gender	: 36 Y 6 M 0 D /F	Collected	: 04/Jan/2023 15:39:40
UHID/MR NO	: CHLD.0000086057	Received	: 04/Jan/2023 15:46:41
Visit ID	: CHLD0126882223	Reported	: 04/Jan/2023 15:58:41
Ref Doctor	: Dr.MEDIWHEEL ARCOFEMI HEALTH CARE LTD HLD	Status	: Final Report

DEPARTMENT OF CLINICAL PATHOLOGY

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Na	me	Result	Unit	Bio. Ref. Interval	Method	
C ICAD						
SUGAR,	PP STAGE*, Urine					
Sugar,	PP Stage	ABSENT				
Interp	retation:					
(+)	< 0.5 gms%					
(++)	0.5-1.0 gms%					

(+) < 0.5 gms% (++) 0.5-1.0 gms% (+++) 1-2 gms% (++++) > 2 gms%





Dr Vinod Ojha MD Pathologist

Page 7 of 11





Add: Opp. Vishal Megamart,Nainital Road,Haldwani Ph: ,9235400975 CIN : U85110DL2003PLC308206



Patient Name	: Mrs.PUSHPA TAMTA PKG10000239	Registered On	: 04/Jan/2023 10:33:44
Age/Gender	: 36 Y 6 M 0 D /F	Collected	: 04/Jan/2023 10:55:44
UHID/MR NO	: CHLD.0000086057	Received	: 04/Jan/2023 11:09:10
Visit ID	: CHLD0126882223	Reported	: 04/Jan/2023 12:15:53
Ref Doctor	: Dr.MEDIWHEEL ARCOFEMI HEALTH CARE LTD HLD	Status	: Final Report

DEPARTMENT OF IMMUNOLOGY

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
THYROID PROFILE - TOTAL*, Serum				
T3, Total (tri-iodothyronine)	165.80	ng/dl	84.61-201.7	CLIA
T4, Total (Thyroxine)	10.20	ug/dl	3.2-12.6	CLIA
TSH (Thyroid Stimulating Hormone)	4.70	µlU/mL	0.27 - 5.5	CLIA
Interpretation:		5		
		0.3-4.5 μIU/ 0.5-4.6 μIU/		er

0.3 - 4.5	µIU/mL	First Trimester
0.5-4.6	µIU/mL	Second Trimester
0.8-5.2	µIU/mL	Third Trimester
0.5-8.9	µIU/mL	Adults 55-87 Years
0.7-27	µIU/mL	Premature 28-36 Week
2.3-13.2	µIU/mL	Cord Blood > 37Week
0.7-64	µIU/mL	Child(21 wk - 20 Yrs.)
1-39	µIU/mL	Child 0-4 Days
1.7-9.1	µIU/mL	Child 2-20 Week

1) Patients having low T3 and T4 levels but high TSH levels suffer from primary hypothyroidism, cretinism, juvenile myxedema or autoimmune disorders.

2) Patients having high T3 and T4 levels but low TSH levels suffer from Grave's disease, toxic adenoma or sub-acute thyroiditis.

3) Patients having either low or normal T3 and T4 levels but low TSH values suffer from iodine deficiency or secondary hypothyroidism.

4) Patients having high T3 and T4 levels but normal TSH levels may suffer from toxic multinodular goiter. This condition is mostly a symptomatic and may cause transient hyperthyroidism but no persistent symptoms.

5) Patients with high or normal T3 and T4 levels and low or normal TSH levels suffer either from T3 toxicosis or T4 toxicosis respectively.

6) In patients with non thyroidal illness abnormal test results are not necessarily indicative of thyroidism but may be due to adaptation to the catabolic state and may revert to normal when the patient recovers.

7) There are many drugs for eg. Glucocorticoids, Dopamine, Lithium, Iodides, Oral radiographic dyes, etc. which may affect the thyroid function tests.

8) Generally when total T3 and total T4 results are indecisive then Free T3 and Free T4 tests are recommended for further confirmation along with TSH levels.



Dr Vinod Ojha MD Pathologist

Page 8 of 11

Home Sample Collection 1800-419-0002



.....



Add: Opp. Vishal Megamart,Nainital Road,Haldwani Ph: ,9235400975 CIN : U85110DL2003PLC308206



Patient Name	: Mrs.PUSHPA TAMTA PKG10000239	Registered On	: 04/Jan/2023 10:33:45
Age/Gender	: 36 Y 6 M 0 D /F	Collected	: N/A
UHID/MR NO	: CHLD.0000086057	Received	: N/A
Visit ID	: CHLD0126882223	Reported	: 04/Jan/2023 12:51:36
Ref Doctor	: Dr.MEDIWHEEL ARCOFEMI HEALTH CARE LTD HLD	Status	: Final Report

DEPARTMENT OF X-RAY

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

X-RAY DIGITAL CHEST PA *

(500 mA COMPUTERISED UNIT SPOT FILM DEVICE)

DIGITAL CHEST P-A VIEW:-

- Bilateral lung fields appear grossly unremarkable.
- Diaphragmatic shadows are normal on both sides.
- Costo-phrenic angles are bilaterally clear.
- Trachea is central in position.
- Cardiac size & contours are normal.
- Bilateral hilar shadows are normal.
- Pulmonary vascularity & distribution are normal.
- Soft tissue shadow appears normal.
- Bony cage is normal.

IMPRESSION:-

No significant abnormality is seen.

Adv:-Clinico-pathological correlation.



Dr Sushil Pandey(MD Radiodignosis)

Page 9 of 11





Add: Opp. Vishal Megamart,Nainital Road,Haldwani Ph: ,9235400975 CIN : U85110DL2003PLC308206



Patient Name	: Mrs.PUSHPA TAMTA PKG10000239	Registered On	: 04/Jan/2023 10:33:45
Age/Gender	: 36 Y 6 M 0 D /F	Collected	: N/A
UHID/MR NO	: CHLD.0000086057	Received	: N/A
Visit ID	: CHLD0126882223	Reported	: 04/Jan/2023 11:54:55
Ref Doctor	: Dr.MEDIWHEEL ARCOFEMI HEALTH CARE LTD HLD	Status	: Final Report

DEPARTMENT OF ULTRASOUND

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

ULTRASOUND WHOLE ABDOM EN (UPPER & LOWER) *

ULTRASOUND WHOLE ABDOMEN

LIVER: Is normal in size and echotexture. No SOL seen. No dilatation of IHBR seen. Hepatic vessels are normal. Portal vein is patent.

GALL BLADDER: Lumen anechoic, wall is normal in thickness (~3 mm). No pericholecystic fluid seen.

<u>CBD</u>: Normal in caliber and smoothly tapering towards its lower end.

PANCREAS: Normal in size and echotexture.

SPLEEN: Normal in size and echotexture.

KIDNEYS:-

Right kidney is normal in size, shape and echotexture with maintained CM differentiation. No dilatation of PC system is seen. No calculus seen.

Left kidney is normal in size, shape and echotexture with maintained CM differentiation. No dilatation of PC system is seen. No calculus seen.

URINARY BLADDER: Normal capacity bladder with anechoic lumen and smooth regular walls of normal thickness.

UTERUS & CERVIX:

- Uterus is retroverted & normal in size, shape and echotexture.
- Endometrial and myometrial echoes are normal. (ET ~13 mm). No focal lesion seen.
- Cervix appears normal.









Add: Opp. Vishal Megamart,Nainital Road,Haldwani Ph: ,9235400975 CIN : U85110DL2003PLC308206



Patient Name	: Mrs.PUSHPA TAMTA PKG10000239	Registered On	: 04/Jan/2023 10:33:45
Age/Gender	: 36 Y 6 M 0 D /F	Collected	: N/A
UHID/MR NO	: CHLD.0000086057	Received	: N/A
Visit ID	: CHLD0126882223	Reported	: 04/Jan/2023 11:54:55
Ref Doctor	: Dr.MEDIWHEEL ARCOFEMI HEALTH CARE LTD HLD	Status	: Final Report

DEPARTMENT OF ULTRASOUND

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

OVARIES & ADNEXA:

- Both ovaries are normal in size, shape and echo pattern.
- No adnexal mass/ cyst seen.
- No free fluid is seen in POD.

No evidence of any free fluid/retroperitoneal lymphadenopathy.

IMPRESSION:- Essentially a normal scan.

(Adv:- Clinico-pathological correlation and further evaluation).

*** End Of Report ***

Result/s to Follow: STOOL, ROUTINE EXAMINATION, ECG / EKG



Dr Sushil Pandey(MD Radiodignosis)

This report is not for medico legal purpose. If clinical correlation is not established, kindly repeat the test at no additional cost within seven days.

Facilities: Pathology, Bedside Sample Collection, Health Check-ups, Digital X-Ray, ECG (Bedside also), Allergy Testing, Test And Health Check-ups, Ultrasonography, Sonomammography, Bone Mineral Density (BMD), Doppler Studies, 2D Echo, CT Scan, MRI, Blood Bank, TMT, EEG, PFT, OPG, Endoscopy, Digital Mammography, Electromyography (EMG), Nerve Condition Velocity (NCV), Audiometry, Brainstem Evoked Response Audiometry (BERA), Colonoscopy, Ambulance Services, Online Booking Facilities for Diagnostics, Online Report Viewing * 365 Days Open *Facilities Available at Select Location

Page 11 of 11



