Add: B 1/2, Sector J, Near Sangam Chauraha, Lda Stadium Road, Aliganj

Ph: 9235432681,

CIN: U85110DL2003PLC308206

Patient Name : Mrs.RATNA Registered On : 21/Jul/2021 11:22:08 Age/Gender : 27 Y O M O D /F Collected : 21/Jul/2021 11:28:10 UHID/MR NO Received : CALI.0000028522 : 21/Jul/2021 14:43:53 Visit ID : CALI0041742122 Reported : 21/Jul/2021 17:32:05 : Dr.Mediwheel - Arcofemi Health Care Ltd. Status Ref Doctor : Final Report

DEPARTMENT OF HAEMATOLOGY

Test Name	Result	Unit	Bio. Ref. Interval	Method
Blood Group (ABO & Rh typing) ** , Bl	lood			
Blood Group Rh (Anti-D)	A POSITIVE			
COMPLETE BLOOD COUNT (CBC) ** , E	Blood			
Haemoglobin	12.00	g/dl	13.5-17.5	PHOTOMETRIC
TLC (WBC)	8,000.00	/Cu mm	4000-10000	ELECTRONIC IMPEDANCE
<u>DLC</u>				
Polymorphs (Neutrophils)	58.00	%	55-70	ELECTRONIC IMPEDANCE
Lymphocytes	30.00	%	25-40	ELECTRONIC IMPEDANCE
Monocytes	5.00	%	3-5	ELECTRONIC IMPEDANCE
Eosinophils	7.00	%	1-6	ELECTRONIC IMPEDANCE
Basophils	0.00	%	< 1	ELECTRONIC IMPEDANCE
ESR				
Observed	18.00	Mm for 1st hr		
Corrected	10.00	Mm for 1st hr	·. < 20	
PCV (HCT) Platelet count	38.00	cc %	40-54	
Platelet Count	2.0	LACS/cu mm	1.5-4.0	ELECTRONIC IMPEDANCE
PDW (Platelet Distribution width)	25.10	fL	9-17	ELECTRONIC IMPEDANCE
P-LCR (Platelet Large Cell Ratio)	59.00	%	35-60	ELECTRONIC IMPEDANCE
PCT (Platelet Hematocrit)	0.20	%	0.108-0.282	ELECTRONIC IMPEDANCE
MPV (Mean Platelet Volume)	12.90	fL	6.5-12.0	ELECTRONIC IMPEDANCE
RBC Count				IIVII ED/IIIVE
RBC Count	4.52	Mill./cu mm	3.7-5.0	ELECTRONIC IMPEDANCE

 $Add: B\ 1/2, Sector\ J,\ Near\ Sangam\ Chauraha,\ Lda\ Stadium\ Road, Aliganj$


Ph: 9235432681,

CIN: U85110DL2003PLC308206

Patient Name : Mrs.RATNA Registered On : 21/Jul/2021 11:22:08 Age/Gender : 27 Y O M O D /F Collected : 21/Jul/2021 11:28:10 UHID/MR NO : CALI.0000028522 Received : 21/Jul/2021 14:43:53 Visit ID : CALI0041742122 Reported : 21/Jul/2021 17:32:05 Ref Doctor : Dr.Mediwheel - Arcofemi Health Care Ltd. Status : Final Report

DEPARTMENT OF HAEMATOLOGY

Test Name	Result	Unit	Bio. Ref. Interval	Method
Blood Indices (MCV, MCH, MCHC)				
MCV	84.40	fl	80-100	CALCULATED PARAMETER
MCH	26.50	pg	28-35	CALCULATED PARAMETER
MCHC	31.30	%	30-38	CALCULATED PARAMETER
RDW-CV	12.70	%	11-16	ELECTRONIC IMPEDANCE
RDW-SD	44.50	fL	35-60	ELECTRONIC IMPEDANCE
Absolute Neutrophils Count Absolute Eosinophils Count (AEC)	4,640.00 560.00	/cu mm /cu mm	3000-7000 40-440	



Add: B 1/2, Sector J, Near Sangam Chauraha, Lda Stadium Road, Aliganj

Ph: 9235432681,

CIN: U85110DL2003PLC308206

Patient Name : Mrs.RATNA : 21/Jul/2021 11:22:10 Registered On Age/Gender : 27 Y O M O D /F Collected : 21/Jul/2021 11:28:10 UHID/MR NO : CALI.0000028522 Received : 21/Jul/2021 14:49:53 Visit ID : CALI0041742122 Reported : 21/Jul/2021 15:36:22 Ref Doctor : Dr.Mediwheel - Arcofemi Health Care Ltd. Status : Final Report

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name	Result	Unit	Bio. Ref. Interv	al	Method
Glucose Fasting ** Sample:Plasma	97.20	10	100 Normal 10-125 Pre-diabetes 126 Diabetes	GOD POI	D

Interpretation:

- a) Kindly correlate clinically with intake of hypoglycemic agents, drug dosage variations and other drug interactions.
- b) A negative test result only shows that the person does not have diabetes at the time of testing. It does not mean that the person will never get diabetics in future, which is why an Annual Health Check up is essential.
- c) I.G.T = Impared Glucose Tolerance.

Glucose PP **	124.30	mg/dl	<140 Normal	GOD POD
Sample:Plasma After Meal			140-199 Pre-diabetes	
			>200 Diabetes	

Interpretation:

- a) Kindly correlate clinically with intake of hypoglycemic agents, drug dosage variations and other drug interactions.
- b) A negative test result only shows that the person does not have diabetes at the time of testing. It does not mean that the person will never get diabetics in future, which is why an Annual Health Check up is essential.
- c) I.G.T = Impared Glucose Tolerance.

GLYCOSYLATED HAEMOGLOBIN (HBA1C) **, EDTA BLOOD

Glycosylated Haemoglobin (HbA1c)	5.20	% NGSP	HPLC (NGSP)
Glycosylated Haemoglobin (Hb-A1c)	33.00	mmol/mol/IFCC	
Estimated Average Glucose (eAG)	102	mg/dl	

Interpretation:

NOTE:-

- eAG is directly related to A1c.
- An A1c of 7% -the goal for most people with diabetes-is the equivalent of an eAG of 154 mg/dl.
- eAG may help facilitate a better understanding of actual daily control helping you and your health care provider to make necessary changes to your diet and physical activity to improve overall diabetes mnagement.

The following ranges may be used for interpretation of results. However, factors such as duration of diabetes, adherence to therapy and the age of the patient should also be considered in assessing the degree of blood glucose control.

Add: B 1/2, Sector J, Near Sangam Chauraha, Lda Stadium Road, Aliganj

Ph: 9235432681,

CIN: U85110DL2003PLC308206

Patient Name : Mrs.RATNA Registered On : 21/Jul/2021 11:22:10 Age/Gender : 27 Y O M O D /F Collected : 21/Jul/2021 11:28:10 UHID/MR NO : CALI.0000028522 Received : 21/Jul/2021 14:49:53 Visit ID : CALI0041742122 Reported : 21/Jul/2021 15:36:22 : Dr.Mediwheel - Arcofemi Health Care Ltd. Status Ref Doctor : Final Report

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method	
-----------	--------	------	--------------------	--------	--

Haemoglobin A1C (%)NGSP	mmol/mol / IFCC Unit	eAG (mg/dl)	Degree of Glucose Control Unit
> 8	>63.9	>183	Action Suggested*
7-8	53.0 -63.9	154-183	Fair Control
< 7	<63.9	<154	Goal**
6-7	42.1 -63.9	126-154	Near-normal glycemia
< 6%	<42.1	<126	Non-diabetic level

^{*}High risk of developing long term complications such as Retinopathy, Nephropathy, Neuropathy, Cardiopathy, etc.

N.B.: Test carried out on Automated G8 90 SL TOSOH HPLC Analyser.

Clinical Implications:

BUN (Blood Urea Nitrogen) **

9.00

mg/dL

7.0-23.0

CALCULATED

^{**}Some danger of hypoglycemic reaction in Type 1diabetics. Some glucose intolerant individuals and "subclinical" diabetics may demonstrate HbA1C levels in this area.

^{*}Values are frequently increased in persons with poorly controlled or newly diagnosed diabetes.

^{*}With optimal control, the HbA 1c moves toward normal levels.

^{*}A diabetic patient who recently comes under good control may still show higher concentrations of glycosylated hemoglobin. This level declines gradually over several months as nearly normal glycosylated *Increases in glycosylated hemoglobin occur in the following non-diabetic conditions: a. Iron-deficiency anemia b. Splenectomy

c. Alcohol toxicity d. Lead toxicity

^{*}Decreases in A 1c occur in the following non-diabetic conditions: a. Hemolytic anemia b. chronic blood loss

^{*}Pregnancy d. chronic renal failure. Interfering Factors:

^{*}Presence of Hb F and H causes falsely elevated values. 2. Presence of Hb S, C, E, D, G, and Lepore (autosomal recessive mutation resulting in a hemoglobinopathy) causes falsely decreased values.

Add: B 1/2, Sector J, Near Sangam Chauraha, Lda Stadium Road, Aliganj

Ph: 9235432681,

CIN: U85110DL2003PLC308206

Patient Name : Mrs.RATNA Registered On : 21/Jul/2021 11:22:10 Age/Gender : 27 Y O M O D /F Collected : 21/Jul/2021 11:28:10 UHID/MR NO : CALI.0000028522 Received : 21/Jul/2021 14:49:53 Visit ID : CALI0041742122 Reported : 21/Jul/2021 15:36:22 Ref Doctor : Dr.Mediwheel - Arcofemi Health Care Ltd. Status : Final Report

DEPARTMENT OF BIOCHEMISTRY

Test Name	Result	Un	it Bio. Ref. Inter	val Method
Sample:Serum				
Creatinine ** Sample:Serum	0.78	mg/dl	0.5-1.2	MODIFIED JAFFES
e-GFR (Estimated Glomerular Filtration Rate) ** Sample:Serum	88.60	ml/min/1.73m	2 - 90-120 Normal - 60-89 Near Normal	CALCULATED
Uric Acid ** Sample:Serum	4.38	mg/dl	2.5-6.0	URICASE
L.F.T.(WITH GAMMA GT) ** , Serum				
SGOT / Aspartate Aminotransferase (AST)	32.00	U/L	< 35	IFCC WITHOUT P5P
SGPT / Alanine Aminotransferase (ALT)	49.70	U/L	< 40	IFCC WITHOUT P5P
Gamma GT (GGT)	50.50	IU/L	11-50	OPTIMIZED SZAZING
Protein	7.35	gm/dl	6.2-8.0	BIRUET
Albumin	4.26	gm/dl	3.8-5.4	B.C.G.
Globulin	3.09	gm/dl	1.8-3.6	CALCULATED
A:G Ratio	1.38		1.1-2.0	CALCULATED
Alkaline Phosphatase (Total)	188.00	U/L	42.0-165.0	IFCC METHOD
Bilirubin (Total)	0.39	mg/dl	0.3-1.2	Jendrassik & Grof
Bilirubin (Direct)	0.18	mg/dl	< 0.30	Jendrassik & Grof
Bilirubin (Indirect)	0.21	mg/dl	< 0.8	JENDRASSIK & GROF
Result Rechecked				
LIPID PROFILE (MINI) **, Serum				
Cholesterol (Total)	192.00	mg/dl	<200 Desirable 200-239 Borderline Hiç > 240 High	CHOD-PAP gh
HDL Cholesterol (Good Cholesterol)	30.80	mg/dl	30-70	DIRECT ENZYMATIC
LDL Cholesterol (Bad Cholesterol)	146	mg/dl	< 100 Optimal 100-129 Nr. Optimal/Above Optima 130-159 Borderline Hig 160-189 High > 190 Very High	
VLDL	15.04	mg/dl	10-33	CALCULATED
Triglycerides	75.20	mg/dl	< 150 Normal 150-199 Borderline Hig 200-499 High >500 Very High	GPO-PAP

Add: B 1/2, Sector J, Near Sangam Chauraha, Lda Stadium Road, Aliganj

Ph: 9235432681,

CIN: U85110DL2003PLC308206

Patient Name : Mrs.RATNA Registered On : 21/Jul/2021 11:22:09 Age/Gender : 27 Y O M O D /F Collected : 21/Jul/2021 16:04:56 UHID/MR NO Received : CALI.0000028522 : 21/Jul/2021 17:55:10 Visit ID : CALI0041742122 Reported : 21/Jul/2021 19:33:32 : Dr.Mediwheel - Arcofemi Health Care Ltd. Status Ref Doctor : Final Report

DEPARTMENT OF CLINICAL PATHOLOGY

Test Name	Result	Unit	Bio. Ref. Interval	Method
URINE EXAMINATION, ROUTINE *	* , Urine			
Color	LIGHT YELLOW			
Specific Gravity	1.010			
Reaction PH	Acidic (6.0)			DIPSTICK
Protein	ABSENT	mg %	< 10 Absent 10-40 (+) 40-200 (++) 200-500 (+++) > 500 (++++)	DIPSTICK
Sugar	ABSENT	gms%	< 0.5 (+) 0.5-1.0 (++) 1-2 (+++) > 2 (++++)	DIPSTICK
Ketone	ABSENT		, ,	DIPSTICK
Bile Salts	ABSENT			
Bile Pigments	ABSENT			
Urobilinogen(1:20 dilution) Microscopic Examination:	ABSENT			
Epithelial cells	1-2/h.p.f			MICROSCOPIC EXAMINATION
Pus cells	0-1/h.p.f			MICROSCOPIC EXAMINATION
RBCs	ABSENT			MICROSCOPIC EXAMINATION
Cast	ABSENT			
Crystals	ABSENT			MICROSCOPIC EXAMINATION
Others	ABSENT			
STOOL, ROUTINE EXAMINATION *	* , Stool			
Color	YELLOWISH			
Consistency	SEMI SOLID			
Reaction (PH)	Acidic (6.0)			
Mucus	ABSENT			
Blood	ABSENT			
Worm	ABSENT			
Pus cells	OCCASIONAL			

Add: B 1/2, Sector J, Near Sangam Chauraha, L
da Stadium Road, Aliganj

Ph: 9235432681,

CIN: U85110DL2003PLC308206

Patient Name : Mrs.RATNA Registered On : 21/Jul/2021 11:22:09 Age/Gender : 27 Y O M O D /F Collected : 21/Jul/2021 16:04:56 UHID/MR NO : CALI.0000028522 Received : 21/Jul/2021 17:55:10 Visit ID : CALI0041742122 Reported : 21/Jul/2021 19:33:32 Ref Doctor : Dr.Mediwheel - Arcofemi Health Care Ltd. Status : Final Report

DEPARTMENT OF CLINICAL PATHOLOGY

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
RBCs	ABSENT			
Ova	ABSENT			
Cysts	ABSENT			
Others	ABSENT			
SUGAR, FASTING STAGE ** , Urine				
Sugar, Fasting stage	ABSENT	gms%		

Interpretation:

(+) < 0.5

(++) 0.5-1.0

(+++) 1-2

(++++) > 2

SUGAR, PP STAGE ** , Urine

Sugar, PP Stage ABSENT

Interpretation:

(+) < 0.5 gms%

(++) 0.5-1.0 gms%

(+++) 1-2 gms%

(++++) > 2 gms%

Dr. Anupam Singh M.B.B.S,M.D.(Pathology)

Add: B $1/2,\,Sector\,J,\,Near\,Sangam\,Chauraha,\,Lda\,Stadium\,Road,Aliganj$

Ph: 9235432681,


CIN: U85110DL2003PLC308206

Patient Name Registered On : 21/Jul/2021 11:22:09 : Mrs.RATNA Age/Gender : 27 Y O M O D /F Collected : 21/Jul/2021 11:28:10 UHID/MR NO : CALI.0000028522 Received : 21/Jul/2021 14:29:41 Visit ID : CALI0041742122 Reported : 21/Jul/2021 15:02:20 Ref Doctor : Dr.Mediwheel - Arcofemi Health Care Ltd. Status : Final Report

DEPARTMENT OF IMMUNOLOGY

Test Name	Result	Unit	Bio. Ref. Interval	Method
THYROID PROFILE - TOTAL **, Serum				
T3, Total (tri-iodothyronine)	119.52	ng/dl	84.61-201.7	CLIA
T4, Total (Thyroxine)	6.34	ug/dl	3.2-12.6	CLIA
TSH (Thyroid Stimulating Hormone)	1.97	μIU/mL	0.27 - 5.5	CLIA
Interpretation:				
-		0.3-4.5 μIU/	mL First Trimeste	er
		0.4-4.2 μIU/	mL Adults	21-54 Years
		0.5-4.6 μIU/		ester
		0.5-8.9 μIU/	mL Adults	55-87 Years
		$0.7-64 \mu IU/$	`	· · · · · · · · · · · · · · · · · · ·
		0.7-27 µIU/		28-36 Week
		0.8-5.2 µIU/		ter
		1-39 μIU/		0-4 Days
		1.7-9.1 μIU/		2-20 Week
		2.3-13.2 μIU/	mL Cord Blood	> 37Week

- 1) Patients having low T3 and T4 levels but high TSH levels suffer from primary hypothyroidism, cretinism, juvenile myxedema or autoimmune disorders.
- 2) Patients having high T3 and T4 levels but low TSH levels suffer from Grave's disease, toxic adenoma or sub-acute thyroiditis.
- 3) Patients having either low or normal T3 and T4 levels but low TSH values suffer from iodine deficiency or secondary hypothyroidism.
- **4)** Patients having high T3 and T4 levels but normal TSH levels may suffer from toxic multinodular goiter. This condition is mostly a symptomatic and may cause transient hyperthyroidism but no persistent symptoms.
- 5) Patients with high or normal T3 and T4 levels and low or normal TSH levels suffer either from T3 toxicosis or T4 toxicosis respectively.
- **6**) In patients with non thyroidal illness abnormal test results are not necessarily indicative of thyroidism but may be due to adaptation to the catabolic state and may revert to normal when the patient recovers.
- 7) There are many drugs for eg. Glucocorticoids, Dopamine, Lithium, Iodides, Oral radiographic dyes, etc. which may affect the thyroid function tests.
- **8)** Generally when total T3 and total T4 results are indecisive then Free T3 and Free T4 tests are recommended for further confirmation along with TSH levels.



Add: B $1/2,\,Sector\,J,\,Near\,Sangam\,Chauraha,\,Lda\,Stadium\,Road,Aliganj$

Ph: 9235432681,

CIN: U85110DL2003PLC308206

Patient Name : Mrs.RATNA Registered On : 21/Jul/2021 11:22:10

 Age/Gender
 : 27 Y 0 M 0 D /F
 Collected
 : N/A

 UHID/MR NO
 : CALI.0000028522
 Received
 : N/A

Visit ID : CALI0041742122 Reported : 21/Jul/2021 16:06:10

Ref Doctor : Dr.Mediwheel - Arcofemi Health Care Ltd. Status : Final Report

DEPARTMENT OF X-RAY

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

X-RAY DIGITAL CHEST PA *

(500 mA COMPUTERISED UNIT SPOT FILM DEVICE)

DIGITAL CHEST P-A VIEW

- Soft tissue shadow appears normal.
- Bony cage is normal.
- Diaphragmatic shadows are normal on both sides.
- Costo-phrenic angles are bilaterally clear.
- Trachea is central in position.
- Cardiac size & contours are normal.
- Hilar shadows are normal.
- Pulmonary vascularity & distribution are normal.
- Pulmonary parenchyma did not reveal any significant lesion.

IMPRESSION:

- NORMAL SKIAGRAM
- CORADS-1.

Dr. Anil Kumar Verma (MBBS,DMRD)

Add: B 1/2, Sector J, Near Sangam Chauraha, L
da Stadium Road, Aliganj

Ph: 9235432681,

CIN: U85110DL2003PLC308206

Patient Name : Mrs.RATNA Registered On : 21/Jul/2021 11:22:10

 Age/Gender
 : 27 Y 0 M 0 D /F
 Collected
 : N/A

 UHID/MR NO
 : CALI.0000028522
 Received
 : N/A

Visit ID : CALI0041742122 Reported : 21/Jul/2021 14:20:05

Ref Doctor : Dr.Mediwheel - Arcofemi Health Care Ltd. Status : Final Report

DEPARTMENT OF ULTRASOUND

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

ULTRASOUND WHOLE ABDOMEN (UPPER & LOWER) *

LIVER

- Liver is mildly enlarged in size (~164 mm) with grade I fatty changes.
- No obvious focal lesion is seen. The intra-hepatic biliary radicles are normal.
- Portal vein is normal (~9.4 mm) in caliber.

GALL BLADDER & CBD

- Gall bladder well distended Atleast two echogenic foci seen within gall bladder lumen (average size ~ approx 7 to 8 mm) giving weak acoustic shadowcalculi. No wall thickening or pericholecystic fluid noted with gall bladder sludge.
- Visualised proximal common bile duct is normal (~ 4.7 mm) in caliber. Lumen echo lucent smooth tapering.

PANCREAS

• The pancreas is normal in size and shape and has a normal homogenous echotexture. Pancreatic duct is not dilated.

KIDNEYS

- Both the kidneys are normal in size and echotexture.
- Right kidney measures ~ 113 x 45 mm.
- Left kidney measures ~ 119 x 49 mm.
- Bilateral minimal splitting of pelvicalyceal system with minimally prominent bilateral upper ureter seen. (Adv:-Urine routine microscopy to rule out UTI).
- Cortico-medullary demarcation is clear on both sides.

SPLEEN

• The spleen is normal in size and has a normal homogenous echo-texture.

LYMPH NODES

• No significant lymph node noted.

URINARY BLADDER

• Urinary bladder is well distended. Bladder wall is normal in thickness and is regular.

 $Add: B\ 1/2, Sector\ J,\ Near\ Sangam\ Chauraha,\ Lda\ Stadium\ Road, Aliganj$

Ph: 9235432681,

CIN: U85110DL2003PLC308206

Patient Name : Mrs.RATNA Registered On : 21/Jul/2021 11:22:10

 Age/Gender
 : 27 Y 0 M 0 D /F
 Collected
 : N/A

 UHID/MR NO
 : CALI.0000028522
 Received
 : N/A

Visit ID : CALI0041742122 Reported : 21/Jul/2021 14:20:05

Ref Doctor : Dr. Mediwheel - Arcofemi Health Care Ltd. Status : Final Report

DEPARTMENT OF ULTRASOUND

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

UTERUS & CERVIX

- The uterus is anteverted and measures \sim 78 x 36 x 34 mm, volume \sim 50.7 cc.
- It has a homogenous myometrial echotexture.
- The endometrial echo is in mid line and measures ~7 mm.
- Cervix appear normal in size & measures ~ 28 x 27 mm.

ADNEXA & OVARIES

- Adnexa appear normal.
- Both ovaries are normal in size and echotexture.
- Right ovary measures ~ 34 x 18 mm.
- Left ovary measures ~ 31 x 17 mm.

IMPRESSION

- Mild hepatomegaly with grade I fatty changes in liver.
- Chalelithiasis
- Bilateral minimal splitting of pelvicalyceal system with minimally prominent bilateral upper ureter seen. (Adv:-Urine routine microscopy to rule out UTI).

Typed by- anoop

(This report is an expert opinion & not a diagnosis. Kindly intimate us immediately or within 7 days for any reporting / typing error or any query regarding sonographic correlation of clinical findings)

*** End Of Report ***

(**) Test Performed at Chandan Speciality Lab.

Result/s to Follow: ECG/EKG

Dr. Anil Kumar Verma (MBBS.DMRD)

This report is not for medico legal purpose. If clinical correlation is not established, kindly repeat the test at no additional cost within seven days.

Facilities: Pathology, Bedside Sample Collection, Health Check-ups, Digital X-Ray, ECG (Bedside also), Allergy Testing, Test And Health Check-ups, Ultrasonography, Sonomammography, Bone Mineral Density (BMD), Doppler Studies, 2D Echo, CT Scan, MRI, Blood Bank, TMT, EEG, PFT, OPG, Endoscopy, Digital Mammography, Electromyography (EMG), Nerve Condition Velocity (NCV), Audiometry, Brainstem Evoked Response Audiometry (BERA), Colonoscopy, Ambulance Services, Online Booking Facilities for Diagnostics, Online Report Viewing *

Facilities Available at Select Location